

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (2/98)

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

Only for new nonprovisional applications under 37 CFR 1.53(b)

Attorney Docket No. 05686.0004.NPUS00/35-10(17108)

First Named Inventor or Application Identifier Karunanandaa

Title Nucleic Acid Molecules and Other Molecules Associated
Sterol Synthesis and Metabolism

Express Mail Label No.

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

Assistant Commissioner for Patents
ADDRESS TO: Box Patent Application
Washington, DC 20231

1. ☐ *Fee Transmittal Form (Form PTO-1082)
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages 159]
(preferred arrangement set forth below)
- Descriptive title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R&D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claims
 - Abstract of the Disclosure
3. ☐ Drawing(s) (35 USC 113) [Total Sheets]
4. ☐ Oath or Declaration [Total Pages]
- a. ☐ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
- i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s) named
in the prior application, see 37 CFR 1.63(d)(2) and
1.33(b).
5. ☐ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy
of the oath or declaration is supplied under Box 4b, is considered
as being part of the disclosure of the accompanying application
and is hereby incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
- a. ☒ Computer Readable Copy
- b. ☒ Paper Copy (identical to computer copy)
- c. ☒ Statement verifying identity of above
copies

ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of
(when there is an assignee) Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure ☐ Copies of IDS
Statement (IDS)/PTO-1449 Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503) (Two)
(should be specifically itemized)
14. ☐ *Small Entity ☐ Statement filed in
Statement(s) prior application,
Status still proper
and desired
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐ Other:

*NOTE FOR ITEMS 1 & 14 IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY
FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF
ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28)

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: /

Prior Application Information: Examiner: Group/Art Unit:

18. CORRESPONDENCE ADDRESS

☒ Customer Number or Bar Code Label 22930 or ☐ Correspondence address below
(Insert Customer No. or Attach bar code label here)

NAME	David R. Marsh HOWREY SIMON ARNOLD & WHITE, LLP				
ADDRESS	Box No. 34 1299 Pennsylvania Avenue, N.W.				
CITY	Washington	STATE	DC	ZIP CODE	20004-2402
COUNTRY	US	TELEPHONE	202-783-0800	FAX	202-383-7195
Name (Print/Type)	David R. Marsh/June E. Cohan			Registration No. (Attorney/Agent)	41,408/43,741
Signature				Date	July 11, 2000

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.



1299 PENNSYLVANIA AVE., NW
WASHINGTON, DC 20004-2402
PHONE 202.783.0800
FAX 202.383.6610
A LIMITED LIABILITY PARTNERSHIP

July 11, 2000

Assistant Commissioner for Patents
Washington, D.C. 20231

Box Patent Application

Re: U.S. Non-Provisional Utility Patent Application
Application No.: To Be Assigned
Filed: Herewith
For: **Nucleic Acid Molecules and Other Molecules
Associated with Sterol Synthesis and Metabolism**
Inventors: Balasulojini KARUNANANDAA *et al.*
Atty. Docket: 05686.0004.NPUS00/35-21(17108)

Sir:

The following documents are forwarded herewith for appropriate action by the U.S.
Patent and Trademark Office:

1. Utility Patent Application Transmittal (PTO/SB/05);
2. U.S. Utility Patent Application entitled:
**Nucleic Acid Molecules and Other Molecules Associated with
Sterol Synthesis and Metabolism**
and naming as inventors:
Balasulojini KARUNANANDAA, Jaehyuk YU, and Ganesh M. KISHORE,
the application consisting of:
 - a. A specification containing:
 - (i) 154 pages of a description prior to the claims;
 - (ii) 3 page of claims (27 claims);
 - (iii) a one (1) page abstract; and
 - (iv) 777 pages of a sequence listing;
3. A computer-readable diskette containing the sequence listing;
4. Statement Regarding Sequence Submission; and

5. Two (2) return postcards.


This application claims priority under 35 U.S.C §119(e) of U.S. Provisional Application No. 60/142,981, filed July 12, 1999.

This application is being filed without an executed Declaration, and without payment of official fees.

In accordance with 37 C.F.R. § 1.821(f), the paper copy of the sequence listing and the computer readable copy of the sequence listing submitted herewith in the above application are the same.

It is respectfully requested that, of the two attached postcards, one be stamped with the filing date of these documents and returned to our courier, and the other, prepaid postcard, be stamped with the filing date and unofficial application number and returned as soon as possible.

Respectfully submitted,



David R. Marsh (Reg. No. 41,408)
June E. Cohan (Reg. No. 43,741)

Enclosures

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

10808 U.S. PTO
09/614221
07/11/00

In re application of:

Balasulojini KARUNANANDAA *et al.*

Art Unit: To Be Assigned

Appln. No.: To Be Assigned

Examiner: To Be Assigned

Filed: July 11, 2000

Atty. Docket: 05686.0004.NPUS00/
35-21(17108)

For: Nucleic Acid Molecules and Other
Molecules Associated with Sterol
Synthesis and Metabolism


Statement Regarding Sequence Submission

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

In accordance with 37 C.F.R. § 1.821(f), the paper copy of the Sequence Listing and the computer readable copy of the Sequence Listing submitted herewith in the above-mentioned application are the same.

Respectfully submitted,


David R. Marsh (Reg. No. 41,408)
June E. Cohan (Reg. No. 43,741)

Date: July 11, 2000

Howrey Simon Arnold & White, LLP
Box 34
1299 Pennsylvania Avenue, N.W.
Washington, DC 20004-2402
(202) 783-8000

NUCLEIC ACID MOLECULES AND OTHER MOLECULES ASSOCIATED WITH STEROL SYNTHESIS AND METABOLISM

FIELD OF THE INVENTION

This invention relates to the field of biotechnology, particularly as it pertains to the
5 production of sterols in a variety of host systems particularly plants. More specifically, the
invention relates to nucleic acid molecules encoding proteins and fragments of proteins
associated with sterol and phytosterol metabolism as well as the encoded proteins and fragments
of proteins and antibodies capable of binding to them. The invention also relates to methods of
using the nucleic acid molecules, fragments of the nucleic acid molecules, proteins, and
10 fragments of proteins. The invention also relates to cells, organisms, particularly plants, or seeds,
or progeny of plants, that have been manipulated to contain increased levels or overexpress at
least one sterol or phytosterol compound.

BACKGROUND OF THE INVENTION

Sterols are a class of essential, natural compounds required by all eukaryotes to complete
15 their life cycle. The types of sterols produced and predominantly present within each of the
phylogenetic kingdoms varies. Plants produce a class of sterols called phytosterols. A
phytosterol called sitosterol predominates. In animals, cholesterol is typically the major sterol
while in fungi it is ergosterol.

Phytosterols from plants possess a wide spectrum of biological activities in animals and
20 humans. Phytosterols are considered efficacious cholesterol-lowering agents (Pelletier *et al.*,
Annals Nutrit. Metab. 39:291-295 (1995), the entirety of which is herein incorporated by
reference). Lower cholesterol levels are linked to a reduction in the risk to cardiovascular
disease. Phytosterols can also block cholesterol absorption in the intestine, which would also
lead to lower cholesterol levels. Thus, enhancing the levels of phytosterols in edible plants and
25 seeds, or products derived from these plants and seeds, may lead to food products with increased
nutritive or therapeutic value.

In one aspect, this invention provides these desirable plants and seeds as well as methods to produce them. Since, as will be discussed below, the genetic manipulation made possible by this invention involves families of related genes that cross phylogenetic boundaries, the effects are not limited to plants alone.

5 **Biochemistry of Sterol Synthesis**

A number of the important sterol biosynthetic enzymes, reactions, and intermediates have been described. Sterol synthesis uses acetyl CoA as the basic carbon building block. Multiple acetyl CoA molecules form the five-carbon isoprene units, hence the name isoprenoid pathway. Enzymatic combination of isoprene units leads to the thirty-carbon squalene molecule, which is
10 the penultimate precursor to sterols.

Throughout plants, animals, and fungus, the reactions proceed as: acetyl CoA →
HMGCoA, mevalonate, mevalonate 5 phosphate, mevalonate 5-pyrophosphate, isopentyl
diphosphate, 5-pyrophosphatemevalonate, isopentyl pyrophosphate (PIP), dimethylallyl
pyrophosphate (DMAPP), PIP + DMAPP, geranyl pyrophosphate + IPP, farnesyl pyrophosphate,
15 2 farnesyl pyrophosphate, squalene and squalene epoxide

From squalene epoxide, the sterol biosynthesis pathway of plants diverges from that of animals and fungi. In plants, cycloartenol is produced next by cyclization of squalene epoxide. The plant pathway eventually leads to the synthesis of the predominant phytosterol, sitosterol.

Animals go on to produce lanosterol from squalene epoxide, eventually leading to
20 cholesterol, which is the precursor to steroid hormones and bile acids, among other compounds. In fungi, lanosterol leads to the production of the predominant sterol, ergosterol.

An important regulatory control step within the pathway consists of the HMGCoA →
Mevalonate step, catalyzed by HMGCoA reductase, and the condensation of 2 farnesyl
pyrophosphates → squalene, catalyzed by squalene synthase. An early, reported rate-limiting
25 step, in the pathway is the HMGCoA reductase-catalyzed reaction.

A number of studies have focused on the regulation of HMGCoA reductase. HMGCoA reductase (EC 1.1.1.34) catalyzes the reductive conversion of HMGCoA to mevalonic acid

(MVA). This reaction is a reported controlling step in isoprenoid biosynthesis. The enzyme is regulated by feedback mechanisms and by a system of activation kinases and phosphatases (Gray, *Adv. Bot. Res.*, 14: 25 (1987); Bach *et al.*, *Lipids*, 26: 637 (1991); Stermer *et al.*, *J. Lipid Res.*, 35: 1133 (1994), all of which are herein incorporated by reference in their entirety).

5 Another important regulation occurs at the squalene synthase step. Squalene synthase (EC 2.5.1.21) reductively condenses two molecules of FPP in the presence of Mg^{2+} and NADPH to form squalene. The reaction involves a head-to-head condensation and forms a stable intermediate, presqualene diphosphate. The enzyme is subject to regulation similar to that of HMGCoA reductase and acts by balancing the incorporation of FPP into sterols and other
10 compounds.

The sterol pathway of plants diverges from that in animals and fungi after squalene epoxide. In plants, the cyclization of squalene epoxide occurs next, under the regulated control of cycloartenol synthase (EC 5.4.99.8). The cyclization mechanism proceeds from the epoxy end into a chair-boat-chair-boat sequence that is mediated by a transient C-20 carbocationic
15 intermediate. The reported rate-limiting step in plant sterol synthesis occurs in the next step, S-adenosyl-L-methionine:sterol C-24 methyl transferase (EC 2.1.1.41) (SMT_I) catalyzing the transfer of a methyl group from a cofactor, S-adenosyl-L-methionine, to the C-24 center of the sterol side chain. This is the first of two methyl transfer reactions. The second methyl transfer reaction occurs further down in the pathway and has been reported to be catalyzed by SMT_{II} . An
20 isoform enzyme, SMT_{II} , catalyzes the conversion of 24-methylene lophenol to 24-ethylidene lophenol (Fonteneau *et al.*, *Plant Sci Lett* 10:147-155(1977), the entirety of which is herein incorporated by reference). The presence of two distinct SMTs in plants were further confirmed by cloning cDNAs code the enzymes from *Arabidopsis* (Husselstein *et al.*, *FEBS Lett* 381:87-92(1996), the entirety of which is herein incorporated by reference), soybean (Shi *et al.*, *J Biol Chem* 271: 9384-9389(1996), the entirety of which is herein incorporated by reference), maize
25 (Grebenok *et al.*, *Plant Mol Biol* 34: 891-896(1997), the entirety of which is herein incorporated by reference) and tobacco (Bouvier-Nave *et al.*, *Eur J Biochem* 246: 518-529 (1997); Bouvier-

Nave *et al.*, *Eur J Biochem* 256: 88-96(1998), both of which are herein incorporated by reference in their entirety).

Later in the pathway, a sterol C-14 demethylase catalyzes the demethylation at C-14, removing the methyl group and creating a double bond. Interestingly, this enzyme also occurs in plants and fungi, but at a different point in the pathway. Sterol C14-demethylation is mediated by a cytochrome P-450 complex. A large family of enzymes utilize the cytochrome P-450 complex. There is, in addition, a family of cytochrome P450 complexes. For example, sterol C-22 desaturase (EC 2.7.3.9) catalyzes the formation of the double bond at C-22 on the side chain. The C-22 desaturase in yeast, which is the final step in the biosynthesis of ergosterol, contains a cytochrome P450 that is distinct from the cytochrome P450 participating in the demethylation reaction. Additional cytochrome P450 enzymes participate in brassinosteroid synthesis (Bishop, *Plant Cell* 8:959-969 (1996), the entirety of which is herein incorporated by reference).

Brassinosteroids are steroidal compounds with plant growth regulatory properties, including modulation of cell expansion and photomorphogenesis (Arteca, *Plant Hormones, Physiology, Biochemistry and Molecular Biology* ed. Davies, Kluwer Academic Publishers, Dordrecht, 66 (1995), Yakota, *Trends in Plant Science* 2:137-143 (1997), both of which are herein incorporated by reference in their entirety).

One class of proteins, oxysterol-binding proteins, have been reported in humans and yeast (Jiang *et al.*, *Yeast* 10: 341-353 (1994), the entirety of which is herein incorporated by reference).

These proteins have been reported to modulate ergosterol levels in yeast (Jiang *et al.*, *Yeast* 10: 341-353 (1994)). In particular, Jiang *et al.*, reported three genes KES1, HES1 and OSH1, which encode proteins containing an oxysterol-binding region.

Enzyme Inhibitors and Modulators

Self-regulatory and feedback regulatory mechanisms of some of the sterol synthesis enzymes provide opportunities to effect sterol metabolism. For example, the introduction of the feedback inhibitor molecule inhibits enzyme action while the removal of that molecule up-regulates the enzyme. In certain circumstances, non-wild type enzymes can effect normal

regulation. These organisms can be generated, for example, by traditional genetic crosses, mutation treatments and through molecular genetics. One example is the overexpression of plant HMGC_oA reductase in transgenic plants resulting in a 6-10 fold increase in the total sterol levels (for example, transgenic tobacco plants overproducing phytosterols in Schaller *et al.*, *Plant*
5 *Physiol.* 109: 761 (1995), the entirety of which is herein incorporated by reference).

A number of compounds have been identified that, at least partially, exert their effects on sterol synthesis. For example, mevinolinic acid and lovastatin are competitive inhibitors of HMGC_oA reductase and zaragonic acid is a competitive inhibitor of squalene synthase (Alberts *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 77:3957-61 (1993); Bergstrom *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 90:80-84 (1980), both of which are herein incorporated by reference). Many fungicides
10 and insecticides act by inhibiting enzymes, such as those noted above or the C-14 demethylase enzyme (*Sterol Biosynthesis Inhibitors and Anti-feeding Compounds*, Kato *et al.*, Springer-Verlag, New York (1986); *Sterol biosynthesis inhibitors: pharmaceutical and agrochemical aspects*, eds. Berg and Plempel, Ellis Horwood, Chichester, England (1988), both of which are
15 herein incorporated by reference in this entirety).

However, the use of these compounds can have toxic effects that preclude their use in products destined for animal or human consumption. Furthermore, the increase or decrease in sterol levels possible using these compounds is limited. Typically, the changes in levels occur over a wide spectrum of the pathway. New and more effective methods for manipulating sterol
20 synthesis are desired.

The present invention provides a gene, *Hes1*, involved in plant phytosterol production. Expression of HES1 (protein) in organisms such as plants can increase phytosterol biosynthesis. The present invention also provides transgenic organisms expressing a HES1 protein, which can enhance food and feed sources.

25 SUMMARY OF THE INVENTION

The present invention includes a substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 622.

The present invention includes a substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 1 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 622.

5 The present invention includes a substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 623.

The present invention includes a substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 2 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 623.

10 The present invention includes a substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 624.

15 The present invention includes a substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 3 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 624.

The present invention includes a substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 625.

20 The present invention includes a substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 4 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 625.

The present invention includes a substantially purified nucleic acid molecule comprising a nucleic acid sequence which encodes a plant HES1 protein.

25 The present invention includes an antibody capable of specifically binding a protein comprising the amino acid sequence of SEQ ID NO: 622.

The present invention includes an antibody capable of specifically binding a protein comprising the amino acid sequence of SEQ ID NO: 623.

The present invention includes an antibody capable of specifically binding a protein comprising the amino acid sequence of SEQ ID NO: 624.

5 The present invention includes an antibody capable of specifically binding a protein comprising the amino acid sequence of SEQ ID NO: 625.

The present invention also provides a transformed plant having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule; which is linked to (B) a structural nucleic acid molecule,
10 wherein the structural nucleic acid molecule comprises a nucleic acid sequence encoding a protein having an amino acid sequence selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragment thereof; which is linked to (C) a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

15 The present invention also provides a transformed plant having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule; which is linked to (B) a transcribed nucleic acid molecule with a transcribed strand and a non-transcribed strand, wherein the transcribed strand is complementary to a nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or fragment thereof; which is linked
20 to (C) a 3' non-translated sequence that functions in plant cells to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

The present invention also provides a method for determining a level or pattern in a plant of a protein in a plant comprising: (A) incubating, under conditions permitting nucleic acid
25 hybridization, a marker nucleic acid molecule, the marker nucleic acid molecule selected from the group of marker nucleic acid molecules which specifically hybridize to a nucleic acid molecule having the nucleic acid sequence of SEQ ID NO: 1 through SEQ ID NO: 621 or

complements thereof, with a complementary nucleic acid molecule obtained from the plant cell or plant tissue, wherein nucleic acid hybridization between the marker nucleic acid molecule and the complementary nucleic acid molecule obtained from the plant permits the detection of an mRNA for the enzyme; (B) permitting hybridization between the marker nucleic acid molecule and the complementary nucleic acid molecule obtained from the plant cell or plant tissue; and (C) detecting the level or pattern of the complementary nucleic acid, wherein the detection of the complementary nucleic acid is predictive of the level or pattern of the protein in the plant.

The present invention also provides a method for determining a level or pattern of a protein in a plant under evaluation which comprises assaying the concentration of a molecule, whose concentration is dependent upon the expression of a gene, the gene specifically hybridizes to a nucleic acid molecule having a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof, in comparison to the concentration of that molecule present in a reference plant with a known level or pattern of the protein, wherein the assayed concentration of the molecule is compared to the assayed concentration of the molecule in the reference plant with the known level or pattern of the protein.

The present invention also provides a method for determining a mutation in a plant whose presence is predictive of a mutation affecting a level or pattern of a protein comprising the steps: (A) incubating, under conditions permitting nucleic acid hybridization, a marker nucleic acid, the marker nucleic acid selected from the group of marker nucleic acid molecules which specifically hybridize to a nucleic acid molecule having a nucleic acid sequence selected from the group of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof and a complementary nucleic acid molecule obtained from the plant, wherein nucleic acid hybridization between the marker nucleic acid molecule and the complementary nucleic acid molecule obtained from the plant permits the detection of a polymorphism whose presence is predictive of a mutation affecting the level or pattern of the protein in the plant; (B) permitting hybridization between the marker nucleic acid molecule and the complementary nucleic acid molecule obtained from the

plant; and (C) detecting the presence of the polymorphism, wherein the detection of the polymorphism is predictive of the mutation.

The present invention also provides a method of producing a plant containing an overexpressed protein comprising: (A) transforming the plant with a functional nucleic acid molecule, wherein the functional nucleic acid molecule comprises a promoter region, wherein the promoter region is linked to a structural region, wherein the structural region has a nucleic acid sequence selected from group consisting of SEQ ID NO: 1 through SEQ ID NO: 621, wherein the structural region is linked to a 3' non-translated sequence that functions in the plant to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of a mRNA molecule; and wherein the functional nucleic acid molecule results in overexpression of the protein; and (B) growing the transformed plant.

The present invention also provides a method of producing a plant containing an overexpressed protein comprising: (A) transforming the plant with a functional nucleic acid molecule, wherein the functional nucleic acid molecule comprises a promoter region, wherein the promoter region is linked to a structural region, wherein the structural region encodes a protein comprising an amino acid sequence selected from group consisting of SEQ ID NO: 622 through SEQ ID NO: 626, wherein the structural region is linked to a 3' non-translated sequence that functions in the plant to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of a mRNA molecule; and wherein the functional nucleic acid molecule results in overexpression of the protein; and (B) growing the transformed plant.

The present invention also provides a method of producing a plant containing reduced levels of a protein comprising: (A) transforming the plant with a functional nucleic acid molecule, wherein the functional nucleic acid molecule comprises a promoter region, wherein the promoter region is linked to a structural region, wherein the structural region comprises a nucleic acid molecule having a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621; wherein the structural region is linked to a 3' non-translated sequence that functions in the plant to cause termination of transcription and addition of

polyadenylated ribonucleotides to a 3' end of a mRNA molecule; and wherein the functional nucleic acid molecule results in co-suppression of the protein; and (B) growing the transformed plant.

The present invention also provides a method of producing a plant containing reduced levels of a protein comprising: (A) transforming the plant with a functional nucleic acid molecule, wherein the functional nucleic acid molecule comprises a promoter region, wherein the promoter region is linked to a structural region, wherein the structural region encodes a protein comprising an amino acid sequence selected from group consisting of SEQ ID NO: 622 through SEQ ID NO: 626; wherein the structural region is linked to a 3' non-translated sequence that functions in the plant to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of a mRNA molecule; and wherein the functional nucleic acid molecule results in co-suppression of the protein; and (B) growing the transformed plant.

The present invention also provides a method for reducing expression of a protein in a plant comprising: (A) transforming the plant with a nucleic acid molecule, the nucleic acid molecule having an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule, wherein the exogenous promoter region is linked to a transcribed nucleic acid molecule having a transcribed strand and a non-transcribed strand, wherein the transcribed strand is complementary to a nucleic acid molecule having a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or fragments thereof and the transcribed strand is complementary to an endogenous mRNA molecule; and wherein the transcribed nucleic acid molecule is linked to a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of a mRNA molecule; and (B) growing the transformed plant.

The present invention also provides a method for reducing expression of a protein in a plant comprising: (A) transforming the plant with a nucleic acid molecule, the nucleic acid molecule having an exogenous promoter region which functions in a plant cell to cause the

production of a mRNA molecule, wherein the exogenous promoter region is linked to a transcribed nucleic acid molecule having a transcribed strand and a non-transcribed strand, wherein the transcribed strand is complementary to a nucleic acid molecule having a nucleic acid encodes a protein comprising an amino acid sequence selected from group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragments thereof and the transcribed strand is complementary to an endogenous mRNA molecule; and wherein the transcribed nucleic acid molecule is linked to a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of a mRNA molecule; and (B) growing the transformed plant.

The present invention also provides a method of determining an association between a polymorphism and a plant trait comprising: (A) hybridizing a nucleic acid molecule specific for the polymorphism to genetic material of a plant, wherein the nucleic acid molecule has a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragment of either; and (B) calculating the degree of association between the polymorphism and the plant trait.

The present invention also provides a method of isolating a nucleic acid that encodes a protein or fragment thereof comprising: (A) incubating under conditions permitting nucleic acid hybridization, a first nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragment of either with a complementary second nucleic acid molecule obtained from a plant; (B) permitting hybridization between the first nucleic acid molecule and the second nucleic acid molecule obtained from the plant; and (C) isolating the second nucleic acid molecule.

The present invention also provides a method for producing a protein or fragment thereof in an organism comprising introducing a vector comprising a nucleic acid of the present invention and expressing the protein or fragment.

DETAILED DESCRIPTION OF THE INVENTION

One skilled in the art can refer to general reference texts for detailed descriptions of known techniques discussed herein or equivalent techniques. These texts include *Current Protocols in Molecular Biology* Ausubel, *et al.*, eds., John Wiley & Sons, N.Y. (1989), and supplements through September (1998), *Molecular Cloning, A Laboratory Manual* (Sambrook *et al.*, 2nd Ed., Cold Spring Harbor Press, Cold Spring Harbor, New York (1989), for example, each of which are specifically incorporated by reference in their entirety). These texts can also be referred to in making or using an aspect of the invention.

The agents of the invention will preferably be "biologically active" with respect to either a structural attribute, such as the capacity of a nucleic acid to hybridize to another nucleic acid molecule, or the ability of a protein to be bound by an antibody (or to compete with another molecule for such binding). Alternatively, such an attribute may be catalytic and thus involve the capacity of the agent to mediate a chemical reaction or response.

The term "substantially purified", as used herein, refers to a molecule separated from substantially all other molecules normally associated with it in its native state. More preferably a substantially purified molecule is the predominant species present in a preparation. A substantially purified molecule may be greater than 60% free, preferably 75% free, more preferably 90% free, and most preferably 95% free from the other molecules (exclusive of solvent) present in the natural mixture. The term "substantially purified" is not intended to encompass molecules present in their native state.

The agents of the invention may also be recombinant. As used herein, the term recombinant means any agent (*e.g.*, DNA, peptide etc.), that is, or results, however indirect, from human manipulation of a nucleic acid molecule.

It is understood that the agents of the invention may be labeled with reagents that facilitate detection of the agent (*e.g.*, fluorescent labels, Prober *et al.*, *Science* 238:336-340 (1987); Albarella *et al.*, EP 144914; chemical labels, Sheldon *et al.*, U.S. Patent 4,582,789; Albarella *et al.*, U.S. Patent 4,563,417; modified bases, Miyoshi *et al.*, EP 119448, all of which

are hereby incorporated by reference in their entirety). It is further understood that the invention provides recombinant bacterial, mammalian, microbial, archaebacterial, insect, fungal, and plant cells as well as viral constructs comprising the agents of the invention.

(a) Nucleic Acid Molecules

5 Agents of the invention include nucleic acid molecules and, more preferably, nucleic acid molecules of maize, soybean, canola, yeast, or *Arabidopsis*. In addition, a number of different plants can be the ultimate source of the nucleic acid molecules of the invention. An exemplary group of genotypes includes: B73 (Illinois Foundation Seeds, Champaign, Illinois U.S.A.); B73 x Mo17 (Illinois Foundation Seeds, Champaign, Illinois U.S.A.); DK604 (Dekalb Genetics,
10 Dekalb, Illinois U.S.A.); H99 (Illinois Foundation Seeds, Champaign, Illinois U.S.A.); RX601 (Asgrow Seed Company, Des Moines, Iowa); and Mo17 (Illinois Foundation Seeds, Champaign, Illinois U.S.A.). And an exemplary group of soybean types includes: Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa); C1944 (United States Department of Agriculture (USDA) Soybean Germplasm Collection, Urbana, Illinois U.S.A.); Cristalina (USDA Soybean
15 Germplasm Collection, Urbana, Illinois U.S.A.); FT108 (Monsoy, Brazil); Hartwig (USDA Soybean Germplasm Collection, Urbana, Illinois U.S.A.); BW211S Null (Tohoku University, Morioka, Japan), PI507354 (USDA Soybean Germplasm Collection, Urbana, Illinois U.S.A.); Asgrow A4922 (Asgrow Seed Company, Des Moines, Iowa U.S.A.); PI227687 (USDA Soybean Germplasm Collection, Urbana, Illinois U.S.A.); PI229358 (USDA Soybean Germplasm
20 Collection, Urbana, Illinois U.S.A.); and Asgrow A3237 (Asgrow Seed Company, Des Moines, Iowa U.S.A.).

A particularly preferred embodiment of the nucleic acid molecules of the present invention are plant nucleic molecules that comprise a nucleic acid sequence which encodes an oxysterol-binding protein consensus sequence, for example, soybean HES1 (SEQ ID NOS: 622,
25 623 and 624), and maize HES1 (SEQ ID NO: 625).

Another particularly preferred embodiment of the nucleic acid molecules of the present invention are yeast nucleic acid molecules that comprise a nucleic acid sequence which encodes an oxysterol-binding protein consensus sequence, for example yeast HES1 (SEQ ID NO: 626).

A particularly preferred embodiment of the nucleic acid molecules of the invention are nucleic acid molecules that encode a protein or fragment thereof where the protein or fragment thereof is selected from the group consisting of a HES1, HMGCoA reductase, squalene synthase, cycloartenol synthase, SMTI, SMTII and UPC2. In a more particularly preferred embodiment of the nucleic acid molecules of the present invention are nucleic acid molecules that encode a protein or fragment thereof where the protein or fragment thereof is selected from the group consisting of a fungal, more preferably a yeast HES1, a plant, more preferably a maize, soybean or *Arabidopsis* HES1, a plant, more preferably a rubber or an *Arabidopsis* HMGCoA reductase, a plant, more preferably an *Arabidopsis* squalene synthase, a plant, more preferably an *Arabidopsis* cycloartenol synthase, a plant, more preferably an *Arabidopsis* SMTI or SMTII and a fungus, more preferably a yeast UPC2.

In a preferred embodiment, the nucleic molecule encodes a HES1 protein, preferably a plant HES1 protein comprising an oxysterol-binding protein consensus sequence -- E(K, Q) xSH (H, R) PPx (S, T, A, C, F)A. In a further preferred embodiment, the nucleic acid molecule encodes a HES1 protein comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625. In a further preferred embodiment, the nucleic acid molecule molecules encodes a HES1 protein with a conservative amino acid substitution in an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625. In a further preferred embodiment, the nucleic acid molecule molecules encodes a HES1 protein with between 2 and 5 conservative amino acid substitutions in an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625. In a further preferred embodiment, the nucleic acid molecule molecules encodes a HES1 protein with between 5 and 10 conservative amino acid substitutions in an amino acid sequence

selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and
SEQ ID NO: 625. In a further preferred embodiment, the nucleic acid molecule encodes a HES1
protein with more than 10 conservative amino acid substitutions in an amino acid sequence
selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and
5 SEQ ID NO: 625.

In another preferred embodiment, the nucleic acid molecule encodes a HES1 protein,
preferably a yeast HES1 protein comprising an oxysterol-binding protein consensus sequence --
E(K, Q) xSH (H, R) PPx (S, T, A, C, F)A. In a further preferred embodiment, the nucleic acid
molecule encodes a HES1 protein comprising an amino acid sequence SEQ ID NO: 626. In a
10 further preferred embodiment, the nucleic acid molecule molecules encodes a HES1 protein with
a conservative amino acid substitution in amino acid sequence SEQ ID NO: 626. In a further
preferred embodiment, the nucleic acid molecule molecules encodes a HES1 protein with
between 2 and 5 conservative amino acid substitutions in an amino acid sequence SEQ ID NO:
626. In a further preferred embodiment, the nucleic acid molecule molecules encodes a HES1
15 protein with between 5 and 10 conservative amino acid substitutions in an amino acid sequence
SEQ ID NO: 626. In a further preferred embodiment, the nucleic acid molecule encodes a HES1
protein with more than 10 conservative amino acid substitutions in an amino acid sequence SEQ
ID NO: 626.

In an aspect of the present invention, one or more of the nucleic acid molecules of the
20 present invention differ in nucleic acid sequence from those encoding a protein or fragment
thereof in SEQ ID NO: 1 through SEQ ID NO: 621 due to the degeneracy in the genetic code in
that they encode the same protein but differ in nucleic acid sequence. In another further aspect of
the present invention, one or more of the nucleic acid molecules of the present invention differ in
nucleic acid sequence from those encoding a protein or fragment thereof in SEQ ID NO: 1
25 through SEQ ID NO: 621 due to fact that the different nucleic acid sequence encodes a protein
having one or more conservative amino acid residue. Examples of conservative substitutions are

set forth in Table 1. It is understood that codons capable of coding for such conservative substitutions are known in the art.

Table 1

5	<u>Original Residue</u>	<u>Conservative Substitutions</u>
	Ala	Ser
	Arg	Lys
	Asn	Gln; His
	Asp	Glu
10	Cys	Ser; Ala
	Gln	Asn
	Glu	Asp
	Gly	Pro
	His	Asn; Gln
15	Ile	Leu; Val
	Leu	Ile; Val
	Lys	Arg; Gln; Glu
	Met	Leu; Ile
	Phe	Met; Leu; Tyr
20	Ser	Thr
	Thr	Ser
	Trp	Tyr
	Tyr	Trp; Phe
	Val	Ile; Leu

25 In a further aspect of the present invention, one or more of the nucleic acid molecules of the present invention differ in nucleic acid sequence from those encoding a protein or fragment thereof set forth in SEQ ID NO: 1 through SEQ ID NO: 621 or fragment thereof due to the fact

that one or more codons encoding an amino acid has been substituted for a codon that encodes a nonessential substitution of the amino acid originally encoded.

One subset of the nucleic acid molecules of the invention is fragment nucleic acids molecules. Fragment nucleic acid molecules may consist of significant portion(s) of, or indeed most of, the nucleic acid molecules of the invention, such as those specifically disclosed. Alternatively, the fragments may comprise smaller oligonucleotides (having from about 15 to about 400 nucleotide residues and more preferably, about 15 to about 30 nucleotide residues, or about 50 to about 100 nucleotide residues, or about 100 to about 200 nucleotide residues, or about 200 to about 400 nucleotide residues, or about 275 to about 350 nucleotide residues).

A fragment of one or more of the nucleic acid molecules of the invention may be a probe and specifically a PCR probe. A PCR probe is a nucleic acid molecule capable of initiating a polymerase activity while in a double-stranded structure with another nucleic acid. Various methods for determining the structure of PCR probes and PCR techniques exist in the art. Computer generated searches using programs such as Primer3 (www-genome.wi.mit.edu/cgi-bin/primer/primer3.cgi), STSPipeline (www-genome.wi.mit.edu/cgi-bin/www-STSPipeline), or GeneUp (Pesole *et al.*, *BioTechniques* 25:112-123 (1998)), for example, can be used to identify potential PCR primers.

As used herein, two nucleic acid molecules are said to be capable of specifically hybridizing to one another if the two molecules are capable of forming an anti-parallel, double-stranded nucleic acid structure.

A nucleic acid molecule is said to be the “complement” of another nucleic acid molecule if they exhibit complete complementarity. As used herein, molecules are said to exhibit “complete complementarity” when every nucleotide of one of the molecules is complementary to a nucleotide of the other. Two molecules are said to be “minimally complementary” if they can hybridize to one another with sufficient stability to permit them to remain annealed to one another under at least conventional “low-stringency” conditions. Similarly, the molecules are said to be “complementary” if they can hybridize to one another with sufficient stability to permit

them to remain annealed to one another under conventional "high-stringency" conditions.

Conventional stringency conditions are described by Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual, 2nd Ed.*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1989) and by Haymes *et al.*, *Nucleic Acid Hybridization, A Practical Approach*, IRL Press,

5 Washington, DC (1985). Departures from complete complementarity are therefore permissible, as long as such departures do not completely preclude the capacity of the molecules to form a double-stranded structure. Thus, in order for a nucleic acid molecule to serve as a primer or probe it need only be sufficiently complementary in sequence to be able to form a stable double-stranded structure under the particular solvent and salt concentrations employed.

10 Appropriate stringency conditions which promote DNA hybridization are, for example, 6.0 X sodium chloride/sodium citrate (SSC) at about 45°C, followed by a wash of 2.0 X SSC at 20-25°C, are known to those skilled in the art or can be found in *Current Protocols in Molecular Biology*, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. For example, the salt concentration in the wash step can be selected from a low stringency of about 2.0 X SSC at 50°C to a high stringency of about 0.2 X SSC at 65°C. In addition, the temperature in the wash step can be increased from
15 low stringency conditions at room temperature, about 22°C, to high stringency conditions at about 65°C. Both temperature and salt may be varied, or either the temperature or the salt concentration may be held constant while the other variable is changed.

In a preferred embodiment, a nucleic acid of the invention will specifically hybridize to
20 one or more of the nucleic acid molecules set forth in SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or more preferably to a nucleic acid molecule having a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 4, SEQ ID NO: 6 through SEQ ID NO: 29 or complements thereof under moderately stringent conditions, for example at about 2.0 X SSC and about 65°C.

25 In a particularly preferred embodiment, a nucleic acid of the invention will include those nucleic acid molecules that specifically hybridize to one or more of the nucleic acid molecules set forth in SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or more preferably

to a nucleic acid molecule having a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 4, SEQ ID NO: 6 through SEQ ID NO: 29 or complements thereof under high stringency conditions such as 0.2 X SSC and about 65°C.

In one aspect of the invention, the nucleic acid molecules of the invention have one or
5 more of the nucleic acid sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 621 or
complements thereof or fragment thereof or more preferably to a nucleic acid molecule having
SEQ ID NO: 1 through SEQ ID NO: 4, SEQ ID NO: 6 through SEQ ID NO: 29 or complements
thereof. In another aspect of the invention, one or more of the nucleic acid molecules of the
invention share between about 100% and 70% sequence identity with one or more of the nucleic
10 acid sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or
more preferably to a nucleic acid molecule having a nucleic acid sequence selected from the
group consisting of SEQ ID NO: 1 through SEQ ID NO: 4, SEQ ID NO: 6 through SEQ ID NO:
29 or complements thereof. In a further aspect of the invention, one or more of the nucleic acid
molecules of the invention share between about 100% and 90% sequence identity with one or
15 more of the nucleic acid sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 621 or
complements thereof or more preferably to a nucleic acid molecule having a nucleic acid
sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 4, SEQ ID
NO: 6 through SEQ ID NO: 29 or complements thereof. In a more preferred aspect of the
invention, one or more of the nucleic acid molecules of the invention share between about 100%
20 and 95% sequence identity with one or more of the nucleic acid sequences set forth in SEQ ID
NO: 1 through SEQ ID NO: 621 or complements thereof or more preferably to a nucleic acid
molecule having a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1
through SEQ ID NO: 4, SEQ ID NO: 6 through SEQ ID NO: 29 or complements thereof. In an
even more preferred aspect of the invention, one or more of the nucleic acid molecules of the
25 invention share between about 100% and 99% sequence identity with one or more of the
sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or more
preferably to a nucleic acid molecule having a nucleic acid sequence selected from the group

consisting of SEQ ID NO: 1 through SEQ ID NO: 4, SEQ ID NO: 6 through SEQ ID NO: 29, or complements thereof.

In a preferred embodiment the percent identity calculations are performed using the Megalign program of the LASERGENE bioinformatics computing suite (default parameters,
5 DNASTAR Inc., Madison, Wisconsin).

In a preferred embodiment of the present invention, the nucleic acid molecule of the present invention encodes a protein or fragment thereof, where a protein exhibits a BLAST probability score of greater than 1E-12, preferably a BLAST probability score of between about 1E-30 and about 1E-12, even more preferably a BLAST probability score of greater than 1E-30
10 with its homologue.

In a preferred embodiment of the present invention, the nucleic molecule of the present invention encodes a protein or fragment thereof where a protein exhibits a BLAST score of greater than 120, preferably a BLAST score of between about 1450 and about 120, even more preferably a BLAST score of greater than 1450 with its homologue.

15 Nucleic acid molecules of the present invention can comprise sequences that encode a protein or fragment thereof. Such proteins or fragments thereof include homologues of known proteins in other organisms.

A nucleic acid molecule of the invention can also encode a homolog protein. As used herein, a homolog protein molecule or fragment thereof is a counterpart protein molecule or
20 fragment thereof in a second species (*e.g.*, maize HES1 is a homolog of *Arabidopsis* HES1). A homolog can also be generated by molecular evolution or DNA shuffling techniques, so that the molecule retains at least one functional or structure characteristic of the original protein (*see*, for example, U.S. Patent 5,811,238).

Particularly preferred homologues are selected from the group consisting of alfalfa,
25 *Arabidopsis*, barley, *Brassica*, broccoli, cabbage, citrus, cotton, garlic, oat, oilseed rape, onion, canola, flax, an ornamental plant, maize, peanut, pepper, potato, rice, rye, sorghum, soybean, strawberry, sugarcane, sugarbeet, tomato, wheat, poplar, pine, fir, eucalyptus, apple, lettuce,

lentils, grape, banana, tea, turf grasses, sunflower, soybean, and *Phaseolus*. A particularly preferred group of homologues are crops harvested for seed oils, including but not limited to rapeseed (high erucic acid rape and canola), maize, soybean, safflower, sunflower, cotton, peanut, flax, oil palm and *Cuphea*.

5 In a preferred embodiment, nucleic acid molecules having SEQ ID NO: 1 through SEQ ID NO: 621 or complements and fragments of either can be utilized to obtain such homologues.

The degeneracy of the genetic code, which allows different nucleic acid sequences to code for the same protein or peptide, is known in the literature. (U.S. Patent No. 4,757,006, the entirety of which is herein incorporated by reference).

10 Agents of the invention include nucleic acid molecules that encode a substantially purified nucleic acid molecules encoding at least about a 10 amino acid region, more preferably a 20, 30, 40, or 50 amino acid region, of a protein selected from the group consisting of a fungal, more preferably a yeast HES1, a plant, more preferably a maize, soybean or *Arabidopsis* HES1, a plant, more preferably a rubber or an *Arabidopsis* HMGC_oA reductase, a plant, more preferably an *Arabidopsis* squalene synthase, a plant, more preferably an *Arabidopsis* cycloartenol synthase, a plant, more preferably an *Arabidopsis* SMTI or SMTII and a fungus, more preferably a yeast UPC2.

(b) Protein and Peptide Molecules

20 A class of agents comprises one or more of the protein or fragments thereof or peptide molecules having a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or one or more of the protein or fragment thereof and peptide molecules encoded by other nucleic acid agents of the invention. A particular preferred class of proteins are those having an amino acid sequence selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 625 or fragments thereof.

25 As used herein, the term "protein molecule" or "peptide molecule" includes any molecule that comprises five or more amino acids. It is well known in the art that proteins may undergo modification, including post-translational modifications, such as, but not limited to, disulfide

bond formation, glycosylation, phosphorylation, or oligomerization. Thus, as used herein, the term "protein molecule" or "peptide molecule" includes any protein molecule that is modified by any biological or non-biological process. The terms "amino acid" and "amino acids" refer to all naturally occurring L-amino acids. This definition is meant to include norleucine, norvaline,
5 ornithine, homocysteine, and homoserine.

One or more of the protein or fragment of peptide molecules may be produced via chemical synthesis, or more preferably, by expressing in a suitable bacterial or eukaryotic host. Suitable methods for expression are described by Sambrook *et al.*, In: *Molecular Cloning, A Laboratory Manual, 2nd Edition, Cold Spring Harbor Press*, Cold Spring Harbor, New York
10 (1989), or similar texts.

A "protein fragment" is a peptide or polypeptide molecule whose amino acid sequence comprises a subset of the amino acid sequence of that protein. A protein or fragment thereof that comprises one or more additional peptide regions not derived from that protein is a "fusion" protein. Such molecules may be derivatized to contain carbohydrate or other moieties (such as
15 keyhole limpet hemocyanin, etc.). Fusion protein or peptide molecules of the invention are preferably produced via recombinant means.

Another class of agents comprise protein or peptide molecules or fragments or fusions thereof comprising SEQ ID NO: 622 through SEQ NO: 625 or fragment thereof or encoded by SEQ ID NO: 1 through SEQ ID NO: 621 in which conservative, non-essential or non-relevant
20 amino acid residues have been added, replaced or deleted. Computerized means for designing modifications in protein structure are known in the art (Dahiyat and Mayo, *Science* 278:82-87 (1997), the entirety of which is herein incorporated by reference).

A particularly preferred embodiment of the nucleic acid molecules of the present invention are proteins comprising an amino acid sequence which corresponds to an oxysterol-
25 protein binding consensus sequence.

In a preferred embodiment of the present invention, the nucleic molecule of the present invention encodes a protein or fragment thereof, where a protein exhibits a BLAST probability

score of greater than 1E-12, preferably a BLAST probability score of between about 1E-30 and about 1E-12, even more preferably a BLAST probability score of greater than 1E-30 with its homologue.

In a preferred embodiment of the present invention, the nucleic molecule of the present invention encodes a protein or fragment thereof where a protein exhibits a BLAST score of greater than 120, preferably a BLAST score of between about 1450 and about 120, even more preferably a BLAST score of greater than 1450 with its homologue.

In another preferred embodiment of the present invention, the nucleic acid molecule encoding a protein or fragment thereof exhibits a % identity with its homologue of between about 25% and about 40%, more preferably of between about 40 and about 70%, even more preferably of between about 70% and about 90% and even more preferably between about 90% and 99%.

In another preferred embodiment of the present invention, a protein or fragments thereof exhibits a % identity with its homologue of 100%.

In a preferred embodiment the percent identity calculations are performed using the Megalign program of the LASERGENE bioinformatics computing suite (default parameters, DNASTAR Inc., Madison, Wisconsin).

A protein of the invention can also be a homologue protein. As used herein, a homologue protein molecule or fragment thereof is a counterpart protein molecule or fragment thereof in a second species (*e.g.*, maize HMGC_oA reductase is a homologue of *Arabidopsis* HMGC_oA reductase). A homologue can also be generated by molecular evolution or DNA shuffling techniques, so that the molecule retains at least one functional or structure characteristic of the original (*see*, for example, U.S. Patent 5,811,238, the entirety of which is herein incorporated by reference).

Particularly preferred homologues are selected from the group consisting of alfalfa, *Arabidopsis*, barley, *Brassica*, broccoli, cabbage, citrus, cotton, garlic, oat, oilseed rape, onion, canola, flax, an ornamental plant, maize, peanut, pepper, potato, rice, rye, sorghum, soybean, strawberry, sugarcane, sugarbeet, tomato, wheat, poplar, pine, fir, eucalyptus, apple, lettuce,

lentils, grape, banana, tea, turf grasses, sunflower, soybean, and *Phaseolus*. A particularly preferred group of homologues are those from oil plants such as cotton, canola and sunflower.

In a preferred embodiment, nucleic acid molecules having SEQ ID NO: 1 through SEQ ID NO: 621 or complements and fragments of either can be utilized to obtain such homologues.

5 The degeneracy of the genetic code, which allows different nucleic acid sequences to code for the same protein or peptide, is known in the literature. (U.S. Patent No. 4,757,006, the entirety of which is herein incorporated by reference).

Agents of the invention include proteins comprising at least about a 10 amino acid region, more preferably a 20, 30, 40, or 50 amino acid region, of a protein selected from the group
10 consisting of a fungal, more preferably a yeast HES1, a plant, more preferably a maize, soybean or *Arabidopsis* HES1, a plant, more preferably a rubber or an *Arabidopsis* HMGC_oA reductase, a plant, more preferably an *Arabidopsis* squalene synthase, a plant, more preferably an *Arabidopsis* cycloartenol synthase, a plant, more preferably an *Arabidopsis* SMTI or SMTII and a fungus, more preferably a yeast UPC2.

15 (c) Plant Constructs and Plant Transformants

One or more of the nucleic acid molecules of the invention may be used in plant transformation or transfection. Exogenous genetic material may be transferred into a plant cell and the plant cell regenerated into a whole, fertile or sterile plant. Exogenous genetic material is any genetic material, whether naturally occurring or otherwise, from any source that is capable of
20 being inserted into any organism. In a preferred embodiment the exogenous genetic material includes a nucleic acid molecule of the present invention, preferably a nucleic acid molecule having a sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragments of either. Another preferred class of exogenous genetic material are nucleic acid molecules that encode a protein having an amino acid selected from the
25 group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragments thereof.

Genetic material may be transferred into either monocotyledons and dicotyledons including, but not limited to maize, soybean, *Arabidopsis*, phaseolus, peanut, alfalfa, wheat, rice,

oat, sorghum, rye, tritordeum, millet, fescue, perennial ryegrass, sugarcane, cranberry, papaya, banana, banana, muskmelon, apple, cucumber, dendrobium, gladiolus, chrysanthemum, liliacea, cotton, eucalyptus, sunflower, canola, turfgrass, sugarbeet, coffee and dioscorea (Christou, In: *Particle Bombardment for Genetic Engineering of Plants*, Biotechnology Intelligence Unit, Academic Press, San Diego, California (1996), the entirety of which is herein incorporated by reference). In a particular preferred embodiment, any seed-bearing plant may be employed as the target plant species for modification in accordance with this invention, including angiosperms, gymnosperms, monocotyledons, and dicotyledons. Plants of special interest are crops harvested for seed oils, including but not limited to rapeseed (high erucic acid rape and canola), maize, soybean, safflower, sunflower, cotton, peanut, flax, oil palm and Cuphea.

Transfer of a nucleic acid that encodes for a protein can result in overexpression of that protein in a transformed cell or transgenic plant. One or more of the proteins or fragments thereof encoded by nucleic acid molecules of the invention may be overexpressed in a transformed cell or transformed plant. Such overexpression may be the result of transient or stable transfer of the exogenous genetic material.

In another preferred aspect of the present invention, exogenous genetic material is a nucleic acid molecule that comprises a nucleic acid sequence which encodes a HES1 protein or fragment thereof, more preferably a yeast HES1 protein or fragment thereof, even more preferably a plant HES1 protein or fragment thereof.

In a preferred embodiment, expression or overexpression of a HES1 protein in a plant provides in that plant, relative to an untransformed plant with a similar genetic background, an increased level of phytosterols.

In a preferred embodiment, expression or overexpression of a HES1 protein in a plant provides in that plant, relative to an untransformed plant with a similar genetic background, an altered composition of phytosterols.

In another embodiment, overexpression of a HES1 protein in a plant provides in that plant, relative to an untransformed plant with a similar genetic background, an increased level of a HES1 protein in a plastid.

In another preferred embodiment, overexpression of the HES1 protein in a transformed plant will result in a plant which as a food or feed constituent exhibits an increased ability to act as a cholesterol lowering agent relative to an untransformed plant with a similar genetic background.

In a preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is selected from the group consisting of a HES1, HMGC_oA reductase, squalene synthase, cycloartenol synthase, SMTI, SMTII and UPC2. In a more particularly preferred embodiment of the present invention is a protein or fragment thereof, where the protein or fragment thereof is selected from the group consisting of a fungal, more preferably a yeast HES1, a plant, more preferably a maize, soybean or *Arabidopsis* HES1, a plant, more preferably a rubber or an *Arabidopsis* HMGC_oA reductase, a plant, more preferably an *Arabidopsis* squalene synthase, a plant, more preferably an *Arabidopsis* cycloartenol synthase, a plant, more preferably an *Arabidopsis* SMTI or SMTII and a plant, more preferably a yeast UPC2.

In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is selected from the group consisting a plant HES1, HMGC_oA reductase, squalene synthase, cycloartenol synthase, SMTI, SMTII and yeast UPC2. In a further even more particularly preferred embodiment of the present invention the protein or fragment thereof is a plant HES1. In an additional even more particularly preferred embodiment of the present invention the protein or fragment thereof is a maize, soybean or *Arabidopsis* HES1.

In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein, preferably a plant HES1 protein comprising an oxysterol-binding protein consensus sequence -- E(K, Q) xSH (H, R) PPx (S, T,

A, C, F)A. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein that comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein with a conservative amino acid substitution in an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein with between 2 and 5 conservative amino acid substitutions in an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein with between 5 and 10 conservative amino acid substitutions in an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein with more than 10 conservative amino acid substitutions in an amino acid sequence selected from the group consisting of SEQ ID NO: 622, SEQ ID NO: 623, SEQ ID NO: 624 and SEQ ID NO: 625.

In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein that comprises an amino acid sequence SEQ ID NO: 626. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein with a conservative amino acid substitution in an amino acid sequence SEQ ID NO: 626. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein with between 2 and 5 conservative amino acid substitutions in an amino acid sequence SEQ ID NO: 626. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein

with between 5 and 10 conservative amino acid substitutions in an amino acid sequence SEQ ID NO: 625. In another preferred embodiment of the present invention, the protein or fragment thereof overexpressed in the transgenic plant is a HES1 protein with more than 10 conservative amino acid substitutions in an amino acid sequence SEQ ID NO: 626.

5 Exogenous genetic material may be transferred into a host cell by the use of a DNA vector or construct designed for such a purpose. Design of such a vector is generally within the skill of the art (*See, Plant Molecular Biology: A Laboratory Manual*, Clark (ed.), Springer, New York (1997), the entirety of which is herein incorporated by reference).

A construct or vector may include a plant promoter to express the protein or protein
10 fragment of choice. A number of promoters, which are active in plant cells, have been described in the literature. These include the nopaline synthase (NOS) promoter (Ebert *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 84:5745-5749 (1987), the entirety of which is herein incorporated by reference), the octopine synthase (OCS) promoter (which are carried on tumor-inducing plasmids of *Agrobacterium tumefaciens*), the caulimovirus promoters such as the cauliflower mosaic virus
15 (CaMV) 19S promoter (Lawton *et al.*, *Plant Mol. Biol.* 9:315-324 (1987), the entirety of which is herein incorporated by reference) and the CaMV 35S promoter (Odell *et al.*, *Nature* 313:810-812 (1985), the entirety of which is herein incorporated by reference), the figwort mosaic virus 35S-promoter, the light-inducible promoter from the small subunit of ribulose-1,5-bis-phosphate carboxylase (ssRUBISCO), the Adh promoter (Walker *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)*
20 84:6624-6628 (1987), the entirety of which is herein incorporated by reference), the sucrose synthase promoter (Yang *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:4144-4148 (1990), the entirety of which is herein incorporated by reference), the R gene complex promoter (Chandler *et al.*, *The Plant Cell* 1:1175-1183 (1989), the entirety of which is herein incorporated by reference) and the chlorophyll a/b binding protein gene promoter, etc. These promoters have been used to create
25 DNA constructs that have been expressed in plants; *see, e.g.*, PCT publication WO 84/02913, herein incorporated by reference in its entirety. The CaMV 35S promoters are preferred for use

in plants. Promoters known or found to cause transcription of DNA in plant cells can be used in the invention.

For the purpose of expression in source tissues of the plant, such as the leaf, seed, root or stem, it is preferred that the promoters utilized have relatively high expression in these specific tissues. Tissue-specific expression of a protein of the present invention is a particularly preferred embodiment. For this purpose, one may choose from a number of promoters for genes with tissue- or cell-specific or -enhanced expression. Examples of such promoters reported in the literature include the chloroplast glutamine synthetase GS2 promoter from pea (Edwards *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:3459-3463 (1990), herein incorporated by reference in its entirety), the chloroplast fructose-1,6-biphosphatase (FBPase) promoter from wheat (Lloyd *et al.*, *Mol. Gen. Genet.* 225:209-216 (1991), herein incorporated by reference in its entirety), the nuclear photosynthetic ST-LS1 promoter from potato (Stockhaus *et al.*, *EMBO J.* 8:2445-2451 (1989), herein incorporated by reference in its entirety), the serine/threonine kinase (PAL) promoter and the glucoamylase (CHS) promoter from *Arabidopsis thaliana*. Also reported to be active in photosynthetically active tissues are the ribulose-1,5-bisphosphate carboxylase (RbcS) promoter from eastern larch (*Larix laricina*), the promoter for the *cab* gene, *cab6*, from pine (Yamamoto *et al.*, *Plant Cell Physiol.* 35:773-778 (1994), herein incorporated by reference in its entirety), the promoter for the *Cab-1* gene from wheat (Fejes *et al.*, *Plant Mol. Biol.* 15:921-932 (1990), herein incorporated by reference in its entirety), the promoter for the *CAB-1* gene from spinach (Lubberstedt *et al.*, *Plant Physiol.* 104:997-1006 (1994), herein incorporated by reference in its entirety), the promoter for the *cab1R* gene from rice (Luan *et al.*, *Plant Cell.* 4:971-981 (1992), the entirety of which is herein incorporated by reference), the pyruvate, orthophosphate dikinase (PPDK) promoter from maize (Matsuoka *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 90: 9586-9590 (1993), herein incorporated by reference in its entirety), the promoter for the tobacco *Lhcb1*2* gene (Cerdan *et al.*, *Plant Mol. Biol.* 33:245-255 (1997), herein incorporated by reference in its entirety), the *Arabidopsis thaliana* SUC2 sucrose-H⁺ symporter promoter (Truernit *et al.*, *Planta.* 196:564-570 (1995), herein incorporated by reference in its

entirety) and the promoter for the thylakoid membrane proteins from spinach (psaD, psaF, psaE, PC, FNR, atpC, atpD, cab, rbcS). Other promoters for the chlorophyll a/b-binding proteins may also be utilized in the invention, such as the promoters for LhcB gene and PsbP gene from white mustard (*Sinapis alba*; Kretsch *et al.*, *Plant Mol. Biol.* 28:219-229 (1995), the entirety of which is herein incorporated by reference).

For the purpose of expression in sink tissues of the plant, such as the tuber of the potato plant, the fruit of tomato, or the seed of maize, wheat, rice and barley, it is preferred that the promoters utilized in the invention have relatively high expression in these specific tissues. A number of promoters for genes with tuber-specific or -enhanced expression are known, including the class I patatin promoter (Bevan *et al.*, *EMBO J.* 8:1899-1906 (1986); Jefferson *et al.*, *Plant Mol. Biol.* 14:995-1006 (1990), both of which are herein incorporated by reference in their entirety), the promoter for the potato tuber ADPGPP genes, both the large and small subunits, the sucrose synthase promoter (Salanoubat and Belliard, *Gene* 60:47-56 (1987), Salanoubat and Belliard, *Gene* 84:181-185 (1989), both of which are incorporated by reference in their entirety), the promoter for the major tuber proteins including the 22 kd protein complexes and proteinase inhibitors (Hannapel, *Plant Physiol.* 101:703-704 (1993), herein incorporated by reference in its entirety), the promoter for the granule bound starch synthase gene (GBSS) (Visser *et al.*, *Plant Mol. Biol.* 17:691-699 (1991), herein incorporated by reference in its entirety) and other class I and II patatins promoters (Koster-Topfer *et al.*, *Mol Gen Genet.* 219:390-396 (1989); Mignery *et al.*, *Gene.* 62:27-44 (1988), both of which are herein incorporated by reference in their entirety).

Other promoters can also be used to express a protein or fragment thereof in specific tissues, such as seeds or fruits. The promoter for β -conglycinin (Chen *et al.*, *Dev. Genet.* 10: 112-122 (1989), herein incorporated by reference in its entirety) or other seed-specific promoters such as the napin and phaseolin promoters, can be used. The zeins are a group of storage proteins found in maize endosperm. Genomic clones for zein genes have been isolated (Pedersen *et al.*, *Cell* 29:1015-1026 (1982), herein incorporated by reference in its entirety) and the promoters from these clones, including the 15 kD, 16 kD, 19 kD, 22 kD, 27 kD and γ genes,

could also be used. Other promoters known to function, for example, in maize include the promoters for the following genes: *waxy*, *Brittle*, *Shrunken 2*, Branching enzymes I and II, starch synthases, debranching enzymes, oleosins, glutelins and sucrose synthases. A particularly preferred promoter for maize endosperm expression is the promoter for the glutelin gene from rice, more particularly the Osgt-1 promoter (Zheng *et al.*, *Mol. Cell Biol.* 13:5829-5842 (1993), herein incorporated by reference in its entirety). Examples of promoters suitable for expression in wheat include those promoters for the ADPglucose pyrosynthase (ADPGPP) subunits, the granule bound and other starch synthase, the branching and debranching enzymes, the embryogenesis-abundant proteins, the gliadins and the glutenins. Examples of such promoters in rice include those promoters for the ADPGPP subunits, the granule bound and other starch synthase, the branching enzymes, the debranching enzymes, sucrose synthases and the glutelins. A particularly preferred promoter is the promoter for rice glutelin, Osgt-1. Examples of such promoters for barley include those for the ADPGPP subunits, the granule bound and other starch synthase, the branching enzymes, the debranching enzymes, sucrose synthases, the hordeins, the embryo globulins and the aleurone specific proteins.

Root specific promoters may also be used. An example of such a promoter is the promoter for the acid chitinase gene (Samac *et al.*, *Plant Mol. Biol.* 25:587-596 (1994), the entirety of which is herein incorporated by reference). Expression in root tissue could also be accomplished by utilizing the root specific subdomains of the CaMV35S promoter that have been identified (Lam *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 86:7890-7894 (1989), herein incorporated by reference in its entirety). Other root cell specific promoters include those reported by Conkling *et al.* (Conkling *et al.*, *Plant Physiol.* 93:1203-1211 (1990), the entirety of which is herein incorporated by reference).

Additional promoters that may be utilized are described, for example, in U.S. Patent Nos. 5,378,619; 5,391,725; 5,428,147; 5,447,858; 5,608,144; 5,608,144; 5,614,399; 5,633,441; 5,633,435; and 4,633,436, all of which are herein incorporated in their entirety. In addition, a

tissue specific enhancer may be used (Fromm *et al.*, *The Plant Cell* 1:977-984 (1989), the entirety of which is herein incorporated by reference).

Constructs or vectors may also include, with the coding region of interest, a nucleic acid sequence that acts, in whole or in part, to terminate transcription of that region. A number of such sequences have been isolated, including the Tr7 3' sequence and the NOS 3' sequence (Ingelbrecht *et al.*, *The Plant Cell* 1:671-680 (1989), the entirety of which is herein incorporated by reference; Bevan *et al.*, *Nucleic Acids Res.* 11:369-385 (1983), the entirety of which is herein incorporated by reference).

A vector or construct may also include regulatory elements. Examples of such include the Adh intron 1 (Callis *et al.*, *Genes and Develop.* 1:1183-1200 (1987), the entirety of which is herein incorporated by reference), the sucrose synthase intron (Vasil *et al.*, *Plant Physiol.* 91:1575-1579 (1989), the entirety of which is herein incorporated by reference) and the TMV omega element (Gallie *et al.*, *The Plant Cell* 1:301-311 (1989), the entirety of which is herein incorporated by reference). These and other regulatory elements may be included when appropriate.

A vector or construct may also include a selectable marker. Selectable markers may also be used to select for plants or plant cells that contain the exogenous genetic material. Examples of such include, but are not limited to: a neo gene (Potrykus *et al.*, *Mol. Gen. Genet.* 199:183-188 (1985), the entirety of which is herein incorporated by reference), which codes for kanamycin resistance and can be selected for using kanamycin, G418, etc.; a bar gene which codes for bialaphos resistance; a mutant EPSP synthase gene (Hinchee *et al.*, *Bio/Technology* 6:915-922 (1988), the entirety of which is herein incorporated by reference) which encodes glyphosate resistance; a nitrilase gene which confers resistance to bromoxynil (Stalker *et al.*, *J. Biol. Chem.* 263:6310-6314 (1988), the entirety of which is herein incorporated by reference); a mutant acetolactate synthase gene (ALS) which confers imidazolinone or sulphonylurea resistance (European Patent Application 154,204 (Sept. 11, 1985), the entirety of which is herein

incorporated by reference); and a methotrexate resistant DHFR gene (Thillet *et al.*, *J. Biol. Chem.* 263:12500-12508 (1988), the entirety of which is herein incorporated by reference).

A vector or construct may also include a transit peptide. Incorporation of a suitable chloroplast transit peptide may also be employed (European Patent Application Publication Number 0218571, the entirety of which is herein incorporated by reference). Translational enhancers may also be incorporated as part of the vector DNA. DNA constructs could contain one or more 5' non-translated leader sequences which may serve to enhance expression of the gene products from the resulting mRNA transcripts. Such sequences may be derived from the promoter selected to express the gene or can be specifically modified to increase translation of the mRNA. Such regions may also be obtained from viral RNAs, from suitable eukaryotic genes, or from a synthetic gene sequence. For a review of optimizing expression of transgenes, see Koziel *et al.*, *Plant Mol. Biol.* 32:393-405 (1996), the entirety of which is herein incorporated by reference.

A vector or construct may also include a screenable marker. Screenable markers may be used to monitor expression. Exemplary screenable markers include: a β -glucuronidase or uidA gene (GUS) which encodes an enzyme for which various chromogenic substrates are known (Jefferson, *Plant Mol. Biol. Rep.* 5:387-405 (1987), the entirety of which is herein incorporated by reference; Jefferson *et al.*, *EMBO J.* 6:3901-3907 (1987), the entirety of which is herein incorporated by reference); an R-locus gene, which encodes a product that regulates the production of anthocyanin pigments (red color) in plant tissues (Dellaporta *et al.*, *Stadler Symposium* 11:263-282 (1988), the entirety of which is herein incorporated by reference); a β -lactamase gene (Sutcliffe *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 75:3737-3741 (1978), the entirety of which is herein incorporated by reference), a gene which encodes an enzyme for which various chromogenic substrates are known (*e.g.*, PADAC, a chromogenic cephalosporin); a luciferase gene (Ow *et al.*, *Science* 234:856-859 (1986), the entirety of which is herein incorporated by reference); a xylE gene (Zukowsky *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 80:1101-1105 (1983), the entirety of which is herein incorporated by reference) which encodes a catechol dioxygenase

that can convert chromogenic catechols; an α -amylase gene (Ikata *et al.*, *Bio/Technol.* 8:241-242 (1990), the entirety of which is herein incorporated by reference); a tyrosinase gene (Katz *et al.*, *J. Gen. Microbiol.* 129:2703-2714 (1983), the entirety of which is herein incorporated by reference) which encodes an enzyme capable of oxidizing tyrosine to DOPA and dopaquinone which in turn condenses to melanin; an α -galactosidase, which will turn a chromogenic α -galactose substrate.

Included within the terms "selectable or screenable marker genes" are also genes which encode a secretable marker whose secretion can be detected as a means of identifying or selecting for transformed cells. Examples include markers which encode a secretable antigen that can be identified by antibody interaction, or even secretable enzymes which can be detected catalytically. Secretable proteins fall into a number of classes, including small, diffusible proteins which are detectable, (*e.g.*, by ELISA), small active enzymes which are detectable in extracellular solution (*e.g.*, α -amylase, β -lactamase, phosphinothricin transferase), or proteins which are inserted or trapped in the cell wall (such as proteins which include a leader sequence such as that found in the expression unit of extension or tobacco PR-S). Other possible selectable and/or screenable marker genes will be apparent to those of skill in the art.

There are many methods for introducing transforming nucleic acid molecules into plant cells. Suitable methods are believed to include virtually any method by which nucleic acid molecules may be introduced into a cell, such as by *Agrobacterium* infection or direct delivery of nucleic acid molecules such as, for example, by PEG-mediated transformation, by electroporation or by acceleration of DNA coated particles, etc (Potrykus, *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 42:205-225 (1991), the entirety of which is herein incorporated by reference; Vasil, *Plant Mol. Biol.* 25:925-937 (1994), the entirety of which is herein incorporated by reference). For example, electroporation has been used to transform maize protoplasts (Fromm *et al.*, *Nature* 312:791-793 (1986), the entirety of which is herein incorporated by reference).

Other vector systems suitable for introducing transforming DNA into a host plant cell include but are not limited to binary artificial chromosome (BIBAC) vectors (Hamilton *et al.*, *Gene* 200:107-116 (1997), the entirety of which is herein incorporated by reference); and transfection with RNA viral vectors (Della-Cioppa *et al.*, *Ann. N.Y. Acad. Sci.* (1996), 792
 5 (Engineering Plants for Commercial Products and Applications), 57-61, the entirety of which is herein incorporated by reference). Additional vector systems also include plant selectable YAC vectors such as those described in Mullen *et al.*, *Molecular Breeding* 4:449-457 (1988), the entirety of which is herein incorporated by reference).

Technology for introduction of DNA into cells is well known to those of skill in the art.
 10 Four general methods for delivering a gene into cells have been described: (1) chemical methods (Graham and van der Eb, *Virology* 54:536-539 (1973), the entirety of which is herein incorporated by reference); (2) physical methods such as microinjection (Capecchi, *Cell* 22:479-488 (1980), the entirety of which is herein incorporated by reference), electroporation (Wong and Neumann, *Biochem. Biophys. Res. Commun.* 107:584-587 (1982); Fromm *et al.*, *Proc. Natl.*
 15 *Acad. Sci. (U.S.A.)* 82:5824-5828 (1985); U.S. Patent No. 5,384,253, all of which are herein incorporated in their entirety); and the gene gun (Johnston and Tang, *Methods Cell Biol.* 43:353-365 (1994), the entirety of which is herein incorporated by reference); (3) viral vectors (Clapp, *Clin. Perinatol.* 20:155-168 (1993); Lu *et al.*, *J. Exp. Med.* 178:2089-2096 (1993); Eglitis and Anderson, *Biotechniques* 6:608-614 (1988), all of which are herein incorporated in their
 20 entirety); and (4) receptor-mediated mechanisms (Curiel *et al.*, *Hum. Gen. Ther.* 3:147-154 (1992), Wagner *et al.*, *Proc. Natl. Acad. Sci. (USA)* 89:6099-6103 (1992), both of which are incorporated by reference in their entirety).

Acceleration methods that may be used include, for example, microprojectile bombardment and the like. One example of a method for delivering transforming nucleic acid
 25 molecules to plant cells is microprojectile bombardment. This method has been reviewed by Yang and Christou (eds.), *Particle Bombardment Technology for Gene Transfer*, Oxford Press, Oxford, England (1994), the entirety of which is herein incorporated by reference). Non-

biological particles (microprojectiles) that may be coated with nucleic acids and delivered into cells by a propelling force. Exemplary particles include those comprised of tungsten, gold, platinum and the like.

A particular advantage of microprojectile bombardment, in addition to it being an effective means of reproducibly transforming monocots, is that neither the isolation of protoplasts (Cristou *et al.*, *Plant Physiol.* 87:671-674 (1988), the entirety of which is herein incorporated by reference) nor the susceptibility of *Agrobacterium* infection are required. An illustrative embodiment of a method for delivering DNA into maize cells by acceleration is a biolistics α -particle delivery system, which can be used to propel particles coated with DNA through a screen, such as a stainless steel or Nytex screen, onto a filter surface covered with maize cells cultured in suspension. Gordon-Kamm *et al.*, describes the basic procedure for coating tungsten particles with DNA (Gordon-Kamm *et al.*, *Plant Cell* 2:603-618 (1990), the entirety of which is herein incorporated by reference). The screen disperses the tungsten nucleic acid particles so that they are not delivered to the recipient cells in large aggregates. A particle delivery system suitable for use with the invention is the helium acceleration PDS-1000/He gun is available from Bio-Rad Laboratories (Bio-Rad, Hercules, California)(Sanford *et al.*, *Technique* 3:3-16 (1991), the entirety of which is herein incorporated by reference).

For the bombardment, cells in suspension may be concentrated on filters. Filters containing the cells to be bombarded are positioned at an appropriate distance below the microprojectile stopping plate. If desired, one or more screens are also positioned between the gun and the cells to be bombarded.

Alternatively, immature embryos or other target cells may be arranged on solid culture medium. The cells to be bombarded are positioned at an appropriate distance below the microprojectile stopping plate. If desired, one or more screens are also positioned between the acceleration device and the cells to be bombarded. Through the use of techniques set forth herein one may obtain up to 1000 or more foci of cells transiently expressing a marker gene. The

number of cells in a focus which express the exogenous gene product 48 hours post-bombardment often range from one to ten and average one to three.

In bombardment transformation, one may optimize the pre-bombardment culturing conditions and the bombardment parameters to yield the maximum numbers of stable transformants. Both the physical and biological parameters for bombardment are important in this technology. Physical factors are those that involve manipulating the DNA/microprojectile precipitate or those that affect the flight and velocity of either the macro- or microprojectiles. Biological factors include all steps involved in manipulation of cells before and immediately after bombardment, the osmotic adjustment of target cells to help alleviate the trauma associated with bombardment and also the nature of the transforming DNA, such as linearized DNA or intact supercoiled plasmids. It is believed that pre-bombardment manipulations are especially important for successful transformation of immature embryos.

In another alternative embodiment, plastids can be stably transformed. Methods disclosed for plastid transformation in higher plants include the particle gun delivery of DNA containing a selectable marker and targeting of the DNA to the plastid genome through homologous recombination (Svab *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:8526-8530 (1990); Svab and Maliga, *Proc. Natl. Acad. Sci. (U.S.A.)* 90:913-917 (1993); Staub and Maliga, *EMBO J.* 12:601-606 (1993); U.S. Patents 5,451,513 and 5,545,818, all of which are herein incorporated by reference in their entirety).

Accordingly, it is contemplated that one may wish to adjust various aspects of the bombardment parameters in small scale studies to fully optimize the conditions. One may particularly wish to adjust physical parameters such as gap distance, flight distance, tissue distance and helium pressure. One may also minimize the trauma reduction factors by modifying conditions which influence the physiological state of the recipient cells and which may therefore influence transformation and integration efficiencies. For example, the osmotic state, tissue hydration and the subculture stage or cell cycle of the recipient cells may be adjusted for

optimum transformation. The execution of other routine adjustments will be known to those of skill in the art in light of the present disclosure.

Agrobacterium-mediated transfer is a widely applicable system for introducing genes into plant cells because the DNA can be introduced into whole plant tissues, thereby bypassing the need for regeneration of an intact plant from a protoplast. The use of *Agrobacterium*-mediated plant integrating vectors to introduce DNA into plant cells is well known in the art. See, for example the methods described by Fraley *et al.*, *Bio/Technology* 3:629-635 (1985) and Rogers *et al.*, *Methods Enzymol.* 153:253-277 (1987), both of which are herein incorporated by reference in their entirety. Further, the integration of the Ti-DNA is a relatively precise process resulting in few rearrangements. The region of DNA to be transferred is defined by the border sequences and intervening DNA is usually inserted into the plant genome as described (Spielmann *et al.*, *Mol. Gen. Genet.* 205:34 (1986), the entirety of which is herein incorporated by reference).

Modern *Agrobacterium* transformation vectors are capable of replication in *E. coli* as well as *Agrobacterium*, allowing for convenient manipulations as described (Klee *et al.*, In: *Plant DNA Infectious Agents*, Hohn and Schell (eds.), Springer-Verlag, New York, pp. 179-203 (1985), the entirety of which is herein incorporated by reference). Moreover, technological advances in vectors for *Agrobacterium*-mediated gene transfer have improved the arrangement of genes and restriction sites in the vectors to facilitate construction of vectors capable of expressing various polypeptide coding genes. The vectors described have convenient multi-linker regions flanked by a promoter and a polyadenylation site for direct expression of inserted polypeptide coding genes and are suitable for present purposes (Rogers *et al.*, *Methods Enzymol.* 153:253-277 (1987)). In addition, *Agrobacterium* containing both armed and disarmed Ti genes can be used for the transformations. In those plant strains where *Agrobacterium*-mediated transformation is efficient, it is the method of choice because of the facile and defined nature of the gene transfer.

A transgenic plant formed using *Agrobacterium* transformation methods typically contains a single gene on one chromosome. Such transgenic plants can be referred to as being heterozygous for the added gene. More preferred is a transgenic plant that is homozygous for the

added structural gene; *i.e.*, a transgenic plant that contains two added genes, one gene at the same locus on each chromosome of a chromosome pair. A homozygous transgenic plant can be obtained by sexually mating (selfing) an independent segregant transgenic plant that contains a single added gene, germinating some of the seed produced and analyzing the resulting plants produced for the gene of interest.

It is also to be understood that two different transgenic plants can also be mated to produce offspring that contain two independently segregating, exogenous genes. Selfing of appropriate progeny can produce plants that are homozygous for both added, exogenous genes that encode a polypeptide of interest. Back-crossing to a parental plant and out-crossing with a non-transgenic plant are also contemplated, as is vegetative propagation.

Transformation of plant protoplasts can be achieved using methods based on calcium phosphate precipitation, polyethylene glycol treatment, electroporation and combinations of these treatments (*See, for example*, Potrykus *et al.*, *Mol. Gen. Genet.* 205:193-200 (1986); Lorz *et al.*, *Mol. Gen. Genet.* 199:178 (1985); Fromm *et al.*, *Nature* 319:791 (1986); Uchimiya *et al.*, *Mol. Gen. Genet.* 204:204 (1986); Marcotte *et al.*, *Nature* 335:454-457 (1988), all of which are herein incorporated by reference in their entirety).

Application of these systems to different plant strains depends upon the ability to regenerate that particular plant strain from protoplasts. Illustrative methods for the regeneration of cereals from protoplasts are described (Fujimura *et al.*, *Plant Tissue Culture Letters* 2:74 (1985); Toriyama *et al.*, *Theor Appl. Genet.* 205:34 (1986); Yamada *et al.*, *Plant Cell Rep.* 4:85 (1986); Abdullah *et al.*, *Biotechnolog.* 4:1087 (1986), all of which are herein incorporated by reference in their entirety).

To transform plant strains that cannot be successfully regenerated from protoplasts, other ways to introduce DNA into intact cells or tissues can be utilized. For example, regeneration of cereals from immature embryos or explants can be effected as described (Vasil, *Biotechnology* 6:397 (1988), the entirety of which is herein incorporated by reference). In addition, "particle

gun" or high-velocity microprojectile technology can be utilized (Vasil *et al.*, *Bio/Technology* 10:667 (1992), the entirety of which is herein incorporated by reference).

Using the latter technology, DNA is carried through the cell wall and into the cytoplasm on the surface of small metal particles as described (Klein *et al.*, *Nature* 328:70 (1987); Klein *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 85:8502-8505 (1988); McCabe *et al.*, *Bio/Technology* 6:923 (1988), all of which are herein incorporated by reference in their entirety). The metal particles penetrate through several layers of cells and thus allow the transformation of cells within tissue explants.

Other methods of cell transformation can also be used and include but are not limited to introduction of DNA into plants by direct DNA transfer into pollen (Hess *et al.*, *Intern Rev. Cytol.* 107:367 (1987); Luo *et al.*, *Plant Mol Biol. Reporter* 6:165 (1988), all of which are herein incorporated by reference in their entirety), by direct injection of DNA into reproductive organs of a plant (Pena *et al.*, *Nature* 325:274 (1987), the entirety of which is herein incorporated by reference), or by direct injection of DNA into the cells of immature embryos followed by the rehydration of desiccated embryos (Neuhaus *et al.*, *Theor. Appl. Genet.* 75:30 (1987), the entirety of which is herein incorporated by reference).

The regeneration, development and cultivation of plants from single plant protoplast transformants or from various transformed explants is well known in the art (Weissbach and Weissbach, In: *Methods for Plant Molecular Biology*, Academic Press, San Diego, CA, (1988), the entirety of which is herein incorporated by reference). This regeneration and growth process typically includes the steps of selection of transformed cells, culturing those individualized cells through the usual stages of embryonic development through the rooted plantlet stage. Transgenic embryos and seeds are similarly regenerated. The resulting transgenic rooted shoots are thereafter planted in an appropriate plant growth medium such as soil.

The development or regeneration of plants containing the foreign, exogenous gene that encodes a protein of interest is well known in the art. Preferably, the regenerated plants are self-pollinated to provide homozygous transgenic plants. Otherwise, pollen obtained from the

regenerated plants is crossed to seed-grown plants of agronomically important lines. Conversely, pollen from plants of these important lines is used to pollinate regenerated plants. A transgenic plant of the invention containing a desired polypeptide is cultivated using methods well known to one skilled in the art.

5 There are a variety of methods for the regeneration of plants from plant tissue. The particular method of regeneration will depend on the starting plant tissue and the particular plant species to be regenerated.

 Methods for transforming dicots, primarily by use of *Agrobacterium tumefaciens* and obtaining transgenic plants have been published for cotton (U.S. Patent No. 5,004,863; U.S. Patent No. 5,159,135; U.S. Patent No. 5,518,908, all of which are herein incorporated by
10 reference in their entirety); soybean (U.S. Patent No. 5,569,834; U.S. Patent No. 5,416,011; McCabe *et al.*, *Biotechnology* 6:923 (1988); Christou *et al.*, *Plant Physiol.* 87:671-674 (1988); all of which are herein incorporated by reference in their entirety); *Brassica* (U.S. Patent No. 5,463,174, the entirety of which is herein incorporated by reference); peanut (Cheng *et al.*, *Plant Cell Rep.* 15:653-657 (1996), McKently *et al.*, *Plant Cell Rep.* 14:699-703 (1995), all of which
15 are herein incorporated by reference in their entirety); papaya; and pea (Grant *et al.*, *Plant Cell Rep.* 15:254-258 (1995), the entirety of which is herein incorporated by reference).

 Transformation of monocotyledons using electroporation, particle bombardment and *Agrobacterium* have also been reported. Transformation and plant regeneration have been
20 achieved in asparagus (Bytebier *et al.*, *Proc. Natl. Acad. Sci. (USA)* 84:5354 (1987), the entirety of which is herein incorporated by reference); barley (Wan and Lemaux, *Plant Physiol* 104:37 (1994), the entirety of which is herein incorporated by reference); maize (Rhodes *et al.*, *Science* 240:204 (1988); Gordon-Kamm *et al.*, *Plant Cell* 2:603-618 (1990); Fromm *et al.*, *Bio/Technology* 8:833 (1990); Koziel *et al.*, *Bio/Technology* 11:194 (1993); Armstrong *et al.*,
25 *Crop Science* 35:550-557 (1995); all of which are herein incorporated by reference in their entirety); oat (Somers *et al.*, *Bio/Technology* 10:1589 (1992), the entirety of which is herein incorporated by reference); orchard grass (Horn *et al.*, *Plant Cell Rep.* 7:469 (1988), the entirety

of which is herein incorporated by reference); rice (Toriyama *et al.*, *Theor Appl. Genet.* 205:34 (1986); Part *et al.*, *Plant Mol. Biol.* 32:1135-1148 (1996); Abedinia *et al.*, *Aust. J. Plant Physiol.* 24:133-141 (1997); Zhang and Wu, *Theor. Appl. Genet.* 76:835 (1988); Zhang *et al.*, *Plant Cell Rep.* 7:379 (1988); Battraw and Hall, *Plant Sci.* 86:191-202 (1992); Christou *et al.*,
5 *Bio/Technology* 9:957 (1991), all of which are herein incorporated by reference in their entirety);
rye (De la Pena *et al.*, *Nature* 325:274 (1987), the entirety of which is herein incorporated by
reference); sugarcane (Bower and Birch, *Plant J.* 2:409 (1992), the entirety of which is herein
incorporated by reference); tall fescue (Wang *et al.*, *Bio/Technology* 10:691 (1992), the entirety
of which is herein incorporated by reference) and wheat (Vasil *et al.*, *Bio/Technology* 10:667
10 (1992), the entirety of which is herein incorporated by reference; U.S. Patent No. 5,631,152, the
entirety of which is herein incorporated by reference.)

Assays for gene expression based on the transient expression of cloned nucleic acid
constructs have been developed by introducing the nucleic acid molecules into plant cells by
polyethylene glycol treatment, electroporation, or particle bombardment (Marcotte *et al.*, *Nature*
15 335:454-457 (1988), the entirety of which is herein incorporated by reference; Marcotte *et al.*,
Plant Cell 1:523-532 (1989), the entirety of which is herein incorporated by reference; McCarty
et al., *Cell* 66:895-905 (1991), the entirety of which is herein incorporated by reference; Hattori
et al., *Genes Dev.* 6:609-618 (1992), the entirety of which is herein incorporated by reference;
Goff *et al.*, *EMBO J.* 9:2517-2522 (1990), the entirety of which is herein incorporated by
20 reference). Transient expression systems may be used to functionally dissect gene constructs (*see*
generally, Mailga *et al.*, *Methods in Plant Molecular Biology*, Cold Spring Harbor Press (1995)).

Any of the nucleic acid molecules of the invention may be introduced into a plant cell in a
permanent or transient manner in combination with other genetic elements such as vectors,
promoters, enhancers, etc. Further, any of the nucleic acid molecules of the invention may be
25 introduced into a plant cell in a manner that allows for overexpression of the protein or fragment
thereof encoded by the nucleic acid molecule.

Cosuppression is the reduction in expression levels, usually at the level of RNA, of a particular endogenous gene or gene family by the expression of a homologous sense construct that is capable of transcribing mRNA of the same strandedness as the transcript of the endogenous gene (Napoli *et al.*, *Plant Cell* 2:279-289 (1990), the entirety of which is herein incorporated by reference; van der Krol *et al.*, *Plant Cell* 2:291-299 (1990), the entirety of which is herein incorporated by reference). Cosuppression may result from stable transformation with a single copy nucleic acid molecule that is homologous to a nucleic acid sequence found with the cell (Prolls and Meyer, *Plant J.* 2:465-475 (1992), the entirety of which is herein incorporated by reference) or with multiple copies of a nucleic acid molecule that is homologous to a nucleic acid sequence found with the cell (Mittlesten *et al.*, *Mol. Gen. Genet.* 244:325-330 (1994), the entirety of which is herein incorporated by reference). Genes, even though different, linked to homologous promoters may result in the cosuppression of the linked genes (Vaucheret, C.R. *Acad. Sci. III* 316:1471-1483 (1993), the entirety of which is herein incorporated by reference).

This technique has, for example, been applied to generate white flowers from red petunia and tomatoes that do not ripen on the vine. Up to 50% of petunia transformants that contained a sense copy of the glucoamylase (CHS) gene produced white flowers or floral sectors; this was as a result of the post-transcriptional loss of mRNA encoding CHS (Flavell, *Proc. Natl. Acad. Sci. (U.S.A.)* 91:3490-3496 (1994), the entirety of which is herein incorporated by reference); van Blokland *et al.*, *Plant J.* 6:861-877 (1994), the entirety of which is herein incorporated by reference). Cosuppression may require the coordinate transcription of the transgene and the endogenous gene and can be reset by a developmental control mechanism (Jorgensen, *Trends Biotechnol.* 8:340-344 (1990), the entirety of which is herein incorporated by reference; Meins and Kunz, In: *Gene Inactivation and Homologous Recombination in Plants*, Paszkowski (ed.), pp. 335-348, Kluwer Academic, Netherlands (1994), the entirety of which is herein incorporated by reference).

It is understood that one or more of the nucleic acids of the invention may be introduced into a plant cell and transcribed using an appropriate promoter with such transcription resulting in the cosuppression of an endogenous protein.

Antisense approaches are a way of preventing or reducing gene function by targeting the genetic material (Mol *et al.*, *FEBS Lett.* 268:427-430 (1990), the entirety of which is herein incorporated by reference). The objective of the antisense approach is to use a sequence complementary to the target gene to block its expression and create a mutant cell line or organism in which the level of a single chosen protein is selectively reduced or abolished. Antisense techniques have several advantages over other 'reverse genetic' approaches. The site of inactivation and its developmental effect can be manipulated by the choice of promoter for antisense genes or by the timing of external application or microinjection. Antisense can manipulate its specificity by selecting either unique regions of the target gene or regions where it shares homology to other related genes (Hiatt *et al.*, In: *Genetic Engineering*, Setlow (ed.), Vol. 11, New York: Plenum 49-63 (1989), the entirety of which is herein incorporated by reference).

The principle of regulation by antisense RNA is that RNA that is complementary to the target mRNA is introduced into cells, resulting in specific RNA:RNA duplexes being formed by base pairing between the antisense substrate and the target mRNA (Green *et al.*, *Annu. Rev. Biochem.* 55:569-597 (1986), the entirety of which is herein incorporated by reference). Under one embodiment, the process involves the introduction and expression of an antisense gene sequence. Such a sequence is one in which part or all of the normal gene sequences are placed under a promoter in inverted orientation so that the 'wrong' or complementary strand is transcribed into a noncoding antisense RNA that hybridizes with the target mRNA and interferes with its expression (Takayama and Inouye, *Crit. Rev. Biochem. Mol. Biol.* 25:155-184 (1990), the entirety of which is herein incorporated by reference). An antisense vector is constructed by standard procedures and introduced into cells by transformation, transfection, electroporation, microinjection, infection, etc. The type of transformation and choice of vector will determine

whether expression is transient or stable. The promoter used for the antisense gene may influence the level, timing, tissue, specificity, or inducibility of the antisense inhibition.

It is understood that the activity of a protein in a plant cell may be reduced or depressed by growing a transformed plant cell containing a nucleic acid molecule of the present invention whose non-transcribed strand encodes a protein or fragment thereof.

Antibodies have been expressed in plants (Hiatt *et al.*, *Nature* 342:76-78 (1989), the entirety of which is herein incorporated by reference; Conrad and Fielder, *Plant Mol. Biol.* 26:1023-1030 (1994), the entirety of which is herein incorporated by reference). Cytoplasmic expression of a scFv (single-chain Fv antibodies) has been reported to delay infection by artichoke mottled crinkle virus. Transgenic plants that express antibodies directed against endogenous proteins may exhibit a physiological effect (Philips *et al.*, *EMBO J.* 16:4489-4496 (1997), the entirety of which is herein incorporated by reference; Marion-Poll, *Trends in Plant Science* 2:447-448 (1997), the entirety of which is herein incorporated by reference). For example, expressed anti-abscisic antibodies have been reported to result in a general perturbation of seed development (Philips *et al.*, *EMBO J.* 16: 4489-4496 (1997)).

Antibodies that are catalytic may also be expressed in plants (abzymes). The principle behind abzymes is that since antibodies may be raised against many molecules, this recognition ability can be directed toward generating antibodies that bind transition states to force a chemical reaction forward (Persidas, *Nature Biotechnology* 15:1313-1315 (1997), the entirety of which is herein incorporated by reference; Baca *et al.*, *Ann. Rev. Biophys. Biomol. Struct.* 26:461-493 (1997), the entirety of which is herein incorporated by reference). The catalytic abilities of abzymes may be enhanced by site directed mutagenesis. Examples of abzymes are, for example, set forth in U.S. Patent No. 5,658,753; U.S. Patent No. 5,632,990; U.S. Patent No. 5,631,137; U.S. Patent 5,602,015; U.S. Patent No. 5,559,538; U.S. Patent No. 5,576,174; U.S. Patent No. 5,500,358; U.S. Patent 5,318,897; U.S. Patent No. 5,298,409; U.S. Patent No. 5,258,289 and U.S. Patent No. 5,194,585, all of which are herein incorporated in their entirety.

It is understood that any of the antibodies of the invention may be expressed in plants and that such expression can result in a physiological effect. It is also understood that any of the expressed antibodies may be catalytic.

(d) Antibodies

One aspect of the invention concerns antibodies, single-chain antigen binding molecules, or other proteins that specifically bind to one or more of the protein or peptide molecules of the invention and their homologues, fusions or fragments. In a preferred embodiment, an antibody of the present invention binds to an amino acid selected from the group consisting of SEQ ID NO: 622 through 625. Such antibodies may be used to quantitatively or qualitatively detect the protein or peptide molecules of the invention. As used herein, an antibody or peptide is said to “specifically bind” to a protein or peptide molecule of the invention if such binding is not competitively inhibited by the presence of non-related molecules.

Nucleic acid molecules that encode all or part of the protein of the invention can be expressed, via recombinant means, to yield protein or peptides that can in turn be used to elicit antibodies that are capable of binding the expressed protein or peptide. Such antibodies may be used in immunoassays for that protein. Such protein-encoding molecules, or their fragments may be a “fusion” molecule (*i.e.*, a part of a larger nucleic acid molecule) such that, upon expression, a fusion protein is produced. It is understood that any of the nucleic acid molecules of the invention may be expressed, via recombinant means, to yield proteins or peptides encoded by these nucleic acid molecules.

The antibodies that specifically bind proteins and protein fragments of the invention may be polyclonal or monoclonal and may comprise intact immunoglobulins, or antigen binding portions of immunoglobulins fragments (such as (F(ab'), F(ab')₂), or single-chain immunoglobulins producible, for example, via recombinant means. It is understood that practitioners are familiar with the standard resource materials which describe specific conditions and procedures for the construction, manipulation and isolation of antibodies (*see*, for example,

Harlow and Lane, In: *Antibodies: A Laboratory Manual*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1988), the entirety of which is herein incorporated by reference).

Murine monoclonal antibodies are particularly preferred. BALB/c mice are preferred for this purpose, however, equivalent strains may also be used. The animals are preferably immunized with approximately 25 µg of purified protein (or fragment thereof) that has been emulsified in a suitable adjuvant (such as TiterMax adjuvant (Vaxcel, Norcross, GA)).

Immunization is preferably conducted at two intramuscular sites, one intraperitoneal site and one subcutaneous site at the base of the tail. An additional i.v. injection of approximately 25 µg of antigen is preferably given in normal saline three weeks later. After approximately 11 days following the second injection, the mice may be bled and the blood screened for the presence of anti-protein or peptide antibodies. Preferably, a direct binding Enzyme-Linked Immunoassay (ELISA) is employed for this purpose.

More preferably, the mouse having the highest antibody titer is given a third i.v. injection of approximately 25 µg of the same protein or fragment. The splenic leukocytes from this animal may be recovered 3 days later and then permitted to fuse, most preferably, using polyethylene glycol, with cells of a suitable myeloma cell line (such as, for example, the P3X63Ag8.653 myeloma cell line). Hybridoma cells are selected by culturing the cells under "HAT" (hypoxanthine-aminopterin-thymine) selection for about one week. The resulting clones may then be screened for their capacity to produce monoclonal antibodies ("mAbs"), preferably by direct ELISA.

In one embodiment, anti-protein or peptide monoclonal antibodies are isolated using a fusion of a protein or peptide of the invention, or conjugate of a protein or peptide of the invention, as immunogens. Thus, for example, a group of mice can be immunized using a fusion protein emulsified in Freund's complete adjuvant (*e.g.*, approximately 50 µg of antigen per immunization). At three week intervals, an identical amount of antigen is emulsified in Freund's incomplete adjuvant and used to immunize the animals. Ten days following the third immunization, serum samples are taken and evaluated for the presence of antibody. If antibody

titers are too low, a fourth booster can be employed. Polysera capable of binding the protein or peptide can also be obtained using this method.

In a preferred procedure for obtaining monoclonal antibodies, the spleens of the above-described immunized mice are removed, disrupted and immune splenocytes are isolated over a ficoll gradient. The isolated splenocytes are fused, using polyethylene glycol with BALB/c-derived HGPRT (hypoxanthine guanine phosphoribosyl transferase) deficient P3x63xAg8.653 plasmacytoma cells. The fused cells are plated into 96 well microtiter plates and screened for hybridoma fusion cells by their capacity to grow in culture medium supplemented with hypoxanthine, aminopterin and thymidine for approximately 2-3 weeks.

Hybridoma cells that arise from such incubation are preferably screened for their capacity to produce an immunoglobulin that binds to a protein of interest. An indirect ELISA may be used for this purpose. In brief, the supernatants of hybridomas are incubated in microtiter wells that contain immobilized protein. After washing, the titer of bound immunoglobulin can be determined using, for example, a goat anti-mouse antibody conjugated to horseradish peroxidase. After additional washing, the amount of immobilized enzyme is determined (for example through the use of a chromogenic substrate). Such screening is performed as quickly as possible after the identification of the hybridoma in order to ensure that a desired clone is not overgrown by non-secreting neighbor cells. Desirably, the fusion plates are screened several times since the rates of hybridoma growth vary. In a preferred sub-embodiment, a different antigenic form may be used to screen the hybridoma. Thus, for example, the splenocytes may be immunized with one immunogen, but the resulting hybridomas can be screened using a different immunogen. It is understood that any of the protein or peptide molecules of the invention may be used to raise antibodies.

As discussed below, such antibody molecules or their fragments may be used for diagnostic purposes. Where the antibodies are intended for diagnostic purposes, it may be desirable to derivatize them, for example with a ligand group (such as biotin) or a detectable marker group (such as a fluorescent group, a radioisotope or an enzyme).

The ability to produce antibodies that bind the protein or peptide molecules of the invention permits the identification of mimetic compounds derived from those molecules. These mimetic compounds may contain a fragment of the protein or peptide or merely a structurally similar region and nonetheless exhibits an ability to specifically bind to antibodies directed
5 against that compound.

It is understood that any of the agents of the invention can be substantially purified and/or be biologically active and/or recombinant.

(e) Exemplary Uses

Nucleic acid molecules and fragments thereof of the invention may be employed to obtain
10 other nucleic acid molecules from the same species (nucleic acid molecules from maize may be utilized to obtain other nucleic acid molecules from maize). Such nucleic acid molecules include the nucleic acid molecules that encode the complete coding sequence of a protein and promoters and flanking sequences of such molecules. In addition, such nucleic acid molecules include
15 nucleic acid molecules that encode for other isozymes or gene family members. Such molecules can be readily obtained by using the above-described nucleic acid molecules or fragments thereof to screen cDNA or genomic libraries. Methods for forming such libraries are well known in the art.

Nucleic acid molecules and fragments thereof of the invention may also be employed to obtain nucleic acid homologs. Such homologs include the nucleic acid molecule of other plants
20 or other organisms (*e.g.*, alfalfa, *Arabidopsis*, barley, *Brassica*, broccoli, cabbage, citrus, cotton, garlic, oat, oilseed rape, onion, canola, flax, an ornamental plant, pea, peanut, pepper, potato, rice, rye, sorghum, strawberry, sugarcane, sugarbeet, tomato, wheat, poplar, pine, fir, eucalyptus, apple, lettuce, lentils, grape, banana, tea, turf grasses, sunflower, oil palm, *Phaseolus*, etc.)
including the nucleic acid molecules that encode, in whole or in part, protein homologs of other
25 plant species or other organisms, sequences of genetic elements, such as promoters and transcriptional regulatory elements. Particularly preferred plants are selected from the group

consisting of maize, canola, soybean, crambe, mustard, castor bean, peanut, sesame, cottonseed, linseed, safflower, oil palm, flax and sunflower.

Such molecules can be readily obtained by using the above-described nucleic acid molecules or fragments thereof to screen cDNA or genomic libraries obtained from such plant species. Methods for forming such libraries are well known in the art. Such homolog molecules may differ in their nucleotide sequences from those found in one or more of SEQ ID NOs: 1-4, 6-29 or complements thereof because complete complementarity is not needed for stable hybridization. The nucleic acid molecules of the invention therefore also include molecules that, although capable of specifically hybridizing with the nucleic acid molecules may lack "complete complementarity."

Any of a variety of methods may be used to obtain one or more of the above-described nucleic acid molecules (Zamechik *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 83:4143-4146 (1986); Goodchild *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 85:5507-5511 (1988); Wickstrom *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 85:1028-1032 (1988); Holt *et al.*, *Molec. Cell. Biol.* 8:963-973 (1988); Gerwitz *et al.*, *Science* 242:1303-1306 (1988); Anfossi *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 86:3379-3383 (1989); Becker *et al.*, *EMBO J.* 8:3685-3691 (1989)). Automated nucleic acid synthesizers may be employed for this purpose. In lieu of such synthesis, the disclosed nucleic acid molecules may be used to define a pair of primers that can be used with the polymerase chain reaction (Mullis *et al.*, *Cold Spring Harbor Symp. Quant. Biol.* 51:263-273 (1986); Erlich *et al.*, European Patent 50,424; European Patent 84,796; European Patent 258,017; European Patent 237,362; Mullis, European Patent 201,184; Mullis *et al.*, U.S. Patent 4,683,202; Erlich, U.S. Patent 4,582,788; and Saiki *et al.*, U.S. Patent 4,683,194) to amplify and obtain any desired nucleic acid molecule or fragment.

Promoter sequences and other genetic elements, including but not limited to transcriptional regulatory flanking sequences, associated with one or more of the disclosed nucleic acid sequences can also be obtained using the disclosed nucleic acid sequence provided herein. In one embodiment, such sequences are obtained by incubating nucleic acid molecules of

the present invention with members of genomic libraries and recovering clones that hybridize to such nucleic acid molecules thereof. In a second embodiment, methods of “chromosome walking,” or inverse PCR may be used to obtain such sequences (Frohman *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 85:8998-9002 (1988); Ohara *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 86:5673-5677 (1989); Pang *et al.*, *Biotechniques* 22:1046-1048 (1977); Huang *et al.*, *Methods Mol. Biol.* 69:89-96 (1997); Huang *et al.*, *Method Mol. Biol.* 67:287-294 (1997); Benkel *et al.*, *Genet. Anal.* 13:123-127 (1996); Hartl *et al.*, *Methods Mol. Biol.* 58:293-301 (1996)). The term “chromosome walking” means a process of extending a genetic map by successive hybridization steps.

The nucleic acid molecules of the invention may be used to isolate promoters of cell enhanced, cell specific, tissue enhanced, tissue specific, developmentally or environmentally regulated expression profiles. Isolation and functional analysis of the 5' flanking promoter sequences of these genes from genomic libraries, for example, using genomic screening methods and PCR techniques would result in the isolation of useful promoters and transcriptional regulatory elements. These methods are known to those of skill in the art and have been described (See, for example, Birren *et al.*, *Genome Analysis: Analyzing DNA*, 1, (1997), Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.). Promoters obtained utilizing the nucleic acid molecules of the invention could also be modified to affect their control characteristics. Examples of such modifications would include but are not limited to enhancer sequences. Such genetic elements could be used to enhance gene expression of new and existing traits for crop improvement.

Another subset of the nucleic acid molecules of the invention includes nucleic acid molecules that are markers. The markers can be used in a number of conventional ways in the field of molecular genetics. Such markers include nucleic acid molecules SEQ ID NOS: 1-4, 6-29 or complements thereof or fragments of either that can act as markers and other nucleic acid molecules of the present invention that can act as markers.

Genetic markers of the invention include “dominant” or “codominant” markers. “Codominant markers” reveal the presence of two or more alleles (two per diploid individual) at

a locus. “Dominant markers” reveal the presence of only a single allele per locus. The presence of the dominant marker phenotype (e.g., a band of DNA) is an indication that one allele is in either the homozygous or heterozygous condition. The absence of the dominant marker phenotype (e.g., absence of a DNA band) is merely evidence that “some other” undefined allele is present. In the case of populations where individuals are predominantly homozygous and loci are predominately dimorphic, dominant and codominant markers can be equally valuable. As populations become more heterozygous and multi-allelic, codominant markers often become more informative of the genotype than dominant markers. Marker molecules can be, for example, capable of detecting polymorphisms such as single nucleotide polymorphisms (SNPs).

The genomes of animals and plants naturally undergo spontaneous mutation in the course of their continuing evolution (Gusella, *Ann. Rev. Biochem.* 55:831-854 (1986)). A “polymorphism” is a variation or difference in the sequence of the gene or its flanking regions that arises in some of the members of a species. The variant sequence and the “original” sequence co-exist in the species’ population. In some instances, such co-existence is in stable or quasi-stable equilibrium.

A polymorphism is thus said to be “allelic,” in that, due to the existence of the polymorphism, some members of a species may have the original sequence (i.e., the original “allele”) whereas other members may have the variant sequence (i.e., the variant “allele”). In the simplest case, only one variant sequence may exist and the polymorphism is thus said to be di-allelic. In other cases, the species’ population may contain multiple alleles and the polymorphism is termed tri-allelic, etc. A single gene may have multiple different unrelated polymorphisms. For example, it may have a di-allelic polymorphism at one site and a multi-allelic polymorphism at another site.

The variation that defines the polymorphism may range from a single nucleotide variation to the insertion or deletion of extended regions within a gene. In some cases, the DNA sequence variations are in regions of the genome that are characterized by short tandem repeats (STRs) that include tandem di- or tri-nucleotide repeated motifs of nucleotides. Polymorphisms

characterized by such tandem repeats are referred to as "variable number tandem repeat" ("VNTR") polymorphisms. VNTRs have been used in identity analysis (Weber, U.S. Patent 5,075,217; Armour *et al.*, *FEBS Lett.* 307:113-115 (1992); Jones *et al.*, *Eur. J. Haematol.* 39:144-147 (1987); Horn *et al.*, PCT Patent Application WO91/14003; Jeffreys, European Patent Application 370,719; Jeffreys, U.S. Patent 5,175,082; Jeffreys *et al.*, *Amer. J. Hum. Genet.* 39:11-24 (1986); Jeffreys *et al.*, *Nature* 316:76-79 (1985); Gray *et al.*, *Proc. R. Acad. Soc. Lond.* 243:241-253 (1991); Moore *et al.*, *Genomics* 10:654-660 (1991); Jeffreys *et al.*, *Anim. Genet.* 18:1-15 (1987); Hillel *et al.*, *Anim. Genet.* 20:145-155 (1989); Hillel *et al.*, *Genet.* 124:783-789 (1990)).

The detection of polymorphic sites in a sample of DNA may be facilitated through the use of nucleic acid amplification methods. Such methods specifically increase the concentration of polynucleotides that span the polymorphic site, or include that site and sequences located either distal or proximal to it. Such amplified molecules can be readily detected by gel electrophoresis or other means.

In an alternative embodiment, such polymorphisms can be detected through the use of a marker nucleic acid molecule that is physically linked to such polymorphism(s). For this purpose, marker nucleic acid molecules comprising a nucleotide sequence of a polynucleotide located within 1 mb of the polymorphism(s) and more preferably within 100kb of the polymorphism(s) and most preferably within 10kb of the polymorphism(s) can be employed.

The identification of a polymorphism can be determined in a variety of ways. By correlating the presence or absence of it in a plant with the presence or absence of a phenotype, it is possible to predict the phenotype of that plant. If a polymorphism creates or destroys a restriction endonuclease cleavage site, or if it results in the loss or insertion of DNA (e.g., a VNTR polymorphism), it will alter the size or profile of the DNA fragments that are generated by digestion with that restriction endonuclease. As such, organisms that possess a variant sequence can be distinguished from those having the original sequence by restriction fragment analysis. Polymorphisms that can be identified in this manner are termed "restriction fragment length

polymorphisms" ("RFLPs") (Glassberg, UK Patent Application 2135774; Skolnick *et al.*, *Cytogen. Cell Genet.* 32:58-67 (1982); Botstein *et al.*, *Ann. J. Hum. Genet.* 32:314-331 (1980); Fischer *et al.*, (PCT Application WO90/13668; Uhlen, PCT Application WO90/11369).

Polymorphisms can also be identified by Single Strand Conformation Polymorphism (SSCP) analysis (Elles, *Methods in Molecular Medicine: Molecular Diagnosis of Genetic Diseases*, Humana Press (1996)); Orita *et al.*, *Genomics* 5:874-879 (1989)). A number of protocols have been described for SSCP including, but not limited to, Lee *et al.*, *Anal. Biochem.* 205:289-293 (1992); Suzuki *et al.*, *Anal. Biochem.* 192:82-84 (1991); Lo *et al.*, *Nucleic Acids Research* 20:1005-1009 (1992); Sarkar *et al.*, *Genomics* 13:441-443 (1992). It is understood that one or more of the nucleic acids of the invention, may be utilized as markers or probes to detect polymorphisms by SSCP analysis.

Polymorphisms may also be found using a DNA fingerprinting technique called amplified fragment length polymorphism (AFLP), which is based on the selective PCR amplification of restriction fragments from a total digest of genomic DNA to profile that DNA (Vos *et al.*, *Nucleic Acids Res.* 23:4407-4414 (1995)). This method allows for the specific co-amplification of high numbers of restriction fragments, which can be visualized by PCR without knowledge of the nucleic acid sequence. It is understood that one or more of the nucleic acids of the invention may be utilized as markers or probes to detect polymorphisms by AFLP analysis or for fingerprinting RNA.

Polymorphisms may also be found using random amplified polymorphic DNA (RAPD) (Williams *et al.*, *Nucl. Acids Res.* 18:6531-6535 (1990)) and cleaveable amplified polymorphic sequences (CAPS) (Lyamichev *et al.*, *Science* 260:778-783 (1993)). It is understood that one or more of the nucleic acid molecules of the invention, may be utilized as markers or probes to detect polymorphisms by RAPD or CAPS analysis.

Single Nucleotide Polymorphisms (SNPs) generally occur at greater frequency than other polymorphic markers and are spaced with a greater uniformity throughout a genome than other reported forms of polymorphism. The greater frequency and uniformity of SNPs means that

there is greater probability that such a polymorphism will be found near or in a genetic locus of interest than would be the case for other polymorphisms. SNPs are located in protein-coding regions and noncoding regions of a genome. Some of these SNPs may result in defective or variant protein expression (e.g., as a result of mutations or defective splicing). Analysis (genotyping) of characterized SNPs can require only a plus/minus assay rather than a lengthy measurement, permitting easier automation.

SNPs can be characterized using any of a variety of methods. Such methods include the direct or indirect sequencing of the site, the use of restriction enzymes (Botstein *et al.*, *Am. J. Hum. Genet.* 32:314-331 (1980), the entirety of which is herein incorporated reference; Konieczny and Ausubel, *Plant J.* 4:403-410 (1993), the entirety of which is herein incorporated by reference), enzymatic and chemical mismatch assays (Myers *et al.*, *Nature* 313:495-498 (1985), the entirety of which is herein incorporated by reference), allele-specific PCR (Newton *et al.*, *Nucl. Acids Res.* 17:2503-2516 (1989), the entirety of which is herein incorporated by reference; Wu *et al.*, *Proc. Natl. Acad. Sci. USA* 86:2757-2760 (1989), the entirety of which is herein incorporated by reference), ligase chain reaction (Barany, *Proc. Natl. Acad. Sci. USA* 88:189-193 (1991), the entirety of which is herein incorporated by reference), single-strand conformation polymorphism analysis (Labruno *et al.*, *Am. J. Hum. Genet.* 48: 1115-1120 (1991), the entirety of which is herein incorporated by reference), single base primer extension (Kuppuswamy *et al.*, *Proc. Natl. Acad. Sci. USA* 88:1143-1147 (1991), Goelet US 6,004,744; Goelet 5,888,819; all of which are herein incorporated by reference in their entirety), solid-phase ELISA-based oligonucleotide ligation assays (Nikiforov *et al.*, *Nucl. Acids Res.* 22:4167-4175 (1994), dideoxy fingerprinting (Sarkar *et al.*, *Genomics* 13:441-443 (1992), the entirety of which is herein incorporated by reference), oligonucleotide fluorescence-quenching assays (Livak *et al.*, *PCR Methods Appl.* 4:357-362 (1995a), the entirety of which is herein incorporated by reference), 5'-nuclease allele-specific hybridization TaqMan™ assay (Livak *et al.*, *Nature Genet.* 9:341-342 (1995), the entirety of which is herein incorporated by reference), template-directed dye-terminator incorporation (TDI) assay (Chen and Kwok, *Nucl. Acids Res.* 25:347-353 (1997),

the entirety of which is herein incorporated by reference), allele-specific molecular beacon assay (Tyagi *et al.*, *Nature Biotech.* 16: 49-53 (1998), the entirety of which is herein incorporated by reference), PinPoint assay (Haff and Smirnov, *Genome Res.* 7: 378-388 (1997), the entirety of which is herein incorporated by reference), dCAPS analysis (Neff *et al.*, *Plant J.* 14:387-392 (1998), the entirety of which is herein incorporated by reference), pyrosequencing (Ronaghi *et al.*, *Analytical Biochemistry* 267:65-71 (1999); Ronaghi *et al.* PCT application WO 98/13523; Nyren *et al.* PCT application WO 98/28440, all of which are herein incorporated by reference in their entirety; <http://www.pyrosequencing.com>), using mass spectrometry, *e.g.* the Masscode™ system (Howbert *et al.* WO 99/05319; Howber *et al.* WO 97/27331, all of which are herein incorporated by reference in their entirety; <http://www.rapigene.com>; Becker *et al.* PCT application WO 98/26095; Becker *et al.* PCT application; WO 98/12355; Becker *et al.* PCT application WO 97/33000; Monforte *et al.* US 5,965,363, all of which are herein incorporated by reference in their entirety), invasive cleavage of oligonucleotide probes (Lyamichev *et al.* *Nature Biotechnology* 17:292-296, herein incorporated by reference in its entirety; <http://www.twt.com>), and using high density oligonucleotide arrays (Hacia *et al.* *Nature Genetics* 22:164-167; herein incorporated by reference in its entirety; <http://www.affymetrix.com>).

Polymorphisms may also be detected using allele-specific oligonucleotides (ASO), which, can be for example, used in combination with hybridization based technology including southern, northern, and dot blot hybridizations, reverse dot blot hybridizations and hybridizations performed on microarray and related technology.

The stringency of hybridization for polymorphism detection is highly dependent upon a variety of factors, including length of the allele-specific oligonucleotide, sequence composition, degree of complementarity (*i.e.* presence or absence of base mismatches), concentration of salts and other factors such as formamide, and temperature. These factors are important both during the hybridization itself and during subsequent washes performed to remove target polynucleotide that is not specifically hybridized. In practice, the conditions of the final, most stringent wash are most critical. In addition, the amount of target polynucleotide that is able to hybridize to the

allele-specific oligonucleotide is also governed by such factors as the concentration of both the ASO and the target polynucleotide, the presence and concentration of factors that act to “tie up” water molecules, so as to effectively concentrate the reagents (*e.g.*, PEG, dextran, dextran sulfate, *etc.*), whether the nucleic acids are immobilized or in solution, and the duration of hybridization and washing steps.

Hybridizations are preferably performed below the melting temperature (T_m) of the ASO. The closer the hybridization and/or washing step is to the T_m , the higher the stringency. T_m for an oligonucleotide may be approximated, for example, according to the following formula: $T_m = 81.5 + 16.6 \times (\log_{10}[\text{Na}^+]) + 0.41 \times (\%G+C) - 675/n$; where $[\text{Na}^+]$ is the molar salt concentration of Na^+ or any other suitable cation and n = number of bases in the oligonucleotide. Other formulas for approximating T_m are available and are known to those of ordinary skill in the art.

Stringency is preferably adjusted so as to allow a given ASO to differentially hybridize to a target polynucleotide of the correct allele and a target polynucleotide of the incorrect allele. Preferably, there will be at least a two-fold differential between the signal produced by the ASO hybridizing to a target polynucleotide of the correct allele and the level of the signal produced by the ASO cross-hybridizing to a target polynucleotide of the incorrect allele (*e.g.*, an ASO specific for a mutant allele cross-hybridizing to a wild-type allele). In more preferred embodiments of the present invention, there is at least a five-fold signal differential. In highly preferred embodiments of the present invention, there is at least an order of magnitude signal differential between the ASO hybridizing to a target polynucleotide of the correct allele and the level of the signal produced by the ASO cross-hybridizing to a target polynucleotide of the incorrect allele.

While certain methods for detecting polymorphisms are described herein, other detection methodologies may be utilized. For example, additional methodologies are known and set forth, in Birren *et al.*, *Genome Analysis*, 4:135-186, *A Laboratory Manual. Mapping Genomes*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1999); Maliga *et al.*, *Methods in Plant Molecular Biology. A Laboratory Course Manual*, Cold Spring Harbor Laboratory Press, Cold

Spring Harbor, NY (1995); Paterson, *Biotechnology Intelligence Unit: Genome Mapping in Plants*, R.G. Landes Co., Georgetown, TX, and Academic Press, San Diego, CA (1996); *The Maize Handbook*, Freeling and Walbot, eds., Springer-Verlag, New York, NY (1994); *Methods in Molecular Medicine: Molecular Diagnosis of Genetic Diseases*, Elles, ed., Humana Press, Totowa, NJ (1996); Clark, ed., *Plant Molecular Biology: A Laboratory Manual*, Clark, ed., Springer-Verlag, Berlin, Germany (1997), all of which are herein incorporated by reference in their entirety.

Requirements for marker-assisted selection in a plant breeding program are: (1) the marker(s) should co-segregate or be closely linked with the desired trait; (2) an efficient means of screening large populations for the molecular marker(s) should be available; and (3) the screening technique should have high reproducibility across laboratories and preferably be economical to use and be user-friendly.

The genetic linkage of marker molecules can be established by a gene mapping model such as, without limitation, the flanking marker model reported by Lander and Botstein, *Genetics* 121:185-199 (1989) and the interval mapping, based on maximum likelihood methods described by Lander and Botstein, *Genetics* 121:185-199 (1989) and implemented in the software package MAPMAKER/QTL (Lincoln and Lander, *Mapping Genes Controlling Quantitative Traits Using MAPMAKER/QTL*, Whitehead Institute for Biomedical Research, Massachusetts, (1990). Additional software includes Qgene, Version 2.23 (1996), Department of Plant Breeding and Biometry, 266 Emerson Hall, Cornell University, Ithaca, NY). Use of Qgene software is a particularly preferred approach.

A maximum likelihood estimate (MLE) for the presence of a marker is calculated, together with an MLE assuming no QTL effect, to avoid false positives. A \log_{10} of an odds ratio (LOD) is then calculated as: $\text{LOD} = \log_{10}(\text{MLE for the presence of a QTL} / \text{MLE given no linked QTL})$.

The LOD score essentially indicates how much more likely the data are to have arisen assuming the presence of a QTL than in its absence. The LOD threshold value for avoiding a

false positive with a given confidence, say 95%, depends on the number of markers and the length of the genome. Graphs indicating LOD thresholds are set forth in Lander and Botstein, *Genetics* 121:185-199 (1989) and further described by Arús and Moreno-González, *Plant Breeding*, Hayward *et al.*, (eds.) Chapman & Hall, London, pp. 314-331 (1993).

5 In a preferred embodiment of the present invention the nucleic acid marker exhibits a LOD score of greater than 2.0, more preferably 2.5, even more preferably greater than 3.0 or 4.0 with the trait or phenotype of interest. In a preferred embodiment, the trait of interest is altered, preferably increased phytosterol levels or compositions.

Additional models can be used. Many modifications and alternative approaches to
10 interval mapping have been reported, including the use non-parametric methods (Kruglyak and Lander, *Genetics* 139:1421-1428 (1995)). Multiple regression methods or models can be also be used, in which the trait is regressed on a large number of markers (Jansen, *Biometrics in Plant Breeding*, van Oijen and Jansen (eds.), Proceedings of the Ninth Meeting of the Eucarpia Section
15 Biometrics in Plant Breeding, The Netherlands, pp. 116-124 (1994); Weber and Wricke, *Advances in Plant Breeding*, Blackwell, Berlin, 16 (1994)). Procedures combining interval mapping with regression analysis, whereby the phenotype is regressed onto a single putative QTL at a given marker interval and at the same time onto a number of markers that serve as 'cofactors,' have been reported by Jansen and Stam, *Genetics* 136:1447-1455 (1994), and Zeng, *Genetics* 136:1457-1468 (1994). Generally, the use of cofactors reduces the bias and sampling error of
20 the estimated QTL positions (Utz and Melchinger, *Biometrics in Plant Breeding*, van Oijen and Jansen (eds.) Proceedings of the Ninth Meeting of the Eucarpia Section Biometrics in Plant Breeding, The Netherlands, pp.195-204 (1994), thereby improving the precision and efficiency of QTL mapping (Zeng, *Genetics* 136:1457-1468 (1994), herein incorporated by reference in its entirety). These models can be extended to multi-environment experiments to analyze genotype-
25 environment interactions (Jansen *et al.*, *Theo. Appl. Genet.* 91:33-37 (1995), herein incorporated by reference in its entirety).

It is understood that one or more of the nucleic acid molecules of the invention may be used as molecular markers. It is also understood that one or more of the protein molecules of the invention may be used as molecular markers.

In a preferred embodiment, the polymorphism is present and screened for in a mapping population, *e.g.* a collection of plants capable of being used with markers such as polymorphic markers to map genetic position of traits. The choice of appropriate mapping population often depends on the type of marker systems employed (Tanksley *et al.*, *J.P. Gustafson and R. Appels* (eds.). Plenum Press, New York, pp. 157-173 (1988), the entirety of which is herein incorporated by reference). Consideration must be given to the source of parents (adapted vs. exotic) used in the mapping population. Chromosome pairing and recombination rates can be severely disturbed (suppressed) in wide crosses (adapted x exotic) and generally yield greatly reduced linkage distances. Wide crosses will usually provide segregating populations with a relatively large number of polymorphisms when compared to progeny in a narrow cross (adapted x adapted).

An F_2 population is the first generation of selfing (self-pollinating) after the hybrid seed is produced. Usually a single F_1 plant is selfed to generate a population segregating for all the genes in Mendelian (1:2:1) pattern. Maximum genetic information is obtained from a completely classified F_2 population using a codominant marker system (Mather, *Measurement of Linkage in Heredity*: Methuen and Co., (1938), the entirety of which is herein incorporated by reference). In the case of dominant markers, progeny tests (*e.g.*, F_3 , BCF_2) are required to identify the heterozygotes, in order to classify the population. However, this procedure is often prohibitive because of the cost and time involved in progeny testing. Progeny testing of F_2 individuals is often used in map construction where phenotypes do not consistently reflect genotype (*e.g.* disease resistance) or where trait expression is controlled by a QTL. Segregation data from progeny test populations *e.g.* F_3 or BCF_2) can be used in map construction. Marker-assisted selection can then be applied to cross progeny based on marker-trait map associations (F_2 , F_3), where linkage groups have not been completely disassociated by recombination events (*i.e.*, maximum disequilibrium).

Recombinant inbred lines (RIL) (genetically related lines; usually $>F_5$, developed from continuously selfing F_2 lines towards homozygosity) can be used as a mapping population. Information obtained from dominant markers can be maximized by using RIL because all loci are homozygous or nearly so. Under conditions of tight linkage (*i.e.*, about $<10\%$ recombination), dominant and co-dominant markers evaluated in RIL populations provide more information per individual than either marker type in backcross populations (Reiter. *Proc. Natl. Acad. Sci. (U.S.A.)* 89:1477-1481 (1992), the entirety of which is herein incorporated by reference). However, as the distance between markers becomes larger (*i.e.*, loci become more independent), the information in RIL populations decreases dramatically when compared to codominant markers.

Backcross populations (*e.g.*, generated from a cross between a successful variety (recurrent parent) and another variety (donor parent) carrying a trait not present in the former) can be utilized as a mapping population. A series of backcrosses to the recurrent parent can be made to recover most of its desirable traits. Thus a population is created consisting of individuals nearly like the recurrent parent but each individual carries varying amounts or mosaic of genomic regions from the donor parent. Backcross populations can be useful for mapping dominant markers if all loci in the recurrent parent are homozygous and the donor and recurrent parent have contrasting polymorphic marker alleles (Reiter *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 89:1477-1481 (1992), the entirety of which is herein incorporated by reference). Information obtained from backcross populations using either codominant or dominant markers is less than that obtained from F_2 populations because one, rather than two, recombinant gamete is sampled per plant. Backcross populations, however, are more informative (at low marker saturation) when compared to RILs as the distance between linked loci increases in RIL populations (*i.e.* about $.15\%$ recombination). Increased recombination can be beneficial for resolution of tight linkages, but may be undesirable in the construction of maps with low marker saturation.

Near-isogenic lines (NIL) (created by many backcrosses to produce a collection of individuals that is nearly identical in genetic composition except for the trait or genomic region

under interrogation) can be used as a mapping population. In mapping with NILs, only a portion of the polymorphic loci is expected to map to a selected region.

Bulk segregant analysis (BSA) is a method developed for the rapid identification of linkage between markers and traits of interest (Michelmore *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 88:9828-9832 (1991), the entirety of which is herein incorporated by reference). In BSA, two bulked DNA samples are drawn from a segregating population originating from a single cross. These bulks contain individuals that are identical for a particular trait (resistant or susceptible to particular disease) or genomic region but arbitrary at unlinked regions (*i.e.* heterozygous). Regions unlinked to the target region will not differ between the bulked samples of many individuals in BSA.

In an aspect of the present invention, one or more of the nucleic molecules of the present invention are used to determine the level (*i.e.*, the concentration of mRNA in a sample, *etc.*) in a plant (preferably maize, canola, soybean, crambe, mustard, castor bean, peanut, sesame, cottonseed, linseed, safflower, oil palm, flax or sunflower) or pattern (*i.e.*, the kinetics of expression, rate of decomposition, stability profile, *etc.*) of the expression of a protein encoded in part or whole by one or more of the nucleic acid molecule of the present invention (collectively, the "Expression Response" of a cell or tissue).

As used herein, the Expression Response manifested by a cell or tissue is said to be "altered" if it differs from the Expression Response of cells or tissues of plants not exhibiting the phenotype. To determine whether a Expression Response is altered, the Expression Response manifested by the cell or tissue of the plant exhibiting the phenotype is compared with that of a similar cell or tissue sample of a plant not exhibiting the phenotype. As will be appreciated, it is not necessary to re-determine the Expression Response of the cell or tissue sample of plants not exhibiting the phenotype each time such a comparison is made; rather, the Expression Response of a particular plant may be compared with previously obtained values of normal plants. As used herein, the phenotype of the organism is any of one or more characteristics of an organism (*e.g.* disease resistance, pest tolerance, environmental tolerance such as tolerance to abiotic stress,

male sterility, quality improvement or yield *etc.*). A change in genotype or phenotype may be transient or permanent. Also as used herein, a tissue sample is any sample that comprises more than one cell. In a preferred aspect, a tissue sample comprises cells that share a common characteristic (e.g. derived from root, seed, flower, leaf, stem or pollen *etc.*).

5 In one aspect of the present invention, an evaluation can be conducted to determine whether a particular mRNA molecule is present. One or more of the nucleic acid molecules of the present invention are utilized to detect the presence or quantity of the mRNA species. Such molecules are then incubated with cell or tissue extracts of a plant under conditions sufficient to permit nucleic acid hybridization. The detection of double-stranded probe-mRNA hybrid
10 molecules is indicative of the presence of the mRNA; the amount of such hybrid formed is proportional to the amount of mRNA. Thus, such probes may be used to ascertain the level and extent of the mRNA production in a plant's cells or tissues. Such nucleic acid hybridization may be conducted under quantitative conditions (thereby providing a numerical value of the amount of the mRNA present). Alternatively, the assay may be conducted as a qualitative assay that
15 indicates either that the mRNA is present, or that its level exceeds a user set, predefined value.

A number of methods can be used to compare the expression response between two or more samples of cells or tissue. These methods include hybridization assays, such as northern, RNase protection assays, and *in situ* hybridization. Alternatively, the methods include PCR-type assays. In a preferred method, the expression response is compared by hybridizing nucleic acids
20 from the two or more samples to an array of nucleic acids. The array contains a plurality of suspected sequences known or suspected of being present in the cells or tissue of the samples.

An advantage of *in situ* hybridization over more conventional techniques for the detection of nucleic acids is that it allows an investigator to determine the precise spatial population (Angerer *et al.*, *Dev. Biol.* 101:477-484 (1984); Angerer *et al.*, *Dev. Biol.* 112:157-166 (1985);
25 Dixon *et al.*, *EMBO J.* 10:1317-1324 (1991)). *In situ* hybridization may be used to measure the steady-state level of RNA accumulation (Hardin *et al.*, *J. Mol. Biol.* 202:417-431 (1989)). A number of protocols have been devised for *in situ* hybridization, each with tissue preparation,

hybridization and washing conditions (Meyerowitz, *Plant Mol. Biol. Rep.* 5:242-250 (1987); Cox and Goldberg, In: *Plant Molecular Biology: A Practical Approach*, Shaw (ed.), pp. 1-35, IRL Press, Oxford (1988); Raikhel *et al.*, *In situ RNA hybridization in plant tissues*, In: *Plant Molecular Biology Manual*, vol. B9:1-32, Kluwer Academic Publisher, Dordrecht, Belgium (1989)).

In situ hybridization also allows for the localization of proteins within a tissue or cell (Wilkinson, *In Situ Hybridization*, Oxford University Press, Oxford (1992); Langdale, *In Situ Hybridization* In: *The Maize Handbook*, Freeling and Walbot (eds.), pp. 165-179, Springer-Verlag, New York (1994)). It is understood that one or more of the molecules of the invention, preferably one or more of the nucleic acid molecules or fragments thereof of the invention or one or more of the antibodies of the invention may be utilized to detect the level or pattern of a protein or mRNA thereof by *in situ* hybridization.

Fluorescent *in situ* hybridization allows the localization of a particular DNA sequence along a chromosome, which is useful, among other uses, for gene mapping, following chromosomes in hybrid lines, or detecting chromosomes with translocations, transversions or deletions. *In situ* hybridization has been used to identify chromosomes in several plant species (Griffor *et al.*, *Plant Mol. Biol.* 17:101-109 (1991); Gustafson *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:1899-1902 (1990); Mukai and Gill, *Genome* 34:448-452 (1991); Schwarzacher and Heslop-Harrison, *Genome* 34:317-323 (1991); Wang *et al.*, *Jpn. J. Genet.* 66:313-316 (1991); Parra and Windle, *Nature Genetics* 5:17-21 (1993)). It is understood that the nucleic acid molecules of the invention may be used as probes or markers to localize sequences along a chromosome.

Another method to localize the expression of a molecule is tissue printing. Tissue printing provides a way to screen, at the same time on the same membrane many tissue sections from different plants or different developmental stages (Yomo and Taylor, *Planta* 112:35-43 (1973); Harris and Chrispeels, *Plant Physiol.* 56:292-299 (1975); Cassab and Varner, *J. Cell. Biol.* 105:2581-2588 (1987); Spruce *et al.*, *Phytochemistry* 26:2901-2903 (1987); Barres *et al.*,

Neuron 5:527-544 (1990); Reid and Pont-Lezica, *Tissue Printing: Tools for the Study of Anatomy, Histochemistry and Gene Expression*, Academic Press, New York, New York (1992); Reid *et al.*, *Plant Physiol.* 93:160-165 (1990); Ye *et al.*, *Plant J.* 1:175-183 (1991)).

A microarray-based method for high-throughput monitoring of gene expression may be utilized to measure expression response. This 'chip'-based approach involves microarrays of nucleic acid molecules as gene-specific hybridization targets to quantitatively measure expression of the corresponding mRNA (Schena *et al.*, *Science* 270:467-470 (1995), the entirety of which is herein incorporated by reference; <http://cmgm.stanford.edu/pbrown/array.html>; Shalon, Ph.D. Thesis, Stanford University (1996), the entirety of which is herein incorporated by reference). Hybridization to a microarray can be used to efficiently analyze the presence and/or amount of a number of nucleotide sequences simultaneously.

Several microarray methods have been described. One method compares the sequences to be analyzed by hybridization to a set of oligonucleotides representing all possible subsequences (Bains and Smith, *J. Theor. Biol.* 135:303-307 (1989), the entirety of which is herein incorporated by reference). A second method hybridizes the sample to an array of oligonucleotide or cDNA molecules. An array consisting of oligonucleotides complementary to subsequences of a target sequence can be used to determine the identity of a target sequence, measure its amount, and detect single nucleotide differences between the target and a reference sequence. Nucleic acid molecule microarrays may also be screened with protein molecules or fragments thereof to determine nucleic acid molecules that specifically bind protein molecules or fragments thereof.

The microarray approach may be used with polypeptide targets (U.S. Patent No. 5,445,934; U.S. Patent No. 5,143,854; U.S. Patent No. 5,079,600; U.S. Patent No. 4,923,901, all of which are herein incorporated by reference in their entirety). Essentially, polypeptides are synthesized on a substrate (microarray) and these polypeptides can be screened with either protein molecules or fragments thereof or nucleic acid molecules in order to screen for either protein molecules or fragments thereof or nucleic acid molecules that specifically bind the target

polypeptides. (Fodor *et al.*, *Science* 251:767-773 (1991), the entirety of which is herein incorporated by reference). It is understood that one or more of the nucleic acid molecules or protein or fragments thereof of the invention may be utilized in a microarray-based method.

In a preferred embodiment of the present invention microarrays may be prepared that
5 comprise nucleic acid molecules where preferably at least 10%, preferably at least 25%, more preferably at least 50% and even more preferably at least 75%, 80%, 85%, 90% or 95% of the nucleic acid molecules located on that array are selected from the group of nucleic acid molecules that specifically hybridize to one or more nucleic acid molecule having a nucleic acid sequence selected from the group of SEQ ID NO: 1 through SEQ ID NO: 621 or complements
10 thereof or fragments of either.

In another preferred embodiment of the present invention microarrays may be prepared that comprise nucleic acid molecules where preferably at least 10%, preferably at least 25%, more preferably at least 50% and even more preferably at least 75%, 80%, 85%, 90% or 95% of the nucleic acid molecules located on that array are selected from the group of nucleic acid
15 molecules having a nucleic acid sequence selected from the group of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragments of either.

In a preferred embodiment of the present invention microarrays may be prepared that comprise nucleic acid molecules where such nucleic acid molecules encode at least one, preferably at least two, more preferably at least three, even more preferably at least four, five or
20 six proteins or fragments thereof selected from the group consisting of HES1, HMGC_oA reductase, squalene synthase, cycloartenol synthase, SMTII and UPC2. In even more preferred embodiment of the present invention microarrays may be prepared that comprise nucleic acid molecules where such nucleic acid molecules encode at least one, preferably at least two, more preferably at least three, even more preferably at least four, five or six proteins or fragments
25 thereof selected from the group consisting of a fungal, more preferably a yeast HES1, a plant, more preferably a maize, soybean or *Arabidopsis* HES1, a plant, more preferably a rubber or an *Arabidopsis* HMGC_oA reductase, a plant, more preferably an *Arabidopsis* squalene synthase, a

plant, more preferably an *Arabidopsis* cycloartenol synthase, a plant, more preferably an *Arabidopsis* SMTII and a fungus, more preferably a yeast UPC2.

Site directed mutagenesis may be utilized to modify nucleic acid sequences, particularly as it is a technique that allows one or more of the amino acids encoded by a nucleic acid molecule to be altered (*e.g.*, a threonine to be replaced by a methionine). At least three basic methods for site directed mutagenesis can be employed. These are cassette mutagenesis (Wells *et al.*, *Gene* 34:315-323 (1985), the entirety of which is herein incorporated by reference), primer extension (Gilliam *et al.*, *Gene* 12:129-137 (1980), the entirety of which is herein incorporated by reference; Zoller and Smith, *Methods Enzymol.* 100:468-500 (1983), the entirety of which is herein incorporated by reference; Dalbadie-McFarland *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 79:6409-6413 (1982), the entirety of which is herein incorporated by reference) and methods based upon PCR (Scharf *et al.*, *Science* 233:1076-1078 (1986), the entirety of which is herein incorporated by reference; Higuchi *et al.*, *Nucleic Acids Res.* 16:7351-7367 (1988), the entirety of which is herein incorporated by reference). Site directed mutagenesis approaches are also described in U.S. Patent 5,811,238, European Patent 0 385 962, the entirety of which is herein incorporated by reference; European Patent 0 359 472, the entirety of which is herein incorporated by reference; and PCT Patent Application WO 93/07278, the entirety of which is herein incorporated by reference.

Site directed mutagenesis strategies have been applied to plants for both *in vitro* as well as *in vivo* site directed mutagenesis (Lanz *et al.*, *J. Biol. Chem.* 266:9971-9976 (1991), the entirety of which is herein incorporated by reference; Kovgan and Zhdanov, *Biotekhnologiya* 5:148-154, No. 207160n, Chemical Abstracts 110:225 (1989), the entirety of which is herein incorporated by reference; Ge *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 86:4037-4041 (1989), the entirety of which is herein incorporated by reference; Zhu *et al.*, *J. Biol. Chem.* 271:18494-18498 (1996), the entirety of which is herein incorporated by reference; Chu *et al.*, *Biochemistry* 33:6150-6157 (1994), the entirety of which is herein incorporated by reference; Small *et al.*, *EMBO J.* 11:1291-1296 (1992), the entirety of which is herein incorporated by reference; Cho *et*

al., *Mol. Biotechnol.* 8:13-16 (1997), the entirety of which is herein incorporated by reference; Kita *et al.*, *J. Biol. Chem.* 271:26529-26535 (1996), the entirety of which is herein incorporated by reference; Jin *et al.*, *Mol. Microbiol.* 7:555-562 (1993), the entirety of which is herein incorporated by reference; Hatfield and Vierstra, *J. Biol. Chem.* 267:14799-14803 (1992), the entirety of which is herein incorporated by reference; Zhao *et al.*, *Biochemistry* 31:5093-5099 (1992), the entirety of which is herein incorporated by reference).

Any of the nucleic acid molecules of the invention may either be modified by site directed mutagenesis or used as, for example, nucleic acid molecules that are used to target other nucleic acid molecules for modification. It is understood that mutants with more than one altered nucleotide can be constructed using techniques that practitioners are familiar with, such as isolating restriction fragments and ligating such fragments into an expression vector (*see*, for example, Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press (1989)).

Sequence-specific DNA-binding proteins play a role in the regulation of transcription. The isolation of recombinant cDNAs encoding these proteins facilitates the biochemical analysis of their structural and functional properties. Genes encoding such DNA-binding proteins have been isolated using classical genetics (Vollbrecht *et al.*, *Nature* 350: 241-243 (1991), the entirety of which is herein incorporated by reference) and molecular biochemical approaches, including the screening of recombinant cDNA libraries with antibodies (Landschulz *et al.*, *Genes Dev.* 2:786-800 (1988), the entirety of which is herein incorporated by reference) or DNA probes (Bodner *et al.*, *Cell* 55:505-518 (1988), the entirety of which is herein incorporated by reference). In addition, an *in situ* screening procedure has been used and has facilitated the isolation of sequence-specific DNA-binding proteins from various plant species (Gilmartin *et al.*, *Plant Cell* 4:839-849 (1992), the entirety of which is herein incorporated by reference; Schindler *et al.*, *EMBO J.* 11:1261-1273 (1992), the entirety of which is herein incorporated by reference). An *in situ* screening protocol does not require the purification of the protein of interest (Vinson *et al.*,

Genes Dev. 2:801-806 (1988), the entirety of which is herein incorporated by reference; Singh *et al.*, *Cell* 52:415-423 (1988), the entirety of which is herein incorporated by reference).

Two steps may be employed to characterize DNA-protein interactions. The first is to identify sequence fragments that interact with DNA-binding proteins, to titrate binding activity, to determine the specificity of binding and to determine whether a given DNA-binding activity can interact with related DNA sequences (Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, 2nd edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1989)). Electrophoretic mobility-shift assay is a widely used assay. The assay provides a rapid and sensitive method for detecting DNA-binding proteins based on the observation that the mobility of a DNA fragment through a nondenaturing, low-ionic strength polyacrylamide gel is retarded upon association with a DNA-binding protein (Fried and Crother, *Nucleic Acids Res.* 9:6505-6525 (1981), the entirety of which is herein incorporated by reference). When one or more specific binding activities have been identified, the exact sequence of the DNA bound by the protein may be determined.

Several procedures for characterizing protein/DNA-binding sites are used, including methylation and ethylation interference assays (Maxam and Gilbert, *Methods Enzymol.* 65:499-560 (1980), the entirety of which is herein incorporated by reference; Wissman and Hillen, *Methods Enzymol.* 208:365-379 (1991), the entirety of which is herein incorporated by reference), footprinting techniques employing DNase I (Galas and Schmitz, *Nucleic Acids Res.* 5:3157-3170 (1978), the entirety of which is herein incorporated by reference), 1,10-phenanthroline-copper ion methods (Sigman *et al.*, *Methods Enzymol.* 208:414-433 (1991), the entirety of which is herein incorporated by reference) and hydroxyl radicals methods (Dixon *et al.*, *Methods Enzymol.* 208:414-433 (1991), the entirety of which is herein incorporated by reference). It is understood that one or more of the nucleic acid molecules of the invention may be utilized to identify a protein or fragment thereof that specifically binds to a nucleic acid molecule of the invention. It is also understood that one or more of the protein molecules or

fragments thereof of the invention may be utilized to identify a nucleic acid molecule that specifically binds to it.

A two-hybrid system is based on the fact that proteins, such as transcription factors that interact (physically) with one another carry out many cellular functions. Two-hybrid systems have been used to probe the function of new proteins (Chien *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 88:9578-9582 (1991) the entirety of which is herein incorporated by reference; Durfee *et al.*, *Genes Dev.* 7:555-569 (1993) the entirety of which is herein incorporated by reference; Choi *et al.*, *Cell* 78:499-512 (1994), the entirety of which is herein incorporated by reference; Kranz *et al.*, *Genes Dev.* 8:313-327 (1994), the entirety of which is herein incorporated by reference).

Interaction mating techniques have facilitated a number of two-hybrid studies of protein-protein interaction. Interaction mating has been used to examine interactions between small sets of tens of proteins (Finley and Brent, *Proc. Natl. Acad. Sci. (U.S.A.)* 91:12098-12984 (1994), the entirety of which is herein incorporated by reference), larger sets of hundreds of proteins (Bendixen *et al.*, *Nucl. Acids Res.* 22:1778-1779 (1994), the entirety of which is herein incorporated by reference) and to comprehensively map proteins encoded by a small genome (Bartel *et al.*, *Nature Genetics* 12:72-77 (1996), the entirety of which is herein incorporated by reference). This technique utilizes proteins fused to the DNA-binding domain and proteins fused to the activation domain. They are expressed in two different haploid yeast strains of opposite mating type and the strains are mated to determine if the two proteins interact. Mating occurs when haploid yeast strains come into contact and result in the fusion of the two haploids into a diploid yeast strain. An interaction can be determined by the activation of a two-hybrid reporter gene in the diploid strain.

The CLONTECH laboratories, Inc. provides the MATCHMAKER two-hybrid System kit (Cat. No. K1605-1) in which the sequences encoding the two functional domains of the GAL4 transcriptional activator, DNA binding domain and activation domain, are cloned into two different shuttle/expression vectors (pGBT9 and pGAD424) (Bartel *et al. In Cellular Interactions in Development: A Practical Approach*, D.A. Hartley, ed., Oxford University Press,

Oxford 153-179 (1993), the entirety of which is herein incorporated by reference). The gene code for the target protein is cloned into the pGBT9 to generate a hybrid of GAL4-DNA binding domain with a target protein and the gene(s) encode for potentially interacting protein(s) are cloned into the pGAD424 to create hybrid protein(s) of GAL4-activation domain with potentially interacting protein or with a collection of random proteins in a fusion library. The both plasmids carrying hybrid proteins are cotransformed into one yeast strain. Both hybrid proteins are targeted to the yeast nucleus by nuclear localization signal. If the target protein and the potentially interacting protein interact with each other, the GAL4 DNA binding domain and the GAL4 activation domain are brought to proximity and proper function of the transcriptional activator unit will be reconstituted resulting in transcription of reporter gene (lacZ or HIS3). An advantage of this technique is that it reduces the number of yeast transformations needed to test individual interactions. It is understood that the protein-protein interactions of protein or fragments thereof of the invention may be investigated using the two-hybrid system and that any of the nucleic acid molecules of the invention that encode such proteins or fragments thereof may be used to transform yeast in the two-hybrid system.

(f) Fungal Constructs and Fungal Transformants

The invention also relates to a fungal recombinant vector comprising exogenous genetic material. The invention also relates to a fungal cell comprising a fungal recombinant vector. The invention also relates to methods for obtaining a recombinant fungal host cell comprising introducing into a fungal host cell exogenous genetic material.

Exogenous genetic material may be transferred into a fungal cell. In a preferred embodiment the exogenous genetic material includes a nucleic acid molecule of the present invention, preferably a nucleic acid molecule having a sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragments of either. Another preferred class of exogenous genetic material are nucleic acid molecules that encode a protein having an amino acid selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragments thereof.

The fungal recombinant vector may be any vector which can be conveniently subjected to recombinant DNA procedures. The choice of a vector will typically depend on the compatibility of the vector with the fungal host cell into which the vector is to be introduced. The vector may be a linear or a closed circular plasmid. The vector system may be a single vector or plasmid or two or more vectors or plasmids which together contain the total DNA to be introduced into the genome of the fungal host.

The fungal vector may be an autonomously replicating vector, *i.e.*, a vector which exists as an extrachromosomal entity, the replication of which is independent of chromosomal replication, *e.g.*, a plasmid, an extrachromosomal element, a minichromosome, or an artificial chromosome. The vector may contain any means for assuring self-replication. Alternatively, the vector may be one which, when introduced into the fungal cell, is integrated into the genome and replicated together with the chromosome(s) into which it has been integrated. This integration may be the result of homologous or non-homologous recombination.

Integration of a vector or nucleic acid into the genome by homologous recombination, regardless of the host being considered, relies on the nucleic acid sequence of the vector. Typically, the vector contains nucleic acid sequences for directing integration by homologous recombination into the genome of the host. These nucleic acid sequences enable the vector to be integrated into the host cell genome at a precise location or locations in one or more chromosomes. To increase the likelihood of integration at a precise location, there should be preferably two nucleic acid sequences that individually contain a sufficient number of nucleic acids, preferably 400bp to 1500bp, more preferably 800bp to 1000bp, which are highly homologous with the corresponding host cell target sequence. This enhances the probability of homologous recombination. These nucleic acid sequences may be any sequence that is homologous with a host cell target sequence and, furthermore, may or may not encode proteins.

For autonomous replication, the vector may further comprise an origin of replication enabling the vector to replicate autonomously in the host cell in question. Examples of origin of replications for use in a yeast host cell are the 2 micron origin of replication and the combination

of CEN3 and ARS 1. Any origin of replication may be used which is compatible with the fungal host cell of choice.

The fungal vectors of the invention preferably contain one or more selectable markers which permit easy selection of transformed cells. A selectable marker is a gene the product of which provides, for example biocide or viral resistance, resistance to heavy metals, prototrophy to auxotrophs and the like. The selectable marker may be selected from the group including, but not limited to, *amdS* (acetamidase), *argB* (ornithine carbamoyltransferase), *bar* (phosphinothricin acetyltransferase), *hygB* (hygromycin phosphotransferase), *niaD* (nitrate reductase), *pyrG* (orotidine-5'-phosphate decarboxylase) and *sC* (sulfate adenylyltransferase) and *trpC* (anthranilate synthase). Preferred for use in an *Aspergillus* cell are the *amdS* and *pyrG* markers of *Aspergillus nidulans* or *Aspergillus oryzae* and the *bar* marker of *Streptomyces hygrosopicus*. Furthermore, selection may be accomplished by co-transformation, *e.g.*, as described in WO 91/17243, the entirety of which is herein incorporated by reference. A nucleic acid sequence of the invention may be operably linked to a suitable promoter sequence. The promoter sequence is a nucleic acid sequence which is recognized by the fungal host cell for expression of the nucleic acid sequence. The promoter sequence contains transcription and translation control sequences which mediate the expression of the protein or fragment thereof.

A promoter may be any nucleic acid sequence which shows transcriptional activity in the fungal host cell of choice and may be obtained from genes encoding polypeptides either homologous or heterologous to the host cell. Examples of suitable promoters for directing the transcription of a nucleic acid construct of the invention in a filamentous fungal host are promoters obtained from the genes encoding *Aspergillus oryzae* TKA amylose, *Rhizomucor miehei* aspartic proteinase, *Aspergillus niger* neutral alpha-amylose, *Aspergillus niger* acid stable alpha-amylose, *Aspergillus niger* or *Aspergillus awamori* glucoamylose (glaA), *Rhizomucor miehei* lipase, *Aspergillus oryzae* alkaline protease, *Aspergillus oryzae* triose phosphate isomerase, *Aspergillus nidulans* acetamidase and hybrids thereof. In a yeast host, a useful promoter is the *Saccharomyces cerevisiae* enolase (eno-1) promoter. Particularly preferred

promoters are the TAKA amylase, NA2-tpi (a hybrid of the promoters from the genes encoding *Aspergillus niger* neutral alpha -amylase and *Aspergillus oryzae* triose phosphate isomerase), glaA, *Saccharomyces cerevisiae* GAL1 (galactokinase) and *Saccharomyces cerevisiae* GPD (glyceraldehyde-3-phosphate dehydrogenase) promoters.

5 A protein or fragment thereof encoding nucleic acid molecule of the invention may also be operably linked to a terminator sequence at its 3' terminus. The terminator sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any terminator which is functional in the fungal host cell of choice may be used in the invention, but particularly preferred terminators are obtained from the genes
10 encoding *Aspergillus oryzae* TAKA amylase, *Aspergillus niger* glucoamylase, *Aspergillus nidulans* anthranilate synthase, *Aspergillus niger* alpha-glucosidase, *Saccharomyces cerevisiae* cytochrome-c oxidase (CYC1) and *Saccharomyces cerevisiae* enolase.

A protein or fragment thereof encoding nucleic acid molecule of the invention may also be operably linked to a suitable leader sequence. A leader sequence is a nontranslated region of a
15 mRNA which is important for translation by the fungal host. The leader sequence is operably linked to the 5' terminus of the nucleic acid sequence encoding the protein or fragment thereof. The leader sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any leader sequence which is functional in the fungal host cell of choice may be used in the invention, but particularly preferred leaders are
20 obtained from the genes encoding *Aspergillus oryzae* TAKA amylase and *Aspergillus oryzae* triose phosphate isomerase.

A polyadenylation sequence may also be operably linked to the 3' terminus of the nucleic acid sequence of the invention. The polyadenylation sequence is a sequence which when transcribed is recognized by the fungal host to add polyadenosine residues to transcribed mRNA.
25 The polyadenylation sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any polyadenylation sequence which is functional in the fungal host of choice may be used in the invention, but particularly preferred

polyadenylation sequences are obtained from the genes encoding *Aspergillus oryzae* TAKA amylase, *Aspergillus niger* glucoamylase, *Aspergillus nidulans* anthranilate synthase, *Aspergillus niger* alpha-glucosidase and *Saccharomyces cerevisiae* cytochrome-c oxidase (CYC1).

To avoid the necessity of disrupting the cell to obtain the protein or fragment thereof and to minimize the amount of possible degradation of the expressed protein or fragment thereof within the cell, it is preferred that expression of the protein or fragment thereof gives rise to a product secreted outside the cell. To this end, a protein or fragment thereof of the invention may be linked to a signal peptide linked to the amino terminus of the protein or fragment thereof. A signal peptide is an amino acid sequence which permits the secretion of the protein or fragment thereof from the fungal host into the culture medium. The signal peptide may be native to the protein or fragment thereof of the invention or may be obtained from foreign sources. The 5' end of the coding sequence of the nucleic acid sequence of the invention may inherently contain a signal peptide coding region naturally linked in translation reading frame with the segment of the coding region which encodes the secreted protein or fragment thereof. Alternatively, the 5' end of the coding sequence may contain a signal peptide coding region which is foreign to that portion of the coding sequence which encodes the secreted protein or fragment thereof. The foreign signal peptide may be required where the coding sequence does not normally contain a signal peptide coding region. Alternatively, the foreign signal peptide may simply replace the natural signal peptide to obtain enhanced secretion of the desired protein or fragment thereof. The foreign signal peptide coding region may be obtained from a glucoamylase or an amylase gene from an *Aspergillus* species, a lipase or proteinase gene from *Rhizomucor miehei*, the gene for the alpha-factor from *Saccharomyces cerevisiae*, or the calf preprochymosin gene. An effective signal peptide for fungal host cells is the *Aspergillus oryzae* TAKA amylase signal, *Aspergillus niger* neutral amylase signal, the *Rhizomucor miehei* aspartic proteinase signal, the *Humicola lanuginosus* cellulase signal, or the *Rhizomucor miehei* lipase signal. However, any signal peptide capable of permitting secretion of the protein or fragment thereof in a fungal host of choice may be used in the invention.

A protein or fragment thereof encoding nucleic acid molecule of the invention may also be linked to a propeptide coding region. A propeptide is an amino acid sequence found at the amino terminus of a proprotein or proenzyme. Cleavage of the propeptide from the proprotein yields a mature biochemically active protein. The resulting polypeptide is known as a propolypeptide or proenzyme (or a zymogen in some cases). Propolypeptides are generally inactive and can be converted to mature active polypeptides by catalytic or autocatalytic cleavage of the propeptide from the propolypeptide or proenzyme. The propeptide coding region may be native to the protein or fragment thereof or may be obtained from foreign sources. The foreign propeptide coding region may be obtained from the *Saccharomyces cerevisiae* alpha-factor gene or *Myceliophthora thermophila* laccase gene (WO 95/33836, the entirety of which is herein incorporated by reference).

The procedures used to ligate the elements described above to construct the recombinant expression vector of the invention are well known to one skilled in the art (see, for example, Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual*, 2nd ed., Cold Spring Harbor, N.Y., (1989)).

The invention also relates to recombinant fungal host cells produced by the methods of the invention which are advantageously used with the recombinant vector of the invention. The cell is preferably transformed with a vector comprising a nucleic acid sequence of the invention followed by integration of the vector into the host chromosome. The choice of fungal host cells will to a large extent depend upon the gene encoding the protein or fragment thereof and its source. The fungal host cell may, for example, be a yeast cell or a filamentous fungal cell.

"Yeast" as used herein includes *Ascosporogenous* yeast (*Endomycetales*), *Basidiosporogenous* yeast and yeast belonging to the *Fungi Imperfecti* (*Blastomycetes*). The *Ascosporogenous* yeasts are divided into the families *Spermophthoraceae* and *Saccharomycetaceae*. The latter is comprised of four subfamilies, *Schizosaccharomycoideae* (for example, genus *Schizosaccharomyces*), *Nadsonioideae*, *Lipomycoideae* and *Saccharomycoideae* (for example, genera *Pichia*, *Kluyveromyces* and *Saccharomyces*). The *Basidiosporogenous*

yeasts include the genera *Leucosporidium*, *Rhodospodium*, *Sporidiobolus*, *Filobasidium* and *Filobasidiella*. Yeast belonging to the *Fungi Imperfecti* are divided into two families, *Sporobolomycetaceae* (for example, genera *Sorobolomyces* and *Bullera*) and *Cryptococcaceae* (for example, genus *Candida*). Since the classification of yeast may change in the future, for the purposes of this invention, yeast shall be defined as described in Biology and Activities of Yeast (Skinner *et al.*, *Soc. App. Bacteriol. Symposium Series* No. 9, (1980), the entirety of which is herein incorporated by reference). The biology of yeast and manipulation of yeast genetics are well known in the art (*see*, for example, *Biochemistry and Genetics of Yeast*, Bacil *et al.* (ed.), 2nd edition, 1987; *The Yeasts*, Rose and Harrison (eds.), 2nd ed., (1987); and *The Molecular Biology of the Yeast Saccharomyces*, Strathern *et al.* (eds.), (1981), all of which are herein incorporated by reference in their entirety).

"Fungi" as used herein includes the phyla *Ascomycota*, *Basidiomycota*, *Chytridiomycota* and *Zygomycota* (as defined by Hawksworth *et al.*, In: Ainsworth and Bisby's *Dictionary of The Fungi*, 8th edition, 1995, CAB International, University Press, Cambridge, UK; the entirety of which is herein incorporated by reference) as well as the *Oomycota* (as cited in Hawksworth *et al.*, In: Ainsworth and Bisby's *Dictionary of The Fungi*, 8th edition, 1995, CAB International, University Press, Cambridge, UK) and all mitosporic fungi (Hawksworth *et al.*, In: Ainsworth and Bisby's *Dictionary of The Fungi*, 8th edition, 1995, CAB International, University Press, Cambridge, UK). Representative groups of *Ascomycota* include, for example, *Neurospora*, *Eupenicillium* (= *Penicillium*), *Emericella* (= *Aspergillus*), *Eurotium* (= *Aspergillus*) and the true yeasts listed above. Examples of *Basidiomycota* include mushrooms, rusts and smuts. Representative groups of *Chytridiomycota* include, for example, *Allomyces*, *Blastocladiella*, *Coelomomyces* and aquatic fungi. Representative groups of *Oomycota* include, for example, *Saprolegniomycetous* aquatic fungi (water molds) such as *Achlya*. Examples of mitosporic fungi include *Aspergillus*, *Penicillium*, *Candida* and *Alternaria*. Representative groups of *Zygomycota* include, for example, *Rhizopus* and *Mucor*.

"Filamentous fungi" include all filamentous forms of the subdivision *Eumycota* and *Oomycota* (as defined by Hawksworth *et al.*, In: Ainsworth and Bisby's *Dictionary of The Fungi*, 8th edition, 1995, CAB International, University Press, Cambridge, UK). The filamentous fungi are characterized by a vegetative mycelium composed of chitin, cellulose, glucan, chitosan, mannan and other complex polysaccharides. Vegetative growth is by hyphal elongation and carbon catabolism is obligately aerobic. In contrast, vegetative growth by yeasts such as *Saccharomyces cerevisiae* is by budding of a unicellular thallus and carbon catabolism may be fermentative.

In one embodiment, the fungal host cell is a yeast cell. In a preferred embodiment, the yeast host cell is a cell of the species of *Candida*, *Kluyveromyces*, *Saccharomyces*, *Schizosaccharomyces*, *Pichia* and *Yarrowia*. In a preferred embodiment, the yeast host cell is a *Saccharomyces cerevisiae* cell, a *Saccharomyces carlsbergensis*, *Saccharomyces diastaticus* cell, a *Saccharomyces douglasii* cell, a *Saccharomyces kluyveri* cell, a *Saccharomyces norbensis* cell, or a *Saccharomyces oviformis* cell. In another preferred embodiment, the yeast host cell is a *Kluyveromyces lactis* cell. In another preferred embodiment, the yeast host cell is a *Yarrowia lipolytica* cell.

In another embodiment, the fungal host cell is a filamentous fungal cell. In a preferred embodiment, the filamentous fungal host cell is a cell of the species of, but not limited to, *Acremonium*, *Aspergillus*, *Fusarium*, *Humicola*, *Myceliophthora*, *Mucor*, *Neurospora*, *Penicillium*, *Thielavia*, *Tolypocladium* and *Trichoderma*.

The recombinant fungal host cells of the invention may further comprise one or more sequences which encode one or more factors that are advantageous in the expression of the protein or fragment thereof, for example, an activator (*e.g.*, a trans-acting factor), a chaperone and a processing protease. The nucleic acids encoding one or more of these factors are preferably not operably linked to the nucleic acid encoding the protein or fragment thereof. An activator is a protein which activates transcription of a nucleic acid sequence encoding a polypeptide (Kudla *et al.*, *EMBO* 9:1355-1364(1990); Jarai and Buxton, *Current Genetics*

26:2238-244(1994); Verdier, *Yeast* 6:271-297(1990), all of which are herein incorporated by reference in their entirety). The nucleic acid sequence encoding an activator may be obtained from the genes encoding *Saccharomyces cerevisiae* heme activator protein 1 (hap1), *Saccharomyces cerevisiae* galactose metabolizing protein 4 (gal4) and *Aspergillus nidulans* ammonia regulation protein (areA). For further examples, see Verdier, *Yeast* 6:271-297 (1990); MacKenzie *et al.*, *Journal of Gen. Microbiol.* 139:2295-2307 (1993), both of which are herein incorporated by reference in their entirety). A chaperone is a protein which assists another protein in folding properly (Hartl *et al.*, *TIBS* 19:20-25 (1994); Bergeron *et al.*, *TIBS* 19:124-128 (1994); Demolder *et al.*, *J. Biotechnology* 32:179-189 (1994); Craig, *Science* 260:1902-1903(1993); Gething and Sambrook, *Nature* 355:33-45 (1992); Puig and Gilbert, *J Biol. Chem.* 269:7764-7771 (1994); Wang and Tsou, *FASEB Journal* 7:1515-11157 (1993); Robinson *et al.*, *Bio/Technology* 1:381-384 (1994), all of which are herein incorporated by reference in their entirety). The nucleic acid sequence encoding a chaperone may be obtained from the genes encoding *Aspergillus oryzae* protein disulphide isomerase, *Saccharomyces cerevisiae* calnexin, *Saccharomyces cerevisiae* BiP/GRP78 and *Saccharomyces cerevisiae* Hsp70. For further examples, see Gething and Sambrook, *Nature* 355:33-45 (1992); Hartl *et al.*, *TIBS* 19:20-25 (1994). A processing protease is a protease that cleaves a propeptide to generate a mature biochemically active polypeptide (Enderlin and Ogrydziak, *Yeast* 10:67-79 (1994); Fuller *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 86:1434-1438 (1989); Julius *et al.*, *Cell* 37:1075-1089 (1984); Julius *et al.*, *Cell* 32:839-852 (1983), all of which are incorporated by reference in their entirety). The nucleic acid sequence encoding a processing protease may be obtained from the genes encoding *Aspergillus niger* Kex2, *Saccharomyces cerevisiae* dipeptidylaminopeptidase, *Saccharomyces cerevisiae* Kex2 and *Yarrowia lipolytica* dibasic processing endoprotease (xpr6). Any factor that is functional in the fungal host cell of choice may be used in the invention.

Fungal cells may be transformed by a process involving protoplast formation, transformation of the protoplasts and regeneration of the cell wall in a manner known per se. Suitable procedures for transformation of *Aspergillus* host cells are described in EP 238 023 and

Yelton *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 81:1470-1474 (1984), both of which are herein incorporated by reference in their entirety. A suitable method of transforming *Fusarium* species is described by Malardier *et al.*, *Gene* 78:147-156 (1989), the entirety of which is herein incorporated by reference. Yeast may be transformed using the procedures described by Becker and Guarente, In: Abelson and Simon, (eds.), *Guide to Yeast Genetics and Molecular Biology, Methods Enzymol.* Volume 194, pp. 182-187, Academic Press, Inc., New York; Ito *et al.*, *J. Bacteriology* 153:163 (1983); Hinnen *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 75:1920 (1978), all of which are herein incorporated by reference in their entirety.

The invention also relates to methods of producing the protein or fragment thereof comprising culturing the recombinant fungal host cells under conditions conducive for expression of the protein or fragment thereof. The fungal cells of the invention are cultivated in a nutrient medium suitable for production of the protein or fragment thereof using methods known in the art. For example, the cell may be cultivated by shake flask cultivation, small-scale or large-scale fermentation (including continuous, batch, fed-batch, or solid state fermentations) in laboratory or industrial fermentors performed in a suitable medium and under conditions allowing the protein or fragment thereof to be expressed and/or isolated. The cultivation takes place in a suitable nutrient medium comprising carbon and nitrogen sources and inorganic salts, using procedures known in the art (*see, e.g.*, Bennett and LaSure (eds.), *More Gene Manipulations in Fungi*, Academic Press, CA, (1991), the entirety of which is herein incorporated by reference). Suitable media are available from commercial suppliers or may be prepared according to published compositions (*e.g.*, in catalogues of the American Type Culture Collection, Manassas, VA). If the protein or fragment thereof is secreted into the nutrient medium, a protein or fragment thereof can be recovered directly from the medium. If the protein or fragment thereof is not secreted, it is recovered from cell lysates.

The expressed protein or fragment thereof may be detected using methods known in the art that are specific for the particular protein or fragment. These detection methods may include the use of specific antibodies, formation of an enzyme product, or disappearance of an enzyme

substrate. For example, if the protein or fragment thereof has enzymatic activity, an enzyme assay may be used. Alternatively, if polyclonal or monoclonal antibodies specific to the protein or fragment thereof are available, immunoassays may be employed using the antibodies to the protein or fragment thereof. The techniques of enzyme assay and immunoassay are well known to those skilled in the art.

The resulting protein or fragment thereof may be recovered by methods known in the arts. For example, the protein or fragment thereof may be recovered from the nutrient medium by conventional procedures including, but not limited to, centrifugation, filtration, extraction, spray-drying, evaporation, or precipitation. The recovered protein or fragment thereof may then be further purified by a variety of chromatographic procedures, *e.g.*, ion exchange chromatography, gel filtration chromatography, affinity chromatography, or the like.

(g) Mammalian Constructs and Transformed Mammalian Cells

The invention also relates to methods for obtaining a recombinant mammalian host cell, comprising introducing into a mammalian host cell exogenous genetic material. The invention also relates to a mammalian cell comprising a mammalian recombinant vector. The invention also relates to methods for obtaining a recombinant mammalian host cell, comprising introducing into a mammalian cell exogenous genetic material. In a preferred embodiment the exogenous genetic material includes a nucleic acid molecule of the present invention, preferably a nucleic acid molecule having a sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragments of either. Another preferred class of exogenous genetic material are nucleic acid molecules that encode a protein having an amino acid selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragments thereof.

Mammalian cell lines available as hosts for expression are known in the art and include many immortalized cell lines available from the American Type Culture Collection (ATCC, Manassas, VA), such as HeLa cells, Chinese hamster ovary (CHO) cells, baby hamster kidney (BHK) cells and a number of other cell lines.

Suitable promoters for mammalian cells are also known in the art and include viral promoters, such as those from Simian Virus 40 (SV40) (Fiers *et al.*, *Nature* 273: 113 (1978)), Rous sarcoma virus (RSV), adenovirus (ADV), cytomegalovirus (CMV), and bovine papilloma virus (BPV), as well as mammalian cell-derived promoters. An exemplary, non-limiting, list includes: a hematopoietic stem cell-specific promoter, such as the CD34 promoter (Burn *et al.*, U.S. Patent No. 5,556,954); the glucose-6-phosphatase promoter (Yoshiuchi *et al.*, *J. Clin. Endocrin. Metab.* 83:1016-1019 (1998)); interleukin-1 alpha promoter (Mori and Prager, *Leuk. Lymphoma* 26:421-433 (1997)); CMV promoter (Tong *et al.*, *Anticancer Res.* 18:719-725 (1998), Norman *et al.*, *Vaccine* 15:801-803 (1997)); RSV promoter (Elshami *et al.*, *Cancer Gene Ther.* 4:213-221 (1997); Baldwin *et al.*, *Gene Ther.* 4:1142-1149 (1997)); SV40 promoter (Harms and Splitter, *Hum. Gene Ther.* 6:1291-1297 (1995)); CD11c integrin gene promoter (Corbi and Lopez-Rodriguez, *Leuk. Lymphoma* 25:415-425 (1997)), GM-CSF promoter (Shannon *et al.*, *Crit. Rev. Immunol.* 17:301-323 (1997)); interleukin-5R alpha promoter (Sun *et al.*, *Curr. Top. Microbiol. Immunol.* 211:173-187 (1996)); interleukin-2 promoter (Serfing *et al.*, *Biochim. Biophys. Acta* 1263:181-200 (1995); O'Neill *et al.*, *Transplant Proc.* 23:2862-2866 (1991)); c-fos promoter (Janknecht, *Immunobiology* 193:137-142 (1995), Janknecht *et al.*, *Carcinogenesis* 16:443-450 (1995), Takai *et al.*, *Princess Takamatsu Symp.* 22:197-204 (1991)); h-ras promoter (Rachal *et al.*, *EXS* 64:330-342 (1993)); and DMD gene promoter (Ray *et al.*, *Adv. Exp. Med. Biol.* 280:107-111 (1990). All of the above documents are incorporated by reference in their entirety and can be relied on to make or use aspects of this invention, especially in designing and constructing appropriate vector and host expression systems.

Vectors used in mammalian cell expression systems may also include additional functional sequences. For example, terminator sequences, poly-A addition sequences, and internal ribosome entry site (IRES) sequences. Enhancer sequences, which increase expression, may also be included and sequences that promote amplification of the gene may also be desirable (for example, methotrexate resistance genes). One of skill in the art is familiar with numerous

examples of these additional functional sequences, as well as other functional sequences, that may optionally be included in an expression vector.

Vectors suitable for replication in mammalian cells may include viral replicons, or sequences which insure integration of the appropriate sequences encoding HCV epitopes into the host genome. For example, another vector used to express foreign DNA is vaccinia virus. In this case, for example, a nucleic acid molecule encoding a protein or fragment thereof is inserted into the vaccinia genome. Techniques for the insertion of foreign DNA into the vaccinia virus genome are known in the art and may utilize, for example, homologous recombination. Such heterologous DNA is generally inserted into a gene which is non-essential to the virus, for example, the thymidine kinase gene (tk), which also provides a selectable marker. Plasmid vectors that greatly facilitate the construction of recombinant viruses have been described (*see*, for example, Mackett *et al.*, *J Virol.* 49:857 (1984); Chakrabarti *et al.*, *Mol. Cell. Biol.* 5:3403 (1985); Moss, In: *Gene Transfer Vectors For Mammalian Cells* (Miller and Calos, eds., Cold Spring Harbor Laboratory, N.Y., p. 10, (1987); all of which are herein incorporated by reference in their entirety). Expression of the HCV polypeptide then occurs in cells or animals which are infected with the live recombinant vaccinia virus.

The sequence to be integrated into the mammalian sequence may be introduced into the primary host by any convenient means, which includes calcium precipitated DNA, spheroplast fusion, transformation, electroporation, biolistics, lipofection, microinjection, or other convenient means. Where an amplifiable gene is being employed, the amplifiable gene may serve as the selection marker for selecting hosts into which the amplifiable gene has been introduced. Alternatively, one may include with the amplifiable gene another marker, such as a drug resistance marker, *e.g.*, neomycin resistance (G418 in mammalian cells), hygromycin in resistance etc., or an auxotrophy marker (HIS3, TRP1, LEU2, URA3, ADE2, LYS2, etc.) for use in yeast cells.

Depending upon the nature of the modification and associated targeting construct, various techniques may be employed for identifying targeted integration. Conveniently, the DNA may be

digested with one or more restriction enzymes and the fragments probed with an appropriate DNA fragment which will identify the properly sized restriction fragment associated with integration.

One may use different promoter sequences, enhancer sequences, or other sequence which will allow for enhanced levels of expression in the expression host. Thus, one may combine an enhancer from one source, a promoter region from another source, a 5'- noncoding region upstream from the initiation methionine from the same or different source as the other sequences and the like. One may provide for an intron in the non-coding region with appropriate splice sites or for an alternative 3'- untranslated sequence or polyadenylation site. Depending upon the particular purpose of the modification, any of these sequences may be introduced, as desired.

Where selection is intended, the sequence to be integrated will have with it a marker gene, which allows for selection. The marker gene may conveniently be downstream from the target gene and may include resistance to a cytotoxic agent, *e.g.*, antibiotics, heavy metals, or the like, resistance or susceptibility to HAT, gancyclovir, etc., complementation to an auxotrophic host, particularly by using an auxotrophic yeast as the host for the subject manipulations, or the like. The marker gene may also be on a separate DNA molecule, particularly with primary mammalian cells. Alternatively, one may screen the various transformants, due to the high efficiency of recombination in yeast, by using hybridization analysis, PCR, sequencing, or the like.

For homologous recombination, constructs can be prepared where the amplifiable gene will be flanked, normally on both sides with DNA homologous with the DNA of the target region. Depending upon the nature of the integrating DNA and the purpose of the integration, the homologous DNA will generally be within 100kb, usually 50kb, preferably about 25kb, of the transcribed region of the target gene, more preferably within 2kb of the target gene. Where modeling of the gene is intended, homology will usually be present proximal to the site of the mutation. The homologous DNA may include the 5'-upstream region outside of the transcriptional regulatory region or comprising any enhancer sequences, transcriptional initiation

sequences, adjacent sequences, or the like. The homologous region may include a portion of the coding region, where the coding region may be comprised only of an open reading frame or combination of exons and introns. The homologous region may comprise all or a portion of an intron, where all or a portion of one or more exons may also be present. Alternatively, the homologous region may comprise the 3'-region, so as to comprise all or a portion of the transcriptional termination region, or the region 3' of this region. The homologous regions may extend over all or a portion of the target gene or be outside the target gene comprising all or a portion of the transcriptional regulatory regions and/or the structural gene.

The integrating constructs may be prepared in accordance with conventional ways, where sequences may be synthesized, isolated from natural sources, manipulated, cloned, ligated, subjected to in vitro mutagenesis, primer repair, or the like. At various stages, the joined sequences may be cloned and analyzed by restriction analysis, sequencing, or the like. Usually during the preparation of a construct where various fragments are joined, the fragments, intermediate constructs and constructs will be carried on a cloning vector comprising a replication system functional in a prokaryotic host, *e.g.*, *E. coli* and a marker for selection, *e.g.*, biocide resistance, complementation to an auxotrophic host, etc. Other functional sequences may also be present, such as polylinkers, for ease of introduction and excision of the construct or portions thereof, or the like. A large number of cloning vectors are available such as pBR322, the pUC series, etc. These constructs may then be used for integration into the primary mammalian host.

In the case of the primary mammalian host, a replicating vector may be used. Usually, such vector will have a viral replication system, such as SV40, bovine papilloma virus, adenovirus, or the like. The linear DNA sequence vector may also have a selectable marker for identifying transfected cells. Selectable markers include the neo gene, allowing for selection with G418, the herpes tk gene for selection with HAT medium, the gpt gene with mycophenolic acid, complementation of an auxotrophic host, etc.

The vector may or may not be capable of stable maintenance in the host. Where the vector is capable of stable maintenance, the cells will be screened for homologous integration of the vector into the genome of the host, where various techniques for curing the cells may be employed. Where the vector is not capable of stable maintenance, for example, where a temperature sensitive replication system is employed, one may change the temperature from the permissive temperature to the non-permissive temperature, so that the cells may be cured of the vector. In this case, only those cells having integration of the construct comprising the amplifiable gene and, when present, the selectable marker, will be able to survive selection.

Where a selectable marker is present, one may select for the presence of the targeting construct by means of the selectable marker. Where the selectable marker is not present, one may select for the presence of the construct by the amplifiable gene. For the neo gene or the herpes tk gene, one could employ a medium for growth of the transformants of about 0.1-1 mg/ml of G418 or may use HAT medium, respectively. Where DHFR is the amplifiable gene, the selective medium may include from about 0.01-0.5 μ M of methotrexate or be deficient in glycine-hypoxanthine-thymidine and have dialysed serum (GHT media).

The DNA can be introduced into the expression host by a variety of techniques that include calcium phosphate/DNA co-precipitates, microinjection of DNA into the nucleus, electroporation, yeast protoplast fusion with intact cells, transfection, polycations, *e.g.*, polybrene, polyornithine, etc., or the like. The DNA may be single or double stranded DNA, linear or circular. The various techniques for transforming mammalian cells are well known (see Keown *et al.*, *Methods Enzymol.* (1989); Keown *et al.*, *Methods Enzymol.* 185:527-537 (1990); Mansour *et al.*, *Nature* 336:348-352, (1988); all of which are herein incorporated by reference in their entirety).

(h) Insect Constructs and Transformed Insect Cells

The invention also relates to an insect recombinant vectors comprising exogenous genetic material. The invention also relates to an insect cell comprising an insect recombinant vector. The invention also relates to methods for obtaining a recombinant insect host cell, comprising

introducing into an insect cell exogenous genetic material. In a preferred embodiment the exogenous genetic material includes a nucleic acid molecule of the present invention, preferably a nucleic acid molecule having a sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragments of either. Another preferred class of exogenous genetic material are nucleic acid molecules that encode a protein having an amino acid selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragments thereof.

The insect recombinant vector may be any vector which can be conveniently subjected to recombinant DNA procedures and can bring about the expression of the nucleic acid sequence.

The choice of a vector will typically depend on the compatibility of the vector with the insect host cell into which the vector is to be introduced. The vector may be a linear or a closed circular plasmid. The vector system may be a single vector or plasmid or two or more vectors or plasmids which together contain the total DNA to be introduced into the genome of the insect host. In addition, the insect vector may be an expression vector. Nucleic acid molecules can be suitably inserted into a replication vector for expression in the insect cell under a suitable promoter for insect cells. Many vectors are available for this purpose and selection of the appropriate vector will depend mainly on the size of the nucleic acid molecule to be inserted into the vector and the particular host cell to be transformed with the vector. Each vector contains various components depending on its function (amplification of DNA or expression of DNA) and the particular host cell with which it is compatible. The vector components for insect cell transformation generally include, but are not limited to, one or more of the following: a signal sequence, origin of replication, one or more marker genes and an inducible promoter.

The insect vector may be an autonomously replicating vector, *i.e.*, a vector which exists as an extrachromosomal entity, the replication of which is independent of chromosomal replication, *e.g.*, a plasmid, an extrachromosomal element, a minichromosome, or an artificial chromosome. The vector may contain any means for assuring self-replication. Alternatively, the vector may be one which, when introduced into the insect cell, is integrated into the genome and

replicated together with the chromosome(s) into which it has been integrated. For integration, the vector may rely on the nucleic acid sequence of the vector for stable integration of the vector into the genome by homologous or nonhomologous recombination. Alternatively, the vector may contain additional nucleic acid sequences for directing integration by homologous recombination into the genome of the insect host. The additional nucleic acid sequences enable the vector to be integrated into the host cell genome at a precise location(s) in the chromosome(s). To increase the likelihood of integration at a precise location, there should be preferably two nucleic acid sequences which individually contain a sufficient number of nucleic acids, preferably 400bp to 1500bp, more preferably 800bp to 1000bp, which are highly homologous with the corresponding target sequence to enhance the probability of homologous recombination. These nucleic acid sequences may be any sequence that is homologous with a target sequence in the genome of the insect host cell and, furthermore, may be non-encoding or encoding sequences.

Baculovirus expression vectors (BEVs) have become important tools for the expression of foreign genes, both for basic research and for the production of proteins with direct clinical applications in human and veterinary medicine (Doerfler, *Curr. Top. Microbiol. Immunol.* 131:51-68 (1968); Luckow and Summers, *Bio/Technology* 6:47-55 (1988a); Miller, *Annual Review of Microbiol.* 42:177-199 (1988); Summers, *Curr. Comm. Molecular Biology*, Cold Spring Harbor Press, Cold Spring Harbor, N.Y. (1988); all of which are herein incorporated by reference in their entirety). BEVs are recombinant insect viruses in which the coding sequence for a chosen foreign gene has been inserted behind a baculovirus promoter in place of the viral gene, *e.g.*, polyhedrin (Smith and Summers, U.S. Pat. No., 4,745,051, the entirety of which is incorporated herein by reference).

The use of baculovirus vectors relies upon the host cells being derived from *Lepidopteran* insects such as *Spodoptera frugiperda* or *Trichoplusia ni*. The preferred *Spodoptera frugiperda* cell line is the cell line Sf9. The *Spodoptera frugiperda* Sf9 cell line was obtained from American Type Culture Collection (Manassas, VA.) and is assigned accession number ATCC

CRL 1711 (Summers and Smith, *A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures*, Texas Ag. Exper. Station Bulletin No. 1555 (1988), the entirety of which is herein incorporated by reference). Other insect cell systems, such as the silkworm *B. mori* may also be used.

5 The proteins expressed by the BEVs are, therefore, synthesized, modified and transported in host cells derived from *Lepidopteran* insects. Most of the genes that have been inserted and produced in the baculovirus expression vector system have been derived from vertebrate species. Other baculovirus genes in addition to the polyhedrin promoter may be employed to advantage in a baculovirus expression system. These include immediate-early (alpha), delayed-early (β), late
10 (γ), or very late (delta), according to the phase of the viral infection during which they are expressed. The expression of these genes occurs sequentially, probably as the result of a "cascade" mechanism of transcriptional regulation. (Guarino and Summers, *J. Virol.* 57:563-571 (1986); Guarino and Summers, *J. Virol.* 61:2091-2099 (1987); Guarino and Summers, *Virol.* 162:444-451 (1988); all of which are herein incorporated by reference in their entirety).

15 Insect recombinant vectors are useful as intermediates for the infection or transformation of insect cell systems. For example, an insect recombinant vector containing a nucleic acid molecule encoding a baculovirus transcriptional promoter followed downstream by an insect signal DNA sequence is capable of directing the secretion of the desired biologically active protein from the insect cell. The vector may utilize a baculovirus transcriptional promoter region
20 derived from any of the over 500 baculoviruses generally infecting insects, such as for example the Orders *Lepidoptera*, *Diptera*, *Orthoptera*, *Coleoptera* and *Hymenoptera*, including for example but not limited to the viral DNAs of *Autographa californica* MNPV, *Bombyx mori* NPV, *Trichoplusia ni* MNPV, *Rachiplusia ou* MNPV or *Galleria mellonella* MNPV, wherein said baculovirus transcriptional promoter is a baculovirus immediate-early gene IEL or IEN promoter;
25 an immediate-early gene in combination with a baculovirus delayed-early gene promoter region selected from the group consisting of 39K and a *HindIII-k* fragment delayed-early gene; or a baculovirus late gene promoter. The immediate-early or delayed-early promoters can be

enhanced with transcriptional enhancer elements. The insect signal DNA sequence may code for a signal peptide of a *Lepidopteran* adipokinetic hormone precursor or a signal peptide of the *Manduca sexta* adipokinetic hormone precursor (Summers, U.S. Patent No. 5,155,037; the entirety of which is herein incorporated by reference). Other insect signal DNA sequences include a signal peptide of the *Orthoptera Schistocerca gregaria* locust adipokinetic hormone precursor and the *Drosophila melanogaster* cuticle genes CP1, CP2, CP3 or CP4 or for an insect signal peptide having substantially a similar chemical composition and function (Summers, U.S. Patent No. 5,155,037).

Insect cells are distinctly different from animal cells. Insects have a unique life cycle and have distinct cellular properties such as the lack of intracellular plasminogen activators in which are present in vertebrate cells. Another difference is the high expression levels of protein products ranging from 1 to greater than 500 mg/liter and the ease at which cDNA can be cloned into cells (Frasier, *In Vitro Cell. Dev. Biol.* 25:225 (1989); Summers and Smith, In: *A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures*, Texas Ag. Exper. Station Bulletin No. 1555 (1988), both of which are incorporated by reference in their entirety).

Recombinant protein expression in insect cells is achieved by viral infection or stable transformation. For viral infection, the desired gene is cloned into baculovirus at the site of the wild-type polyhedron gene (Webb and Summers, *Technique* 2:173 (1990); Bishop and Posse, *Adv. Gene Technol.* 1:55 (1990); both of which are incorporated by reference in their entirety).

The polyhedron gene is a component of a protein coat in occlusions which encapsulate virus particles. Deletion or insertion in the polyhedron gene results the failure to form occlusion bodies. Occlusion negative viruses are morphologically different from occlusion positive viruses and enable one skilled in the art to identify and purify recombinant viruses.

The vectors of invention preferably contain one or more selectable markers, which permit easy selection of transformed cells. A selectable marker is a gene the product of which provides, for example biocide or viral resistance, resistance to heavy metals, prototrophy to auxotrophs and the like. Selection may be accomplished by co-transformation, *e.g.*, as described in WO

91/17243, a nucleic acid sequence of the invention may be operably linked to a suitable promoter sequence. The promoter sequence is a nucleic acid sequence, which is recognized by the insect host cell for expression of the nucleic acid sequence. The promoter sequence contains transcription and translation control sequences, which mediate the expression of the protein or fragment thereof. The promoter may be any nucleic acid sequence, which shows transcriptional activity in the insect host cell of choice and may be obtained from genes encoding polypeptides either homologous or heterologous to the host cell.

For example, a nucleic acid molecule encoding a protein or fragment thereof may also be operably linked to a suitable leader sequence. A leader sequence is a nontranslated region of a mRNA, which is important for translation by the fungal host. The leader sequence is operably linked to the 5' terminus of the nucleic acid sequence encoding the protein or fragment thereof. The leader sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any leader sequence, which is functional in the insect host cell of choice may be used in the invention.

A polyadenylation sequence may also be operably linked to the 3' terminus of the nucleic acid sequence of the invention. The polyadenylation sequence is a sequence which when transcribed is recognized by the insect host to add polyadenosine residues to transcribed mRNA. The polyadenylation sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any polyadenylation sequence, which is functional in the fungal host of choice, may be used in the invention.

To avoid the necessity of disrupting the cell to obtain the protein or fragment thereof and to minimize the amount of possible degradation of the expressed polypeptide within the cell, it is preferred that expression of the polypeptide gene gives rise to a product secreted outside the cell. To this end, the protein or fragment thereof of the invention may be linked to a signal peptide linked to the amino terminus of the protein or fragment thereof. A signal peptide is an amino acid sequence which permits the secretion of the protein or fragment thereof from the insect host into the culture medium. The signal peptide may be native to the protein or fragment thereof of

the invention or may be obtained from foreign sources. The 5' end of the coding sequence of the nucleic acid sequence of the invention may inherently contain a signal peptide coding region naturally linked in translation reading frame with the segment of the coding region which encodes the secreted protein or fragment thereof.

5 At present, a mode of achieving secretion of a foreign gene product in insect cells is by way of the foreign gene's native signal peptide. Because the foreign genes are usually from non-insect organisms, their signal sequences may be poorly recognized by insect cells and, hence, levels of expression may be suboptimal. However, the efficiency of expression of foreign gene products seems to depend primarily on the characteristics of the foreign protein. On average, 10 nuclear localized or non-structural proteins are most highly expressed, secreted proteins are intermediate and integral membrane proteins are the least expressed. One factor generally affecting the efficiency of the production of foreign gene products in a heterologous host system is the presence of native signal sequences (also termed presequences, targeting signals, or leader sequences) associated with the foreign gene. The signal sequence is generally coded by a DNA 15 sequence immediately following (5' to 3') the translation start site of the desired foreign gene.

The expression dependence on the type of signal sequence associated with a gene product can be represented by the following example. If a foreign gene is inserted at a site downstream from the translational start site of the baculovirus polyhedrin gene so as to produce a fusion protein (containing the N-terminus of the polyhedrin structural gene), the fused gene is highly 20 expressed. But less expression is achieved when a foreign gene is inserted in a baculovirus expression vector immediately following the transcriptional start site and totally replacing the polyhedrin structural gene.

Insertions into the region -50 to -1 significantly alter (reduce) steady state transcription which, in turn, reduces translation of the foreign gene product. Use of the pVL941 vector 25 optimizes transcription of foreign genes to the level of the polyhedrin gene transcription. Even though the transcription of a foreign gene may be optimal, optimal translation may vary because

of several factors involving processing: signal peptide recognition, mRNA and ribosome binding, glycosylation, disulfide bond formation, sugar processing, oligomerization, for example.

The properties of the insect signal peptide are expected to be more optimal for the efficiency of the translation process in insect cells than those from vertebrate proteins. This phenomenon can generally be explained by the fact that proteins secreted from cells are synthesized as precursor molecules containing hydrophobic N-terminal signal peptides. The signal peptides direct transport of the select protein to its target membrane and are then cleaved by a peptidase on the membrane, such as the endoplasmic reticulum, when the protein passes through it.

Another exemplary insect signal sequence is the sequence encoding for *Drosophila* cuticle proteins such as CP1, CP2, CP3 or CP4 (Summers, U.S. Patent No. 5,278,050; the entirety of which is herein incorporated by reference). Most of a 9kb region of the *Drosophila* genome containing genes for the cuticle proteins has been sequenced. Four of the five cuticle genes contains a signal peptide coding sequence interrupted by a short intervening sequence (about 60 base pairs) at a conserved site. Conserved sequences occur in the 5' mRNA untranslated region, in the adjacent 35 base pairs of upstream flanking sequence and at -200 base pairs from the mRNA start position in each of the cuticle genes.

Standard methods of insect cell culture, cotransfection and preparation of plasmids are set forth in Summers and Smith (Summers and Smith, *A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures*, Texas Agricultural Experiment Station Bulletin No. 1555, Texas A&M University (1987)). Procedures for the cultivation of viruses and cells are described in Volkman and Summers, *J. Virol* 19:820-832 (1975) and Volkman *et al.*, *J. Virol* 19:820-832 (1976); both of which are herein incorporated by reference in their entirety.

(i) **Bacterial Constructs and Transformed Bacterial Cells**

The invention also relates to a bacterial recombinant vector comprising exogenous genetic material. The invention also relates to a bacteria cell comprising a bacterial recombinant vector. The invention also relates to methods for obtaining a recombinant bacteria host cell,

comprising introducing into a bacterial host cell exogenous genetic material. In a preferred embodiment the exogenous genetic material includes a nucleic acid molecule of the present invention, preferably a nucleic acid molecule having a sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof or fragments of either. Another preferred class of exogenous genetic material are nucleic acid molecules that encode a protein having an amino acid selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragments thereof.

The bacterial recombinant vector may be any vector that can be conveniently subjected to recombinant DNA procedures. The choice of a vector will typically depend on the compatibility of the vector with the bacterial host cell into which the vector is to be introduced. The vector may be a linear or a closed circular plasmid. The vector system may be a single vector or plasmid or two or more vectors or plasmids, which together contain the total DNA to be introduced into the genome of the bacterial host. In addition, the bacterial vector may be an expression vector. Nucleic acid molecules encoding protein homologues or fragments thereof can, for example, be suitably inserted into a replicable vector for expression in the bacterium under the control of a suitable promoter for bacteria. Many vectors are available for this purpose and selection of the appropriate vector will depend mainly on the size of the nucleic acid to be inserted into the vector and the particular host cell to be transformed with the vector. Each vector contains various components depending on its function (amplification of DNA or expression of DNA) and the particular host cell with which it is compatible. The vector components for bacterial transformation generally include, but are not limited to, one or more of the following: a signal sequence, an origin of replication, one or more marker genes and an inducible promoter.

In general, plasmid vectors containing replicon and control sequences that are derived from species compatible with the host cell are used in connection with bacterial hosts. The vector ordinarily carries a replication site, as well as marking sequences that are capable of providing phenotypic selection in transformed cells. For example, *E. coli* is typically

transformed using pBR322, a plasmid derived from an *E. coli* species (see, *e.g.*, Bolivar *et al.*, *Gene* 2:95 (1977); the entirety of which is herein incorporated by reference). The plasmid pBR322 contains genes for ampicillin and tetracycline resistance and thus provides easy means for identifying transformed cells. The pBR322 plasmid, or other microbial plasmid or phage, also generally contains, or is modified to contain, promoters that can be used by the microbial organism for expression of the selectable marker genes.

Nucleic acid molecules encoding protein or fragments thereof may be expressed not only directly, but also as a fusion with another polypeptide, preferably a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the polypeptide DNA that is inserted into the vector. The heterologous signal sequence selected should be one that is recognized and processed (*i.e.*, cleaved by a signal peptidase) by the host cell. For bacterial host cells that do not recognize and process the native polypeptide signal sequence, the signal sequence is substituted by a bacterial signal sequence selected, for example, from the group consisting of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders.

Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Generally, in cloning vectors this sequence is one that enables the vector to replicate independently of the host chromosomal DNA and includes origins of replication or autonomously replicating sequences. Such sequences are well known for a variety of bacteria. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria.

Expression and cloning vectors also generally contain a selection gene, also termed a selectable marker. This gene encodes a protein necessary for the survival or growth of transformed host cells grown in a selective culture medium. Host cells not transformed with the vector containing the selection gene will not survive in the culture medium. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, *e.g.*, ampicillin,

neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, *e.g.*, the gene encoding D-alanine racemase for *Bacilli*. One example of a selection scheme utilizes a drug to arrest growth of a host cell. Those cells that are successfully transformed with a heterologous protein homologue or fragment thereof produce a protein conferring drug resistance and thus survive the selection regimen.

The expression vector for producing a protein or fragment thereof can also contains an inducible promoter that is recognized by the host bacterial organism and is operably linked to the nucleic acid encoding, for example, the nucleic acid molecule encoding the protein homologue or fragment thereof of interest. Inducible promoters suitable for use with bacterial hosts include the β -lactamase and lactose promoter systems (Chang *et al.*, *Nature* 275:615 (1978); Goeddel *et al.*, *Nature* 281:544 (1979); both of which are herein incorporated by reference in their entirety), the arabinose promoter system (Guzman *et al.*, *J. Bacteriol.* 174:7716-7728 (1992); the entirety of which is herein incorporated by reference), alkaline phosphatase, a tryptophan (trp) promoter system (Goeddel, *Nucleic Acids Res.* 8:4057 (1980); EP 36,776; both of which are herein incorporated by reference in their entirety) and hybrid promoters such as the tac promoter (deBoer *et al.*, *Proc. Natl. Acad. Sci. (USA)* 80:21-25 (1983); the entirety of which is herein incorporated by reference). However, other known bacterial inducible promoters are suitable (Siebenlist *et al.*, *Cell* 20:269 (1980); the entirety of which is herein incorporated by reference).

Promoters for use in bacterial systems also generally contain a Shine-Dalgarno (S.D.) sequence operably linked to the DNA encoding the polypeptide of interest. The promoter can be removed from the bacterial source DNA by restriction enzyme digestion and inserted into the vector containing the desired DNA.

Construction of suitable vectors containing one or more of the above-listed components employs standard ligation techniques. Isolated plasmids or DNA fragments are cleaved, tailored and re-ligated in the form desired to generate the plasmids required. Examples of available bacterial expression vectors include, but are not limited to: the multifunctional *E. coli* cloning and expression vectors such as Bluescript™ (Stratagene, La Jolla, CA), in which, for example,

encoding an *A. nidulans* protein homologue or fragment thereof homologue, may be ligated into the vector in frame with sequences for the amino-terminal Met and the subsequent 7 residues of β -galactosidase so that a hybrid protein is produced; pIN vectors (Van Heeke and Schuster, *J. Biol. Chem.* 264:5503-5509 (1989), the entirety of which is herein incorporated by reference);

5 and the like. pGEX vectors (Promega, Madison Wisconsin U.S.A.) may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption to glutathione-agarose beads followed by elution in the presence of free glutathione. Proteins made in such systems are designed to optionally include a heparin, thrombin, or factor XA protease

10 cleavage sites so that the cloned polypeptide of interest can be released from the GST moiety at will. Proteins or polypeptides of the invention can be expressed as variants that facilitate purification. For example, a fusion protein to such proteins as maltose binding protein (MBP), glutathione-S-transferase (GST) or thioredoxin (TRX) are known in the art [New England BioLab, Beverly, Mass., Pharmacia, Piscataway, NJ, and InVitrogen, San Diego, CA]. The

15 polypeptide or protein can also be a tagged variant to facilitate purification, such as with histidine or methionine rich regions (His-Tag; available from LifeTechnologies Inc, Gaithersburg, MD) that bind to metal ion affinity chromatography columns, or with an epitope that binds to a specific antibody (Flag, available from Kodak, New Haven, Conn.). An exemplary, non-limiting list of commercially available vectors suitable for fusion protein expression includes: pBR322

20 (Promega); pGEX (Amersham); pT7 (USB); pET (Novagen); pIBI (IBI); pProEX-1 (Gibco/BRL); pBluescript II (Stratagene); pTZ18R and pTZ19R (USB); pSE420 (Invitrogen); pVL1392 (Invitrogen); pBlueBac (Invitrogen); pBacPAK (Clontech); pHIL (Invitrogen); pYES2 (Invitrogen); pCDNA (Invitrogen); and pREP (Invitrogen). A number of other purification methods or means are also known and can be used. Reverse-phase high performance liquid

25 chromatography (RP-HPLC), optionally employing hydrophobic RP-HPLC media, *e.g.*, silica gel, further purify the protein. Combinations of methods and means can also be employed to provide a substantially purified recombinant polypeptide or protein. Isolated plasmids or DNA

fragments are cleaved, tailored, and re-ligated in the form desired to generate the plasmids required. Examples of available bacterial expression vectors include, but are not limited to, the multifunctional *E. coli* cloning and expression vectors such as Bluescript Registered TM (Stratagene, La Jolla, CA), in which, for example, encoding an gene homologue or fragment thereof homologue, may be ligated into the vector in frame with sequences for the amino-terminal Met and the subsequent 7 residues of beta -galactosidase so that a hybrid protein is produced; pIN vectors (Van Heeke and Schuster *J. Biol. Chem.* 264: 5503-5509 (1989). The entirety of which is herein incorporated by reference); and the like. pGEX vectors (Promega, Madison Wis.) may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption to glutathione-agarose beads followed by elution in the presence of free glutathione. Proteins made in such systems are designed to include heparin, thrombin or factor XA protease cleavage sites so that the cloned polypeptide of interest can be released from the GST moiety at will.

Suitable host bacteria for a bacterial vector include archaebacteria and eubacteria, especially eubacteria and most preferably *Enterobacteriaceae*. Examples of useful bacteria include *Escherichia*, *Enterobacter*, *Azotobacter*, *Erwinia*, *Bacillus*, *Pseudomonas*, *Klebsiella*, *Proteus*, *Salmonella*, *Serratia*, *Shigella*, *Rhizobia*, *Vitreoscilla* and *Paracoccus*. Suitable *E. coli* hosts include *E. coli* W3110 (American Type Culture Collection (ATCC) 27,325, Manassas, Virginia U.S.A.), *E. coli* 294 (ATCC 31,446), *E. coli* B and *E. coli* X1776 (ATCC 31,537). These examples are illustrative rather than limiting. Mutant cells of any of the above-mentioned bacteria may also be employed. It is, of course, necessary to select the appropriate bacteria taking into consideration replicability of the replicon in the cells of a bacterium. For example, *E. coli*, *Serratia*, or *Salmonella* species can be suitably used as the host when well known plasmids such as pBR322, pBR325, pACYC177, or pKN410 are used to supply the replicon. *E. coli* strain W3110 is a preferred host or parent host because it is a common host strain for recombinant

DNA product fermentations. Preferably, the host cell should secrete minimal amounts of proteolytic enzymes.

Host cells are transfected and preferably transformed with the above-described vectors and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences.

Numerous methods of transfection are known to the ordinarily skilled artisan, for example, calcium phosphate and electroporation. Depending on the host cell used, transformation is done using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in section 1.82 of Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, New York: Cold Spring Harbor Laboratory Press, (1989), is generally used for bacterial cells that contain substantial cell-wall barriers. Another method for transformation employs polyethylene glycol/DMSO, as described in Chung and Miller (Chung and Miller, *Nucleic Acids Res.* 16:3580 (1988); the entirety of which is herein incorporated by reference). Yet another method is the use of the technique termed electroporation.

Bacterial cells used to produce the polypeptide of interest for purposes of this invention are cultured in suitable media in which the promoters for the nucleic acid encoding the heterologous polypeptide can be artificially induced as described generally, *e.g.*, in Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, New York: Cold Spring Harbor Laboratory Press, (1989). Examples of suitable media are given in U.S. Pat. Nos. 5,304,472 and 5,342,763; both of which are incorporated by reference in their entirety.

In addition to the above discussed procedures, practitioners are familiar with the standard resource materials which describe specific conditions and procedures for the construction, manipulation and isolation of macromolecules (*e.g.*, DNA molecules, plasmids, etc.), generation of recombinant organisms and the screening and isolating of clones, (see for example, Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press (1989); Mailga *et al.*, *Methods in Plant Molecular Biology*, Cold Spring Harbor Press (1995), the entirety of which

is herein incorporated by reference; Birren *et al.*, *Genome Analysis: Analyzing DNA*, 1, Cold Spring Harbor, New York, the entirety of which is herein incorporated by reference).

(j) Algal Constructs and Algal Transformants

The present invention also relates to an algal recombinant vector comprising exogenous genetic material. The present invention also relates to an algal cell comprising an algal recombinant vector. The present invention also relates to methods for obtaining a recombinant algal host cell comprising introducing into an algal host cell exogenous genetic material.

Exogenous genetic material is any genetic material, whether naturally occurring or otherwise, from any source that is capable of being inserted into any organism. Exogenous genetic material may be transferred into an algal cell. In a preferred embodiment the exogenous genetic material includes a nucleic acid molecule having a sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 621 or complements thereof. Another preferred class of exogenous genetic material are nucleic acid molecules that encode a protein having an amino acid selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragments thereof.

The algal recombinant vector may be any vector which can be conveniently subjected to recombinant DNA procedures. The choice of a vector will typically depend on the compatibility of the vector with the algal host cell into which the vector is to be introduced. The vector may be a linear or a closed circular plasmid. The vector system may be a single vector or plasmid or two or more vectors or plasmids which together contain the total DNA to be introduced into the genome of the algal host.

The algal vector may be an autonomously replicating vector, *i.e.*, a vector which exists as an extrachromosomal entity, the replication of which is independent of chromosomal replication, *e.g.*, a plasmid, an extrachromosomal element, a minichromosome, or an artificial chromosome. The vector may contain any means for assuring self-replication. Alternatively, the vector may be one which, when introduced into the algal cell, is integrated into the genome and replicated together with the chromosome(s) into which it has been integrated. For integration, the vector

may rely on the nucleic acid sequence of the vector for stable integration of the vector into the genome by homologous or nonhomologous recombination. Alternatively, the vector may contain additional nucleic acid sequences for directing integration by homologous recombination into the genome of the algal host. The additional nucleic acid sequences enable the vector to be

5 integrated into the host cell genome at a precise location(s) in the chromosome(s). To increase the likelihood of integration at a precise location, there should be preferably two nucleic acid sequences which individually contain a sufficient number of nucleic acids, preferably 400 bp to 1500 bp, more preferably 800 bp to 1000 bp, which are highly homologous with the corresponding target sequence to enhance the probability of homologous recombination. These
10 nucleic acid sequences may be any sequence that is homologous with a target sequence in the genome of the algal host cell, and, furthermore, may be non-encoding or encoding sequences.

The vectors of the present invention preferably contain one or more selectable markers which permit easy selection of transformed cells. A selectable marker is a gene, the product of which confers upon an algal cell resistance to a compound to which the algal would otherwise be
15 sensitive. The compound can be selected from the group consisting of antibiotics, fungicides, herbicides, and heavy metals. The selectable marker may be selected from any known or subsequently identified selectable markers, including markers derived from algal, fungal, and bacterial sources. Preferred selectable markers can be selected from the group including, but not limited to, *amdS* (acetamidase), *argB* (ornithine carbamoyltransferase), *bar* (phosphinothricin
20 acetyltransferase), *ble* (bleomycin binding protein), *cat* (chloramphenicol acetyltransferase), *hygB* (hygromycin B phosphotransferase), *nat* (nourseothricin acetyltransferase), *niaD* (nitrate reductase), *neo* (neomycin phosphotransferase), *pac* (puromycin acetyltransferase), *pyrG* (orotidine-5'-phosphate decarboxylase), *sat* (streptothricin acetyltransferase), *sC* (sulfate adenylyltransferase), *trpC* (anthranilate synthase), and glyphosate resistant EPSPS genes.

25 Furthermore, selection may be accomplished by co-transformation, *e.g.*, as described in WO 91/17243, herein incorporated by reference in its entirety.

A nucleic acid sequence of the present invention may be operably linked to a suitable promoter sequence. The promoter sequence is a nucleic acid sequence which is recognized by the algal host cell for expression of the nucleic acid sequence. The promoter sequence contains transcription and translation control sequences which mediate the expression of the protein or fragment thereof.

A promoter may be any nucleic acid sequence which shows transcriptional activity in the algal host cell of choice and may be obtained from genes encoding polypeptides either homologous or heterologous to the host cell. Examples of suitable promoters for directing the transcription of a nucleic acid construct of the invention in an algal host are light harvesting protein promoters obtained from photosynthetic organisms, *Chlorella* virus methyltransferase promoters, CaMV 35 S promoter, PL promoter from bacteriophage λ , nopaline synthase promoter from the Ti plasmid of *Agrobacterium tumefaciens*, and bacterial trp promoter.

A protein or fragment thereof encoding nucleic acid molecule of the present invention may also be operably linked to a terminator sequence at its 3' terminus. The terminator sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any terminator which is functional in the algal host cell of choice may be used in the present invention.

A protein or fragment thereof encoding nucleic acid molecule of the present invention may also be operably linked to a suitable leader sequence. A leader sequence is a nontranslated region of a mRNA which is important for translation by the algal host. The leader sequence is operably linked to the 5' terminus of the nucleic acid sequence encoding the protein or fragment thereof. The leader sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any leader sequence which is functional in the algal host cell of choice may be used in the present invention.

A polyadenylation sequence may also be operably linked to the 3' terminus of the nucleic acid sequence of the present invention. The polyadenylation sequence is a sequence which when transcribed is recognized by the algal host to add polyadenosine residues to transcribed mRNA.

The polyadenylation sequence may be native to the nucleic acid sequence encoding the protein or fragment thereof or may be obtained from foreign sources. Any polyadenylation sequence which is functional in the algal host of choice may be used in the present invention.

The procedures used to ligate the elements described above to construct the recombinant expression vector of the present invention are well known to one skilled in the art (see, for example, Sambrook, 2nd ed., *et al.*, *Molecular Cloning, A Laboratory Manual Cold Spring Harbor, N.Y.*, (1989), herein incorporated by reference in its entirety).

The present invention also relates to recombinant algal host cells produced by the methods of the present invention which are advantageously used with the recombinant vector of the present invention. The cell is preferably transformed with a vector comprising a nucleic acid sequence of the invention followed by integration of the vector into the host chromosome. The choice of algal host cells will to a large extent depend upon the gene encoding the protein or fragment thereof and its source.

Algal cells may be transformed by a variety of known techniques, including but not limited to, microprojectile bombardment, protoplast fusion, electroporation, microinjection, and vigorous agitation in the presence of glass beads. Suitable procedures for transformation of green algal host cells are described in EP 108 580, herein incorporated by reference in its entirety. A suitable method of transforming *Chlorella* species is described by Jarvis and Brown, *Curr. Genet.* 19: 317-321 (1991), herein incorporated by reference in its entirety. A suitable method of transforming cells of diatom *Phaeodactylum tricornutum* species is described in WO 97/39106, herein incorporated by reference in its entirety. Chlorophyll C-containing algae may be transformed using the procedures described in US 5,661,017, herein incorporated by reference in its entirety.

The expressed protein or fragment thereof may be detected using methods known in the art that are specific for the particular protein or fragment. These detection methods may include the use of specific antibodies, formation of an enzyme product, or disappearance of an enzyme substrate. For example, if the protein or fragment thereof has enzymatic activity, an enzyme

assay may be used. Alternatively, if polyclonal or monoclonal antibodies specific to the protein or fragment thereof are available, immunoassays may be employed using the antibodies to the protein or fragment thereof. The techniques of enzyme assay and immunoassay are well known to those skilled in the art.

5 The resulting protein or fragment thereof may be recovered by methods known in the arts. For example, the protein or fragment thereof may be recovered from the nutrient medium by conventional procedures including, but not limited to, centrifugation, filtration, extraction, spray-drying, evaporation, or precipitation. The recovered protein or fragment thereof may then be further purified by a variety of chromatographic procedures, *e.g.*, ion exchange chromatography,
10 gel filtration chromatography, affinity chromatography, or the like.

Computer Readable Media

 The nucleotide or amino acid sequence provided in SEQ ID NO: 1 through SEQ ID NO: 626, or fragment thereof, or complement thereof, or a nucleotide or an amino acid sequence at least 70% identical, preferably 90% identical even more preferably 99% or about 100% identical
15 to the sequence provided in SEQ ID NO: 1 through SEQ ID NO: 626, or where appropriate complement thereof or fragments of either, can be “provided” in a variety of mediums to facilitate use. Such a medium can also provide a subset thereof in a form that allows a skilled artisan to examine the sequences.

 A further preferred subset of nucleic acid sequences is where the subset of sequences is
20 two proteins or fragments thereof, more preferably three proteins or fragments thereof and even more preferable four proteins or fragments thereof.

 In one application of this embodiment, a nucleotide sequence of the invention can be recorded on computer readable media so that a computer-readable medium comprises one or more of the nucleotide sequences of the invention. As used herein, “computer readable media”
25 refers to any medium that can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc, storage medium

and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media.

Any number of the sequences, or sequence fragments, of the nucleic acid molecules or proteins of the invention, or fragments of either, can be included, in any number of combinations,
5 on a computer-readable medium. Specifically, any one or more of SEQ ID NO:1-626, or where appropriate, complements thereof, can be included.

A skilled artisan can readily appreciate how any computer readable medium can be used to create a machine or method comprising a computer readable medium having recorded thereon a nucleotide sequence of the invention. As used herein, "recorded" refers to a process for storing
10 information on computer readable medium. A skilled artisan can readily adopt any method for recording information on computer readable medium to generate media comprising the nucleotide sequence information of the invention. A variety of data storage structures are available to a skilled artisan for creating a computer readable medium having recorded thereon a nucleotide sequence of the invention. The choice of the data storage structure will generally be
15 based on the means chosen to access the stored information. In addition, a variety of data processor programs and formats can be used to store the nucleotide sequence information of the invention on computer readable medium. The sequence information can be represented in a word processing text file, formatted in commercially-available software such as WordPerfect or Microsoft Word, or represented in the form of an ASCII file, stored in a database application,
20 such as DB2, Sybase, Oracle, or the like. A skilled artisan can readily adapt any number of data processor structuring formats (*e.g.*, text file or database) in order to obtain computer readable medium having recorded thereon the nucleotide sequence information of the invention.

By providing one or more of nucleotide sequences of the invention, a skilled artisan can routinely access the sequence information for a variety of purposes. Computer software is
25 publicly available that allows a skilled artisan to access sequence information provided in a computer readable medium. The examples which follow demonstrate how software which implements the BLAST (Altschul *et al.*, *J. Mol. Biol.* 215:403-410 (1990), the entirety of which

is herein incorporated by reference) and BLAZE (Brutlag *et al.*, *Comp. Chem.* 17:203-207 (1993), the entirety of which is herein incorporated by reference) search algorithms on a Sybase system can be used to identify open reading frames (ORFs) within the genome that contain homology to ORFs or proteins from other organisms. Such ORFs are protein-encoding fragments within the sequences of the invention and are useful in producing commercially important proteins such as enzymes used in amino acid biosynthesis, metabolism, transcription, translation, RNA processing, nucleic acid and a protein degradation, protein modification and DNA replication, restriction, modification, recombination and repair.

The invention further provides systems, particularly computer-based systems, which contain the sequence information described herein. Such systems are designed to identify commercially important fragments of the nucleic acid molecule of the invention. As used herein, “a computer-based system” refers to the hardware means, software means and data storage means used to analyze the nucleotide sequence information of the invention. The minimum hardware means of the computer-based systems of the invention comprises a central processing unit (CPU), input means, output means and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based system are suitable for use in the invention.

As indicated above, the computer-based systems of the invention comprise a data storage means having stored therein a nucleotide sequence of the invention and the necessary hardware means and software means for supporting and implementing a search means. As used herein, “data storage means” refers to memory that can store nucleotide sequence information of the invention, or a memory access means which can access manufactures having recorded thereon the nucleotide sequence information of the invention. As used herein, “search means” refers to one or more programs which are implemented on the computer-based system to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of the sequence of the invention that match a particular target sequence or target motif. A variety of known algorithms are

disclosed publicly and a variety of commercially available software for conducting search means are available can be used in the computer-based systems of the invention. Examples of such software include, but are not limited to, MacPattern (EMBL), BLASTIN and BLASTIX (NCBIA). One of the available algorithms or implementing software packages for conducting
5 homology searches can be adapted for use in the present computer-based systems.

The most preferred sequence length of a target sequence is from about 10 to 100 amino acids or from about 30 to 300 nucleotide residues. However, it is well recognized that during searches for commercially important fragments of the nucleic acid molecules of the invention, such as sequence fragments involved in gene expression and protein processing, may be of
10 shorter length.

As used herein, "a target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequences the sequence(s) are chosen based on a three-dimensional configuration which is formed upon the folding of the target motif. There are a variety of target motifs known in the art. Protein target motifs include, but are
15 not limited to, enzymatic active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, promoter sequences, *cis* elements, hairpin structures and inducible expression elements (protein binding sequences).

Thus, the invention further provides an input means for receiving a target sequence, a data storage means for storing the target sequences of the invention sequence identified using a
20 search means as described above and an output means for outputting the identified homologous sequences. A variety of structural formats for the input and output means can be used to input and output information in the computer-based systems of the invention. A preferred format for an output means ranks fragments of the sequence of the invention by varying degrees of homology to the target sequence or target motif. Such presentation provides a skilled artisan
25 with a ranking of sequences which contain various amounts of the target sequence or target motif and identifies the degree of homology contained in the identified fragment.

A variety of comparing means can be used to compare a target sequence or target motif with the data storage means to identify sequence fragments sequence of the invention. For example, implementing software which implement the BLAST and BLAZE algorithms (Altschul *et al.*, *J. Mol. Biol.* 215:403-410 (1990)) can be used to identify open frames within the nucleic acid molecules of the invention. A skilled artisan can readily recognize that any one of the publicly available homology search programs can be used as the search means for the computer-based systems of the invention.

Having now described the invention, the following examples are provided by way of illustration and are not intended to limit the scope of the invention, unless specified.

Example 1

Identification of Yeast HES1

The yeast strain LPY9 (MATa, leu2, Ura3, his3) is grown overnight and inoculated into SD+ hul (histidine, uracil, leucine) media. Aliquots of the culture are treated with ketoconazole (an inhibitor of C-14 α demethylase (P450_{14DM}) enzyme) at 10ug/ml, 50ug/ml, and 100ug/ml, corresponding to 10ppm, 50ppm, and 100ppm, respectively. A sample of each is collected at 2, 4, and 6 hours after treatment. Control samples treated with DMSO (dimethyl sulfoxide-solvent for ketoconazole) but not with ketoconazole are also collected. Total RNA from each sample is collected by conventional methods, such as a Zirconium/Silica bead binding and extraction method. The sequence content of each sample is analyzed and compared by hybridizing each of them to a number of yeast ORF sequences immobilized on a Nylon membrane in an array format.

A similar comparison of a wild type yeast strain and a double mutant strain is made. The double mutant CJ517 (MATa, erg11::URA3, erg3::LEU2, leu2, ura3, his4) [erg11, erg3 double mutant] is compared to LPY9 after growth in both YPD and SD+hul media. Samples are collected at approximately 0, 2, 4, and 6 hours after inoculation.

Table 2, below, lists the RNAs in each sample whose abundance is effected by ketoconazole treatment or whose abundance differs between wild type and the double mutant strain. The table also lists the corresponding gene or sequence identifier for those RNAs. The RNAs are ranked by the ratio of either ketoconazole vs. control or mutant vs. control, using the ratio of 50ppm ketoconazole/control as a basis for comparison.

Table 2*

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
30	YOR237W	(HES1)	134.648161	1417.6262	1358.1235	Protein implicated in ergosterol biosynthesis, member of the KES1/HES1/OSH1/YKR003W family of oxysterol-binding (OSBP) proteins
31	YKL198C	(PTK1)	68.5845326	111.1984	233.11762	Serine/threonine protein kinase, activator of low-affinity, low-capacity polyamine transport
32	YLR465C	-	97.9601498	104.52215	133.57826	Protein of unknown function, questionable ORF
33	YMR129W	(POM152)	5.10206225	82.813831	15.392788	Nuclear pore membrane glycoprotein, type II integral membrane protein with N-terminal region on pore side and C-terminal region in the cisternae
34	YBR284W	-	4.92774291	60.027955	8.5359554	Protein with similarity to AMP deaminase
35	YKL158W	-	11.6717854	59.827307	75.220412	Protein of unknown function
36	YOR083W	-	31.7378598	51.606081	42.301568	Protein of unknown function
37	YOL095C	-	3.60507866	49.740211	21.834188	Protein with similarity to S. aureus DNA helicase PCRA
38	YOR188W	(MSB1)	2.19997209	42.446767	61.303817	Protein that may play a role in polarity establishment and bud formation
39	YBL109W	-	0.08616121	38.653463	75.964757	-
40	YLR091W	-	17.5946744	38.325073	44.556481	Protein of unknown function
41	YNL106C	(INP52)	2.52986454	35.205536	17.376557	-
42	YDR213W	-	18.2079478	32.136065	58.358612	Protein with similarity to transcription factors, has ZN[2]-CYS[6] fungal-type binuclear cluster domain in the N-terminal region
43	YBL004W	-	8.49387973	28.614573	28.645633	Protein with similarity to members of the major facilitator superfamily (MFS)
44	YIR019C	(MUC1)	48.7538739	27.594853	137.77885	Glucoamylase I (alpha-1,4-glucan glucosidase), extracellular enzyme
45	YJL182C	-	2.53469593	26.891434	29.499298	Protein of unknown function

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
46	YMR254C	-	0.19897977	26.633459	10.625738	Protein of unknown function, questionable ORF
47	YDL134C	(PPH21)	3.51284473	22.849241	0	-
48	YCR098C	(GIT1)	2.27672091	21.746838	24.724171	Protein involved in inositol metabolism
49	YPL150W	-	4.72964069	21.633895	34.40982	Serine/threonine protein kinase of unknown function
50	YKL110C	(KTI12)	19.7752946	21.085633	16.303432	Protein involved in resistance to kluyveromyces lactis killer toxin
51	YER011W	(TIR1)	31.4723195	20.454605	17.935906	Stress-induced cell wall structural protein of the PAU1 family
52	YDL024C	-	3.96163383	20.381493	30.488098	Protein with similarity to acid phosphatases
53	YGR013W	-	0.10491681	20.364081	0	-
54	YOR325W	-	47.3518002	20.211317	29.305064	Protein of unknown function
55	YJR150C	-	159.265973	19.793221	13.560079	-
56	YDL126C	(CDC48)	42.7590386	19.0472	15.014024	Protein of the AAA family of ATPases, required for cell division and homotypic membrane fusion
57	YLR464W	-	12.4297115	18.580843	36.516503	Protein with similarity to other subtelomerically-coded proteins
58	YLR124W	-	0.13902212	18.351487	11.026125	Protein of unknown function
59	YLR463C	-	8.49721471	18.007814	29.811632	Protein with similarity to other subtelomerically-coded proteins
60	YMR297W	(PRC1)	6.20117404	17.995865	24.291751	Carboxypeptidase Y (CPY) (YSCY), serine-type protease
61	YFL029C	(CAK1)	17.1104765	16.96782	44.352291	CDK-activating kinase (serine/threonine protein kinase) responsible for in vivo activation of CDC28P, also involved in spore wall formation
62	YER054C	(GIP2)	2.14214491	16.442373	15.284537	GLC7P-interacting protein, possible regulatory subunit for the PP1 family protein phosphatase GLC7P
63	YER060W-A	(FCY22)	2.61677424	15.768882	20.550953	Purine-cytosine permease with similarity to FCY2P, member of the purine/cytosine family of the major facilitator superfamily (MFS)
64	YEL076C	-	13.7918147	14.372278	26.325282	Protein with similarity to other subtelomerically-encoded proteins
65	YGL176C	-	9.0823019	14.17085	16.23816	Protein with similarity to discopyge OMMATA CA++ channel alpha1 subunit protein B47447
66	YNR005C	-	12.9230524	14.032659	13.011356	Protein of unknown function, questionable ORF
67	YML032C-A	-	6.92372404	13.847081	5.501802	-
68	YGR190C	-	22.9885796	13.701633	42.22779	Protein of unknown function
69	YHR213W	-	17.3140804	13.267403	21.010074	Protein with similarity to the N-terminus of FLO1P and identical to YAR062P, probable pseudogene

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
70	YPL272C	-	24.778114	12.93877	11.647985	Protein of unknown function
71	YBL100C	-	4.8456884	12.432421	16.193059	Protein of unknown function
72	YLR024C	-	11.2130442	11.927798	17.73046	Protein with similarity to ubiquitin-protein ligase (E3) UBR1P
73	YMR102C	-	4.61311719	11.865115	16.370862	-
74	YGR177C	(ATF2)	3.7081426	11.830167	12.555269	Alcohol O-acetyltransferase
75	YFR034C	(PHO4)	14.8112083	11.216073	20.844515	Basic helix-loop-helix (BHLH) transcription factor required for expression of phosphate pathway, hyperphosphorylation by PHO80P-PHO85P cyclin-dependent protein kinase complex causes inactivation
76	YNL282W	-	5.01708646	10.943286	13.050614	-
77	YPL176C	-	7.30789994	10.664169	18.424583	Protein with similarity to SSP134P
78	YMR015C	(ERG5)	10.2651358	10.313689	9.3557963	Cytochrome P450 (C-22 sterol desaturase)
79	YCR061W	-	4.07462743	10.291287	12.602668	Protein of unknown function
80	YHL030W	(ECM29)	4.85453872	10.275837	8.9818305	Protein possibly involved in cell wall structure or biosynthesis
81	YPL036W	(PMA2)	7.19300398	10.171951	12.917306	H ⁺ -transporting P-type ATPase of the plasma membrane, expression not detected under normal growth conditions
82	YFR007W	-	2.58144987	10.102403	6.0105766	Protein of unknown function
83	YOL067C	(RTG1)	30.4142081	10.027065	27.36633	Basic helix-loop-helix (BHLH) transcription factor involved in inter-organelle communication between mitochondria, peroxisomes, and nucleus
84	YGR265W	-	22.156977	9.9554618	5.672919	Protein of unknown function
85	YGR293C	-	51.4998515	9.7686634	8.066486	Protein of unknown function
86	YMR008C	(PLB1)	5.68517668	9.602215	11.309345	Phospholipase B (lysophospholipase), releases fatty acids from lysophospholipids
87	YOR140W	-	6.33829162	9.2015298	12.881145	-
88	YML034W	-	4.44092944	9.2011248	15.848216	Protein of unknown function
89	YGR176W	-	4.56487981	8.8866015	12.598661	Protein of unknown function
90	YOR014W	(RTS1)	7.03478812	8.8422619	11.590438	Protein serine/threonine phosphatase 2A (PP2A), B' regulatory subunit, involved in regulation of stress-related responses and the cell cycle
91	YMR317W	-	25.9636363	8.6834125	11.973301	Protein of unknown function
92	YOR301W	-	11.3702021	8.6327901	13.589223	Protein of unknown function
93	YER119C-A	-	8.9509545	8.4086333	6.8517264	-
94	YOR385W	-	6.30021483	8.3714543	10.537348	Protein of unknown function
95	YGL156W	(AMS1)	11.9450551	8.2732125	9.9190578	Alpha-mannosidase, hydrolyzes terminal non-reducing alpha-D-mannose residues from alpha-D-mannosides
96	YJL219W	(HXT9)	6.10093958	8.1969449	14.860533	Hexose transporter, member of the sugar permease family

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
97	YFL053W	-	3.55404282	8.1217569	6.04425	-
98	YNL279W	-	2.75618909	8.0041323	12.470971	Protein of unknown function
99	YHR007C	(ERG11)	5.511691	7.8623796	8.6320676	Cytochrome P450 (lanosterol 14alpha-demethylase), essential for biosynthesis of ergosterol
100	YJL127C	(SPT10)	4.01528284	7.8394427	10.096027	Protein that amplifies the magnitude of transcriptional regulation at various loci
101	YPL044C	-	2.61973879	7.8291062	4.5399013	Protein of unknown function
102	YOR030W	(DFG16)	4.97362211	7.8182123	10.573213	Protein involved in invasive growth upon nitrogen starvation
103	YIL011W	-	4.59710634	7.3954743	6.7112038	Protein with similarity to YIL176P, YIR041P and other members of the PAU1 family
104	YNR069C	-	14.3161508	7.3694614	14.104044	Protein of unknown function
105	YNL083W	-	2.06305137	7.3050052	15.674556	Protein of the mitochondrial carrier (MCF) family
106	YJL020C	-	6.76775321	7.0352757	5.3432583	Protein of unknown function
107	YFL065C	-	13.5712126	7.0075571	16.704839	Protein with similarity to other subtelomerically-encoded proteins including YHL049P, YIL177P, YJL225P, YER190P, YHR218P, and YEL076P
108	YNL329C	(PAS8)	3.75487269	6.7699941	25.980939	-
109	YHR006W	(STP2)	6.44648003	6.5480808	9.270283	Protein involved in tRNA splicing and branched-chain amino acid uptake
110	YJL221C	(FSP2)	2.37104879	6.4365653	6.3055084	Protein with similarity to alpha-D-glucosidase (maltase) (FSP2 and YIL172C code for identical proteins) (YIL172C and YGR287C are nearly identical)
111	YMR037C	(MSN2)	6.80686734	6.4235969	7.6612989	Zinc-finger transcriptional activator for genes involved in the multistress response and genes regulated through SNF1P
112	YLR379W	-	6.34038543	6.4227358	6.8206953	Protein of unknown function
113	YLR056W	(ERG3)	0.03858406	6.2735601	5.191422	C-5 sterol desaturase, an iron non-heme oxygen-requiring enzyme of the ergosterol biosynthesis pathway
114	YMR319C	(FET4)	3.5515443	6.2641804	8.194608	Low-affinity Fe(II) transport protein
115	YBR045C	(GIP1)	5.88011982	6.254107	3.8135044	GLC7P-interacting protein, possible regulatory subunit for the PP1 family protein phosphatases GLC7P
116	YKL147C	-	4.54862611	6.2431328	10.034699	Protein of unknown function
117	YMR135W-A	-	15.3287997	6.1049555	4.611173	-
118	YCR048W	(ARE1)	9.11370518	6.1039374	10.531291	Acyl-CoA:sterol acyltransferase (sterol-ester synthetase)

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
119	YBR235W	-	2.65851474	6.1026186	2.9854465	Protein with similarity to human SLC12A1 gene for which mutations are the cause of Bartter's Syndrome
120	YJL160C	-	5.14571281	6.0795621	6.0193217	Protein with similarity to members of the PIR1P/HSP150P/PIR3P family
121	YNL287W	(SEC21)	5.55890054	6.0742978	5.8985117	Coatomer complex gamma chain (gamma-COP) of secretory pathway vesicles, required for retrograde Golgi to endoplasmic reticulum transport
122	YLR458W	-	28.2501296	5.9435623	4.6311951	-
123	YLR121C	-	4.04284936	5.9154936	8.131848	-
124	YLR347C	(KAP95)	3.84797845	5.8759152	6.4154978	Karyopherin-beta, acts to target proteins with nuclear localization (NLS) sequences to the nuclear pore complex
125	YDL023C	-	3.26329833	5.8589624	4.7058193	Protein of unknown function
126	YAL010C	(MDM10)	5.34077952	5.807758	8.9195451	Protein involved in mitochondrial morphology and inheritance, mutant has large spherical mitochondria that do not move into the bud
127	YDR077W	(SED1)	3.30340602	5.6959082	5.9206909	Abundant cell surface glycoprotein, overexpression suppresses growth defect of ERD2
128	YDR247W	-	3.28497642	5.6793015	6.7651448	Serine/threonine protein kinase with similarity to S. pombe RAN1 negative regulator of sexual conjugation and meiosis (GB:Z49701)
129	YBL011W	-	3.59243122	5.650363	8.393684	-
130	YDL025C	-	2.91426204	5.5604876	3.9241843	Serine/threonine protein kinase with similarity to members of the NPR1 subfamily
131	YAL013W	(DEP1)	8.79366086	5.5463386	6.42501	Regulator of phospholipid metabolism
132	YIL084C	(SDS3)	1.99582364	5.5430688	6.9074225	Suppressor of silencing defect
133	YJL213W	-	7.09632444	5.4980741	5.5079382	Protein with weak similarity to nocardia arylalcoholphosphatase
134	YKR053C	-	5.37724431	5.4952302	6.4562635	-
135	YNR042W	-	17.7115615	5.4798109	7.5527661	Protein of unknown function
136	YCR072C	-	5.34712592	5.4565375	4.5985045	Protein with similarity to nuclear mRNA processing protein PRP4P, member of WD (WD-40) repeat family
137	YER086W	(ILV1)	4.55278717	5.4449008	4.2437712	Serine and threonine dehydratase (anabolic), first step in isoleucine biosynthesis pathway
138	YJL076W	-	11.4128793	5.4277219	6.6898119	-
139	YLR072W	-	5.19287856	5.4152299	7.2827024	Protein of unknown function

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
140	YDR301W	(YHH1)	2.51614995	5.4121298	7.0975432	-
141	YIL055C	-	2.0005314	5.3410327	4.6542324	Protein of unknown function
142	YEL076W-C	-	13.2032684	5.3265661	8.0731692	-
143	YNR047W	-	4.44731559	5.3217828	6.1790659	Serine/threonine protein kinase of unknown function
144	YGL211W	-	4.00934024	5.2957602	5.5379668	Protein of unknown function
145	YGL012W	(ERG4)	4.57738431	5.2945042	4.833773	Sterol C-24 reductase
146	YCL014W	(BUD3)	2.0970839	5.2855114	3.3963317	Protein localized at the neck filament ring required for axial budding, may provide a memory of the previous bud site
147	YBR106W	-	5.74228482	5.2537051	9.2061479	-
148	YHR095W	-	5.25923706	5.2434619	2.2666062	Protein of unknown function
149	YEL010W	-	3.39547744	5.2424909	3.9026395	Protein of unknown function
150	YBR005W	-	5.58242328	5.2283592	7.5591013	Protein of unknown function
151	YPL183C	-	3.25331232	5.2150911	4.034456	Protein of unknown function, has WD (WD-40) repeats
152	YJL159W	-	5.95901062	5.2095163	5.0420867	-
153	YBL065W	-	5.04084137	5.1918263	10.287249	Protein of unknown function
154	YDL071C	-	7.24874297	5.1844239	7.5184825	Protein of unknown function
155	YGR197C	(SNG1)	6.43784806	5.17339	7.8870948	Probable transport protein that confers resistance to MNNG and nitrosoguanidine
156	YLL028W	-	9.27382002	5.0519624	5.3421753	Member of major facilitator superfamily (MFS) multidrug-resistance (MFS-MDR) protein family
157	YKR034W	(DAL80)	3.91750209	5.0436172	7.2838566	GATA-type zinc finger transcriptional repressor for allantoin and 4-aminobutyric acid (GABA) catabolic genes
158	YDR430C	-	2.19022255	5.0401778	3.1989703	Protein with similarity to Class I family of aminoacyl-TRNA synthetases
159	YPL274W	-	5.4156341	5.0164198	6.1307085	Protein with similarity to GAP1P and other amino acid permeases
160	YMR261C	(TPS3)	3.96385669	4.94376	3.7501015	Component of the trehalose-6-phosphate synthase/phosphatase complex, alternate third subunit with TLS1P
161	YOL118C	-	3.20265396	4.936553	5.7544219	Protein of unknown function
162	YOR005C	(DNL4)	4.47086248	4.8815521	3.6707508	ATP-dependent DNA ligase IV, involved in non-homologous DNA end joining
163	YNL332W	-	3.33896215	4.8789948	4.7570682	-
164	YDR069C	(DOA4)	3.37810593	4.8769723	5.1947947	Ubiquitin-specific protease (ubiquitin C-terminal hydrolase) of the 26S proteasome complex, involved in vacuole biogenesis and osmoregulation
165	YOR009W	-	59.4543494	4.8708102	5.2948993	Protein with similarity to members of the PAU1 family

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
166	YMR035W	(IMP2)	9.23409301	4.8492871	5.7664813	Inner membrane protease of mitochondria, acts in complex with IMP1P but has different substrate specificity for removal of signal peptidase
167	YER089C	(PTC2)	2.23920866	4.8455014	5.8687657	Protein serine/threonine phosphatase of the PP2C family
168	YJR018W	-	5.54754057	4.8389334	4.4934937	Protein of unknown function
169	YLR088W	(GAA1)	3.1893544	4.814116	4.0142997	Protein required for attachment of GPI anchor onto proteins, affects endocytosis
170	YOL163W	-	3.92239312	4.8014959	4.5124682	Protein with weak similarity to pseudomonas putida phthalate transporter
171	YLR462W	-	3.32915042	4.7928645	7.1350658	Protein of unknown function
172	YLR098C	(CHA4)	2.05280928	4.7564347	5.5866465	Zinc-finger protein required for activation of CHA1, has A ZN[2]-CYS[6] fungal-type binuclear cluster domain
173	YNR053C	-	2.55991235	4.7234659	3.8186389	Protein with similarity to human breast tumor-associated autoantigen
174	YDL246C	-	2.43826188	4.6757263	3.5757353	Protein with similarity to SOR1P (SOR1 and YDL246C code for nearly identical proteins)
175	YOL045W	-	3.55662236	4.672513	2.0538279	Serine/threonine protein kinase of unknown function
176	YKL176C	-	3.32695888	4.6429893	5.4538239	Protein of unknown function
177	YJR114W	-	3.00664482	4.6389866	4.0045917	Protein of unknown function
178	YER091C	(MET6)	6.67067887	4.6224571	2.9292597	Homocysteine methyltransferase (5-methyltetrahydropteroyl triglutamate--homocysteine methyltransferase), methionine synthase, cobalamin-independent
179	YHL049C	-	5.15537247	4.5637645	9.5066446	Protein with similarity to other subtelomerically-encoded proteins including YER189P, YML133P, and YJL225P, coded from a subtelomeric Y' region
180	YDR389W	(SAC7)	3.89197011	4.5609599	4.3143109	GTPase-activating protein for RHO1P
181	YMR202W	(ERG2)	9.58572292	4.5446614	5.575174	Sterol C8-C7 isomerase (C-8 sterol isomerase), enzyme of the ergosterol biosynthesis pathway
182	YBL019W	-	3.45990928	4.4694518	4.1655454	-
183	YGR287C	-	10.2933872	4.4595137	9.7718104	Protein with similarity to alpha-D-glucosidase (maltase) (YGR287C IS nearly identical to FSP2 and YIL172C)
184	YJL082W	-	7.42175571	4.4522595	5.556901	Protein of unknown function
185	YHR098C	-	2.51284975	4.4353768	4.3716652	Protein of unknown function
186	YOR371C	-	2.47743776	4.4289864	5.2783501	Protein of unknown function

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
187	YDR530C	(APA2)	2.40849553	4.3993312	2.7389073	ATP adenylyltransferase II (AP4A phosphorylase)
188	YKL119C	(VPH2)	0.16462534	4.3613346	0	Vacuolar H-ATPase (V-ATPase) assembly protein acting in the endoplasmic reticulum
189	YOR273C	-	13.0544715	4.3469302	10.649131	Protein with similarity to members of major facilitator superfamily (MFS) multidrug-resistance (MFS-MDR) protein family
190	YPL042C	(SSN3)	6.78272968	4.3344728	3.9578568	Cyclin-dependent serine/threonine protein kinase of the RNA polymerase II holoenzyme complex and Kornberg's mediator (SRB) subcomplex
191	YGR268C	-	4.77373538	4.3329069	5.2744105	Protein of unknown function
192	YPR011C	-	2.0077462	4.3123349	4.2742986	Protein with similarity to human Grave's Disease carrier protein (SP:P16260) and to bovine homolog of Grave's Disease carrier protein (SP:Q01888)
193	YPL022W	(RAD1)	4.48327554	4.3036056	6.5285426	Component of the nucleotide excision repairsome, homolog of human XPF xeroderma pigmentosum gene product and the mammalian ERCC-4 protein
194	YGL207W	(SPT16)	5.34289635	4.3033021	3.5727713	General chromatin factor required for adequate expression of CLN and other genes
195	YGL167C	(PMR1)	4.12359747	4.2628564	4.8141347	CA ⁺⁺ -transporting P-type ATPase of Golgi membrane involved in CA ⁺⁺ import into Golgi
196	YJR091C	(JSN1)	4.56429439	4.2419881	4.7804157	Protein that when overexpressed can suppress the hyperstable microtubule phenotype of TUB2-150
197	YDR238C	(SEC26)	4.48641405	4.2179222	3.8109695	Coatomer complex beta chain (beta-COP) of secretory pathway vesicles, required for retrograde transport from Golgi to endoplasmic reticulum
198	YDL012C	-	2.90930997	4.2158147	2.0519798	Protein of unknown function
199	YDR044W	(HEM13)	14.9283272	4.2136787	3.4946018	Coproporphyrinogen III oxidase, oxygen-repressed, sixth step in heme-biosynthetic pathway
200	YGL114W	-	3.22707938	4.2023503	5.0073787	Protein with similarity to S. pombe ISP4 protein, member of the major facilitator superfamily (MFS)
201	YGL055W	(OLE1)	2.29875509	4.1923045	3.5992372	Stearoyl-CoA desaturase (delta-9 fatty acid desaturase), required for synthesis of unsaturated fatty acids

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
202	YDL088C	(ASM4)	4.39685251	4.1757265	3.321034	Suppressor of temperature-sensitive mutations in POL3P (DNA polymerase delta)
203	YKL171W	-	2.64137608	4.1581147	8.2933538	Serine/threonine protein kinase of unknown function
204	YPL190C	-	5.94196213	4.1575162	3.202837	-
205	YMR140W	-	5.24432896	4.157179	5.4545409	Protein of unknown function
206	YBL005W	(PDR3)	3.75060207	4.1449054	6.0827305	Transcription factor related to PDR1P, contains a ZN[2]-CYS[6] fungal-type binuclear cluster domain in the N-terminal region
207	YML032C	(RAD52)	3.13968668	4.1330793	3.0832115	Protein required for recombination and repair of X-ray damage, has a late function in meiotic recombination
208	YFR018C	-	5.28886874	4.1041589	6.4001917	Protein with similarity to human glutamyl-peptide cyclotransferase
209	YGL125W	(MET11)	6.80542292	4.0762178	4.4382484	-
210	YCR057C	(PWP2)	3.34704165	4.0555292	3.4118145	-
211	YBL044W	-	4.67885642	4.0526493	9.1998322	Protein of unknown function
212	YPL268W	(PLC1)	2.90633764	4.0372127	2.1993847	Phosphoinositide-specific phospholipase C (1-phosphatidylinositol-4,5-bisphosphate phosphodiesterase 1), produces diacylglycerol and inositol 1,4,5-trisphosphate
213	YOR204W	(DED1)	2.52920945	4.0291663	3.0830731	ATP-dependent RNA helicase of dead box family involved in protein synthesis
214	YPL171C	(OYE3)	4.94122983	4.0225239	0.2747214	NAPDH dehydrogenase (old yellow enzyme), isoform 3
215	YOR203W	-	3.473713	3.9900922	3.2232019	Protein of unknown function
216	YNL295W	-	2.855052	3.9889367	2.1389666	Protein of unknown function
217	YEL042W	(GDA1)	2.00067395	3.9856733	3.8058139	Guanosine diphosphatase of Golgi membrane
218	YLR339C	-	4.12619065	3.9844972	3.506939	Protein of unknown function
219	YIL007C	-	5.11957134	3.9770005	2.318674	Protein of unknown function
220	YIR007W	-	3.71972069	3.9670484	5.0861072	Protein with similarity to endoglucanase
221	YER114C	(BOI2)	2.5967273	3.9643546	6.3042836	Protein with SH3 domain involved in bud formation, binds to BEM1P
222	YLR092W	(SUL2)	6.02237117	3.9547891	4.5438793	High-affinity sulfate transporter
223	YEL060C	(PRB1)	5.60961951	3.939317	4.7370327	Protease B (YSCB) (PRB) (cerevisin), serine protease of the subtilisin family with broad proteolytic specificity
224	YAL051W	-	2.40553928	3.9334781	4.5099518	-
225	YJR147W	-	2.05911726	3.9267937	5.1956856	-
226	YOR386W	(PHR1)	1.99823774	3.9204076	5.7096569	Deoxyribodipyrimidine photolyase, involved in light-dependent repair of pyrimidine dimers

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
227	YCR037C	(PHO87)	2.81200613	3.8982171	4.0311884	Member of the phosphate permease family of the major facilitator superfamily
228	YOL100W	-	3.04632994	3.8854218	9.2592192	Serine/threonine protein kinase of unknown function
229	YBL047C	-	3.40597241	3.88363	5.2814809	Protein with similarity to cytoskeletal protein USO1P, PAN1P, and mouse tyrosine kinase substrate EPS15
230	YAR014C	-	2.53512963	3.823947	4.4065791	Protein of unknown function
231	YKL182W	(FAS1)	3.75368336	3.8068781	5.3493259	Fatty-acyl-CoA synthase, beta chain (contains acetyl transferase, enoyl reductase, dehydratase, and malonyl/palmitoyl transferase)
232	YLR331C	-	3.94099666	3.795387	3.3715843	Protein of unknown function
233	YEL031W	(SPF1)	7.77512435	3.7891074	4.357615	Protein with similarity to CA++-transporting ATPases
234	YHR078W	-	2.2941334	3.7838221	4.6151917	Protein of unknown function, has 4 potential transmembrane domains
235	YPL155C	(KIP2)	3.29502679	3.7807978	9.392792	Kinesin-related protein
236	YNR074C	-	4.3061075	3.7638306	5.7991531	Protein with similarity to Bacillus subtilis nitrite reductase (NIRB)
237	YMR303C	(ADH2)	4.56919214	3.7542967	3.1957867	Alcohol dehydrogenase II, glucose-repressed
238	YLR134W	(PDC5)	4.9450653	3.7528169	3.2704832	Pyruvate decarboxylase isozyme 2
239	YKL067W	(YNK1)	4.49102455	3.7325797	3.6497934	Nucleoside diphosphate kinase, responsible for synthesis of all nucleoside triphosphates except ATP
240	YLR136C	(TIS11)	2.88004451	3.7255421	5.1711798	-
241	YDR443C	(SCA1)	2.75733315	3.7068432	6.9331513	-
242	YGL071W	(RCS1)	3.39203358	3.6963077	4.5310166	Regulatory protein involved in IRON uptake
243	YBR293W	-	2.25740646	3.6840827	3.0384171	Member of major facilitator superfamily (MFS) multidrug-resistance (MFS-MDR) protein family
244	YMR324C	-	3.33053542	3.6802526	2.8779503	Protein with similarity to members of the YBL108P/YCR103P/YKL223P family
245	YFL051C	-	2.07690974	3.6611179	4.7476201	Protein with similarity to FLO1P family of proteins
246	YBR276C	(PPS1)	2.35950244	3.6550406	3.4539593	Protein tyrosine phosphatase (PTPase) with dual specificity
247	YFL042C	-	3.57726533	3.6509118	4.5694594	Protein of unknown function, has similarity to YHR080P
248	YPL263C	(KEL3)	4.50871509	3.6484792	3.8498382	Protein with similarity to KEL1P and KEL2P
249	YLR188W	(MDL1)	5.00498919	3.6478982	4.3936321	ATP-binding cassette (ABC) superfamily member, equivalent to a "half-molecule" ABC protein plus an ATP-binding domain

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
250	YPR021C	-	2.21061647	3.6466639	3.2312479	Protein with similarity to proteins of the mitochondrial carrier (MCF) family (GB:Z49274)
251	YKL138C	(MRPL31)	3.22538649	3.6454084	4.0488722	Mitochondrial ribosomal protein of the large subunit (YML31)
252	YNL148C	(ALF1)	3.33997835	3.6391378	5.2515594	Alpha-tubulin foldin, cofactor B
253	YLR302C	-	10.5636377	3.6318383	0.3621924	Protein of unknown function
254	YBR298C	(MAL31)	5.44502575	3.6302693	9.8311328	High affinity maltoseH+ symporter (maltose permease) member of the sugar permease family
255	YAR044W	(OSH1)	4.12112011	3.624939	3.8839622	Protein implicated in ergosterol biosynthesis, member of the KES1/HES1/OSH1/YKR003W family of oxysterol-binding (OSBP) proteins
256	YLR120C	(YAP3)	6.14265883	3.6229845	4.4298562	Transcription factor of the basic leucine zipper (BZIP) family, one of eight members of a novel fungal-specific family of BZIP proteins
257	YGR134W	-	2.8756723	3.6189405	1.9505784	Protein of unknown function
258	YMR088C	-	3.01763425	3.574571	2.5742717	Member of major facilitator superfamily (MFS) multidrug-resistance (MFS-MDR) protein family 2
259	YDR291W	-	4.95353348	3.5637613	2.8803997	Protein with similarity to SGS1P and other DNA helicases
260	YJR017C	(ESS1)	2.98118086	3.5587415	3.2208256	Processing/termination factor, involved in transcription termination or 3'-end processing of pre-mRNA
261	YGL178W	(MPT5)	4.28561965	3.558276	3.3338238	Protein required for high temperature growth, recovery from alpha-factor arrest, and normal lifespan of yeast cells
262	YHR086W	(NAM8)	2.63503306	3.556686	4.1441189	U1 SNRNA-associated protein, essential for meiotic recombination and suppressor of mitochondrial splicing defects, has 3 RNA recognition (RRM) domains
263	YGR178C	(PBP1)	2.95926792	3.5559294	3.6095103	poly(A)-binding protein
264	YBL022C	(PIM1)	4.1993836	3.5255118	3.2518435	Serine protease required for intramitochondrial proteolysis and maintenance of respiratory function, related to E. coli ATP-dependent protease LA
265	YJL083W	-	3.34026267	3.5131828	5.6812601	Protein with similarity to IRS4P
266	YJR053W	-	2.12253894	3.5096202	4.5401439	Protein involved in efficiency of mating
267	YJL175W	-	6.11781731	3.5040684	3.7938536	Protein of unknown function
268	YMR016C	-	3.67893179	3.4720987	3.3111279	-

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
269	YLL051C	(FRE6)	2.59520796	3.4643555	4.4566151	Protein with similarity to ferric reductase FRE2P
270	YJL212C	-	4.42206996	3.458335	4.0764022	Protein with similarity to S. pombe ISP4+ which is induced by sexual differentiation
271	YMR019W	(STB4)	3.2576922	3.4414621	3.397646	SIN3P-binding protein, has ZN[2]-CYS[6] fungal-type binuclear cluster domain in the N-terminal region
272	YHL047C	-	3.02606918	3.4089434	3.007693	Member of major facilitator superfamily (MFS) multidrug-resistance (MFS-MDR) protein family
273	YBR038W	(CHS2)	2.03060756	3.3885338	2.8509884	Chitin synthase II, responsible for primary septum disk
274	YLR023C	-	2.68880866	3.3876183	2.5555381	Protein of unknown function
275	YPL009C	-	5.28314415	3.3856037	0.8412905	Protein of unknown function
276	YGL008C	(PMA1)	2.09210526	3.3844005	3.725269	H ⁺ -transporting P-type ATPase of the plasma membrane, activity is rate-limiting for growth at low pH
277	YMR033W	(ARP9)	3.08586194	3.3800103	2.9005564	Protein with similarity to actin and actin-related proteins ARP1P-ARP10P
278	YLR153C	(ACS2)	3.45528019	3.3785446	3.1285812	Acetyl-CoA synthetase (acetate-CoA ligase)
279	YLL061W	-	10.9366799	3.369477	3.0795633	Protein with similarity to GAP1P and other amino acid permeases
280	YNL192W	(CHS1)	3.72575719	3.358192	3.7457248	Chitin synthase I, has a repair function during cell separation
281	YEL058W	(PCM1)	4.56623631	3.3482618	3.4456437	Hexosephosphate mutase (phosphoacetylglucosamine mutase) (N-acetylglucosamine-phosphate mutase), converts N-acetyl-D-glucosamine 1-phosphate to N-acetyl-D-glucosamine 6-phosphate
282	YLR099C	-	4.72209646	3.3290462	2.9774757	Protein of unknown function
283	YDL057W	-	3.21787484	3.316811	4.4492894	Protein of unknown function
284	YLR195C	(NMT1)	3.4535546	3.3142347	3.1727409	N-myristoyltransferase, adds myristoyl group to N-terminal glycine of certain proteins
285	YAL005C	(SSA1)	3.48582964	3.3068323	2.9388227	Heat shock protein of HSP70 family, cytoplasmic
286	YPL222W	-	2.79485782	3.2974442	2.9997551	Protein of unknown function
287	YJL056C	-	2.36206747	3.2790296	3.3129634	-
288	YKR021W	-	2.33705924	3.269552	2.936447	Protein of unknown function
289	YPL119C	(DBP1)	5.87199247	3.2464223	2.197366	ATP-dependent RNA helicase of dead box family, suppressor of SPP81/DED1

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
290	YGL014W	-	3.11296478	3.2294295	3.6382821	Protein with pumilio repeats that is involved with MPT5P in relocalization of SIR3P and SIR4P from telomeres to the nucleolus
291	YER010C	-	11.4713039	3.2179542	2.3807886	Protein of unknown function
292	YJR151C	-	41.4229667	3.2130608	4.5216913	Protein of unknown function
293	YPL207W	-	2.48831068	3.2080219	2.9864022	Protein of unknown function
294	YER130C	-	2.01652303	3.2075344	3.3332725	Protein of unknown function
295	YNR065C	-	2.86361451	3.2060768	7.3945002	Protein with similarity to PEP1P
296	YGL192W	(IME4)	2.89030953	3.170381	6.4784105	Positive transcription factor for IME1 and IME2, mediates control of meiosis by carrying signals regarding mating type (A/alpha) and nutritional status
297	YMR047C	(NUP116)	2.56622055	3.1702234	4.7742052	Nuclear pore protein (nucleoporin) of the GLFG family, may be involved in binding and translocation of nuclear proteins
298	YDR256C	(CTA1)	4.54027942	3.158248	8.0093186	Catalase A (peroxisomal)
299	YDR208W	(MSS4)	2.61164524	3.154316	3.0423151	Potential PI P 5-kinase, multicopy suppressor of STT4 mutation
300	YHR214W	-	4.54013428	3.1513793	5.6325011	Protein of unknown function (YAR066W and YHR214W code for identical proteins)
301	YLR249W	(YEF3)	3.59397167	3.1445334	2.631954	Translation elongation factor EF-3A, member of ATP-binding cassette (ABC) superfamily
302	YNL331C	-	3.44801501	3.1185277	6.5303136	Probable aryl-alcohol reductase
303	YPR115W	-	2.4843458	3.1174643	2.5667848	Protein of unknown function
304	YJL178C	-	2.60257256	3.1121969	2.7705734	Protein of unknown function
305	YAR042W	(SWH1)	18.1940127	3.0992362	6.2488302	Protein of unknown function
306	YDR015C	-	0.09079169	3.0861607	0.3097629	Protein of unknown function
307	YBL067C	(UBP13)	3.41427731	3.0820393	2.4717411	Ubiquitin C-terminal hydrolase
308	YHR072W	(ERG7)	3.5569619	3.0809956	3.4311189	Lanosterol synthase, carries out complex cyclization step of squalene to lanosterol in ergosterol biosynthesis pathway
309	YAL028W	-	9.17485562	3.0726043	3.8109858	Protein of unknown function
310	YIR015W	-	2.80351347	3.066482	3.4328314	Subunit of RNase P
311	YMR308C	(PSE1)	2.69422447	3.0659484	2.6409014	-
312	YOR345C	-	5.73841888	3.0523183	2.2898958	Deoxycytidyl transferase involved in mutagenic translesion DNA synthesis
313	YPL193W	-	3.60415592	3.0500696	2.8450987	Protein of unknown function
314	YFR012W	-	3.31259823	3.0316711	0	Protein of unknown function
315	YPL205C	-	13.258257	3.0208358	0.7999155	Protein of unknown function
316	YDR476C	-	8.1273943	3.0155987	3.8636781	Protein of unknown function
317	YCR052W	(RSC6)	2.2744649	3.0112438	2.6017436	Component of abundant chromatin remodeling complex (RSC)

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
318	YGL022W	(STT3)	3.64275733	3.0050118	3.8854905	Oligosaccharyltransferase subunit, member of a complex of eight ER proteins that transfers core oligosaccharide from dolichol carrier to Asn-X-Ser/Thr motif
319	YMR109W	-	19.0544656	3.0044499	5.6886658	-
320	YHR032W	-	9.30722933	2.9855823	4.5560581	Protein of unknown function, member of the major facilitator superfamily(MFS)
321	YLR236C	-	2.6190617	2.9810987	3.7681402	-
322	YOR337W	(TEA1)	2.13152473	2.9790715	4.8228581	TY1 enhancer activator of the GAL4P-type family of DNA-binding proteins
323	YFR055W	-	2.35867872	2.9771983	3.0622139	Protein with similarity to E. coli cystathionine beta-lyase
324	YHR212C	-	4.01639255	2.9769438	4.4451423	Protein identical to YAR060P/RAA19P
325	YLR001C	-	2.77031036	2.9663037	2.7628132	Protein of unknown function
326	YOR034C	-	3.38439363	2.9543526	2.5499862	-
327	YPR076W	-	3.86182393	2.9410933	3.2728075	Protein of unknown function
328	YKL183W	-	2.9718977	2.9334031	5.2561547	Protein of unknown function
329	YBR004C	-	3.05485559	2.9257736	2.8905869	Protein expressed between 3 and 6 hours after transfer to sporulation medium
330	YJR071W	-	3.39019477	2.924417	1.768982	Protein of unknown function
331	YCR084C	(TUP1)	2.40138822	2.9219843	3.2718264	General repressor of transcription (with SSN6P), member of WD (WD-40) repeat family
332	YFR030W	(MET10)	33.6060485	2.9138815	2.0879079	Assimilatory sulfite reductase subunit, flavin-binding (alpha) subunit, part of the sulfate assimilation pathway
333	YKL148C	(SDH1)	2.72554507	2.9036242	2.5317298	Succinate dehydrogenase (ubiquinone) flavoprotein (FP) subunit, converts succinate + ubiquinone to fumarate + ubiquinol in the TCA cycle
334	YER044C	-	3.6669641	2.9002716	2.6807728	Protein of unknown function
335	YLR045C	(STU2)	2.16969039	2.8946579	2.9923107	Component of the spindle pole body
336	YPL226W	-	2.45263084	2.8885678	2.5557944	Protein with similarity to members of the ATP-binding cassette (ABC) superfamily
337	YHR161C	-	2.86345744	2.8873374	2.9469349	-
338	YJR109C	(CPA2)	4.31426739	2.8803515	3.1263529	Carbamoylphosphate synthase (glutamine-hydrolyzing) arginine-specific, large chain
339	YGR250C	-	2.20914388	2.8752914	3.8774955	Protein of unknown function, has three RNA recognition (RRM) domains
340	YLR149C	-	3.39994503	2.8694003	4.6627573	Protein of unknown function

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
341	YCL057W	(PRD1)	3.49569406	2.8641379	2.7495149	Proteinase YSCD, saccharolysin, contains zinc metalloendoprotease motif HEXXH
342	YLR114C	-	2.27233205	2.8496505	1.8650501	Protein with weak similarity in the C-terminus to drosophila melanogaster bicaudal-D protein
343	YML075C	(HMG1)	2.71708812	2.8491957	3.2059005	3-hydroxy-3-methylglutaryl-coenzyme A reductase 1, rate limiting enzyme for sterol biosynthesis, converts HMG-COA to mevalonate
344	YLR397C	(AFG2)	2.56801854	2.8469125	2.7385515	Protein of the AAA family of ATPases, has similarity to mammalian valosin-containing protein (VCP)
345	YJR019C	(TES1)	4.07777555	2.8303235	2.0724897	Acyl-CoA thioesterase
346	YBL008W	(HIR1)	7.24580603	2.8284713	2.8866813	Histone transcription inhibitor, required for periodic repression of 3 of the 4 histone gene loci and for autogenous repression of HTA1-HTB1 locus by H2A and H2B
347	YGL062W	(PYC1)	2.649771	2.8279558	3.1059191	Pyruvate carboxylase 1, converts pyruvate to oxaloacetate for gluconeogenesis
348	YPL244C	-	3.43385233	2.8218119	3.3274479	Protein of unknown function
349	YGL001C	-	3.91981575	2.8214816	1.9852785	Protein with similarity to nocardia SP. cholesterol dehydrogenase
350	YMR302C	(PRP12)	2.92335545	2.8146501	2.7190981	-
351	YPL160W	(CDC60)	2.25327101	2.8142723	1.7426948	Leucyl-TRNA synthetase, cytoplasmic
352	YLL024C	(SSA2)	4.09160949	2.8142088	2.4784071	Heat shock protein of HSP70 family, cytoplasmic
353	YEL077C	-	3.20718793	2.8098429	3.9054119	-
354	YMR205C	(PFK2)	2.27470363	2.8050429	2.2843952	Phosphofructokinase beta subunit, part of a complex with PFK1P which carries out key regulatory step in glycolysis
355	YPL114W	-	4.16484234	2.7962162	1.717967	Protein of unknown function
356	YPL221W	-	4.08515832	2.7886642	3.960997	Protein of unknown function
357	YJR137C	(ECM17)	26.5435466	2.787597	2.0763181	Putative sulfite reductase (ferredoxin)
358	YKL164C	(PIR1)	2.11125363	2.7864791	2.3925674	Protein required for tolerance to heat shock, member of the PIR1P/HSP150P/PIR3P family
359	YCL037C	(SRO9)	8.35007693	2.7855748	2.393588	Suppressor of YPT6 null and RHO3 mutations
360	YHR082C	(KSP1)	2.14499054	2.7799591	3.4962633	Serine/threonine kinase that suppresses PRP20 mutant when overproduced
361	YPR074C	-	3.19760669	2.7711859	2.476508	-

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
362	YBR184W	(MEL1)	5.06354303	2.7711448	3.5340388	Alpha-galactosidase (melibiase), converts melibiose into galactose + glucose, converts melibiose to galactose and glucose
363	YOL157C	-	2.70064964	2.7668777	3.6204284	Probable alpha-glucosidase
364	YFL066C	-	2.94443276	2.753026	3.5848427	Protein with similarity to other subtelomerically-encoded proteins including YIL177P, YHL050P, and YER190P
365	YLL029W	-	2.22657399	2.7389102	3.1468025	Protein of unknown function
366	YJL198W	-	2.98124683	2.7343513	4.6395823	Protein with strong similarity to PHO87P, member of the phosphate permease family of the major facilitator superfamily (MFS)
367	YDR088C	(SLU7)	2.07293165	2.7339627	2.6876744	Pre-mRNA splicing factor affecting 3' splice site choice, required only for the second catalytic step of splicing
368	YJR132W	(NMD5)	3.2005363	2.7333821	3.208398	Member of the karyopherin-beta family, possibly involved in nuclear transport
369	YIL078W	(THS1)	3.31778832	2.7330794	1.6123939	Threonyl-TRNA synthetase, cytoplasmic, member of Class II family of aminoacyl-TRNA synthetases
370	YGL113W	-	2.33404789	2.7249323	3.3810122	Protein of unknown function
371	YMR086W	-	2.69384376	2.7191747	2.9840404	Protein of unknown function
372	YGL233W	(SEC15)	2.61433498	2.7141295	2.7961427	Component of exocyst complex required for exocytosis
373	YGL144C	-	2.26752066	2.7069494	2.6236889	Protein of unknown function
374	YOR137C	-	3.14249753	2.7031211	4.9526236	Protein of unknown function
375	YJR143C	(PMT4)	2.80130312	2.6954799	2.4879264	Mannosyltransferase (dolichyl phosphate-D-mannose:protein O-D-mannosyltransferase), involved in initiation of O-glycosylation
376	YBR289W	(SNF5)	2.00671327	2.6881295	3.038619	Component of SWI/SNF global transcription activator complex, acts to assist gene-specific activators through chromatin remodeling
377	YNL240C	-	5.13894557	2.685901	3.523963	Protein with similarity to kluyveromyces MARX. LET1 protein
378	YML013W	-	3.62672833	2.6831604	2.9292996	Protein of unknown function
379	YKL168C	-	2.43589311	2.6791837	3.1896257	-
380	YGL151W	(NUT1)	2.47823061	2.6787971	2.5683618	Protein that affects expression of HO
381	YNL197C	(WHI3)	2.51493336	2.6764555	3.4233233	Protein involved in regulation of cell size, has 1 RNA recognition (RRM) domain
382	YMR192W	-	2.18376269	2.6732126	2.7489187	Protein with similarity to mouse TBC1 protein

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
383	YAL038W	(CDC19)	2.63679951	2.6714535	2.7525692	-
384	YEL075C	-	5.12225893	2.6632638	3.778537	Protein with similarity to other subtelomerically-encoded proteins including YHL049P, YIL177P, and YJL225P
385	YHR219W	-	3.76398139	2.6619567	4.0207342	Protein with similarity to other subtelomerically-encoded proteins
386	YJL069C	-	2.65731007	2.6517254	2.6568606	Protein of unknown function
387	YLR125W	-	6.28348756	2.642933	3.1335402	Protein of unknown function
388	YML035C	(AMD1)	2.23864371	2.6401405	1.6690608	AMP deaminase, converts AMP to IMP and ammonia
389	YMR165C	(SMP2)	2.58642399	2.6310411	3.3572604	Protein whose deletion causes increased plasmid stability
390	YDL223C	-	3.16684859	2.6240147	2.2340877	Protein of unknown function
391	YLR138W	-	2.69090586	2.6158483	2.9821754	-
392	YAR020C	-	3.79173888	2.6111125	2.0234222	-
393	YLR337C	(VRP1)	6.57336326	2.6027011	3.7504037	Proline-rich protein verprolin, involved in cytoskeletal organization and cellular growth
394	YLR060W	(FRS1)	2.61550639	2.5992071	1.9335426	Phenylalanyl-TRNA synthetase, alpha subunit, cytoplasmic
395	YLL013C	-	2.93447915	2.5901954	4.1297767	Protein with similarity to drosophila pumilio protein
396	YIR003W	-	2.41363594	2.5863745	2.874494	Protein with similarity to E. coli and Bacillus subtilis mind, has potential coiled-coil region
397	YIL137C	-	2.27968603	2.5792356	1.9624104	Protein with similarity to aminopeptidases
398	YBL081W	-	2.34404421	2.573205	3.2079939	Protein with 37% identity to drosophila L not protein
399	YOR171C	-	3.59659097	2.5718305	2.4035974	-
400	YPL237W	(SUI3)	2.5966981	2.5628077	2.5479456	Translation initiation factor EIF2beta subunit
401	YHR142W	-	3.52383057	2.5597096	2.9887896	Protein of unknown function
402	YLL012W	-	3.25020683	2.550591	2.7451737	Protein with similarity to human triacylglycerol lipase
403	YFR025C	(HIS2)	2.5112362	2.5457991	2.8789156	Histidinol phosphatase
404	YGR240C	(PFK1)	2.24103063	2.5388997	2.4938739	Phosphofructokinase alpha subunit, part of a complex with PFK2P which carries out A key regulatory step in glycolysis
405	YPL101W	-	4.18961695	2.5351198	2.6201803	Protein of unknown function
406	YOR127W	(RGA1)	3.85804733	2.5316649	2.5697341	RHO-type GTPase-activating protein (GAP) for CDC42P
407	YBR088C	(POL30)	2.5383718	2.5276319	4.0628861	Proliferating cell nuclear antigen (PCNA), required for DNA synthesis and DNA repair
408	YBR295W	(PCA1)	4.16669535	2.525791	1.1221384	P-type copper-transporting ATPase
409	YCL044C	-	2.35958836	2.519608	3.263571	Protein of unknown function

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
410	YBR110W	(ALG1)	2.23384099	2.5141215	3.2250999	Beta-mannosyltransferase involved in N-glycosylation (transfers MAN from GDP-MAN to DOL-PP-GLCNAC2)
411	YGR175C	(ERG1)	6.02726287	2.5103577	1.8132661	Squalene monooxygenase (squalene epoxidase), enzyme of the ergosterol biosynthesis pathway
412	YLR116W	-	2.98116702	2.5079761	3.9707409	-
413	YCR068W	-	3.32107678	2.4920381	3.6811994	Protein of unknown function
414	YJR105W	-	2.20476096	2.4908887	1.7029385	Protein with similarity to ribokinase
415	YKL157W	(APE2)	2.18209838	2.4866194	2.093134	Aminopeptidase II (YSCII), plays a nutritional role in releasing leucine from peptides externally cleaved at leucine
416	YFR009W	(GCN20)	2.63782118	2.4859544	2.1613378	Component of a protein complex required for activation of GCN2P protein kinase in response to amino acid starvation, member of ATP-binding cassette (ABC) superfamily
417	YDR211W	(GCD6)	2.22567451	2.4835485	1.8240639	Translation initiation factor EIF2B (guanine nucleotide exchange factor), 81 KDA (beta) subunit
418	YAR060C	-	4.88485967	2.482682	4.6114571	Protein identical to YHR212P, has a predicted mitochondrial transit peptide
419	YJL187C	(SWE1)	2.01161328	2.4809757	2.6294797	Serine/tyrosine dual-specificity protein kinase able to phosphorylate CDC28P on tyrosine and inhibit its activity
420	YDR387C	-	2.3225348	2.4746572	3.0481024	Protein with similarity to ITR1P and ITR2P
421	YDR251W	(PAM1)	2.09471237	2.4744652	2.3344613	Coiled-coil protein and multicopy suppressor of loss of PP2A (genes PPH21, PPH22, and PPH3)
422	YJL172W	(CPS1)	2.4464951	2.473092	2.228723	GLY-X carboxypeptidase YSCS, involved in nitrogen metabolism
423	YMR277W	(FCP1)	2.51675116	2.466666	2.2346158	TFIIF-interacting component of the C-terminal domain phosphatase
424	YDL047W	(SIT4)	2.40214863	2.4572974	2.7529791	Protein serine/threonine phosphatase involved in cell cycle regulation, member of the PPP family of protein phosphatases and related to PP2A phosphatases
425	YML117W	-	2.2473701	2.4482108	2.8054783	Protein of unknown function, contains an ATP/GTP-binding site motif A (P-loop)
426	YHR039C-A	-	2.49103418	2.4469729	1.7368373	-
427	YLL003W	(SFI1)	3.03031186	2.4467012	2.2685901	Protein of unknown function

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
428	YKR048C	(NAP1)	3.02222721	2.4404483	3.002619	Nucleosome assembly protein that plays a role in assembly of histones into octamer, required for full expression of CLB2P functions
429	YOR197W	-	2.87645711	2.438206	1.9784081	Protein of unknown function
430	YEL046C	(GLY1)	2.40664526	2.4369367	2.6795853	Protein required for glycine prototrophy in SHMT1 SHMT2 double mutant
431	YJL029C	-	2.36823878	2.43429	2.3384644	Protein of unknown function, has similarity to C. elegans
432	YOR233W	(KIN4)	3.52231883	2.4312627	3.0678435	hypothetical protein T05G5.8 Serine/threonine protein kinase related to KIN1P and KIN2P, catalytic domain is most related to SNF1P
433	YOR299W	(BUD7)	2.16058794	2.4312223	2.9585581	Protein required for bipolar budding pattern
434	YHR218W	-	2.37694362	2.4297245	4.1990669	Protein with similarity to other subtelomerically-encoded proteins including YHR219P and YFL065P, probable pseudogene
435	YGL026C	(TRP5)	3.92053304	2.4267316	2.4752996	Tryptophan synthase, last (fifth) step in tryptophan biosynthesis pathway
436	YJL017W	-	2.745014	2.4179146	2.8613495	Protein of unknown function
437	YNL161W	-	4.7525671	2.4161417	2.324762	Serine/threonine protein kinase of unknown function
438	YOR141C	(ARP8)	5.68817037	2.4122798	1.7395537	Protein with similarity to actin and actin-related proteins ARP1P-ARP10P
439	YAL042W	-	2.84377325	2.4057529	3.7961408	Protein of unknown function, has 2 potential transmembrane domains
440	YGR270W	(YTA7)	2.68803581	2.4056715	1.945755	Protein with similarity to members of the AAA family of ATPases
441	YBR119W	(MUD1)	2.83912216	2.4051525	1.3987642	U1 SNRNP A protein (SNRNA-associated protein) with 2 RNA recognition (RRM) domains
442	YDR052C	(DBF4)	6.85835185	2.4036928	1.5834976	Regulatory subunit for CDC7P protein kinase, required for G1/S transition
443	YEL069C	(HXT13)	2.69020108	2.4013304	3.6711431	Protein with strong similarity to hexose transporters, member of the sugar permease family
444	YDR285W	(ZIP1)	8.03633767	2.3921886	0.2216256	Structural protein of the synaptonemal element central element, has predicted coiled-coil domain
445	YJL047C	-	2.8960182	2.3885065	2.0814157	Protein with similarity to clathrin heavy chain in one domain
446	YKL101W	(HSL1)	4.2235071	2.3780286	2.4485279	Serine/threonine protein kinase that interacts genetically with histone mutations

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
447	YIL143C	(SSL2)	2.16202858	2.3668818	1.9944618	DNA helicase component of RNA polymerase transcription initiation factor TFIIF (factor B)
448	YBR182C	-	3.15043584	2.3653183	2.517131	-
449	YER189W	-	2.65287612	2.3630614	5.1724275	Protein with similarity to subtelomerically-encoded proteins including YIL177P, YHL049P, and YJL225P
450	YLR194C	-	3.11287981	2.3617044	2.923307	Protein of unknown function
451	YGR160W	-	2.13853989	2.3577684	1.8132562	Protein of unknown function
452	YGR258C	(RAD2)	2.06944636	2.3572245	2.1751698	Structure-specific single-stranded DNA endonuclease of the nucleotide excision repairosome
453	YGR162W	(TIF4631)	2.28099935	2.3554791	1.7039222	MRNA CAP-binding protein (EIF4F) 150K subunit
454	YJR036C	-	3.21027204	2.3546452	5.0712893	Possible ubiquitin-protein ligase (E3)
455	YGR124W	(ASN2)	3.37829988	2.3505148	2.4742017	Asparagine synthetase (L-aspartate: L-glutamine amidoligase [AMP-forming]), ASN1P and ASN2P are isozymes
456	YDL180W	-	2.20643197	2.3467843	1.8047293	Protein of unknown function
457	YDR266C	-	3.29383065	2.3411759	2.3118864	Protein of unknown function
458	YAR073W	-	7.67257484	2.3325262	1.6890618	Protein with strong similarity to PUR5P, may be an inosine-5'-monophosphate dehydrogenase
459	YPL048W	(CAM1)	2.18528771	2.3294863	3.3106924	-
460	YEL030W	(ECM10)	1.99868799	2.3236082	2.3835153	Protein possibly involved in cell wall structure or biosynthesis
461	YLL058W	-	6.13836096	2.3223158	2.3541199	Protein with similarity to neurospora crassa O-succinylhomoserine (thiol)-lyase
462	YJR010W	(MET3)	8.36384636	2.3172147	1.5113084	ATP-sulfurylase (sulfate adenylyltransferase)
463	YER110C	(KAP123)	3.02732098	2.3160572	1.8042941	Karyopherin-beta, involved in nuclear import of ribosomal proteins
464	YGL063W	(PUS2)	2.17517427	2.3124794	4.1754638	Pseudouridine synthase
465	YPL184C	-	3.3404012	2.3122475	2.2563666	Protein of unknown function
466	YGR254W	(ENO1)	2.05650599	2.3095639	1.9054756	Enolase 1 (2-phosphoglycerate dehydratase), converts 2-phospho-D-glycerate to phosphoenolpyruvate in glycolysis
467	YIL108W	-	3.15926869	2.3086561	2.5782072	Protein of unknown function
468	YDR388W	(RVS167)	2.34115713	2.3058518	2.6912527	Protein with A SH3 domain that affects actin distribution and bipolar budding
469	YNL323W	-	2.29668952	2.3038327	2.0645985	Protein with similarity to YCX1P
470	YBL076C	(ILS1)	2.31635893	2.3036041	1.7634202	Isoleucyl-TRNA synthetase
471	YLR217W	-	2.57939547	2.2859565	1.6611523	Protein of unknown function
472	YGR294W	-	8.48668724	2.2857763	1.7132102	Protein of the PAU1 family
473	YDL070W	-	2.16064033	2.2854538	3.7599153	-

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
474	YOL044W	-	2.15373467	2.2849315	2.1736446	-
475	YGL145W	(TIP20)	4.18903489	2.2829973	1.6161221	Cytoplasmic protein that interacts physically with SEC20P, required for ER to Golgi transport
476	YLR044C	(PDC1)	2.21772333	2.2774972	1.9431592	Pyruvate decarboxylase isozyme 1
477	YNR013C	-	2.0080141	2.2770842	2.4893728	Protein with similarity to PHO87P and YJL198P, member of the phosphate permease family of the major facilitator superfamily (MFS)
478	YML049C	-	2.08547393	2.2761395	2.0329879	-
479	YDR221W	-	2.53153283	2.2731861	1.8131644	Protein with similarity to the beta subunit of human glucosidase II
480	YMR135C	-	4.75727106	2.2636411	4.3609747	Protein of unknown function
481	YKR001C	(VPS1)	2.48277065	2.2630712	1.5678763	Vacuolar sorting protein, member of the dynamin family of GTPases
482	YLR413W	-	2.80009402	2.2629262	2.3695083	Protein of unknown function
483	YDR122W	(KIN1)	2.0434064	2.2623436	2.3432635	Serine/threonine protein kinase, related to KIN2P and S. pombe KIN1
484	YIL154C	(IMP2')	2.216207	2.2548739	2.2466776	-
485	YKL068W	(NUP100)	2.2598003	2.2529093	2.7012733	Nuclear pore protein (nucleoporin) of the GLFG family, may be involved in binding and translation of proteins during nucleocytoplasmic transport
486	YHR190W	(ERG9)	2.81318531	2.2475123	1.7238705	Squalene synthetase (farnesyl-diphosphate farnesyltransferase), acts at a branch point in the isoprenoid biosynthesis pathway
487	YGL179C	-	4.83814707	2.2398396	3.8786749	Serine/threonine protein kinase with similarity to ELM1P and KIN82P
488	YOL017W	-	3.01741322	2.2303862	2.2459064	Protein of unknown function
489	YHR189W	-	2.0021212	2.22911	2.2289936	Putative peptidyl-TRNA hydrolase (PTH)
490	YNL208W	-	3.64860898	2.2181817	2.5247363	Protein of unknown function
491	YHR041C	(SRB2)	2.27216109	2.2178582	2.4847273	Component of the RNA polymerase II holoenzyme and Kornberg's mediator (SRB) subcomplex
492	YPR080W	(TEF1)	2.50402057	2.2115095	1.8587879	Translation elongation factor EF-1alpha (TEF1 and TEF2 code for identical proteins)
493	YBR229C	(ROT2)	2.45186053	2.2034499	2.1844611	Catalytic (alpha) subunit of glucosidase II
494	YGR262C	-	2.83275613	2.2029336	1.9251756	Protein with similarity to apple tree calcium/calmodulin-binding protein kinase PIR:JQ2251

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
495	YER144C	(UBP5)	3.38126089	2.1994294	2.7106303	Ubiquitin-specific protease (ubiquitin C-terminal hydrolase), homologous to DOA4P and human TRE-2
496	YDR264C	(AKR1)	3.13151279	2.1983967	2.7516536	Ankyrin repeat-containing protein that has an inhibitory effect on signaling in the pheromone pathway
497	YLR427W	-	2.24985411	2.1938243	2.5059695	Protein of unknown function
498	YLR374C	-	2.26923061	2.1927227	2.6395044	Protein of unknown function
499	YMR092C	(AIP1)	2.2241966	2.1917074	2.1939749	Actin interacting protein, has 4 WD (WD-40) repeats
500	YDR294C	-	2.20085342	2.1899557	2.3333139	-
501	YMR296C	(LCB1)	2.1334221	2.1891645	1.9030014	Component of serine C-palmitoyltransferase, first step in biosynthesis of long-chain base component of sphingolipids
502	YKR039W	(GAP1)	1.99105648	2.1881751	1.2556866	General amino acid permease, proton symport transporter for all naturally-occurring L-amino acids, 4-aminobutyric acid (GABA), ornithine, citrulline, some D-amino acids, and some toxic analogs
503	YDR422C	(SIP1)	2.62373247	2.1870761	2.0836347	Multicopy suppressor of SNF1, related to GAL83P/SPM1P and SPM2P
504	YMR080C	(NAM7)	2.82340116	2.1828046	2.1714828	Protein involved with NMD2P and UPF3P in decay of MRNA containing nonsense codons
505	YBL106C	-	2.38138747	2.1809814	2.7798326	-
506	YEL043W	-	3.44125375	2.1784956	2.8076042	Protein of unknown function
507	YBR222C	(FAT2)	5.13679804	2.1781103	3.0936394	Peroxisomal AMP-binding protein
508	YDR004W	(RAD57)	2.26389978	2.1754266	2.076582	Component of recombinosome complex involved in meiotic recombination and recombinational repair, with RAD55P promotes DNA strand exchange by RAD51P recombinase
509	YHR174W	(ENO2)	2.38714668	2.1702816	1.9697417	Enolase 2 (2-phosphoglycerate dehydratase), converts 2-phospho-D-glycerate to phosphoenolpyruvate in glycolysis
510	YER043C	(SAH1)	3.73200717	2.1669937	1.6246235	Adenosylhomocysteinase (S-adenosylhomocysteine hydrolase)
511	YKR012C	-	2.41358469	2.1555775	1.1414615	Protein of unknown function
512	YOL007C	-	3.17872347	2.1529948	1.2712945	-
513	YMR220W	(ERG8)	2.68816133	2.1489328	2.0693924	Phosphomevalonate kinase, converts mevalonate-5-phosphate to mevalonate pyrophosphate, involved in isoprene and ergosterol biosynthesis pathways

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
514	YDR062W	(LCB2)	2.54448949	2.1430094	1.9627647	Subunit of serine C-palmitoyltransferase, first step in sphingolipic biosynthesis, and suppressor of calcium-sensitivity of CSG2
515	YAL048C	-	5.02313141	2.1384748	4.221132	Protein with weak similarity to RAS1P, RAS2P, and other GTP-binding proteins of the RAS superfamily
516	YBL111C	-	2.17340644	2.1313903	3.8030907	-
517	YJL108C	-	4.56646166	2.1302533	2.8609713	Protein of unknown function, contains 8 potential transmembrane domains
518	YJL141C	(YAK1)	2.80000608	2.1277388	2.8291776	Serine/threonine protein kinase, negative regulator of cell growth acting in opposition to CAMP-dependent protein kinase A
519	YJL102W	(MEF2)	2.08592026	2.1220696	1.6098307	Mitochondrial translation elongation factor, promotes GTP-dependent translocation of nascent chain from A-site to P-site of ribosome
520	YDL174C	(DLD1)	2.28050309	2.1220649	2.4305801	D-lactate dehydrogenase (cytochrome), (D-lactate ferricytochrome C oxidoreductase) (D-LCR), mitochondrial
521	YMR011W	(HXT2)	7.25080973	2.1188378	1.6420019	High-affinity hexose transporter, member of sugar permease family
522	YLR129W	(DIP2)	3.36115373	2.1126408	2.0325416	DOM34P-interacting protein, has WD (WD-40) repeats
523	YML008C	(ERG6)	2.51872662	2.1091692	1.7889829	S-adenosylmethionine delta-24-sterol-C-methyltransferase, carries out methylation of zymosterol as part of the ergosterol biosynthesis pathway
524	YGL245W	-	2.30162026	2.1065078	1.4267053	Glutamyl-TRNA synthetase, member of the Class I aminoacyl TRNA synthetase family
525	YGL024W	-	2.67631735	2.1046757	1.4610387	Protein of unknown function
526	YHL027W	(RIM101)	2.57210755	2.1033157	2.5927892	Zinc-finger protein involved in induction of IME1
527	YGR281W	(YOR1)	4.18259907	2.0935061	2.3634092	Oligomycin-resistance factor, member of the ATP-binding cassette (ABC) superfamily
528	YIL175W	-	2.10803474	2.0859355	2.4771166	-
529	YHL019C	(APM2)	1.9986708	2.0848729	3.0618718	Clathrin-associated protein (AP) complex, medium subunit
530	YAL019W	(FUN30)	5.19927199	2.0806959	1.7340212	-
531	YGL112C	(TAF60)	2.21463331	2.0765265	2.1891308	Component of TAF(II) complex (TBP-associated protein complex) required for activated transcription by RNA polymerase II

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
532	YNL218W	-	2.28887465	2.0761	1.6749939	Protein with similarity to E. coli DNA polymerase III gamma and TAU subunits
533	YML058C-A	-		217.969407	2.0723568	3.2869214
534	YOL156W	(HXT11)	5.12784966	2.0709411	2.2192118	Low-affinity glucose permease
535	YGR218W	(CRM1)	2.32581989	2.0675233	1.5505702	Exportin, beta-karyopherin
536	YGR296W	-	3.15948331	2.0664535	3.7402619	Protein with similarity to other subtelomerically-encoded proteins including YER190P (YPL283 and YGR296W code for identical proteins)
537	YLR176C	-	2.54329087	2.0627475	1.4892288	-
538	YDL229W	(SSB1)	5.21935107	2.0615889	2.0067653	Heat shock protein of HSP70 family involved in the translational apparatus
539	YER034W	-	2.57654853	2.0562947	1.9025056	Protein of unknown function
540	YKR050W	(TRK2)	2.23638067	2.056259	4.703529	Potassium transporter of the plasma membrane, moderate affinity, member of the potassium permease family of the major facilitator superfamily
541	YIL113W	-	7.07756282	2.0539759	2.28618	Dual-specificity protein phosphatase
542	YCR023C	-	2.01851078	2.0520751	2.2109695	Member of major facilitator superfamily (MFS) multidrug-resistance protein family 2
543	YMR069W	-	4.45745957	2.0520592	0	Protein of unknown function
544	YAL020C	(ATS1)	3.02597511	2.050802	2.0781706	Protein with similarity to human RCC1 protein, suppressor of mutations in alpha tubulin
545	YNL256W	-	3.16308725	2.045577	1.8697374	Protein with similarity to bacterial dihydropteroate synthase
546	YMR124W	-	2.65610298	2.0431312	2.2988806	Protein of unknown function, has potential coiled-coil region (GB:Z49273)
547	YOR162C	-	2.4478098	2.0361958	2.1075035	-
548	YOR353C	-	2.20965265	2.0220258	1.7471747	Protein with weak similarity to adenylate cyclases
549	YPL028W	(ERG10)	2.86559138	2.0185951	1.6989337	Acetyl-CoA acetyltransferase (acetoacetyl-CoA thiolase), first step in mevalonate/sterol pathway
550	YIL114C	(POR2)	2.24322702	2.0152799	2.367678	Outer mitochondrial membrane porin (voltage-dependent anion-selective channel)
551	YDL029W	(ACT2)	2.07186888	2.0140172	1.810394	-
552	YDL143W	(CCT4)	2.3041307	2.0128325	1.6478427	Component of chaperonin-containing T-complex (TCP ring complex, TRIC), homologous to mouse CCT4
553	YPL267W	-	2.06501413	2.0119076	1.6761922	Protein of unknown function
554	YOL105C	-	2.79225712	2.0026061	2.23737	-

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
555	YML004C	(GLO1)	2.19630894	2.0015677	1.7985136	Glyoxalase I, converts methylglyoxal and glutathione into S-D-lactoylglutathione
556	YMR266W	-	2.47393267	1.991188	1.727182	Protein of unknown function, probable integral membrane glycoprotein
557	YPL194W	-	2.87006368	0.4961465	1.5346869	-
558	YOR152C	-	2.74047761	0.4915256	0.2221023	Protein of unknown function
559	YDR242W	(AMD2)	8.28951711	0.4819032	0.9215489	Protein with similarity to amidases
560	YFL054C	-	7.43223753	0.4793582	0.6136582	Protein with similarity to FPS1P and YPR192P, member of MIP family of transmembrane channels
561	YAR068W	-	3.24259317	0.479021	1.2297001	Protein with similarity to ICWP protein
562	YAL001C	(TFC3)	2.94740587	0.4742746	1.1915566	RNA polymerase transcription initiation factor TFIIC (TAU), 138 KDA subunit
563	YLR454W	-	5.72921213	0.4716283	1.641906	Protein of unknown function
564	YDL020C	(SON1)	2.27378766	0.4591519	0.8208918	-
565	YMR225C	(MRPL44)	0.19372389	0.4430311	0.4019617	Mitochondrial ribosomal protein of the large subunit (YMR44)
566	YJR038C	-	9.06373624	0.4422872	4.1801655	Protein of unknown function
567	YDR380W	-	0.1136124	0.4417559	0.8241167	Protein with similarity to pyruvate decarboxylase, pyruvate oxidase, acetolactate synthase (large subunit), and other enzymes that require thiamine pyrophosphate
568	YKL170W	(MRPL38)	0.20347891	0.4296401	0.4533368	Mitochondrial ribosomal protein of the large subunit (YML38) (E. coli L14), belongs to the L14 family of prokaryotic ribosomal proteins
569	YGR248W	(SOL4)	0.17664863	0.4293198	0.4062793	Protein of unknown function
570	YER058W	(PET117)	0.18996331	0.4289442	0.4202828	Protein involved in assembly of cytochrome oxidase
571	YBR039W	(ATP3)	0.18787084	0.4197886	0.2837245	F1-gamma ATP synthase
572	YDL102W	(CDC2)	17.5853214	0.4169873	0.0258767	-
573	YJR153W	-	3.65551445	0.4116558	0.6086987	-
574	YMR188C	-	0.20743995	0.4113817	0.3381207	Protein with similarity to 30S ribosomal proteins (S17)
575	YBR244W	-	0.16093632	0.4035137	0.3438917	Protein with similarity to glutathione peroxidase
576	YDR523C	(SPS1)	10.8815611	0.4014712	0.3371725	Serine/threonine protein kinase involved in middle/late stage of meiosis
577	YDL031W	-	2.0561223	0.3989968	0.6791327	Protein with similarity to RNA helicases of dead/DEAH box family
578	YER109C	(FLO8B)	2.33584341	0.3826502	2.0529509	-

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
579	YIR017C	(MET28)	2.97658904	0.3775372	0.3008895	Transcriptional activator of the basic leucine zipper (BZIP) family, works with MET4P and CBF1P to regulation sulfur amino acid metabolism
580	YDL016C	-	3.9417341	0.374232	0.2672688	Protein of unknown function
581	YIR028W	(DAL4)	2.5006493	0.3741716	3.0010653	Allantoin permease, member of the uracil/allantoin permease family of the major facilitator superfamily (MFS)
582	YOR124C	(UBP2)	2.8382974	0.3622925	0.3859773	Ubiquitin-specific protease (ubiquitin C-terminal hydrolase), cleaves at the C-terminus of ubiquitin
583	YBL108W	-	0.1900473	0.3575329	0.5467376	Protein of unknown function
584	YDR259C	-	5.62713626	0.3429355	0.2335082	-
585	YDR253C	(MET32)	2.86314943	0.3397175	0.3279043	Zinc-finger protein involved in transcriptional regulation of methionine metabolism
586	YJL196C	(ELO1)	0.17135352	0.3378086	0.3752547	Fatty acid elongation protein involved in elongation of tetradecanoic acid to hexadecanoic acid
587	YDR141C	-	0.09160554	0.3290633	0.1693929	Protein of unknown function, member of the major facilitator superfamily (MFS)
588	YBR069C	(VAP1)	3.0181038	0.3157547	1.2268269	Amino acid permease for valine, leucine, isoleucine, tyrosine, and tryptophan
589	YOR314W	-	2.65430513	0.2917342	0.3312621	Protein of unknown function
590	YDL068W	-	0.11556176	0.2684108	0.1521109	Protein of unknown function
591	YPL136W	-	2.17418921	0.2530647	3.1708409	Protein of unknown function
592	YGL034C	-	0.1411795	0.2524039	0.3723439	Protein of unknown function
593	YLR162W	-	4.13626663	0.2515583	0.6851592	Protein of unknown function
594	YMR193C-A	-	3.34099753	0.2354896	0.3596816	-
595	YMR146C	(TIF34)	5.0351989	0.2248204	0.7193538	Translation initiation factor EIF3, P39 subunit, has 2 WD (WD-40) repeats
596	YFL012W	-	71.9436495	0.2235373	1.5215902	Protein of unknown function
597	YER096W	-	7.21258235	0.1766673	0.4170679	-
598	YNR071C	-	2.01488788	0.1446196	0.0535063	Protein with similarity to UDPglucose 4-epimerase
599	YLR419W	-	0.20769335	0.1102431	0.9141258	Protein with similarity to several pre-mRNA splicing factors
600	YKL105C	-	3.23146223	0.086572	5.0836556	Protein of unknown function
601	YLR142W	(PUT1)	2.2907881	0.0854218	0.6671487	Proline oxidase, first step in synthesis of glutamate from proline
602	YDL239C	-	7.81000565	0.0417738	0.347901	Protein of unknown function
603	YHR137W	(ARO9)	0.07724918	0.0347684	0.0703134	Aromatic amino acid aminotransferase II
604	YDR374C	-	17.25276	0	4.6059679	Protein of unknown function

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
605	YIL100W	-	9.97598883	0	2.8122773	Protein of unknown function, questionable ORF
606	YPL025C	-	9.52247441	0	20.22382	Protein of unknown function
607	YOR072W	-	7.48662389	0	6.2287404	Protein of unknown function
608	YNL242W	-	6.47720448	0	2.5753253	Protein of unknown function
609	YIR027C	(DAL1)	5.64113227	0	0	Allantoinase, first step in the degradation of allantoin as a secondary nitrogen source
610	YOR139C	-	5.46648132	0	11.760995	Transcription factor with domains homologous to MYC oncoprotein and yeast HSF1P, required for normal cell surface assembly and flocculence
611	YEL019C	(MMS21)	3.34008483	0	2.069236	Protein involved in DNA repair
612	YDL132W	(cdc53)	3.16426832	0	0.1467847	-
613	YOR177C	-	2.97842594	0	0.435871	Protein of unknown function
614	YML042W	(CAT2)	2.76437696	0	16.65885	Carnitine O-acetyltransferase, peroxisomal and mitochondrial
615	YER044C-A	(MEI4)	2.5971776	0	0	Protein required early in meiosis for meiotic recombination, chromosome synapsis, and viable spore formation
616	YGR083C	(GCD2)	2.32134339	0	0	Translation initiation factor EIF2B (guanine nucleotide exchange factor), 71 KDA (delta) subunit
617	YAR030C	-	2.06301879	0	0	Protein of unknown function, probable non-coding ORF
618	YJR157W	-	0.2073771	0	0.6711879	Protein of unknown function
619	YHR217C	-	0.2061042	0	0.549346	Protein of unknown function
620	YKL100C	-	0.12715731	0	40.399169	Protein of unknown function

* Table Headings:

Clone ID: A clone ID designation number.

Alias: Alternative gene names used in the literature. This information is provided by YPD™, Hodges *et al. Nucl. Acids Res.* 27: 69-73 (1999), the entirety of which is herein incorporated by reference.

CJ-4hr/LP-4hr: Expression level in the mutant CJ517 as compared with the respective wild type strain LPY9 at 4hr sampling of log phase growth of yeast (ratio of mutant expression level/control expression level). CJ refers to the mutant CJ517 (The mutant is defective in the gene (ERG11) codes for C14 demethylase enzyme in the sterol biosynthetic pathway). LP refers to the

respective wild type strain LPY9, used to compare the gene expression profile with the mutant.

K-50/CK: Expression level in the wild type yeast LPY9, at 2 hr after treatment with 50micro gram/ml ketoconazole as compared to the wild type LPY9 strain without ketoconazole treatment (ratio of treatment expression level/control expression level). K refers to ketoconazole treatment. The clones listed in Table 2 are either up or down regulated in the mutant (CJ517) as well as in response to ketoconazole treatment.

K-100/CK: Expression level in the wild type yeast LPY9, at 2 hr after treatment with 100micro gram/ml ketoconazole as compared to the wild type LPY9 strain without ketoconazole treatment (ratio of treatment expression level/control expression level).

Gene Description: Description of the clone listed in column 1.

Table 3, below, lists the RNAs from Table 2 that correspond to genes or structural regions implicated in transcription regulation.

Table 3*

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
30	YOR237W	(HES1)	134.648161	1417.62621	1358.12348	Protein implicated in ergosterol biosynthesis, member of the KES1/HES1/OSH1/YKR003W family of oxysterol-binding (OSBP) proteins
42	YDR213W	-	18.2079478	32.1360646	58.3586116	Protein with similarity to transcription factors, has ZN[2]-CYS[6] fungal-type binuclear cluster domain in the N-terminal region
74	YGR177C	(ATF2)	3.7081426	11.830167	12.5552685	Alcohol O-acetyltransferase
75	YFR034C	(PHO4)	14.8112083	11.2160731	20.8445145	Basic helix-loop-helix (BHLH) transcription factor required for expression of phosphate pathway, hyperphosphorylation by PHO80P-PHO85P cyclin-dependent protein kinase complex causes inactivation

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
83	YOL067C	(RTG1)	30.4142081	10.0270648	27.3663295	Basic helix-loop-helix (BHLH) transcription factor involved in inter-organelle communication between mitochondria, peroxisomes, and nucleus
100	YJL127C	(SPT10)	4.01528284	7.83944269	10.0960266	Protein that amplifies the magnitude of transcriptional regulation at various loci
111	YMR037C	(MSN2)	6.80686734	6.42359685	7.66129891	Zinc-finger transcriptional activator for genes involved in the multistress response and genes regulated through SNF1P
118	YCR048W	(ARE1)	9.11370518	6.1039374	10.5312906	Acyl-CoA:sterol acyltransferase (sterol-ester synthetase)
131	YAL013W	(DEP1)	8.79366086	5.54633863	6.42500999	Regulator of phospholipid metabolism
132	YIL084C	(SDS3)	1.99582364	5.54306878	6.90742248	Suppressor of silencing defect
157	YKR034W	(DAL80)	3.91750209	5.0436172	7.28385659	GATA-type zinc finger transcriptional repressor for allantoin and 4-aminobutyric acid (GABA) catabolic genes
172	YLR098C	(CHA4)	2.05280928	4.75643469	5.58664651	Zinc-finger protein required for activation of CHA1, has A ZN[2]-CYS[6] fungal-type binuclear cluster domain
180	YDR389W	(SAC7)	3.89197011	4.56095992	4.31431086	GTPase-activating protein for RHO1P
202	YDL088C	(ASM4)	4.39685251	4.17572645	3.32103404	Suppressor of temperature-sensitive mutations in POL3P (DNA polymerase delta)
206	YBL005W	(PDR3)	3.75060207	4.14490535	6.08273054	Transcription factor related to PDR1P, contains A ZN[2]-CYS[6] fungal-type binuclear cluster domain in the N-terminal region
242	YGL071W	(RCS1)	3.39203358	3.69630773	4.53101664	Regulatory protein involved in iron uptake
255	YAR044W	(OSH1)	4.12112011	3.624939	3.88396219	Protein implicated in ergosterol biosynthesis, member of the KES1/HES1/OSH1/YKR003W family of oxysterol-binding (OSBP) proteins
256	YLR120C	(YAP3)	6.14265883	3.62298451	4.42985615	Transcription factor of the basic leucine zipper (BZIP) family, one of eight members of a novel fungal-specific family of BZIP proteins
260	YJR017C	(ESS1)	2.98118086	3.55874146	3.22082555	Processing/termination factor, involved in transcription termination or 3'-end processing of pre-mRNA

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
271	YMR019W	(STB4)	3.2576922	3.44146214	3.39764598	SIN3P-binding protein, has ZN[2]-CYS[6] fungal-type binuclear cluster domain in the N-terminal region
278	YLR153C	(ACS2)	3.45528019	3.37854457	3.12858117	Acetyl-CoA synthetase (acetate-CoA ligase)
289	YPL119C	(DBP1)	5.87199247	3.24642228	2.19736599	ATP-dependent RNA helicase of dead box family, suppressor of SPP81/DED1
290	YGL014W	-	3.11296478	3.22942947	3.6382821	Protein with pumilio repeats that is involved with MPT5P in relocalization of SIR3P and SIR4P from telomeres to the nucleolus
296	YGL192W	(IME4)	2.89030953	3.17038103	6.47841053	Positive transcription factor for IME1 and IME2, mediates control of meiosis by carrying signals regarding mating type (A/alpha) and nutritional status
297	YMR047C	(NUP116)	2.56622055	3.17022339	4.77420515	Nuclear pore protein (nucleoporin) of the GLFG family, may be involved in binding and translocation of nuclear proteins
301	YLR249W	(YEF3)	3.59397167	3.14453335	2.63195398	Translation elongation factor EF-3A, member of ATP-binding cassette (ABC) superfamily
322	YOR337W	(TEA1)	2.13152473	2.97907151	4.82285812	TY1 enhancer activator of the GAL4P-type family of DNA-binding proteins
331	YCR084C	(TUP1)	2.40138822	2.92198431	3.27182635	General repressor of transcription (with SSN6P), member of WD (WD-40) repeat family
336	YPL226W	-	2.45263084	2.88856775	2.55579443	Protein with similarity to members of the ATP-binding cassette (ABC) superfamily
345	YJR019C	(TES1)	4.07777555	2.83032346	2.07248965	Acyl-CoA thioesterase
346	YBL008W	(HIR1)	7.24580603	2.82847131	2.88668127	Histone transcription inhibitor, required for periodic repression of 3 of the 4 histone gene loci and for autogenous repression of HTA1-HTB1 locus by H2A and H2B
349	YGL001C	-	3.91981575	2.82148161	1.98527852	Protein with similarity to nocardia SP. cholesterol dehydrogenase
359	YCL037C	(SRO9)	8.35007693	2.78557477	2.39358801	Suppressor of YPT6 null and RHO3 mutations
367	YDR088C	(SLU7)	2.07293165	2.73396273	2.68767436	Pre-mRNA splicing factor affecting 3' splice site choice, required only for the second catalytic step of splicing

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
376	YBR289W	(SNF5)	2.00671327	2.68812945	3.03861899	Component of SWI/SNF global transcription activator complex, acts to assist gene-specific activators through chromatin remodeling
400	YPL237W	(SUI3)	2.5966981	2.5628077	2.54794558	Translation initiation factor EIF2beta subunit
406	YOR127W	(RGA1)	3.85804733	2.53166489	2.56973414	RHO-type GTPase-activating protein (GAP) for CDC42P
416	YFR009W	(GCN20)	2.63782118	2.48595438	2.16133777	Component of a protein complex required for activation of GCN2P protein kinase in response to amino acid starvation, member of ATP-binding cassette (ABC) superfamily
417	YDR211W	(GCD6)	2.22567451	2.48354852	1.82406386	Translation initiation factor EIF2B (guanine nucleotide exchange factor), 81 KDA (beta) subunit
440	YGR270W	(YTA7)	2.68803581	2.4056715	1.94575504	Protein with similarity to members of the AAA family of ATPases
441	YBR119W	(MUD1)	2.83912216	2.40515252	1.39876418	U1 SNRNP A protein (SNRNA-associated protein) with 2 RNA recognition (RRM) domains
442	YDR052C	(DBF4)	6.85835185	2.40369283	1.58349756	Regulatory subunit for CDC7P protein kinase, required for G1/S transition
492	YPR080W	(TEF1)	2.50402057	2.21150946	1.85878786	Translation elongation factor EF-1alpha (TEF1 and TEF2 code for identical proteins)
496	YDR264C	(AKR1)	3.13151279	2.19839665	2.75165355	Ankyrin repeat-containing protein that has an inhibitory effect on signaling in the pheromone pathway
503	YDR422C	(SIP1)	2.62373247	2.18707608	2.08363472	Multicopy suppressor of SNF1, related to GAL83P/SPM1P and SPM2P
504	YMR080C	(NAM7)	2.82340116	2.1828046	2.17148277	Protein involved with NMD2P and UPF3P in decay of MRNA containing nonsense codons
515	YAL048C	-	5.02313141	2.13847476	4.22113197	Protein with weak similarity to RAS1P, RAS2P, and other GTP-binding proteins of the RAS superfamily
526	YHL027W	(RIM101)	2.57210755	2.10331571	2.59278915	Zinc-finger protein involved in induction of IME1
531	YGL112C	(TAF60)	2.21463331	2.07652653	2.18913076	Component of TAF(II) complex (TBP-associated protein complex) required for activated transcription by RNA polymerase II
549	YPL028W	(ERG10)	2.86559138	2.01859514	1.69893374	Acetyl-CoA acetyltransferase (acetoacetyl-CoA thiolase), first step in mevalonate/sterol pathway

Seq. Num.	Clone ID	ALIAS	CJ-4hr/ LP-4hr	K-50/CK	K-100/CK	Gene Description
621	YNR019W	(ARE2)	2.1	1.79103463	2.85442	Acyl-CoA:sterol acyltransferase (sterol-ester synthetase)
560	YFL054C	-	7.43223753	0.47935821	0.61365816	Protein with similarity to FPS1P and YPR192P, member of MIP family of transmembrane channels
562	YAL001C	(TFC3)	2.94740587	0.47427458	1.19155655	RNA polymerase transcription initiation factor TFIIC (TAU), 138 KDA subunit
579	YIR017C	(MET28)	2.97658904	0.3775372	0.30088953	Transcriptional activator of the basic leucine zipper (BZIP) family, works with MET4P and CBF1P to regulation sulfur amino acid metabolism
585	YDR253C	(MET32)	2.86314943	0.33971751	0.32790428	Zinc-finger protein involved in transcriptional regulation of methionine metabolism
595	YMR146C	(TIF34)	5.0351989	0.22482039	0.71935381	Translation initiation factor EIF3, P39 subunit, has 2 WD (WD-40) repeats
616	YGR083C	(GCD2)	2.32134339	0	0	Translation initiation factor EIF2B (guanine nucleotide exchange factor), 71 KDA (delta) subunit
610	YOR139C	(SFL1)	5.46648132	0	11.7609951	Transcription factor with domains homologous to MYC oncoprotein and yeast HSF1P, required for normal cell surface assembly and flocculence

* Table Headings:

Clone ID: A clone ID designation number.

CJ-4hr/LP-4hr: Expression level in the mutant CJ517 as compared with the respective wild type strain LPY9 at 4hr sampling of log phase growth of yeast (ratio of mutant expression level/control expression level). Genes in the Table are either up or down regulated in the mutant (CJ517) as well as in response to ketoconazole treatment.

K-50/CK: Expression level in the wild type yeast LPY9, at 2 hr after treatment with 50micro gram/ml ketoconazole as compared to the wild type LPY9 strain without ketoconazole treatment (ratio of treatment expression level/control expression level).

K-100/CK: Expression level in the wild type yeast LPY9, at 2 hr after treatment with 100micro gram/ml ketoconazole as compared to the wild type LPY9 strain without ketoconazole treatment (ratio of treatment expression level/control expression level).

5 Gene Description: Description of the clone listed in column 1.

In addition, for example, Table 2 identifies a yeast HES1 gene as a gene with an associated change in mRNA levels in the two different comparisons. Fang *et al. EMBO J* 15:6447-59 (1996), the entirety of which is herein incorporated by reference, reported a mutation in *HES1*, which caused a 55% reduction in carbon flux through the mevalonate pathway in yeast.

10 Each of the sequences listed in Table 2 or 3 represents a gene that effects sterol levels, directly or indirectly, or whose expression changes as a result of alterations in the sterol synthesis pathway.

Example 2

15 Sequences that encode for the yeast HES1 protein are used to search databases for homologues from other species. A number of different databases can be used for these searches, including, for example, dbEST, GenBank, EMBL, SwissProt, PIR, and GENES. In addition, various algorithms for searching can be selected, such as, for example, the BLAST suite of programs at the default values. Typically, matches found with BLAST P values equal or less than 0.001 (probability) or BLAST Score of equal or greater than 90 are classified as hits. If the
20 program used to determine the hit is HMMSW then the score refers to HMMSW score. The GenBank database is searched with BLASTN and BLASTX (default values). Sequences that pass the hit probability threshold of $10e^{-8}$ are considered hits.

Table 4

Seq. Num.	Clone ID	Sequence: DNA/Protein	Hit description	Library
1	701100307CPR9855	DNA	Yeast HES 1 homolog	SOYMON028
2	701001443CPR9857	DNA	Yeast HES 1 homolog	SOYMON018
3	701010572CPR9854	DNA	Yeast HES 1 homolog	SOYMON019
4	701176735CPR9736	DNA	Yeast HES 1 homolog	SATMONN05

Seq. Num.	Clone ID	Sequence: DNA/Protein	Hit description	Library
5	Z75145	DNA	Protein implicated in ergosterol biosynthesis, member of the KES1/HES1/OSH1/YKR003W family of oxysterol-binding (OSBP) proteins	-
622	701100307CPR9855	Protein	Yeast HES 1 homolog	SOYMON028
623	701001443CPR9857	Protein	Yeast HES 1 homolog	SOYMON018
624	701010572CPR9854	Protein	Yeast HES 1 homolog	SOYMON019
625	701176735CPR9736	Protein	Yeast HES 1 homolog	SATMONN05
626	Z75145	Protein	Protein implicated in ergosterol biosynthesis, member of the KES1/HES1/OSH1/YKR003W family of oxysterol-binding (OSBP) proteins	-
6	701003888H1	DNA	Yeast HES 1 homolog	SOYMON019
7	701001351H1	DNA	Yeast HES 1 homolog	SOYMON018
8	700672545H1	DNA	Yeast HES 1 homolog	SOYMON006
9	700664054H1	DNA	Yeast HES 1 homolog	SOYMON005
10	700665644H1	DNA	Yeast HES 1 homolog	SOYMON005
11	700764248H1	DNA	Yeast HES 1 homolog	SOYMON020
12	700851444H1	DNA	Yeast HES 1 homolog	SOYMON023
13	700971910H1	DNA	Yeast HES 1 homolog	SOYMON005
14	700652932H1	DNA	Yeast HES 1 homolog	SOYMON003
15	700982894H1	DNA	Yeast HES 1 homolog	SOYMON009
16	701120140H1	DNA	Yeast HES 1 homolog	SOYMON037
17	701064234H1	DNA	Yeast HES 1 homolog	SOYMON034
18	700954013H1	DNA	Yeast HES 1 homolog	SOYMON022
19	701129375H1	DNA	Yeast HES 1 homolog	SOYMON037
20	701043941H1	DNA	Yeast HES 1 homolog	SOYMON032
21	LIB24-114-Q1-E1-H8	DNA	Arabidopsis HES 1 homolog	LIB24
22	LIB22-016-Q1-E1-F3	DNA	Arabidopsis HES 1 homolog	LIB22
23	LIB25-101-Q1-E1-F1	DNA	Arabidopsis HES 1 homolog	LIB25
24	AA042357	DNA	Arabidopsis HES 1 homolog	-
25	AA720163	DNA	Arabidopsis HES 1 homolog	-
26	Z29936	DNA	Arabidopsis HES 1 homolog	-
27	T76850	DNA	Arabidopsis HES 1 homolog	-
28	T76580	DNA	Arabidopsis HES 1 homolog	-
29	AA586043	DNA	Arabidopsis HES 1 homolog	-

Homologues to yeast HES1 are also identified in the following libraries: SOYMON003, SOYMON005, SOYMON006, SOYMON009, SOYMON018, SOYMON019, SOYMON020, SOYMON022, SOYMON028, SOYMON023, SOYMON032, SOYMON034, SOYMON027, SATMONN05, LIB22, LIB 24, and LIB 25. These libraries are prepared as follows:

- The SATMONN05 cDNA library is a normalized library generated from maize (B73 x Mo17, Illinois Foundation Seeds, Champaign Illinois, U.S.A.) root tissue at the V6 development stage. Seeds are planted at a depth of approximately 3 cm into 2-3 inch peat pots containing Metro 200 growing medium. After 2-3 weeks growth they are transplanted into 10 inch pots containing the same growing medium. Plants are watered daily before transplantation and three

times a week after transplantation. Peters 15-16-17 fertilizer is applied three times per week after transplanting at a strength of 150 ppm N. Two to three times during the lifetime of the plant, from transplanting to flowering, a total of 900 mg Fe is added to each pot. Maize plants are grown in a greenhouse in 15 hr day/9 hr night cycles. The daytime temperature is approximately 80°F and the nighttime temperature is approximately 70°F. Supplemental lighting is provided by 1000 W sodium vapor lamps. Tissue is collected when the maize plant is at the 6-leaf development stage. The root system is cut from the mature maize plant and washed with water to free it from the soil. The tissue is immediately frozen in liquid nitrogen and the harvested tissue is then stored at -80°C until RNA preparation. The RNA is purified from the stored tissue. The library is normalized in two rounds using conditions adapted from Soares *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 91:9928 (1994), the entirety of which is herein incorporated by reference and Bonaldo *et al.*, *Genome Res.* 6: 791 (1996), the entirety of which is herein incorporated by reference except that a significantly longer (48 -hours/round) reannealing hybridization was used. SATMON003 is a root tissue library from the same donor.

The SOYMON003 cDNA library is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) hypocotyl axis tissue from seedlings 2 day after-imbibition. Seeds are planted at a depth of approximately 2cm into 2-3 inch peat pots containing Metromix 350 medium. Trays are placed in an environmental chamber and grown at 12hr daytime/12hr nighttime cycles. The daytime temperature is approximately 29°C and the nighttime temperature approximately 24°C. Soil is checked and watered daily to maintain even moisture conditions. Tissue is collected 2 days after the start of imbibition. The 2 days after imbibition samples are separated into 3 collections after removal of any adhering seed coat. At 2 days after imbibition under the above conditions, the seedlings have significant expansion of the axis and are close to emerging from the soil. A few seedlings have cracked the soil surface and exhibited slight greening of the exposed cotyledons. The seedlings are washed in water to remove soil, hypocotyl axis harvested and immediately frozen in liquid nitrogen. The harvested

tissue is then stored at -80°C until RNA preparation. The RNA is purified from the stored tissue and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A⁺ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The SuperscriptTM Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON005 cDNA library is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) hypocotyl axis tissue from seeds 6 hour post-imbibition. Seeds are planted at a depth of approximately 2cm into 2-3 inch peat pots containing Metromix 350 medium. Trays are placed in an environmental chamber and grown at 12hr daytime/12hr nighttime cycles. The daytime temperature is approximately 29°C and the nighttime temperature approximately 24°C . Soil is checked and watered daily to maintain even moisture conditions. Tissue is collected 6 hours after the start of imbibition. The 6 hours after imbibition sample is collected over the course of approximately 2 hours starting at 6 hours post imbibition. At the 6 hours after imbibition stage, not all cotyledons have become fully hydrated and germination. Radicle protrusion has not occurred. The seedlings are washed in water to remove soil, then the hypocotyl axis is harvested and immediately frozen in liquid nitrogen. The harvested tissue is then stored at -80°C until RNA preparation. The RNA is purified from the stored tissue and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the

manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON006 cDNA library is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) cotyledons from seeds 6 hour post-imbibition. Seeds are planted at a depth of approximately 2cm into 2-3 inch peat pots containing Metromix 350 medium. Trays are placed in an environmental chamber and grown at 12hr daytime/12hr nighttime cycles. The daytime temperature is approximately 29°C and the nighttime temperature approximately 24°C. Soil is checked and watered daily to maintain even moisture conditions. Tissue is collected 6 hours after imbibition. The 6 hours after imbibition sample is collected over the course of approximately 2 hours starting at 6 hours post-imbibition. At the 6 hours after imbibition, not all cotyledons have become fully hydrated and germination. Radicle protrusion has not occurred. The seedlings are washed in water to remove soil, then the cotyledon is harvested and immediately frozen in liquid nitrogen. The harvested tissue is then stored at -80°C until RNA preparation. The RNA is purified from the stored tissue and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON009 cDNA library is generated from soybean cutlivar C1944 (USDA Soybean Germplasm Collection, Urbana, Illinois U.S.A.) pod and seed tissue harvested 15 days post-flowering. Pods from field grown plants are harvested 15 days post-flowering. The pods are picked from all over the plant, placed into 14ml polystyrene tubes and immediately immersed in dry-ice. Approximately 3g of pod tissue is harvested. The harvested tissue is then stored at – 80°C until RNA preparation. The RNA is purified from the stored tissue and the cDNA library is constructed. The RNA is purified from the stored tissue and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON018 cDNA is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) leaf tissue harvested from plants grown in a field in Jerseyville 45 and 55 days after flowering. Leaves from field grown plants are harvested 45 and 55 days after flowering from the fourth node. Approximately 27g and 33g of leaves are collected from the 45 and 55 days after flowering plants, placed into 14ml polystyrene tubes and

immediately immersed in dry ice. The harvested tissue is then stored at -80°C until RNA preparation. Total RNA is prepared from the combination of equal amounts of leaf tissue from both time points and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON019 cDNA library is generated from soybean cultivars Cristalina (USDA Soybean Germplasm Collection, Urbana, Illinois U.S.A.) and FT108 (Monsoy, Brazil) (tropical germ plasma) root tissue. Roots are harvested from plants grown in an environmental chamber under 12hr daytime/12hr nighttime cycles. The daytime temperature is approximately 29°C and the nighttime temperature approximately 24°C . Soil is checked and watered daily to maintain even moisture conditions. Approximately 50g and 56g of roots are harvested from each of the Cristalina and FT108 cultivars and immediately frozen in dry ice. The plants are uprooted and the roots quickly rinsed in a pail of water. The root tissue is then cut from the plants, placed immediately in 14ml polystyrene tubes and immersed in dry-ice. The harvested tissue is then stored at -80°C until RNA preparation. Total RNA is prepared from the combination of equal amounts of root tissue from each cultivar and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as

recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The
5 Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON020 cDNA is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) seeds harvested from plants grown in a field in
10 Jerseyville 65 and 75 days post-flowering. The seed pods are picked from all over the plant and the seeds extracted from the pods. Approximately 14g and 31g of seeds are harvested from the respective seed pods and immediately frozen in dry ice. The harvested tissue is then stored at –80°C until RNA preparation. Total RNA is prepared from the combination of equal numbers of seeds from 65 and 75 days after flowering and the cDNA library is constructed.

15 The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

20 Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

25 The SOYMON022 cDNA library is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) partially to fully opened flower tissue, which is harvested from plants grown in an environmental chamber. Seeds are planted in moist

Metromix 350 medium at a depth of approximately 2cm. Trays are placed in an environmental chamber set to a 12h day/12h night cycle, 29°C daytime temperature, 24°C night temperature and 70% relative humidity. Daytime light levels are measured at 450μEinsteins/m². Soil is checked and watered daily to maintain even moisture conditions. Flowers are removed from the plant at the pedicel. Flower buds showing petal color to fully open flowers are selected for collection. A total of 3g of flower tissue is harvested and immediately frozen in dry ice. The harvested tissue is then stored at -80°C until RNA preparation. Total RNA is prepared from a mixture of opened and partially opened flowers and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON023 cDNA library is generated from soybean genotype BW211S Null (Tohoku University, Morioka, Japan) seed tissue harvested from plants grown in a field in Jerseyville. After 15 and 40 days, pods are harvested from all over the plant and seeds are dissected out from the pods. Approximately, 0.7g and 14.2g of seeds are harvested from the plants at the 15 and 40 days after flowering timepoints. The seeds are placed into 14ml polystyrene tubes and immersed in dry-ice. The tissue is then transferred to a -80°C freezer for storage. The harvested tissue is then stored at -80°C until RNA preparation. Total RNA is prepared from the combination of 0.5g and 1.0g of seeds from the 15 and 40 days after flowering timepoints and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON028 cDNA library is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) drought-stressed root tissue. Seeds are planted in moist Metromix 350 medium at a depth of approximately 2cm in trays. The trays are placed in an environmental chamber set to a 12h day/12h night cycle, 26°C daytime temperature, 21°C night temperature and 70% relative humidity. Daytime light levels are measured at 300μEinsteins/m². Soil is checked and watered daily to maintain even moisture conditions. At the R3 stage of development, water is withheld from half of the plant collection (drought stressed population). After 3 days, half of the plants from the drought stressed condition and half of the plants from the control population are harvested. After another 3 days (6 days post drought induction) the remaining plants are harvested. A total of 27g and 40g of root tissue is harvested from plants at two time points and immediately frozen in dry ice. The harvested tissue is then stored at -80°C until RNA preparation. Total RNA is prepared from the combination of equal amounts of drought stressed root tissue from both time points and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as

recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The
5 Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON032 cDNA library is prepared from the Asgrow cultivar A4922 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) rehydrated dry soybean seed meristem tissue. Surface
10 sterilized seeds are germinated in liquid media for 24 hours. The seed axis is then excised from the barely germinating seed, placed on tissue culture media and incubated overnight at 20°C in the dark. The supportive tissue is removed from the explant prior to harvest. Approximately 570mg of tissue is harvested and frozen in liquid nitrogen. The harvested tissue is then stored at -80°C until RNA preparation. The RNA is purified from the stored tissue and the cDNA library
15 is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York
20 U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the
25 manufacturer.

The SOYMON034 cDNA library is generated from soybean cultivar Asgrow 3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) cold-shocked seedling tissue without

cotyledons. Seeds are imbibed and germinated in vermiculite for 2 days under constant illumination (*ca.* 510 Lux). After 48 hours, the seedlings are transferred to a cold room set at 5°C under constant illumination (*ca.* 560 Lux). After 30, 60 and 180 minutes seedlings are harvested and dissected. The seedlings after 2 days of imbibition are beginning to emerge from the
5 vermiculite surface. The apical hooks are dark green in appearance. A portion of the seedling consisting of the root, hypocotyl and apical hook is frozen in liquid nitrogen and stored at -80°C. Total RNA is prepared from equal amounts of pooled tissue and the cDNA library is constructed.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the
10 manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The
15 Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The SOYMON037 cDNA library is generated from soybean cultivar A3244 (Asgrow Seed Company, Des Moines, Iowa U.S.A.) etiolated axis and radical tissue. Seeds are planted in
20 moist vermiculite, wrapped and kept at room temperature in complete darkness until harvest. Etiolated axis and hypocotyl tissue is harvested at 2, 3 and 4 days post-planting. Samples are frozen in liquid nitrogen upon harvesting and stored at -80°C until RNA preparation. 1 gram of each sample (axis + hypocotyl at day 2, 3 and 4) is pooled for RNA isolation. The RNA is purified from the pooled tissue and the cDNA library is constructed.

25 The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as

recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The
5 Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The cDNA library of the present invention designated LIB22, is prepared from
Arabidopsis thaliana Columbia ecotype root tissue. Wild type *Arabidopsis thaliana* seeds are
10 planted in commonly used planting pots and grown in an environmental chamber. After 5-6 weeks the plants are in the reproductive growth phase. Stems are bolting from the base of the plants. After 7 weeks, more stems and floral buds appear, and a few flowers are starting to open. Roots of 7-week old plants from pots are rinsed intensively with tap water to wash away dirt, and briefly blotted by paper towel to take away free water. The tissues are immediately frozen in
15 liquid nitrogen and stored at -80°C until total RNA extraction.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York
20 U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the
25 manufacturer.

The cDNA library of the present invention designated LIB24, is prepared from
Arabidopsis thaliana, Columbia ecotype, flower bud tissue. Wild type *Arabidopsis thaliana*

seeds are planted in commonly used planting pots and grown in an environmental chamber. Flower buds are green and unopened and are harvested about seven weeks after planting. The tissue is immediately frozen in liquid nitrogen and stored at -80°C until total RNA extraction.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

The cDNA library of the present invention designated LIB25, is prepared from *Arabidopsis thaliana*, Columbia ecotype, open flower tissue. Wild type *Arabidopsis thaliana* seeds are planted in commonly used planting pots and grown in an environmental chamber. Flower are completely opened with all parts of floral structure observable, but no siliques are appearing, and are harvested about seven weeks after planting. The tissue was immediately frozen in liquid nitrogen and stored at -80°C until total RNA extraction.

The stored RNA is purified using Trizol reagent from Life Technologies (Gibco BRL, Life Technologies, Gaithersburg, Maryland U.S.A.), essentially as recommended by the manufacturer. Poly A+ RNA (mRNA) is purified using magnetic oligo dT beads essentially as recommended by the manufacturer (Dynabeads, Dynal Corporation, Lake Success, New York U.S.A.).

Construction of plant cDNA libraries is well-known in the art and a number of cloning strategies exist. A number of cDNA library construction kits are commercially available. The Superscript™ Plasmid System for cDNA synthesis and Plasmid Cloning (Gibco BRL, Life

Technologies, Gaithersburg, Maryland U.S.A.) is used, following the conditions suggested by the manufacturer.

Example 3

Detection of Changes in Sterol Metabolism

5 A labeled acetyl-CoA molecule, squalene molecule, or acetate are used in a variety of assays to detect changes in sterol production, secretion, localization, protein-binding, degradation, and trafficking known in the art. The example below illustrates.

Cells from transformed plants are cultured in an appropriate medium. Labeled acetate, preferably ^{14}C -labeled, is added to a concentration of about 1 uCi/ml. After a period of growth,
10 the cells are collected, the lipids extracted, and resolved by thin-layer chromatography or run over HPLC column using known methods. The levels of each sterol resolved can be compared to control cells fed the same labeled ^{14}C acetate and the amount of ^{14}C -labeled sterol for each determined from the resolved sterols.

References

15 In addition to those references cited and incorporated by reference above, the below references are incorporated in their entirety. In addition, these references, as well as each of those cited in the Summary and Detailed Description above, can be relied upon to make and use aspects of the invention.

Jiang, *et al.*, A new family of yeast genes implicated in ergosterol synthesis is related to the human oxysterol-binding protein. *Yeast* 10: 341-53 (1994).

Fang, *et al.*, Kes1p shares homology with human oxysterol-binding protein and participates in a novel regulatory pathway for yeast Golgi-derived transport vesicle biogenesis. *EMBO J.* 15: 6447-59(1996).

Crowley, *et al.*, A mutation in a purported regulatory gene affects control of sterol uptake in *Saccharomyces cerevisiae*. *Journal of Bacteriology*, 180(16): 4177-83 (1998).

25 Casperand Holt. Expression of the green fluorescent protein-encoding gene from a tobacco mosaic virus-based vector. *Gene* 173: 69-73 (1996).

We claim:

1. A substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 622.
- 5 2. The substantially purified nucleic acid molecule of claim 1, wherein the nucleic acid molecule comprises the nucleic acid sequence of SEQ ID NO: 1.
3. A substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 1 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 622.
- 10 4. The substantially purified nucleic acid molecule according to claim 3, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 1 or its complement under high stringency conditions.
- 15 5. The substantially purified nucleic acid molecule according to claim 3, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 1 or its complement under low stringency conditions.
6. A substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 623.
7. The substantially purified nucleic acid molecule of claim 6, wherein the nucleic acid molecule comprises the nucleic acid sequence of SEQ ID NO: 2.
- 20 8. A substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 2 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 623.
9. The substantially purified nucleic acid molecule according to claim 8, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 2 or its complement under high stringency conditions.
- 25

10. The substantially purified nucleic acid molecule according to claim 8, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 2 or its complement under low stringency conditions.

11. A substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 624.

12. The substantially purified nucleic acid molecule of claim 11, wherein the nucleic acid molecule comprises the nucleic acid sequence of SEQ ID NO: 3.

13. A substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 3 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 624.

14. The substantially purified nucleic acid molecule according to claim 13, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 3 or its complement under high stringency conditions.

15. The substantially purified nucleic acid molecule according to claim 13, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 3 or its complement under low stringency conditions.

16. A substantially purified nucleic acid molecule that encodes a protein comprising the amino acid sequence of SEQ ID NO: 625.

17. The substantially purified nucleic acid molecule of claim 16, wherein the nucleic acid molecule comprises the nucleic acid sequence of SEQ ID NO: 4.

18. A substantially purified nucleic acid molecule that specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 4 or its complement, wherein the nucleic acid molecule encodes a protein comprising the amino acid sequence of SEQ ID NO: 625.

19. The substantially purified nucleic acid molecule according to claim 18, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 4 or its complement under high stringency conditions.

20. The substantially purified nucleic acid molecule according to claim 18, wherein said nucleic acid molecule specifically hybridizes to a nucleic acid sequence of SEQ ID NO: 4 or its complement under low stringency conditions.

21. A substantially purified nucleic acid molecule comprising a nucleic acid sequence which encodes a plant HES1 protein.

22. A substantially purified protein comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 622, 623, 624, and 625.

23. An antibody capable of specifically binding a protein with the amino acid sequence of SEQ ID NO: 622.

24. An antibody capable of specifically binding a protein with the amino acid sequence of SEQ ID NO: 625.

25. A transformed plant having a nucleic acid molecule which comprises:

- (A) an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule; which is linked to
- (B) a structural nucleic acid molecule, wherein said structural nucleic acid molecule comprises a nucleic acid sequence encoding a protein having an amino acid sequence selected from the group consisting of SEQ ID NO: 622 through SEQ ID NO: 626 or fragment thereof; which is linked to
- (C) a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

26. The transformed plant according to claim 25, wherein said structural gene is in the antisense orientation.

27. The transformed plant according to claim 25, wherein said plant is selected from the group of rapeseed, maize, soybean, safflower, sunflower, cotton, peanut, flax, oil palm and Cuphea.

Abstract

This invention relates to the field of biotechnology, particularly as it pertains to the production of sterols in a variety of host systems particularly plants. More specifically, the invention relates to nucleic acid molecules encoding proteins and fragments of proteins

- 5 associated with sterol and phytosterol synthesis and metabolism as well as the encoded proteins and fragments of proteins and antibodies capable of binding to them. The invention also relates to methods of using the nucleic acid molecules, fragments of the nucleic acid molecules, proteins, and fragments of proteins. The invention also relates to cells, organisms, plants, or seeds, or progeny of any, that have been manipulated to contain increased levels or overexpress
- 10 at least one sterol or phytosterol compound.

<110> Karunanandaa, Balasulojini
Yu, Jaehyuk
Kishore, Ganesh M.

<120> NUCLEIC ACID MOLECULES AND OTHER MOLECULES ASSOCIATED
WITH STEROL SYNTHESIS AND METABOLISM

<130> 05686.0004.NPUS00

<150> US 60/142,981

<151> 1999-07-12

<160> 626

<210> 1

<211> 1358

<212> DNA

<213> Glycine max

<220>

<221> CDS

<222> (24)...(1100)

<400> 1

```

gaattcggct cgagtttgaa cca atg aca atg ctt cag aaa atg gct gag ctt      53
                Met Thr Met Leu Gln Lys Met Ala Glu Leu
                  1                5                10

atg gag tac tct tac ctg tta gat atg gcg gac aag act gag gat cca      101
Met Glu Tyr Ser Tyr Leu Leu Asp Met Ala Asp Lys Thr Glu Asp Pro
                  15                20                25

tac atg aga cta gta tat gct tca tca ttc ttt ata tct gtc tac tat      149
Tyr Met Arg Leu Val Tyr Ala Ser Ser Phe Phe Ile Ser Val Tyr Tyr
                  30                35                40

gcc tat caa cga acg tgg aag cca ttc aat cca att ctt ggt gag act      197
Ala Tyr Gln Arg Thr Trp Lys Pro Phe Asn Pro Ile Leu Gly Glu Thr
                  45                50                55

tat gaa atg gtt aac cat ggt ggc att aca ttt ata tca gag cag gtc      245
Tyr Glu Met Val Asn His Gly Gly Ile Thr Phe Ile Ser Glu Gln Val
                  60                65                70

agt cat cac cct cca atg agt gct ggg cat gct gaa act gaa cat ttc      293
Ser His His Pro Pro Met Ser Ala Gly His Ala Glu Thr Glu His Phe
                  75                80                85                90

act tat gat gtt aca tca aaa ttg aaa acc aaa ttt ctc ggc aac tca      341
Thr Tyr Asp Val Thr Ser Lys Leu Lys Thr Lys Phe Leu Gly Asn Ser
                  95                100                105

```


315	320	325	330	
gcc gtt gat agt tct gag tgc att gaa gtg cct gac atc aga cca gaa				1061
Ala Val Asp Ser Ser Glu Cys Ile Glu Val Pro Asp Ile Arg Pro Glu				
	335	340	345	
ttc aac cct tgg caa tat gat aat ttg gat gct gaa tag tgagcatcct				1110
Phe Asn Pro Trp Gln Tyr Asp Asn Leu Asp Ala Glu				
	350	355		
tgtggaattc tttctatttt ttttaaatat cattttgtta ttaagtttgt aatgtaatct				1170
tgattggaat gcttgaaatt tggttttgtt tttgggttgt tttatcactg tagtatttga				1230
ttaattaata gtagctatgt tagttcatca gttcactttg catggataaa tgctagtagg				1290
gaaattaaag ttatcttcca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaagggc				1350
ggccgccg				1358

<210> 2
 <211> 1136
 <212> DNA
 <213> Glycine max

 <220>
 <221> CDS
 <222> (73)...(975)

 <400> 2

gaattcggct cgaggtcaca acttcagtgc tatggtgaat cagtgtattg cacaggttcg	60
gacttgctaa gc atg tgc aac aat ggt cag agt cca ctt gat agg ttc ata	111
Met Cys Asn Asn Gly Gln Ser Pro Leu Asp Arg Phe Ile	
1 5 10	
tct gtg gta gca tgg tgc ata tct acc act cgc cct gtg act ttt ggt	159
Ser Val Val Ala Trp Cys Ile Ser Thr Thr Arg Pro Val Thr Phe Gly	
15 20 25	
gtt gct cct tat aat ccc att ctt ggt gag aca cac cat gtt tca agg	207
Val Ala Pro Tyr Asn Pro Ile Leu Gly Glu Thr His His Val Ser Arg	
30 35 40 45	
gga aat ctt aat gtg tta ttg gag cag att tca cat cac cct cca gta	255
Gly Asn Leu Asn Val Leu Leu Glu Gln Ile Ser His His Pro Pro Val	
50 55 60	
act gct ctc cat gca aca gat gag aag gaa aac att gaa atg tta tgg	303
Thr Ala Leu His Ala Thr Asp Glu Lys Glu Asn Ile Glu Met Leu Trp	
65 70 75	

tgc cag cga cct gat cca aag ttt aat ggc aca tca gtt gaa gct aaa	351
Cys Gln Arg Pro Asp Pro Lys Phe Asn Gly Thr Ser Val Glu Ala Lys	
80 85 90	
gtg cat gga ata cgc cag ttg aag ctc cta aat cat ggt gaa aca tat	399
Val His Gly Ile Arg Gln Leu Lys Leu Leu Asn His Gly Glu Thr Tyr	
95 100 105	
gaa atg aat tgt cct cgc ctt tta ctt aga att ctt cca gtt cct ggt	447
Glu Met Asn Cys Pro Arg Leu Leu Leu Arg Ile Leu Pro Val Pro Gly	
110 115 120 125	
gct gat tgg gct ggt aca gtt aat ata cgg tgc cta gag aca ggt cta	495
Ala Asp Trp Ala Gly Thr Val Asn Ile Arg Cys Leu Glu Thr Gly Leu	
130 135 140	
gta gct gaa tta tcc tac aga tca agt tct ttt cta gga att ggg ggg	543
Val Ala Glu Leu Ser Tyr Arg Ser Ser Ser Phe Leu Gly Ile Gly Gly	
145 150 155	
aat cat aga gtg atc aaa ggg aag atc ctt gac tct tca tca ttg aaa	591
Asn His Arg Val Ile Lys Gly Lys Ile Leu Asp Ser Ser Ser Leu Lys	
160 165 170	
gtt cta tat gaa gtt gat ggt cat tgg gat agg acc gta aaa gtg aag	639
Val Leu Tyr Glu Val Asp Gly His Trp Asp Arg Thr Val Lys Val Lys	
175 180 185	
gac aca aat aat ggg aaa gta aga gtg ata tat gat gca aag gaa gtt	687
Asp Thr Asn Asn Gly Lys Val Arg Val Ile Tyr Asp Ala Lys Glu Val	
190 195 200 205	
atg tca ggt ctc gaa act cct ata ctc aag gac ata gag ggt gtg tgg	735
Met Ser Gly Leu Glu Thr Pro Ile Leu Lys Asp Ile Glu Gly Val Trp	
210 215 220	
caa aca gaa tca gct cat gtt tgg ggt gaa tta aac caa gcc att gtg	783
Gln Thr Glu Ser Ala His Val Trp Gly Glu Leu Asn Gln Ala Ile Val	
225 230 235	
agc aaa gac tgg gag aaa gca aga gaa gca aag cta aaa gtt gag gaa	831
Ser Lys Asp Trp Glu Lys Ala Arg Glu Ala Lys Leu Lys Val Glu Glu	
240 245 250	
aga caa agg gag ctt gtg aga gaa aga gaa tca aaa gga gaa aca tgg	879
Arg Gln Arg Glu Leu Val Arg Glu Arg Glu Ser Lys Gly Glu Thr Trp	
255 260 265	
att tct aag cat ttt gta gtt tct aac aac aaa gaa ggg tgg caa tgt	927
Ile Ser Lys His Phe Val Val Ser Asn Asn Lys Glu Gly Trp Gln Cys	
270 275 280 285	
tca cct att cat aag agt gta cct gcg gcc ccc atc aca gcc cta taa	975
Ser Pro Ile His Lys Ser Val Pro Ala Ala Pro Ile Thr Ala Leu	

290

295

300

ttgttgtcac tgtcaagtag tgtaaagcat taaagtacat tttagaagag aatgttcata 1035
 aaaaaattta atggttgaaa ttttgacaac aatgaagtat ataacaaaat ttaaaattag 1095
 ttacaatttt aaaaaaaaaa aaaaaaaaaag ggcggccgcc g 1136

<210> 3
 <211> 1355
 <212> DNA
 <213> Glycine max
 <220>
 <221> CDS
 <222> (32)...(1099)
 <400> 3

ggaattcggc tcgaggacaa tgcttcagaa a atg gct gag ctt atg gag tac 52
 Met Ala Glu Leu Met Glu Tyr
 1 5
 tct tac ctg tta gat atg gcg gac aag act gag gat cca tac atg aga 100
 Ser Tyr Leu Leu Asp Met Ala Asp Lys Thr Glu Asp Pro Tyr Met Arg
 10 15 20
 cta gta tat gct tca tca ttc ttt ata tct gtc tac tat gcc tat caa 148
 Leu Val Tyr Ala Ser Ser Phe Phe Ile Ser Val Tyr Tyr Ala Tyr Gln
 25 30 35
 cga acg tgg aag cca ttc aat cca att ctt ggt gag act tat gaa atg 196
 Arg Thr Trp Lys Pro Phe Asn Pro Ile Leu Gly Glu Thr Tyr Glu Met
 40 45 50 55
 gtt aac cat ggt ggc att aca ttt ata tca gag cag gtc agt cat cac 244
 Val Asn His Gly Gly Ile Thr Phe Ile Ser Glu Gln Val Ser His His
 60 65 70
 cct cca atg agt gct ggg cat gct gaa act gaa cat ttc act tat gat 292
 Pro Pro Met Ser Ala Gly His Ala Glu Thr Glu His Phe Thr Tyr Asp
 75 80 85
 gtt aca tca aaa ttg aaa acc aaa ttt ctc ggc aac tca gtt gat gta 340
 Val Thr Ser Lys Leu Lys Thr Lys Phe Leu Gly Asn Ser Val Asp Val
 90 95 100
 tat cct gtt gga aga acg cgt gtt acc ctc aaa aga gat ggt gtg gtc 388
 Tyr Pro Val Gly Arg Thr Arg Val Thr Leu Lys Arg Asp Gly Val Val
 105 110 115
 ctt gat ttg gtg cct cct cct aca aaa gtt agc aac ttg att ttt gga 436
 Leu Asp Leu Val Pro Pro Pro Thr Lys Val Ser Asn Leu Ile Phe Gly

120
 125
 130
 135
 140
 145
 150
 155
 160
 165
 170
 175
 180
 185
 190
 195
 200
 205
 210
 215
 220
 225
 230
 235
 240
 245
 250
 255
 260
 265
 270
 275
 280
 285
 290
 295
 300
 305
 310
 315
 320
 325
 330
 335
 340

120	125	130	135	
cga act tgg att gat tca cca gga gag atg atc ctg aca aat ctg act				484
Arg Thr Trp Ile Asp Ser Pro Gly Glu Met Ile Leu Thr Asn Leu Thr				
	140	145	150	
aca ggg gac aaa gtg gtg ctg tat ttt caa cca tgt ggc tgg ttt gga				532
Thr Gly Asp Lys Val Val Leu Tyr Phe Gln Pro Cys Gly Trp Phe Gly				
	155	160	165	
gct ggt aga tat gaa gtg gat ggg tac gtg tat aat tct gct gac gag				580
Ala Gly Arg Tyr Glu Val Asp Gly Tyr Val Tyr Asn Ser Ala Asp Glu				
	170	175	180	
cct aag ata ctg atg act gga aaa tgg aat gag gct atg aat tat caa				628
Pro Lys Ile Leu Met Thr Gly Lys Trp Asn Glu Ala Met Asn Tyr Gln				
	185	190	195	
gtt tgt gac tca gag gga gaa cca ctt cca ggc act gag ttg aaa gag				676
Val Cys Asp Ser Glu Gly Glu Pro Leu Pro Gly Thr Glu Leu Lys Glu				
	200	205	210	215
att tgg aga gtt gct gat acc ccg aag aag gac aag ttc cag tac acg				724
Ile Trp Arg Val Ala Asp Thr Pro Lys Lys Asp Lys Phe Gln Tyr Thr				
	220	225	230	
cat ttt gca cac aag att aac agc ttt gac act gct ccc aag aag ttg				772
His Phe Ala His Lys Ile Asn Ser Phe Asp Thr Ala Pro Lys Lys Leu				
	235	240	245	
ttg gca tct gac tct cgt cta cgt cct gat aga atg gcc ctt gag aag				820
Leu Ala Ser Asp Ser Arg Leu Arg Pro Asp Arg Met Ala Leu Glu Lys				
	250	255	260	
ggt gac cta tcc aca tct ggt tat gag aag agc agt ttg gag gag agg				868
Gly Asp Leu Ser Thr Ser Gly Tyr Glu Lys Ser Ser Leu Glu Glu Arg				
	265	270	275	
caa aga gct gag aag aga aac cga gag gcc aag ggc cat aag ttc act				916
Gln Arg Ala Glu Lys Arg Asn Arg Glu Ala Lys Gly His Lys Phe Thr				
	280	285	290	295
cct aga tgg ttt gat tta aca gat gaa gta act cct acc cct tgg ggt				964
Pro Arg Trp Phe Asp Leu Thr Asp Glu Val Thr Pro Thr Pro Trp Gly				
	300	305	310	
gac ttg gaa gtt tac caa tac aac ggt aaa tat acc caa cat tgt gct				1012
Asp Leu Glu Val Tyr Gln Tyr Asn Gly Lys Tyr Thr Gln His Cys Ala				
	315	320	325	
gcc gtt gat agt tct gag tgc att gaa gtg cct gac atc aga cca gaa				1060
Ala Val Asp Ser Ser Glu Cys Ile Glu Val Pro Asp Ile Arg Pro Glu				
	330	335	340	

```

ttc aac cct tgg caa tat gat aat ttg gat gct gaa tag tgagcatcct      1109
Phe Asn Pro Trp Gln Tyr Asp Asn Leu Asp Ala Glu
    345                350                355

tgtggaattc tttctatctt tttgaaatat cattttgtta ttaagtttgt aatgtaatct  1169

tgattggaat gcttgaaatt tggttttgtt tttgggttgt tttatcactg tagtatttga  1229

ttaattaata gtagctatgt tagttcatca gttcactttg catggataaa tgctagtaga  1289

gaaattaaag ttaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggcgg  1349

ccgccg                                                                1355

```

```

<210>      4
<211>     1422
<212>      DNA
<213>     Zea mays

<220>
<221>      CDS
<222>     (1)...(1245)

<400>      4

```

```

atg gct acc aaa gaa gaa gct agc gct gtc ccc gcc gcc agt aaa act      48
Met Ala Thr Lys Glu Glu Ala Ser Ala Val Pro Ala Ala Ser Lys Thr
  1                5                10                15

tca tgg agt agc ttc ctg aag tcc atc gca tcc ttc aac ggc gac ctc      96
Ser Trp Ser Ser Phe Leu Lys Ser Ile Ala Ser Phe Asn Gly Asp Leu
          20                25                30

tcc tct ctc acc gca ccg ccg ttc atc ctc tca aca acc tct tta acc      144
Ser Ser Leu Thr Ala Pro Pro Phe Ile Leu Ser Thr Thr Ser Leu Thr
          35                40                45

gag tat tct gcg tac tgg tgc gaa cat cct gca ctc ttc gtt gcc ccc      192
Glu Tyr Ser Ala Tyr Trp Cys Glu His Pro Ala Leu Phe Val Ala Pro
          50                55                60

gca cgt gag ccc gat cct gcg aag aga gcg ctc ttg gtg ctg aaa tgg      240
Ala Arg Glu Pro Asp Pro Ala Lys Arg Ala Leu Leu Val Leu Lys Trp
          65                70                75                80

ttc ctg agc aca ttg cac caa cag tac tgc tct cga agc gaa aag cta      288
Phe Leu Ser Thr Leu His Gln Gln Tyr Cys Ser Arg Ser Glu Lys Leu
          85                90                95

gga agc gag aaa aag ccg ctc aac ccg ttc ctg ggc gag ctt ttc ctg      336
Gly Ser Glu Lys Lys Pro Leu Asn Pro Phe Leu Gly Glu Leu Phe Leu
          100                105                110

```


ggc aag tgg ata gag gat gag gat gtg ggc gag aca agg ttg atc agc	384
Gly Lys Trp Ile Glu Asp Glu Asp Val Gly Glu Thr Arg Leu Ile Ser	
115 120 125	
gag caa gtc agc cat cat cct cct gcg aca gcg tat tca ata gtc aat	432
Glu Gln Val Ser His His Pro Pro Ala Thr Ala Tyr Ser Ile Val Asn	
130 135 140	
gag aaa cat gga gtt gag ctc caa gga tac aac gcc caa aaa gcc tcc	480
Glu Lys His Gly Val Glu Leu Gln Gly Tyr Asn Ala Gln Lys Ala Ser	
145 150 155 160	
ttc tcc agc acc atc caa gtg aaa caa cta ggc cac gcc tat ctc tcc	528
Phe Ser Ser Thr Ile Gln Val Lys Gln Leu Gly His Ala Tyr Leu Ser	
165 170 175	
tta acg ccg ccc gga aaa gat gca aac aac gaa gac gac cgt gag cac	576
Leu Thr Pro Pro Gly Lys Asp Ala Asn Asn Glu Asp Asp Arg Glu His	
180 185 190	
tac ctc atc acc ctc ccc aac ctc cac atc gaa tcc ctg atc tat ggg	624
Tyr Leu Ile Thr Leu Pro Asn Leu His Ile Glu Ser Leu Ile Tyr Gly	
195 200 205	
aca cca ttc gtt gaa ttg gaa aag agt tgc aag atc gcc agc tca acc	672
Thr Pro Phe Val Glu Leu Glu Lys Ser Cys Lys Ile Ala Ser Ser Thr	
210 215 220	
ggg tac atc tct aag ata gac ttt tcg ggc aaa ggc tgg ctg agc gga	720
Gly Tyr Ile Ser Lys Ile Asp Phe Ser Gly Lys Gly Trp Leu Ser Gly	
225 230 235 240	
aag aaa aat acc ttc tcc gca gtg tta tac aag gaa agc gac ggc gaa	768
Lys Lys Asn Thr Phe Ser Ala Val Leu Tyr Lys Glu Ser Asp Gly Glu	
245 250 255	
aaa aat cct tta tac aca gcc gac ggt caa tgg tcg agc agc ttc act	816
Lys Asn Pro Leu Tyr Thr Ala Asp Gly Gln Trp Ser Ser Ser Phe Thr	
260 265 270	
atc cgc gat gca cgc gct aag aag gat att gag acc ttc act atc agc	864
Ile Arg Asp Ala Arg Ala Lys Lys Asp Ile Glu Thr Phe Thr Ile Ser	
275 280 285	
aat ctg aaa aca acc ccc tta aca gtc gcc cct ctt gat gaa caa gat	912
Asn Leu Lys Thr Thr Pro Leu Thr Val Ala Pro Leu Asp Glu Gln Asp	
290 295 300	
gaa tgg gaa act cgc cgt gca tgg cgc gac gta gca gcc gcc atc gaa	960
Glu Trp Glu Thr Arg Arg Ala Trp Arg Asp Val Ala Ala Ala Ile Glu	
305 310 315 320	
cgc ggc gac atg gaa gcc aca tca aac gcc aaa acc aag atc gaa gtc	1008
Arg Gly Asp Met Glu Ala Thr Ser Asn Ala Lys Thr Lys Ile Glu Val	

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

	325	330	335	
gcg caa cga gaa ctc cgc aaa aag gag aaa gag caa ggc gag gag tgg				1056
Ala Gln Arg Glu Leu Arg Lys Lys Glu Lys Glu Gln Gly Glu Glu Trp				
	340	345	350	
gaa cga cga ttc ttc aag cga gtc aac gaa aag gat gaa cct acc ttt				1104
Glu Arg Arg Phe Phe Lys Arg Val Asn Glu Lys Asp Glu Pro Thr Phe				
	355	360	365	
atg aga ttg gcg gcg atg ctg gat ttg acg caa ggc atc gaa agt gac				1152
Met Arg Leu Ala Ala Met Leu Asp Leu Thr Gln Gly Ile Glu Ser Asp				
	370	375	380	
cgc acc ggg gga gtt tgg agg ttt gat cct tca cgt gct gtg gat gcg				1200
Arg Thr Gly Gly Val Trp Arg Phe Asp Pro Ser Arg Ala Val Asp Ala				
	385	390	395	400
aat ccg ccg tat cac aag gtt ggc ggc gaa ggg ttg gga ttg taa				1245
Asn Pro Pro Tyr His Lys Val Gly Gly Glu Gly Leu Gly Leu				
	405	410		
tttatttatg aggcattctt tatatttcat aaaaacaggg tctaggccgt ttattcatta				1305
aatgtgtatt aagtagcgct ttttctcgac cgttgagatt catggatgca agtgtaccta				1365
atagctcaat gcgagactct ttccaagcaa aaaaaaaaaa aaaaaaaggc cggccgc				1422
<210>	5			
<211>	2126			
<212>	DNA			
<213>	Saccharomyces cerevisiae			
<220>				
<221>	CDS			
<222>	(453) ... (1757)			
<400>	5			
aacctctccg cccgtatatt ttttttaata tgtaaataag tgatagaact gataagcctc				60
atcttctttt attgggctcc aagacgcgaa ctgttcgtag ggtaaccggt tgacacctaa				120
acgacctttc agcctcacct gcagtatttc ttcaacaacg cctgtcgcta tgtaaataa				180
tagcaatcgt ttgtgatcac cattgtcgaa ttgacgcgc ttaaacaaaa accattgttt				240
tggcctcggt ccctgcattc aacaaaagag caaggatgac cgtcaaacag tcgttaaaag				300
agaaggttta taaactatct tgttttgtac ttgctgtcc cgcatccagt tgggtcttct				360
tttcaacctg tctgagtcgc atctttcttt ccctacttga agctccatat atctaagtca				420

tctaagtgtata tcttgctagata ttacaaacga aa atg tct caa cac gca agc tca	473
Met Ser Gln His Ala Ser Ser	
1 5	
tct tct tgg act tct ttt ttg aaa tcg ata agt tcg ttc aac gga gat	521
Ser Ser Trp Thr Ser Phe Leu Lys Ser Ile Ser Ser Phe Asn Gly Asp	
10 15 20	
cta tcg tct ttg tct gca cca ccg ttt att ctt tct ccc act tcc tta	569
Leu Ser Ser Leu Ser Ala Pro Pro Phe Ile Leu Ser Pro Thr Ser Leu	
25 30 35	
aca gag ttt tct cag tat tgg gct gaa cat cca gct tta ttt ctg gag	617
Thr Glu Phe Ser Gln Tyr Trp Ala Glu His Pro Ala Leu Phe Leu Glu	
40 45 50 55	
cct tcg ttg att gat ggt gaa aac tac aaa gat cac tgt ccc ttt gac	665
Pro Ser Leu Ile Asp Gly Glu Asn Tyr Lys Asp His Cys Pro Phe Asp	
60 65 70	
cca aat gtg gaa tca aag gaa gtg gcg cag atg ttg gcg gtt gtt agg	713
Pro Asn Val Glu Ser Lys Glu Val Ala Gln Met Leu Ala Val Val Arg	
75 80 85	
tgg ttt att tct act ttg aga tct caa tac tgc tct aga agc gaa tcg	761
Trp Phe Ile Ser Thr Leu Arg Ser Gln Tyr Cys Ser Arg Ser Glu Ser	
90 95 100	
atg ggt tct gaa aag aag cct ttg aac cca ttc ttg ggt gag gta ttt	809
Met Gly Ser Glu Lys Lys Pro Leu Asn Pro Phe Leu Gly Glu Val Phe	
105 110 115	
gtt gga aag tgg aaa aat gat gag cat cca gag ttt ggt gaa acg gtt	857
Val Gly Lys Trp Lys Asn Asp Glu His Pro Glu Phe Gly Glu Thr Val	
120 125 130 135	
ctt tta agt gag caa gtt tca cat cat cca cct atg aca gca ttt tcg	905
Leu Leu Ser Glu Gln Val Ser His His Pro Pro Met Thr Ala Phe Ser	
140 145 150	
att ttt aat gaa aaa aat gat gtt tct gtt caa gga tac aat caa att	953
Ile Phe Asn Glu Lys Asn Asp Val Ser Val Gln Gly Tyr Asn Gln Ile	
155 160 165	
aaa act ggt ttt acc aaa aca ttg acg cta acg gtc aaa cca tac ggg	1001
Lys Thr Gly Phe Thr Lys Thr Leu Thr Leu Thr Val Lys Pro Tyr Gly	
170 175 180	
cat gtc att ttg aag att aaa gat gag acc tac ctg att aca acc ccg	1049
His Val Ile Leu Lys Ile Lys Asp Glu Thr Tyr Leu Ile Thr Thr Pro	
185 190 195	
cct ttg cat atc gaa ggt att tta gtc gct tct cca ttt gtt gaa tta	1097
Pro Leu His Ile Glu Gly Ile Leu Val Ala Ser Pro Phe Val Glu Leu	

200	205	210	215	
gga ggc agg tca ttc ata cag tca tca aat ggt atg tta tgt gtt ata				1145
Gly Gly Arg Ser Phe Ile Gln Ser Ser Asn Gly Met Leu Cys Val Ile	220	225	230	
gaa ttt tca gga agg ggg tat ttc aca ggg aag aag aac tcc ttt aag				1193
Glu Phe Ser Gly Arg Gly Tyr Phe Thr Gly Lys Lys Asn Ser Phe Lys	235	240	245	
gca aga att tac aga agc cca caa gag cat agt cat aaa gaa aat gcg				1241
Ala Arg Ile Tyr Arg Ser Pro Gln Glu His Ser His Lys Glu Asn Ala	250	255	260	
cta tac cta atc tct ggc caa tgg tca ggt gtt tca aca att ata aaa				1289
Leu Tyr Leu Ile Ser Gly Gln Trp Ser Gly Val Ser Thr Ile Ile Lys	265	270	275	
aaa gac tcg caa gtt tca cat cag ttt tac gat tca tcg gaa act cct				1337
Lys Asp Ser Gln Val Ser His Gln Phe Tyr Asp Ser Ser Glu Thr Pro	280	285	290	295
act gaa cat tta tta gtt aag cca atc gaa gaa caa cat cct ctg gaa				1385
Thr Glu His Leu Leu Val Lys Pro Ile Glu Glu Gln His Pro Leu Glu	300	305	310	
agt agg agg gca tgg aag gat gtg gca gaa gca atc aga caa gga aat				1433
Ser Arg Arg Ala Trp Lys Asp Val Ala Glu Ala Ile Arg Gln Gly Asn	315	320	325	
att agt atg ata aaa aag act aag gaa gaa cta gaa aat aag caa aga				1481
Ile Ser Met Ile Lys Lys Thr Lys Glu Glu Leu Glu Asn Lys Gln Arg	330	335	340	
gcc ttg aga gaa caa gaa cgc gta aaa ggt gtg gaa tgg caa aga aga				1529
Ala Leu Arg Glu Gln Glu Arg Val Lys Gly Val Glu Trp Gln Arg Arg	345	350	355	
tgg ttc aaa caa gtg gac tac atg aat gaa aat aca tca aat gat gta				1577
Trp Phe Lys Gln Val Asp Tyr Met Asn Glu Asn Thr Ser Asn Asp Val	360	365	370	375
gag aaa gca agt gaa gat gat gcc ttt agg aaa ttg gcg tcc aaa ctg				1625
Glu Lys Ala Ser Glu Asp Asp Ala Phe Arg Lys Leu Ala Ser Lys Leu	380	385	390	
cag ctt tct gtg aaa aat gtg cca agt ggg aca ttg att ggc ggc aaa				1673
Gln Leu Ser Val Lys Asn Val Pro Ser Gly Thr Leu Ile Gly Gly Lys	395	400	405	
gat gat aag aaa gat gtt tca acc gca ttg cat tgg agg ttt gat aaa				1721
Asp Asp Lys Lys Asp Val Ser Thr Ala Leu His Trp Arg Phe Asp Lys	410	415	420	

aat ttg tgg atg agg gag aac gaa att act ata taa tataaatgtt 1767
 Asn Leu Trp Met Arg Glu Asn Glu Ile Thr Ile
 425 430

tttaaaagaa taaatatcaa aaattaatac taattgatgt ttgcattgct ttttttaagg 1827
 gaaaatgcaa gcgtttttat ttttaacttt tggttttgaa gctcgttaatt caacaaaaaa 1887
 gaattaaata atcttcaagt ccgataacaa gatgtagaaa aaacatccca atgaagttac 1947
 aagtcaaacc attcactgag aatttttgta actcaccacc gatttttttg ataaaatgta 2007
 ttcctgcaac tttttttttt gaagagataa aaagaattga atagaatatg cagtaaaaaa 2067
 agaatctcga aaaaaaaagg acaagaaatc ttaactacca tcaaacaatt gaaaattga 2126

<210> 6
 <211> 266
 <212> DNA
 <213> Glycine max

<400> 6
 ccattcaatc caattcttgg tgagacttat gaaatgggta accatgggtg cattacattt 60
 atatcagagc aggtcagtca tcaccctcca atgagtgtg ggcattgtga aactgaacat 120
 ttcacttatg atgttacatc aaaattgaaa accaaatttc tcggcaactc agttgatgta 180
 tatcctgttg gaagaacgcg tgttaccctc aaaagagatg gtgtgggtcct tgatttggtg 240
 cctcctccta caaaagttag caactt 266

<210> 7
 <211> 291
 <212> DNA
 <213> Glycine max

<220>
 <223> unsure at all n locations

<400> 7
 tcacaacttc agtgctatgg tgaatcagtg tattgcacag gttcggactt gctaagcatg 60
 tgcaacaatg gtcagagtcc acttgatagg ttcatatctg tggtagcatg gtgcatatct 120
 accactcgcc ctgtgacttt tgggtgttgc ccttataatc ccantcttgg tgagacacac 180
 cncgtttcaa ggggaaatct taatgtgtta ttggagcaga tttcacatca ccctccagta 240
 actgctctcc atgcaacaga tgaganggaa aacattgaaa tgttatggtg c 291

1000
 900
 800
 700
 600
 500
 400
 300
 200
 100
 0

atttttttta aatatcattt tgttattaag tttgtaatgt aatcttgatt ggaatgcttg 240
 aaatttggtt 250

<210> 11
 <211> 283
 <212> DNA
 <213> Glycine max

<220>
 <223> unsure at all n locations

<400> 11

cgctgtgnt taatttccca aaatctcaac ttcaatgcta nggtgaatca gtgtactgca 60
 catcttccaa cttgctaagc caatgcaaac agtgggcaga gtccactgga caggttcaca 120
 tcagtagtag catggagcat atctaccaca cgccccacat cttttggtgt tgctccttat 180
 aattccactc ttggagagac ccaccatgtt tccaagggca atctcaacgt cctagttgag 240
 caggtttcac tcaatcctcc agtatctgcc ctccatgcaa cag 283

<210> 12
 <211> 255
 <212> DNA
 <213> Glycine max

<400> 12

ggagagtgtg tggccaaccg aatcagccct tgtttgaggt gagttgagcc aagccattat 60
 gaacaaagat tgggaaagag caagagaagc aaagcaagac gtggaagaaa gacagaggaa 120
 tatgttgaga gacagagcca tgaaaggaga aacttggttt cctaagaatt ttaggggtgtc 180
 ttacagtaaa gacacatggg aatgggactg ttcaccaact cataaatggg tccctgaggc 240
 ccccatcata gctca 255

<210> 13
 <211> 259
 <212> DNA
 <213> Glycine max

<220>
 <223> unsure at all n locations

<400> 13

agtcaaccct ccagtatctg ccctccatgc aacagatgag anggaaaaca ttgagatgat 60
 atgggtcccag caacctgttc caaagtttcg gggtagatct atgaagctca agtgcattgt 120
 aaacgtcata tgtttctcca tgatttagga gcttcagctg acgtttacca tgcacttgag 180
 ctgangctcc taaatcatgg agaaacatat gaaatgaatt gtcctcacct ttcaattaga 240
 attcttccgg ttctctggga 259

<210> 14
 <211> 355
 <212> DNA
 <213> Glycine max

<220>
 <223> unsure at all n locations

<400> 14

gcagcttttg ctgtgtctag ctatgcgtca actgaangtc gacaatgtaa acctttttaat 60
 cctttactcg gggagacctc cgaagctgac tatccagata aaggacttaa gtttttttct 120
 gaaaagggtta gtcattcatc aatgattgtt gcttgctact gtgaggggag gggatggaag 180
 ttttgggcag attctaattt gaaaggaaaa ttctgggggc gttctatcca gttagatcct 240
 gtgggtgtcc tcaactctaca gtttgaggat ggtgaaacat ttcagtggag caaggtcacc 300
 acttcgattt acaatatcat actangtaaa atttattgtg accactacgg tacca 355

<210> 15
 <211> 279
 <212> DNA
 <213> Glycine max

<220>
 <223> unsure at all n locations

<400> 15

cagattcgga ggaggaagct cagagaggaa gatggaaaca ggaggaaaga gatgggtact 60
 ggaagatgat gcagaagtat attggctcgg atgtaacatc aatgggtgaca ctaccagtta 120
 ttatatattga accaatgact atgattcaga aaattgctga gttgatggag tactcctact 180
 tgttagatca agcagatgaa tcagaggatc catacatgca gttagtttat gcaatggatg 240
 tactttnatgt atcatcacag catccatggg ccatatcgg 279

<210> 16
 <211> 191
 <212> DNA
 <213> Glycine max

 <400> 16

 gttgatagtt ctgagtgcatt agaggtgcct gacagcagaa cagaattcaa cccttggcaa 60
 tatgataatt tggatgctga ataataagca tccttgtaga attctttcta ttctttgaac 120
 tatcattttg ttattaagtt tgcaatgtat ctgattggaa tgcttgaaat ttggttttgt 180
 ttttgggtaa a 191

<210> 17
 <211> 267
 <212> DNA
 <213> Glycine max

 <220>
 <223> unsure at all n locations

 <400> 17

 tcaactcctt ggggtgattt ggaaatctat caatataatg gtaaatacag tgaacatcga 60
 gctgctgcag ataactcagg aagcattgat gatgttgatg ctaaatacat tgaattcaat 120
 ccatggcagt atggtaattt ggccacggaa tgaactagtt tcaatttctt tggttttgga 180
 tgntncagtt agttcatgta actntnnnn antganacna gaanacaact ncctnncnca 240
 ncnnanngtt agttgggcng tgtacgc 267

<210> 18
 <211> 252
 <212> DNA
 <213> Glycine max

 <400> 18

 gtcttataga gctccaatc tcctacatcg cttgttaagt ttactcaaga acgtgcggcc 60
 aggatcagat ctacacact tccaactgcc agctgtgttt aacttccaa aatctcaact 120
 tcaatgctat ggtgaatcag tgtactgcac atcttcaaac ttgctgagca aatgcaacaa 180
 tgggcagagt ccaactggaca ggttcacatc agtagtagca tggagcatat ctaccacacg 240
 cccacatct tt 252

<210> 19
 <211> 241
 <212> DNA
 <213> Glycine max

<400> 19

gtcagtcatc accctccaat gagtgctggg catgctgaaa ctgaacattt cacttatgat 60
 gttacatcaa aattgaaaac caaatttctc ggcaactcag ttgatgtata tcctgttggg 120
 agaacgcgtg ttaccctcaa aagagatggg gtggctccttg atttggtgcc tcctcctaca 180
 aaagttagca acttgatttt tggacgaact tggattgatt caccaggaga gatgatcctg 240
 a 241

<210> 20
 <211> 262
 <212> DNA
 <213> Glycine max

<400> 20

tctcgagcct attcggctcg aggccaaaga agccatttca ggtcactaaa ctcctattat 60
 catatgatgt ggagagtgtg tattcaaccg aatcagccct tgtttggagt gagttgagcc 120
 aagccattat gaacaaagat tgggaaagag caagagaagc aaagcaagac gtggaagaaa 180
 gacagaggaa tatgttgaga gacagagcca tgacaggaga aactggttgt ctaagaattt 240
 aggggtgtctt acagtaaaga ca 262

<210> 21
 <211> 463
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <223> unsure at all n locations

<400> 21

ggggaacccc ttccaggaac agagctgaaa gaggtgtggc atttggctga tgtccccaaa 60
 aacgacaact ttcagtacac tcactttgct cacaagataa acagcttcga cacagcgcct 120
 gctaagctct tggcttcaga ctcacgtatc cgctcctgata gatattccct tgagcagggt 180

gacctttcta aagctgggtc cgagaaacac agccttgagg agagacaaag ggccgaaaag 240
 aggaccagag agacaaaggg acaaaagtgc actccaagat ggttcgatct aacggatgag 300
 atcacaccta ctccatgggg agatattgaa gtataccant acaacgggaa gtacaatgaa 360
 caccgagaca cggcagagag ctcaagtagt gcctccaacg aaacgggact caaatccatc 420
 gagtttaatc cttggcaata tggtaatatc tcaaccgaat gaa 463

<210> 22
 <211> 399
 <212> DNA
 <213> Arabidopsis thaliana

<400> 22

agtgaacctc tcccaggcac cgaactgaaa gaggtatgga aactcgctga tgtgccaaag 60
 gatgacaaat atcaatacac tcactttgct cacaagatta atagcttcga cactgccccg 120
 aaaaagctgt tgccctctga ttcacgggta cgacctgata gatacgact tgagatgggc 180
 gacatgtcca aatcaggcta tgagaagagc agcatggaag agagacagag agctgacaag 240
 agaaccgcgc aacataaagg ccaagccttt actccaaaat ggttcgatgt aacggaagaa 300
 gtcactgcta caccatgggg tgatctggaa gtttaccat tcactggaaa gtactcagaa 360
 catcgtgcag ctgaggataa ctctgaagat aagaccgac 399

<210> 23
 <211> 343
 <212> DNA
 <213> Arabidopsis thaliana

<400> 23

acggacgcgt gggcaactcc aatgttacgg cgagatgggc tacagcttcg tcggtcagga 60
 tctgcttggg gaatgcagcc gccgtgatct tcccattgaa cggctcaaat cagtgggtgac 120
 gtggaacatc tccacactcc gtccgggtgt ctttggcatg tctccgtaca actccgttct 180
 cggcgagact caccacgtat cgaacgggtca catcaacgtc atcgccgaac aagtagtgca 240
 tcacctctcg gtttccgctc ttcacgacgc tcacgaacaa gaaaatatcg acgtgacatg 300
 gtgtcaatat ttcactccta aatttcgtgg tactcacgtg gac 343

<210> 24

<211> 510
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <223> unsure at all n locations

<400> 24

gaaagctagc agatgtagaa caaagttttt tgtaactacg agagaataag aatacatttg 60
 tttccaaaaa gatttgatct tttctgtctt ttggagcgat acatttaagt agacagatct 120
 tggaattgcc atggggttgaa ttggatcgac ttagggtcgg tgttatcttc agagttatcc 180
 gcagctgcac gatgttccga gtactttcca ttgaattggg aaacttccag atcaccccat 240
 ggtgtagcag tgacttcttc cgttacatcg aaccattttg gagtaaaggc ttggcctttc 300
 tcttcgcggg gtcncttttc aagtctctgt cncctttcca tgggtgntctt cccanagcct 360
 gatttgnaca tggcgggcan cccaaggng gatcaatcag gccgnaacgg ggaatcagnn 420
 ggnaacagct tttcngggna ntgncgaagc aataaacnt gggggcaaag gggggggatt 480
 ggaaattggc aacccttggg naacaggggc 510

<210> 25
 <211> 282
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <223> unsure at all n locations

<400> 25

gatacatttg gattcgaaaa gagcagccta gaggatagac aaagagctga gaagaaaagc 60
 agagaagaga aaggccaaaa ntttcncca aaatgggttn atgaaacana agangtcact 120
 cctacaccat ggggtgatct cgaagtttac caattcantg gaaagtactc ggtgcaccgn 180
 gccacagctg aaaactntga ggatacaacc gntgtgaagt tgncccaatt caacccttgg 240
 caattccaag atctctntgc ttaatccttt ggtgccattt gt 282

<210> 26
 <211> 380
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <223> unsure at all n locations
 <400> 26
 cggttggtggc ngcggaagtg gtttcttcgc ctctcttgct tcgtcgatct ccaatttngg 60
 ntctgctatg accaaatcag ttaatggttt ggttccttat gagggacttg aagttatcaa 120
 tcttgaagga agtacagatg atgctgagga ggaagcaagc agaggaagat ggaagcaaga 180
 ggatcgagat ggctattgga agatgatgca gaagtacata ggatctgatg ttacatcaat 240
 ggtgaccctt cctgtgatta tttttgaacc aatgacaatg cttcagaaaa tggcggagtt 300
 gatggaatac tcgcatctgc tagacatggc agacaaaacc gaggaccctt atttncgcat 360
 ggtgtatgca tcatcgtggg 380

<210> 27
 <211> 359
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <223> unsure at all n locations
 <400> 27
 ggtaatgaag gagttgaggt cataaatcca gaaggtggca aggaagatnc tgaagaggaa 60
 gctcagaaag gaaggtggaa ggacgaggaa cgagatagtt actggaagat gatgcagaaa 120
 tatatagggtt cggatattac gtcaatggtg gctcttcctg ttgtnatatt tnancctatg 180
 actatnctcc anaagatggc tgagataatg gagtattctc atttnttga tcaagcagat 240
 gaatgcngag atccatactt gctgttagta tctccttcat catgggggtat atctgtttac 300
 tatggccttc caacggacct tggaagcctt tnaatccnat tcttgggggg gnnanttna 359

<210> 28
 <211> 510
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <223> unsure at all n locations
 <400> 28
 aaaagagaaa agtgtagcc tttggtcaat gatcaaagac antataggga aggntctcac 60

aaaagtctgt cttcctgttt acttcaacga gccactttct tctttacaga aatgttttga 120
 ggatttgga tttcgtacc ttcttgaccg agcatttgaa tatggcaaaa ggggaaatag 180
 cctcatgagg atacttaatg tagctgcttt tgctgtatct ggggatgcat caactgaagg 240
 aagaatttgc aaacctttta atccattggt aggtgaaaca tacgnggcag actatccaga 300
 caaaggcctt cggttttttt ccaggaaagg tcagtcatca tcctatgggt gtcgnatgcc 360
 attgtgatgg caccnggtgg gaattcttgg gggacagcaa tcttnggggc aaattttggg 420
 gcgntctntt tagcttnacc cccttgggga ttnnccttna aattnatgat ggggaanccn 480
 caggggggaa ggngcccacc atnncaaacc 510

<210> 29
 <211> 493
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <223> unsure at all n locations

<400> 29

cccnccng aaagnttccc ctgtttccgg nttnnccent ntgnncccc ttgggggggn 60
 cttttcccaa tnggnnttgg gngngcccc ttggangggg ccggggcttt aaagggcccc 120
 ncnagggaa ggccagcctt tctcccaaat ggtcgatgta ccggaggaag tctactgtac 180
 cccatggggt gatctggaag tttcccaatt caatggaaag tactcggaac atcgtgcagc 240
 tgcggataac tctgaagata acaccgacct taagtcgatc caattcaacc catggcaatt 300
 ccaagatctg tctacttaaa tgtatcgctc caaaagacag aaaagatcaa atcttttttg 360
 aaacaaatgt attcttattc tctcgtagtt acaaaaaact ttgttctaca tctgctagct 420
 ttccatttgc tttctctagt attagtgtac aacttctact gttttgtctt aaattcattc 480
 aaatctttct ttg 493

<210> 30
 <211> 1305
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 30

atgtctcaac acgcaagctc atcttcttgg acttcttttt tgaaatcgat aagttcgttc 60
 aacggagatc tatcgtcttt gtctgcacca ccgtttattc tttctccac ttccttaaca 120
 gagttttctc agtattgggc tgaacatcca gctttatttc tggagccttc gttgattgat 180
 ggtgaaaact acaaagatca ctgtcccttt gacccaaatg tggaatcaaa ggaagtggcg 240
 cagatgttgg cggttgttag gtggtttatt tctactttga gatctcaata ctgctctaga 300
 agcgaatcga tgggttctga aaagaagcct ttgaacccat tcttgggtga ggtatttgtt 360
 ggaaagtga aaaatgatga gcatccagag tttggtgaaa cggttctttt aagtgaagcaa 420
 gtttcacatc atccacctat gacagcattt tcgattttta atgaaaaaaaa tgatgtttct 480
 gttcaaggat acaatcaa ataaaactgg tttacaaaaa cattgacgct aacggtcaaa 540
 ccatacgggc atgtcatttt gaagattaaa gatgagacct acctgattac aacccgcct 600
 ttgcatatcg aaggtatttt agtcgcttct ccatttgttg aattaggagg caggtcattc 660
 atacagtcac caaatgggtat gttatgtgtt atagaatttt caggaagggg gtatttcaca 720
 ggggaagaaga actcctttta ggcaagaatt tacagaagcc cacaagagca tagtcataaa 780
 gaaaatgcgc tataccta atcttgccaa tggtcaggtg tttcaacaat tataaaaaaa 840
 gactcgcaag tttcacatca gttttacgat tcatcgga aa ctctactga acatttatta 900
 gttaagccaa tcgaagaaca acatcctctg gaaagtagga gggcatggaa ggatgtggca 960
 gaagcaatca gacaaggaaa tattagtatg ataaaaaaga ctaaggaaga actagaaaat 1020
 aagcaaagag ccttgagaga acaagaacgc gtaaaaggtg tggaatggca aagaagatgg 1080
 ttcaaacaag tggactacat gaatgaaa atacataaat atgtagagaa agcaagtga 1140
 gatgatgcct ttaggaaatt ggcgtccaaa ctgcagcttt ctgtgaaaaa tgtgccaagt 1200
 gggacattga ttggcggcaa agatgataag aaagatgttt caaccgcatt gcattggagg 1260
 tttgataaaa atttgtggat gagggagaac gaaattacta tataa 1305

<210> 31
 <211> 1200
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 31

atgacagtct cacacaatca ttctacgaag atatcccaac aaccaatctc ctcggtatca 60

ttcaactctc cccaaagttt tccacatact gatataccat cagaagaagg taccaaagtt 300
attctataa 309

<210> 33
<211> 4014
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 33

atggagcaca gatataacgt gtttaatgat actccacgag ggaaccattg gatgggcagt 60
tctgtgtcag gatcaccacg tccatcttat agcagtcgtc ctaatgtaaa cacaacacga 120
cgcttccaat atagtgcga tgagcccgt gagaaaatcc gacctttacg ctcgaggagc 180
tttaaaagta ctgaaagtaa cataagcgat gaaaaatcaa ggatatctga acgtgacagc 240
aaagaccgct acattaatgg tgataaaaag gtagacattt attcactgcc tctaatatca 300
accgatgttt tagaaatttc caaacaagg acatttgagg tgatattgtt ttaataaatt 360
caatgttata aaatatatga cctggtaata cttaaatcgg ggttaccgct ttcgggttta 420
ctgtttaaga actatcgatt taatttcata tccaagtatt tcattataga ttccttcttc 480
ctgtatgttt taccatcctt taacattcct aggttgactt ttaagccatg gggtgtttat 540
ctccagattt tagctatgct actattgaac attttcatat caagcgatca cgagttcggt 600
ttgatttcat taattatgac cacatggaga aaactttata cgaaagaatt aagtgaaca 660
ggttcagcca ttaaccatca tcgtattttt gattcttccg ctcatTTTaa gggTgtctta 720
acaatcaaga tcctaccta aaacacagct atgtttaatc ctcttcatga atcatattgt 780
ttgcccattg ataccaatct ttttaaaatt aactcaattg acgtacccat cagaataaac 840
tcaactgaag agattgaata tatcgagttg gaatatagag atctttacac aaattcggta 900
gagttacggt ctttgagtaa gaaagacttc aaaatcatcg ataaccctaa atccttttta 960
aaaaaagatc agtcagttct aaagtcacat tcaaacgatt ttgaagaagg cagtacaatt 1020
cgttatttgg ctgtaactct tcaagatatt ggcttttatc aaatcaaaaa aattgttgat 1080
tcaaaaaaac tgaatttaaa gatccatcag tcacacttgg ttgtacccta ctgtccaatt 1140
gcattctatta ctggaactgg aagcaatgat agatgtattg gcgattcaga taatgtttct 1200
tttgaaattc aaggtgtgcc cccaatgaaa ttagcatact ctaagatcgt taatgggtcaa 1260

CCNA 1 v6.04 Lab 10: Configuring a Switch for IPv6

```
ccattcatat tagaatatga tttgatggca cccaacggtc atatttctac aaaaaaaatt 2940
caggtggcaa ccaaatacgc ttactgaaa ctgcctaatac aaattcctgg agagtacata 3000
actactatta aggccatctt cgatggcaat tatggtgaaa gcgacataca ttttagagaa 3060
catcagtcgg agctcataat caaacagaca gtgcacccca ttccagacgt cgccttttgc 3120
gatgggtggta aaaccttgcg tgcattgtgt gctaattgtat atcaaatctc atttttggaa 3180
ccaataaatt tgaaattttt acaaggcgaa agcccatttt caatcacctt tagcgtttat 3240
cacgagagta ccagtaggac agatcagtat accattgaca acattgactc agagaacttt 3300
tcatttgaaa agttatatga agggatgaag ttaggtaacc atgccattac tattgattct 3360
gttggtgacg caaatgggtg tgtaaacagc ctcatatctg gaccgcgtaa tcaaattctt 3420
gtgtcaatta ctgatgcacc aaagatacat atattagatc cttctaccga gtattgtgtt 3480
ggggactatg ttgcatatca attaaacggt gtggcacctt tcatgattaa gtatgaattc 3540
aacggtattc cactaaaatc taaggaacgc agtcccaat ttgttagatt agcatctgaa 3600
ccgggcatta tatctatcac ttctttacag gattcatcat cacaatgcat tgtcgacttt 3660
acgaacccta aattaaagag tgaatttgat gacttatctt taaacataca tctatttctt 3720
tccgtaactg tttctcaagg aaattacgtt actgaggata tccgcgaagg tgaccaggct 3780
gaagtaatct tttcgtttga aggtacccca ccattctcac taacttatgt aaggacagaa 3840
gagactgatg gaaaacacgg caaaaggagg tcgcagggtg ttgagacgca taaagtcact 3900
gatatatatt ctcatgaata caaggtaatt acaagcttgc aaggtaaccta cgaggcgatt 3960
gaaattacag atgcttattg ttttgccaaa aatgatcttt ttttcaataa ctaa      4014
```

```
<210>      34
<211>      2394
<212>      DNA
<213>      Saccharomyces cerevisiae

<400>      34
```

```
atggtacaga acaatgaatc ggtttttttt gttgaatgac actcttataa ggagagccct   60
tccacttcac caatacgctt ggacgacctg gatggaaatg acgctgtgtc ggatcagggt  120
ttagcttttc acggggacgt aggaattaca tcacaagctc gagtaagaaa tctctgagct  180
caaatcttcg aggatagtaa tactgacgta gtattgcatt tggatgatct tgatatggtc  240
```


tggaatgcac caccatcact ggtgtatctt ttctatctaa gtcaaattcc catggttgtg 1920
 gcgcctttga attccatagt agattcaaag cctacaatgc tgcaagaaca agccccgacg 1980
 gggcttgtcc tagagccctc aaagccttat aagaagaacc ctttcatgaa gttttttgaa 2040
 atgggggttca agatatcgct gagctcagaa tctatcctct acaacaattc gtatacgaaa 2100
 gaaccatta tagaagagta tagtgtagcg gctagtatat accgtttaca ttcagcagat 2160
 ttatgcgaac ttctaagaaa cagtgtcata accagtggat tttcaagtac cctaaagaac 2220
 aaatggctcg gcgtttcctt agccagccat gactacttcg tggaaaacac tggggttgta 2280
 gacaagtggg atgattgtaa accaaatata agtttagagc ataacgttcc gatcatcaga 2340
 cgtcaatatc gcagtagcac tctcgcaggg gagtggcgac tcataattgc gtga 2394

<210> 35
 <211> 303
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 35

atgccaattg ttcggtggct attattgaaa agcgcagtta gaggttcttc tctaataggc 60
 aaagctcacc cttgtttaag gtctattgct gcacacccta ggtatttatc taatgtgtac 120
 tcaccaccag caggcgtcag tagatcactg cgcacatg taatgtggaa gcagagtaaa 180
 ttaactcccc caagatttgt gaagatcatg aatagacgcc ctctgttcac agaaactagt 240
 cagcctgtg cgaagtgcc aaaaacgtca caattactaa agtatgttta cacaaaagct 300
 taa 303

<210> 36
 <211> 888
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 36

atgagtttga gaacgccgaa gagaagcagg actagcgatg aacaagaaca agaacaagaa 60
 caagagcagg tacagaaccc agatacacat gtaaacaacg agcatcagca gcgacctggg 120
 ccaaccactc tattgagcac gccagtacgt ctcaaaaatg gctttggaac accatcgccg 180
 ccgtcaccac caggcataac gaaaagcatc actaaatcga gaagaaggcc gtcgacaacg 240

agtcttcagg gtatattcat gtcgcccgtc aataagcgtc gtgtcggcat aaccgcacat 300
 ggacgtgtat atgaccataa cgacgacgga cacgaaagt agagtgagga cgacgaaaat 360
 gaagaagaaa atgaaaatca aaagaagtac gacggacacg ttagtatgcc tttgttgcca 420
 ccgacaacgc ccaagtcaag acggtcggag gtgttttctgt cgccgtcgcc gcgtttgagg 480
 tcacctccga cggctgcgcg tcggtctacg ggcgagcggc ccatccgcga aatatcacat 540
 actttgcgca ccaggctcaa ttacgcgtta gtcaagctgc aaaatggatg gacggacaag 600
 acacttcccg agctggagac ggagcttgct ccagcagtgc agacgccgcc acgtcgttat 660
 cacaacagat ttccagatag tgcagacgcg ggtacttccg cgcatacagc gtttcttcag 720
 gcgctcggag gccacccacc acgggaggag gccacggctg tcgaaacact gatgctattg 780
 tcgtcgcta ccaagaagca acaacaccga cccgtgccgg cgacatctgc tggagaaccc 840
 acggacgaaa cggagcccg gtcggatacc gaagtggaga cgtcttaa 888

<210> 37
 <211> 2121
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 37

atggacaagc taactccatc tcaatggaag gtaataaata agtcatatga accagcgtct 60
 acgataaaag tcattgcggg ccagggctca ggaaaaacgc taacgctact atataaagta 120
 ctacatttaa ttactgtgga gaatattaag cctgaagaaa tacttatatt ttcgttaaca 180
 aacaaagcag ttgatagtat aatagaaaat ttactgtcca ttttcgaaaa ctgcataca 240
 aataaggaaa ttgtccatca gattgggtgt tacacagttc atgggttggc taatagaatc 300
 gttgtagaga atgaggggat gataaacatt atagaagaga ttggatggag aggattaatg 360
 aagttgttac cgccgtcaaa gagaaccccc catcatttca gatcatataa ggaactcgag 420
 aaagttgtta aggattacaa gctaaacaac gcaaaaaata ataaccccg cattgagaaa 480
 ctagttgaac tgatggataa ctgtaaagt atgaccaatg atgatttgat cattcgcgca 540
 aaaaaatact tagagcttga ttcttctgat tcagatgcat cgtcttttac tcaagatctc 600
 cgcaataaat acaaggttgt tcttatcgat gaatttcagg acctctatcc aagtttagca 660
 cccttaatta ccatgatttg caaaggcaag cagctcatta tgtttgggtga tacaatcaa 720

agcatatacg gattttttggg gagtaacaac gagattatgt cacaattaga caatcttcac 780
 ccaaaaaaatt ccacgactgt cctgaaatta tttgataatt ttaggtctac ccccgaaata 840
 atctctctag catcaaaaat tatcaatcgt ccactagcag agaaacagat tatcgatgat 900
 actgatgaaa caccatcaga gctagttcgc aagctaccga gtgggtgtttc acctcaaata 960
 atgacatttg atgatctagc cgcagaatct gaatttatta ttgataaaat tacccaattg 1020
 atttgttctt ctgcaaagtt ttccgatata gcaattctat caagaacaaa ttcacatcta 1080
 acggctatag ccagtatttt gaagaaatat ggtattcctt atcaaaaact aaagagtcaa 1140
 cctgattgga tggacgattt acgaattcaa ttcccttttag atattctaaa agtgtgttct 1200
 ttagcctccg acgaaaagca taatcgtgag ttcaatacgg gtgataaatg gcaaagtaac 1260
 ttcagcattt tggtcacaat gagcgtctc aaagggattg gcgatgcttc aatacaagcc 1320
 ttgtataaag catgcagcct gaaaaatctg tcaatttgga aatacctaac tatggttccc 1380
 aattttgaat ggccattggg cctctccata aagaaaaaaa tggaaaatta cacttcaaata 1440
 ttatatgaaa tgatcgaaaa tgatcaagtt catcaattag atgatccgat ggaactttta 1500
 gaaaaagttg ctagcatcac aaataactta aacctaaatc ctacctactt ccaatcctta 1560
 agtgatgctc aatcatcttt agagtttaaa acacatctac aagagatggc acaagtaatg 1620
 aaggtctcaa aatctaataa gccccgggt atttcatttg ttaaattggt tctagagaca 1680
 tattttgatc aaacgatggg ctttcaccag tctcagcagg cattacaaac taccggtccg 1740
 gggacagtaa aactatctac catccattct gcaaagggtt tagaatttcc catagtattt 1800
 ctaacaaacg ggagcatgtc caatttccca atggatacaa acgcccttta tgtggggata 1860
 actagggcaa gaaacttggt gtacatgtgc aacatgaagc acgagagact ggtcagtaaa 1920
 tcatcaccat actcaagaaa cataatgtct aataatttat tctggactta ctacaataag 1980
 gatttgaaac gatctgtatg tgacgttaag gtgacacatg gttataatgt gcagcgatac 2040
 aatcagttac gtaaaaaattt tggattttat agagcatatt cttcactaag aggttgtaag 2100
 agcgttttca gacgtatata g 2121

<210> 38
 <211> 3414
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400>

38

atgaacgata tggcaaaacc tctcccaact ccaccgactg ctgagatcag gaaaagtcga 60
tccaattcac caaaaaaagc tcagaaaaca aatctaagtc caaacaacaaa tcagaataat 120
gagaaaaatg tacctagatc aaacggaaga accaaaaacg aacacaatag tatggatgac 180
gaagagtttg aattcttcca tcaatttagt cgggagaaag tttaaaggcgt catacacgta 240
atcacgcgtg aacttaagga aaaaggtcca gatgttgaat ttttaatgat accgttcagg 300
ccggaacaga cgaacgacaa attgctgaca ttactaaatc agctattccc actaggaaac 360
ggtcaaccag tcaacgaaaa aaaacagctc agaattgttt ccaaggccga tgtctggact 420
ttatttcaat gcttaaaata catttggtgc agacttccaa attcagaaat cataggctgg 480
aaatcttatt tggagtttaa attcagggaa gaagataaaa aatttcctcg aaaatcattt 540
ttggaaatta tgctcaatg tctagcttcc ccaaatcatg catcaatcgt ttacgatttt 600
tttgacttga ttatttcaat ttcacaaat tcaagagtta ataaaatgag tgctagaaaa 660
atatcgaaga tgtgtgcaat ctgggcgttt agtaaacaga taccaaattc tgatatccaa 720
gattacgatt ttgaatcagc cgccatgaag tcttttgccc ccaacaattc catacaagat 780
gggctagatc agtggattcc ggcttcagat gccatgtttc acctactctt agcattttcta 840
agaagttttg tccctcaaga tcttgaatcg gcaaagctgc cgcgcacact taagagttta 900
ctattcaata atcagtatcc tccaagaaaa tcaacagcgt acacatcaga gacaatccta 960
accattcctc tggttaacttt aaaaacagac gtcttttcga gaaaaccttg gcaattattg 1020
gagcgttgca atgatcttct tgatttcagt gatcatgatg cattcgaagc aagagaggac 1080
tacgctttat taaagtcttt attcagaaag aaaaatacag tggagggaat tagcaggaaa 1140
atgtcccagg agtcaagaag gttgatgaaa gcaatgtcta ccaaacattc aacatttcaa 1200
ccaggttggg ctcccagaga atgtattgaa aatatttctc atttaaaaga atgtattgag 1260
gttaaaagac tagatatcga tgattatttt atttggactt gggtatcgtc cttttctttc 1320
gaacaaacat ccgaaaagaa aaaaattttt ggaagatcta ttatattgga atttgaattt 1380
gatggattta aaaaatgggt ggttttccaa gaatgtgata taacgttaga ttataataaa 1440
aagggccaat tgaagaaaaa gacttctgca cagtcaccaa cgaccgaaaa ggaactacct 1500
cctgatgact ttgaattaga agatccacct ctctccaaat ctctacact atctcagacc 1560

atggtaccag ctcaggagcc gatacgttac acagctggtg ctaacaggcg tagttttccc 3240
caaggcatgc agcagaatgc ctattccgta cccgctcagc ctatgggggc tgtaaatagt 3300
gaattttacc taccagaagc tcctcagga aacaaactgc atggaaatat taacaaaaga 3360
caggagagaa agaagctata tgataacatt agaagcggaa atttcggcat atag 3414

<210> 39
<211> 336
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 39

atgtccctac ggccttgtct aacaccatcc agcatgcaat acagtgcacat atatataac 60
cctaacacta ccctaaccct accctatttc aacccttcca acctgtctct caacttacc 120
tcacattacc ctacctctcc acttggtacc ctgtcccatt caaccatacc actcccaacc 180
accatccatc cctctactta ctaccacaa tcaaccgtcc accataaccg ttaccctcca 240
attagccata ttcaacttca ctaccactta ccctgccatt actctaccat ccaccatctg 300
ctactcacca tactgttggt ctaccctcca tattga 336

<210> 40
<211> 882
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 40

atggcgctccc aggttaacgc cttattactg ccggtcatag agtctacgcc gttcatcaa 60
ataaccaagg tagcattgac gaccacactc acaagtaaac aaagcgatta caagttcaaa 120
gaaatagccg tgccgttaac aaaatcacta caactgtacg agaaggcgca aagaagacaa 180
gatttaaggg caagcttaaa agcactggag agtatcattt accaaacgca cttccaatgg 240
aataaccgcg tcccacgaca tgcgcatctc ttccaaaaac actaccactt tctactgact 300
cactggccat ttgagaacca cagagacttg gtagattcca tcgctgtaaa caatgggaaa 360
ctaaattcaa cgtcttcaag gagcgtctgg ctgaaggcgg attggataac actgtttaac 420
gttaaaaacc cttgggtcca aacgccgcca tcgttaatgc gtctgagtgg gacagatctt 480
gataccttca caccagagag gatattcctg ataaattctc ttggaaacca ctacaaattt 540

ttaatagcga acagtcacat aagctacaat cacaaaaaat acccctcccc tggcgtgcaa 600
 attcctgtca ggaacgctct tggcgaagtt tctccggcca aacaaattgc ccaacttttc 660
 gcaagacagc tgtctcatat ttacaagagc ctcttcatag aaaaccccc gctctctcct 720
 gagaacgagc tggcattgac tgccgtcttc tatgacgaga ctgtagagcg acgccttaga 780
 aggctctata tgcgagcttg tgcaagggca tatacgacta ctaatgccga ctccaccacg 840
 gagcctttga tgtttcattg cacccggtgg gaagttgatt ag 882

<210> 41
 <211> 3552
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 41

atgaaaatac tcctatcgaa acagcaaact agaaagatag caatagtttc agaaacacat 60
 ggactggtat ttagggcaat aaacagtaag aactctcgca gatctacatg tgccgtggaa 120
 ttggttccga aagctgaatt aaatggtaat ggtttcagaa gactatctaa ccatgaaata 180
 tacggtttta ttggtctcat agaaattgaa ggccttatgt tcatagcaac cataacaggt 240
 aaatctaagg tggcccagcc gatcccaaac aaaacggtta acaaaatata tgctgtggat 300
 tttttttgct taaataattc taaatgggat ttcattggaca tcgattcatc cggttatccg 360
 attgttacta atgatggaga ttttgcaata agctcgcttc ctagtatttc cacacattct 420
 tctagatcat cgctacgttc ttcttctctt aggagtttga atgctcaaga acaagctccc 480
 aagcatccat gtcattgaact aagaaagcta ttatcaaagc gatcttttta ttacagcacc 540
 gattttgatt taacttgtag attgcagaaa cgtggattca cggaacactc tttgagtttt 600
 gatgattttg accggggagtt tatgtggaac tcgtttctta tggacgaaat catcacatac 660
 agagacagac tagatgtaac ggccaaagaa ctattggatc aacgaggatt cctcacgacc 720
 gtaatccgag ggtttgctga aacaattttt agctatatta ataggttgaa agtaggactt 780
 accattatth ccaggcaaag ttggaaaaga gcaggcaca ggtttaatgc acgtggtata 840
 gatgatgatg gccatgtcgc aaattttgtt gaaacagaaa tgattatgta ctcttctcag 900
 tattgttatg ctttcacgca gataagagga agccttccaa ttttttggga gcaggatata 960
 tctttgatta gtccaaagat tcaaattacc agatctgttg aagcaacaca gcccacgttt 1020

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

tatagggcaa atgtgaaatt tgttgacgaa aaagagaagc ttaacctagt tgagaagctg 2700
 tatgcagaat ataagaatac gcatcccgaa gactaacta caggtcctga cgaactttct 2760
 catgcaagaa tggaaaaaca aaaggaaagt atacccttag atgcaaccgt tcaatcagcg 2820
 ggcataaaac taattgacct agatgatact tcctcgtgcg tttcgcctct actttctggt 2880
 cccagtcccc aaccgtctgt tgttggccct ggaggactca gtaacgtatc acccgataaa 2940
 agtaagctca atgtgcttcc tccgcctcct cctacctcga ggcacaataa ggaaccatct 3000
 tctaaacttc tttcccctac caaagagatt tccattgtca gcgtatcgcc gcgtaaaggt 3060
 gagagcaatc ttctgcctt agagagacac agtacacca aaccactgcc gccagtgccc 3120
 gctttatctt tatctaagcc agtctcttta cagaaaagtt cttcagaatt acagcatgct 3180
 aaagagacca tagataatgg gaaaattggt cctcgacctt gtctcctat tagaaggaag 3240
 agcagtactg ccccgacga aatctctaca tctacaaaaa attcaggtgt gtccactaca 3300
 gaagatcctg agccagcaaa ggccctccaca aaacctgaga agccaccagt tgtcaaaaaa 3360
 ccgcattatt taagtgttgc tgctaacaag cttaacacct ctcaagaaca ctcaataaaa 3420
 gtttccccgt cgaattcaaa atctgaagag gaactccctt gcaagaaaaa gtctaaacca 3480
 aaagttcctg cgaagaacct tgaactagag aagctaagcg ttcattcatt gaagccttgc 3540
 gaccccaatt aa 3552

<210> 42
 <211> 2742
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 42

atgagcgaag tcggtataca gaatcacaag aaagcggatga caaaaccag aagaagagaa 60
 aaagtcacg agctaattga agtggacggc aaaaaggatga gtacgacttc aaccggtaaa 120
 cgtaaatcc ataacaaatc aaagaatggg tgcgataact gtaaaagaag aagagttaag 180
 tgtgatgaag ggaagccagc ctgtaggaag tgcacaaata tgaagttgga atgtcagtat 240
 acaccaatcc atttaaggaa aggtagagga gcaacagtag tgaagtatgt cacgagaaag 300
 gcagacggta gcgtggagtc tgattcatcg gtagatttac ctctacgat caagaaggag 360
 cagacaccgt tcaatgatat ccaatcagcg gtaaaagctt caggctcatc caatgattcc 420

agattatttaa gagaagctgt tttagaaata tctgagaata acaccgatgc gctagttgcc 2100
 agcgccctga tactaatcat ggactcgtta gcaaagtcta gtggtaacgg cactgtagga 2160
 aaccaaagtt tgaatagcat gtcaccaagc gcttggatct ttcattgtcaa aggtgctgca 2220
 acaatttttaa ccgctgtgtg gcctttgagt gaaagatcta aatttcataa cattatatct 2280
 gttgatctta gcgatttagg cgatgtcatt aaccctgatg ttggaacaat tactgaattg 2340
 gtatgttttg atgaaagtat tgccgatttg tatcctgtcg gcttagattc gccatatttg 2400
 ataacactag cttattttaga taaattgcac cgtgaaaaaa accaggggtga ttttattctg 2460
 cgggtattta catttccagc attgctagac aagacattcc tggcattact gatgacaggt 2520
 gatttaggtg caatgagaat tatgagatca tattataaac tacttcgagg atttgccaca 2580
 gaggtcaagg ataaagtctg gtttctcgaa ggagtcacgc aggtgctgcc tcaagatgtt 2640
 gacgaataca gtggaggtgg tggatgcat atgatgctag atttcctcgg tggcggatta 2700
 ccatcgatga caacaacaaa tttctctgat ttttcgttat ga 2742

<210> 43
 <211> 7482
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 43

atggctaaac aaagacaaac tactaaatcg tctaagcgat atagatatctc ttccttcaag 60
 gctaggattg acgatttgaa gattgaaccg gctagaaatt tggaaaaaag ggtacatgat 120
 tatgtcagat cgtcgcattt tctcgttcc tttgatcagt ggaaagaaat taatttaagt 180
 gccaaattta cggagtttgc agcggaaatt gagcatgatg ttcaaacatt accccaaata 240
 ctatatcatg ataaaaagat ttttaattct ttggtttcat tcattaactt tcacgatgag 300
 ttttctttgc aaccgcttct ggacctcttg gctcaatttt gtcattgattt aggtccagat 360
 tttcttaaata tttatgaaga agctatcaaa actttaataa atctgtttaga cgctgctata 420
 gaatttgagt catctaattg ttttgagtgg ggtttcaact gtttggctta tattttcaag 480
 tatctctcga aatttttggt taaaaaactg gtactcacat gtgatctttt aattccacta 540
 ttgtctcatt ctaaggaata tctttcaaga ttttcagcag aagcattatc ttttttagta 600
 agaaagtgtc ctgtttctaa cttgcgcgag tttgctagat cagtttttga aaagttagag 660

ggagatgatg agcaaactaa cctctacgaa gggcttctga tattattcac agaatccatg 720
 acgtcaacgc aagaaactct gcattcgaaa gctaaagcta tcatgagcgt tcttttgcac 780
 gaagctttga ccaaactcatc cccggaaaaga tctgtttcat tgctctcaga tatttggatg 840
 aacattagta agtacgcctc aatcgaaaagt ttacttccag tctatgaagt tatgtatcag 900
 gattttaacg attctctcga tgccaccaat atcgatagaa tattaaaagt attgacaaca 960
 attgtcttct cggaagtggt tagaaaaatt cctgattgga ataaaattac taccctaatt 1020
 gaaagaataa tgagtcaaag tgaaaattgt gcttcgcttt cacaggataa agtggctttc 1080
 ctatttgctt tatttattcg taacagtgac gtgaaaactt taacattatt ccacaaaaaa 1140
 ctttttaact acgctttaac aaatatatct gactgtttcc ttgaattctt tcaatttgct 1200
 ttaaggctaa gctatgaaag agtattttca ttcaatggat taaaattcct acagttattt 1260
 ttaaagaaaa attggcaatc acaaggaaaa aaaattgcac ttttttttct agaagtagat 1320
 gataagcctg aactgcagaa agtacgggaa gtaaatttcc cagaagaatt tattttatct 1380
 atcagagatt tttttgtcac agcagaaaatt aatgattcga atgacctttt cgaaatatat 1440
 tggcgagcta taatttttaa atattcgaaa ttacagaata cagaaattat tatcccattg 1500
 cttgaacgta tcttttcaac ttttgcacaa ccagataatt ttacgaaaga tatggctcgg 1560
 acactcttaa aaatatatcg taaagaagac gacgcttcag ggaataatct attaaagact 1620
 attctggata attacgaaaa ctataaagaa agtttaaact ttttaagagg atggaacaag 1680
 ttagtgagta atcttcatcc ttcagaaagc ttaaaaggac taatgtcaca ctatccaagt 1740
 ctactcctta gcttgacaga taattttatg ttgcctgatg ggaagattcg ttatgaaact 1800
 ttagaattaa tgaagacatt aatgattttg caggggatgc aagtacctga cctcctttct 1860
 tcatgtatgg ttatcgagga aatacctctt acactacaaa atgccagaga tttaaccatt 1920
 agaatcaaga atgttggtgc cgaattcgga aaaacaaaaa cagacaagct agtatcctct 1980
 ttcttttctc aatacttatt tggccttctt accgttagat tctctccagt ttggactggg 2040
 gtttttgaca ctcttcctaa tgtttacaca aaagatgaag ccctcgtttg gaaacttggt 2100
 ctatcattca ttaaacttcc tgatgaaaat caaaatttgg attactacca gcctcttctt 2160
 gaagatgggt caaacaaggt tctgtgggat tcgagtgtag tgaggttaag ggacactatt 2220
 gatcgttct cacaattttg gtcaaagtat tctactcaaa atacgagcat tatatctact 2280

atttcgaaat tggttgcgga cttgaattca tactcctcat cacgtatgca tgaatatgat 3960
 tttcctagaa ttttatcaac tttcaagggg ttaattgaag atgggtataa gtcctacagt 4020
 gagttagagt ggttacctct gttgttcacc tttttacatt ttatcaataa taaggaagaa 4080
 cttgcgttaa gaacaaacgc atcccacgct ataatgaagt ttattgactt cattaacgaa 4140
 aagcctaata ttaatgaagc ttcaaaatcg atttctatgc tgaaggatat actttttaccc 4200
 aatataagga ttggcctcag agactcccta gaagaggtac aaagtgagta tgtatcagtg 4260
 ctatcatata tggtaaaaaa cacgaaatat ttcaccgact tcgaagatat ggccatttta 4320
 ctgtacaatg gtgatgaaga agcagatfff ttacaaaacg ttaatcatat tcagcttcat 4380
 cgtcgtcaga gagccattaa aagactaggt gaacatgctc atcaactcaa agataacagt 4440
 atatcccat atttaattcc aatgatcgaa cattatgtct tttcggatga tgaaagatac 4500
 agaaatattg gaaatgagac ccaaatagcc atcggagggt tggcgcagca catgagttgg 4560
 aatcaatata aagctcttct tagaaggtag atttctatgt tgaaaaccaa gcctaaccaa 4620
 atgaagcaag ccgtacaatt aattgttcaa ctttctgttc cacttagaga aactcttcgt 4680
 atcgtaagag atgggggtga gtcgaaactt actttgagca aatttccttc caacttagat 4740
 gaaccagta attttattaa gcaagaattg tatccgactc tttcgaaaat tcttggcact 4800
 agagatgacg aaactataat tgaaagaatg cctattgagg aggcattagt taatattggt 4860
 ttagggctca caaatgatga tattactaat ttcctcccta gtattctaac aaatatttgc 4920
 caagttttga gaagtaaata cgaagaatta agagatgcag taagagtaac cttgggtaaa 4980
 atcagtatta tcttgggagc tgagtatctt gtctttgtga taaaggaatt aatggctaca 5040
 ttaaaacgtg gttctcaaat tcatgtgtta agttacactg tccactacat attaaagagt 5100
 atgcacggag tcttaaaaca ctccgatttg gatacctcgt ccagtatgat tgttaagatt 5160
 ataattgaaa atatcttttg gttcgtctgt gaagaaaaag actctgagaa ttatcatata 5220
 aaagtgaaag aaattaagag taataaaagc tatgatgctg gtgaaattct cgcctcaaac 5280
 atcagcctga cagaatttgg aacattactc tctcctgtga aggctttggt gatggtcaga 5340
 attaatctaa gaaatcaaaa caaactgagt gaattattga gacgatattt gttgggttta 5400
 aatcataata gtgactctga gtcagaaagt atcctcaagt tctgccatca gcttttccag 5460
 gaatcagaaa tgagtaattc ccctcaaata ccaaagaaaa aagtgaagaa ccaagtagat 5520

gaaaaagaag acttttttctt ggtaaatttg gagtcgaaat cttataccat caactcaaac 5580
 agtttgcttt tgaacagcac tttaaaaaa tttgcttttag acttacttag gaacgtaata 5640
 acgagacacc gctcctttttt aactgtctcg cacctagagg gttttattcc atttttgaga 5700
 gattcgttac tttcggaaaa tgaagggtgtg gtaattagta ctttacgtat cctgattaca 5760
 ttaattaggc tagattttttc cgatgaatct agtgaaatct tcaaaaactg tgcgaggaag 5820
 gtactaaata ttatcaaggt ttctccttca acttcaagcg aattatgcca aatgggttta 5880
 aagtttcttt ctgcctttat acgtcacaca gattcaacat taaaggatac tgctttgagt 5940
 tatgttctag ggagggtctt accagattta aatgaaccaa gcagacaagg ccttgctttt 6000
 aatttcctaa aagcacttgt ttcaaaacat atcatgcttc cagaactcta tgacattgag 6060
 gatactacta gggaaatcat ggtcacaaac cactcaaaag aaattagga tgtatccagg 6120
 agcgtttact accaattttt aatggaatat gaccaaagta agggtcgttt agaaaagcag 6180
 ttcaaattta tggtcgacaa ttacagtat cctaccgagt ccggccgtca gtccgtaatg 6240
 gaattgatca atttgattat taaaaaggct aatcctgctt tactatccaa attatcatct 6300
 tcctttcttc tggcgctagt taatgtttct tttaatgatg atgcgccaaag atgccgtgag 6360
 atggcttcag tattgatttc caccatgctt ccaaagcttg aaaataagga ccttgaaatt 6420
 gttgaaaaat atatagccgc ttggctaaaa cagggttgata atgcacctt tttaaatctt 6480
 ggggttgagaa cttataaggt ctacttgaaa agtattgggt ttgaacatac tattgagcta 6540
 gacgagcttg ccatcaagcg tataaggtag attttgagcg atacgtcggg aggatcagaa 6600
 catcagtggg atttggata ctacgcttta aatacgttct catcttatat ggaagcaaca 6660
 gagagcgttt ataaacatgg tttcaaagac atatgggatg gtattatcac atgtctcttg 6720
 tatccgcact catgggtccg tcaatcggcg gcaaactctt ttcataact catagccaat 6780
 aaggataagc tggagatatc attaaccaat ctggaaattc aaaccattgc aacaagaatt 6840
 cttaccaat taggtgcgcc ttctattccg gagaatcttg cgaacgtctc aataaaaaca 6900
 ttagttaata tcagtatcct atggaaggag caacgcacgc cgttcataat ggatgtatca 6960
 aaacaaactg gagaggatct aaaatatact accgccattg attatatggg aactcgaatt 7020
 ggtggtatta tcaggctcga tgaacatcgt atggattctt ttatgtcgaa gaaggcgtgt 7080
 attcagttat tggccttatt agttcaagtt ctggacgaag acgaagtaat tgcagaaggg 7140

gaaaagatat tattgccgct atatgggttat ttagaaacat attactcaag agcagttgat 7200
gaagaacagg aagaactacg cactctttca aacgaatggt taaaaatact ggaagacaaa 7260
ttgcaagtat ccgattttac aaaaatatac actgctgtca aacagaccgt attagaaagc 7320
agaaaggaaa ggagatctaa aagggcaatt ctggctgtta acgctccaca aatttctgct 7380
gataaaaagt tgagaaagca tgcgagatcg agggaaaaga gaaagcatga aaaggatgaa 7440
aatgggtatt atcaaagacg taacaaaaga aagagagcct ag 7482

<210> 44
<211> 4104
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 44

atgcaaagac catttctact cgcttatttg gtcctttcgc ttctatttaa ctcggctttg 60
ggttttccaa ctgcactagt tccaagagga tcctccgaag gaactagctg taattctatc 120
gttaatggct gtcccaactt agacttcaat tggcacatgg accagcaaaa tatcatgcag 180
tatactttgg atgtgacttc cgtttcttgg gttcaagaca acacatacca aatcactatt 240
catgtcaaag gtaaagaaaa tattgacctg aagtatctat ggtctttgaa aatcattggg 300
gtcactgggc caaaaggtag cgtccaacta tacgggttaca acgaaaatac ctatttgatt 360
gacaacccaa ctgatttcac agccactttt gaagtttatg ccacacaaga tgtcaacagc 420
tgtcaggtgt ggatgcctaa cttccaaatt caattcgagt atttgcaagg tagtgccgct 480
caatatgcaa gtccttgga atgggggaact acatcttttg atttgtctac tggttgtaac 540
aactatgaca atcaaggcca ctctcaaacg gatttcccag gcttctattg gaacatagat 600
tgtgacaata attgtggcgg tacgaagtca tctaccacta catctagcac ttccgagtca 660
tctaccacta catctagcac ttccgagtca tctaccacta catctagcac ttccgagtca 720
tctaccacta catctagcac ttccgagtca tctacatcat catcaaccac cgctcctgct 780
acaccaacca ctacctcatg cactaaggaa aagcctacac cccaaccac tacctcatgc 840
acaaaggaaa agcctacacc tctcatcac gacaccactc catgtacaaa gaagaaaact 900
accacatcta agacatgcac taagaagact actactccag taccaacccc atcaagctct 960
actactgaaa gttcttctgc tccagtacca actccatcca gctctactac tgaaagctct 1020

tctgctccag taaccagctc taccactgaa agctcttctg ctccagtacc aaccccatca 1080
agctctacta ctgaaagctc ttctgctcca gtaaccagct ctaccactga aagctcttct 1140
gctccagtaa ccagctctac cactgaaagc tcttctgctc cagtaccaac tccatccagc 1200
tctactactg aaagctcttc tgctccagta accagctcta ccactgaaag ctcttctgct 1260
ccagtaacca gctctaccac tgaaagctct tctgctccag taaccagctc taccactgaa 1320
agctcttctg ctccagtaac cagctctacc actgaaagct cttctgctcc agtaccaact 1380
ccatccagct ctactactga aagctcttct gctccagtaa ccagctctac cactgaaagc 1440
tcttctgctc cagtaccaac tccatccagc tctactactg aaagctcttc tgctccagta 1500
accagctcta ccactgaaag ctcttctgct ccagtaccaa ctccatccag ctctactact 1560
gaaagctctt ctgctccagc tccaacccca tcaagctcca ccactgaaag ctcttctgct 1620
ccagtaacca gctctaccac tgaaagctct tctgctccag taccaactcc atccagctct 1680
actactgaaa gctcttctac tccagtaacc agctccacca ctgaaagctc ttctgctcca 1740
gtgccaactc catcaagctc tactactgaa agctcttctg ctccagtacc aactccatca 1800
agctctacta ctgaaagctc ttctgctcca gctccaaccc catcaagctc tactactgaa 1860
agctcttctg ctccagtaac cagctctacc actgaaagct cttctgctcc agtaccaact 1920
ccatccagct ctactactga aagctcttct gctccagtac caaccccatc cagctctact 1980
actgaaagct cttctgctcc agtaccaact ccatccagct ctactactga aagctcttct 2040
gctccagtaa ccagctctac cactgaaagc tcttctgctc cagtaaccag ctctaccact 2100
gaaagctctt ctgctccagt accaactcca tccagctcta ctactgaaag ctcttctgct 2160
ccagtaccaa ctccatccag ctctactact gaaagctctt ctgctccagt accaactcca 2220
tccagctcta ctactgaaag ctcttctgct ccagtaacca gctctaccac tgaaagctct 2280
tctgctccag taccaactcc atccagctct actactgaaa gctcttctgc tccagtgcc 2340
actccatcca gctctactac cgaaagctct tctgctccag taccaacccc atcaagctct 2400
actactgaaa gctctgtagc accagtacca accccatctt cctctagcaa catcacttcc 2460
tccgctccat cttcaacccc attcagctct agcactgaaa gctcttctgt tccagtacca 2520
accccatcaa gctctactac tgaaagctct tctgctccag tatccagctc caccactgaa 2580
agctctgtag caccagtacc aaccccatct tctctagca acatcacttc ctccgctcca 2640

tcttcaattc cattcagctc tactactgaa agctttttcta ctggcactac tgtcactcca 2700
 tcatcatcca aataccctgg cagtcaaaca gaaacctctg tttctttctac aaccgaaact 2760
 accattgttc caactaaaac tacgacttct gtcactacac catcaacaac cactattacc 2820
 actacgggtt gctctacagg aacaaactct gccggtgaaa ctacctctgg atgctctcca 2880
 aagaccgtta caactactgt tccaactaca actacgactt ctgtcactac atcatcaaca 2940
 accactatta ctactacagt ttgctctaca ggaacaaact ctgccggtga aactacctct 3000
 ggatgctctc caaagaccat tacaactact gttccatgtt caaccagtcc aagcgaaacc 3060
 gcctcggaat caacaaccac ttcacctacc acacctgtaa ctacagttgt ctcaaccacc 3120
 gtcgttacta ctgagtattc tactagtaca aaaccagggtg gtgaaattac aactacattt 3180
 gtcacaaaaa acattccaac cacttaccta accacaattg ctccaactcc atcagtcact 3240
 acggttacca atttcacccc aaccactatt actactacgg tttgctctac aggtacaaac 3300
 tctgccggtg aaactacctc tggatgctct ccaaagactg tcacaaccac tgttccttgt 3360
 tcaactggta ctggcgaata cactactgaa gctaccaccc ttgttacaac agctgtcaca 3420
 accaccgttg ttaccactga atcctctacg ggtactaact ccgctggtaa gacgacaact 3480
 ggttacacaa caaagtctgt accaaccacc tatgtaacca ctttgggtcc aagtgcacca 3540
 gtaactcctg ccactaatgc cgtaccaact acaataacca ctactgaatg ttctgctgct 3600
 acaaacgctg ccggtgaaac tacatctgta tgctctgcta agactatcgt aagttctgca 3660
 agcgcaggcg aaaacactgc accttcgggt accaccctg tcacgacggc tattccaacc 3720
 acagttatta ccactgagtc atctgttggg actaactccg ctggcgaaac aacaactggg 3780
 tacacaacca agtccatccc aaccacttac ataaccactt tgattccagg ttcaaattgg 3840
 gccaagaatt acgaaactgt ggccacagca accaacccta tttcaatcaa gactacatcc 3900
 caactagcta caacagcttc tgcttctagc gtgggtcccg ttgtcacatc tccatctcta 3960
 actggtccac tacaatctgc ttctgggttct gcagtcgcta catactctgt tccttctatc 4020
 tcgagtactt accaagggtg tgctaataatc aagggttctg gaaactttat gtggttgcta 4080
 ctcgctcttc cagttgtatt ctaa 4104

<210> 45
 <211> 318
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 45

atgacggggg acaggggtcat acacctcaca ggcatatatatt ataccttcta tcgccgaaaa 60
agcttcttct tcttcttctt tgaatatctc cataatagtt tgcgcgtact gtcctggaag 120
ggtataataa ccaaaatagc agcttcaccg ttcgtaattg ttctttatct caatactgca 180
ttttttaatc cttttaagac cctttacgaa aatgaaaaaa aaaaagccaa gaaaaacttg 240
aaactgacgc gcgaaaacgc gtcactaagc ataaggaaaa tgcatacaata cagtgccatt 300
attccaagtg ggacctga 318

<210> 46

<211> 309

<212> DNA

<213> Saccharomyces cerevisiae

<400> 46

atggtgccac tgatattgct tatcttactt ttttctaaat tttcaacatt tctgcgcctt 60
gtaaatacag tgctcggtac aaaatacact gccatagtaa atacaaaatg gcaaacaacg 120
cccagcatca ttgatgttac atatactatg cacgtttttt atatgacgat aatacttatt 180
ttggtcagga agcaaatacgt gtccatacat gcgtttctgg gtagtttatg cttaccctcc 240
cacgtgctag atttttcgat tgtaagagat attttatcat ggtatttcct tgagacagtc 300
gcagtatga 309

<210> 47

<211> 1110

<212> DNA

<213> Saccharomyces cerevisiae

<400> 47

atggatacag atttagatgt gcctatgcaa gatgctgtta ccgaacagct gactcccaca 60
gtatctgaag atatggatct caacaacaat tcatcgata ataatgcaga agaattctcg 120
gttgatgatt taaaacctgg ttctctgggc atagcagatc acaaatcttc caaaccacta 180
gaactgaata acacaaatat aaatcagctt gaccaatgga ttgagcattt gagtaaatgc 240
gagccactat cagaagacga tgtagcacga ctatgtaaaa tggcgggtgga cgtgttgacg 300

ttcgaggaga atgttaaacc aattaacgtg cctgttacca tttgtggtga cgtacacggt 360
 caattccatg acttgttaga actttttaag attggtggcc cttgtcctga caccaattac 420
 cttttcatgg gtgattacgt ggatagagga tattattctg ttgaaactgt atcttaccta 480
 gttgccatga aagtcagata cccacataga attacgatac tgagaggcaa tcacgagtct 540
 aggcagatta cccaagtata cgggttttat gatgaatggt tgagaaagta cggcagtgca 600
 aacgtgtgga aaatgttcac agatcttttc gattattttc ctataaccgc attagtagat 660
 aataaaaattt tctgtctgca tggaggactt tccccatga tagaaaccat agatcaggtg 720
 agagagttga acagaatata ggaagtgcct catgaaggtc ctatgtgtga ctttctatgg 780
 tcagaccctg acgatagagg cggatgggga atcagtccca gaggtgcagg cttcactttt 840
 ggacaagatg tcagtgcgca attcaatcac actaatgatac tatcactaat agcaagagct 900
 caccaattgg taatggaagg ctatgcttgg tctcaccagc aaaatgttgt caccattttc 960
 agtgctccta attactgcta cagatgtggt aatcaagcag ctatcatgga agtggacgag 1020
 aatcataata gacaattctt acagtacgac ccatccgtaa gaccaggtga acctagcgct 1080
 agcagaaaaga cgccagatta ctttttatga 1110

<210> 48
 <211> 1557
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 48

atggaagaca aagatatcac atcggtaaata gagaaggaag tgaacgagaa cactaatcct 60
 agaataataa aatatgatgc cgagaggcgt gcaacccgta ctgaaacctc aaagaaagat 120
 aaatggaaaa acatagttac aatcattgag tccggttttg ctctgataag tgatgggttac 180
 gtaaatgggt caatgagtat gctaaacaag gtttttggtt tggagtagcg taagaaaaac 240
 tatagctcaa aagtgtcgac tagagtttcc aacgcagccc tagttggtat tatttttggc 300
 caattcttta tgggtatcgc tgctgattat tatagtagaa aatcttgtat ctttgtggcc 360
 actgctatct tggttattgg tagtgctctg tgtgctgcct ctcacggtac tactgtacct 420
 ggcatgtttt ggatgttaac agttatgaga ggtttggtag gtattggtgt tgggtgcagaa 480
 tatcctacca gtacattaag tgctaagtag tctgctaag aatataccac taccaaaaga 540

gaccacttac tttctctgcg tagaatatcg ttattggaat gcggagagtt gtttgcacaa 420
 atttcaggtg ctgtttacta tgcacactca atgcattgtg ttcatagaga tttgaagtta 480
 gagaatattt tattagacaa aaatggaaat gcaaaattga cggatttttg ttttacgaga 540
 gaatgtatga caaagacgac attagaaacg gtttgcggta ccacagttta tatggcacct 600
 gaattgatag aaagaaggac ttatgatgga ttcaagattg atatatggtc attgggagtg 660
 atactataca cattaattac gggatatttg ccatttgatg atgacgatga ggctaaaacg 720
 aaatggaaaa tcgtcaatga agaaccgaaa tacgatgcta aagttattcc ggacgatgct 780
 agggatttga tctcacgatt attggctaaa aatccgggag agcgcccatc gttgtcacaa 840
 gttttacgcc accctttttt acagccttac ggttcagtgg ttttagatca gactcagaaa 900
 attttgtgca gacagcgag tggagggact cagtttaaaa gttaaattaga aaggcgattg 960
 ctgaagcgtc ttaaacaatc aggggttgat acgcaagcaa taaaacaatc aattttgaaa 1020
 aaaaagtgcg attcactctc gggcttatgg ttattgttgt tagcccaagg gaaaaagcaa 1080
 gaaaattgca aatatccaaa aagaagcagg tccgttttat cagtcaaaaa agttattgaa 1140
 agtgctacgc ataacgacac taatggcatt agcgaagatg ttttgaaacc ctacttgaa 1200
 ctttctagag ctgcttcatt gagtaaaatg ctcaataaag gctcagattt tgtaacatcg 1260
 atgactccgg ttagcagaaa gaagtctaaa gattcagcaa aagttctgaa tcctactctc 1320
 tctaaaatat cctcaciaag ggcttatagt cactctattg caggttctcc tcgcaagtcc 1380
 aataatttct tacaaaaagt ttctagtttt ttcaagtcaa aaaaaagctc taacagcaat 1440
 agcaacaata gtattcacac aaatgttagt gaaagcttga ttgcaagcaa tagaggagcc 1500
 ccatcttcag ggtcgtttct caaaaaaac agtggttcta ttcagaaatc aagaactgac 1560
 actgttgcaa atccttcaag gacggagtct ataggatcgt taaacgaaaa tgttgccggg 1620
 gccattgtgc cacggagtgc taataatact acattagaaa ataagaaaac ttctgggaat 1680
 gaaataggct taaaagtagc tccagaacta ttattaaatg aacatatccg aatagaggaa 1740
 cctcgcctca agcgcttcaa atcgtccata tcaagtgaaa tatctcaaac ttctactggg 1800
 aattatgata gcgaatctgc ggaaaattct aggtctatat cttttgatgg aaaagtttcc 1860
 ccgccaccga tacgaaatcg gccattgtca gagatatcgc aaatttctaa tgacacttat 1920
 atatcagagt actccactga tggttaataat tcgtcattca aaatttcaga cactatcaag 1980

ccgagctata tacgaaaagg ctctgaaact acctcgagcgt attcagcttc atccgaaaaa 2040
atgacaaatg gctacggtag aaaatttgtc aggaggggatt taagcattgt atcgactgcg 2100
tcgagcacct ctgaaagaag ttcaagaaca gattcctttt acgatatcac tacagctaca 2160
ccagttgtga cactgataa taggcgcaat aaaaacaata atctgaaaga gtctgttttg 2220
cccagatttg ggactcaaag gccatggact ggcaaaagga cgtataccac gtcccgccat 2280
ggcaagaatg ctaggcgttc gtctaaaaga ggtctgttca aaataacttc ttcaaataca 2340
gactctatta ttcaagaagt aagctcatca gaagaagaag atcataatgt tatctatagc 2400
aagggaaaagg gtcttccaac accagttttg caaactaaag gattaataga aaatggggtg 2460
aacgaacgcg atgaagaagg agatgacgag tatgcaattc aactgacgg agaattttct 2520
atcaaaccgc agttttccga tgacgttatc gacaaacaga atcatttgcc cagcgtgaag 2580
gctgtggcaa ctaaacgttc gttgagcgaa ggaagtaatt ggtctagtag ctatttggtat 2640
tcggacaata atcggcgaag ggtatcttca ttgctagtag aggatggggg gaatcctaca 2700
gcgtag 2706

<210> 50
<211> 942
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 50

atgccactgg tgcttttttac gggataccca tgtagtggtgta agacaacgct tgctaaacat 60
ttggtacaac tactacagtc caagatcgat gcaaccccat cattaagtaa atattccata 120
acctatcatt cagatgaatc tttaggcata aaacattcag attatataac ttcccaagat 180
gaaagaaaat tgagggtcgga gatcatctcc gcagtgaaaa gagatctatc taaaaacaag 240
atagtcattg tagactcgtt gaattatatc aagggtttcc ggtatcaact tcaactgagag 300
gtgaaaaatt tgtccaccac attttgtgta attcaaacac tgtgtccacc agagactata 360
ttcgagtgga ataagacttc aaacccgaac ctttggaac ccgagttatt gaatcaattg 420
attcaacgat acgaagagcc taactcaagc aaccgatggg actctccact ctttgctatt 480
cttactctc aggacaacat aactgactac atcgacgata tttgtaaagt agtctttcaa 540
acttccaaat cggctaaaaa cagtggacac aatgatccgt tgagtaaggg cttacaaaaa 600

ccgaactcag ccacggtact aaagcctgcg tctcagtcca atttcatcca ggttctcgac 660
atcgaaacta gtaagataat aaaaaccata atgaaccaca tcaaaagcct gacttctatt 720
ggcggggtaa gtaacggaac aagagtcatt gtttccgaag ggattaccga tatcaatgat 780
gatggttgct tcttcgtaga cttgcccatt ggtaacgtcg ttacgttggc gcaattgcag 840
agattgaaaa ggcaattcat taacttcaac aaactaagag atatagatca agataggatc 900
ggtccgcttt tcgctgatta tcttaacaaa aacttgaatt ga 942

<210> 51
<211> 765
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 51

atggcttaca ctaagatcgc tttattcgct gctattgctg ctttggcttc cgctcaaacc 60
caagatcaaa ttaacgaatt gaacgttatt ttgaacgatg tcaaatctca cttgcaagag 120
tacattagct tagcttctga ttcttctctt ggattttcct taagcagtat gccagctggc 180
gttttgata tcggtatggc tttagcttcc gccactgacg actcctacac tactttgtac 240
tctgaggttg actttgctgg tgttagcaag atgttgacca tggttccatg gtactcctct 300
agattggaac cagctttgaa gtctttgaat ggtgatgctt cttcttctgc tgccccaagc 360
tcttctgctg ctccaacttc ttctgctgcc ccaagctcat ctgctgcccc aacttcttct 420
gctgcctcaa gctcttctga agctaagtct tcttctgctg cccaagctc ttctgaagct 480
aagtcttctt ctgctgcccc aagctcttct gaagctaagt cttcttctgc tgccccaagc 540
tcttctgaag ctaagtcttc ttctgctgct ccaagctcca ctgaagctaa gataacttct 600
gctgctccaa gctccactgg tgccaagacc tctgccatct ctcaaattac cgatgggtcaa 660
atccaagcta ccaaggctgt ttctgagcaa actgaaaacg gtgctgctaa ggcctttgtt 720
ggtatgggtg ctggtgttgt cgcagctgcc gctatgttgt tataa 765

<210> 52
<211> 1407
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 52

<400> 53

atgagggata ttgtatttgt atcaccgcag ctgtatttgt catcacagga gggttggaaa 60
agtgattctg ccaaaagtgg gttcatccct atcctcaaaa atgatctaca acgttttcag 120
gactcattaa aacatatagt tgacgccaga aacagcttat cagagacact gctaaatagc 180
aacgatgatg ggagtataca caattctgac cagaatactg gtttgaataa agacaaagag 240
gcttcaatag cagataacaa tagtgctaac aagtgcgcca caagctcttc ccgttaccaa 300
gagctcaaac aatttcttcc catttcctta gaccaacaga ttcatacagt atctttacaa 360
gggtgtctctt catcattttc tcgcggacag atagaatcat tgctagacca ctgtttgaat 420
ttagcgttga ctgaaactca aagcaattcc gcattgaaag tagaagcttg gtcttctttt 480
tcttcgtttt tagataccca ggacattttt ataagattca gtaaggttga tgaagatgag 540
gcatttggtta atacgctgaa ctactgcaaa gccttattcg cgtttattag aaagctacat 600
gaggatttca agattgagtt acacttggat ttgaacacaa aagaatatgt cgaagaccga 660
acaggaacta taccgagtgt taagccagaa aaggctagcg aattttattc tgttttcaaa 720
aacattgaag atcaaacaga cgaaagaaat tcaaagaaag aacagttgga tgactcttcc 780
acacaatata aagtggatac aaacacttta agtgatttgc catcggatgc tttggaccaa 840
ttgtgcaagg atataataga atttaggaca aaagttgtca gtatagagaa agaaaaaaaa 900
atgaaaagta cgtacgagga aagtaggcgt caaagacacc aaatgcaaaa agtttttgat 960
caaataagga aaaaccactc aggagccaaa gggagcgcca atacagagga ggaggatact 1020
aatatggaag atgaagatga ggaggatgac actgaagacg accttgcctt agagaagaga 1080
aaagaagaaa gagacctgga agaatcaa atcgtagatatg aggatatgtt acaccaatta 1140
cattccaata cagagcctaa gataaaatcc attagggctg atatcatgag tgctgaaaac 1200
tatgaggaac atttgagaga aaatcgctca ttatatttga aggagctatt acaccttgcc 1260
aacgacgttc attacgacca ccatagatct ttcaaggagc aagaggaaag aagggacgaa 1320
gaggatagag ctaaaaatgg aaatgcaaag gaactggcgc ctatacaact atcggatggg 1380
aaggccatat ctgcagggaa ggctgccgcc atcacccttc ctgaaggcac tgtgaagagc 1440
gagaactata acgcggacaa gaatgtgtct gagagctcag aacacgtcaa gatcaaattc 1500
gactttaaga aggctattga tcaactcagtt gaaagctcta gcgaagacga gggatacaga 1560

gagagcgagc tacctccaac aaaaccctcc gagagaagcg cggcagagga ccgtttgccca 1620
 ttacagcag atgaactgaa cataagacta actaatctga aggaatcgcg ctacgtggac 1680
 gaactgggtgc gtgaattcct cggcgtctac gaggacgagc tgggtggaata cattcttgag 1740
 aacatccgcg tgaaccagag caaacaggcc cttttaaatg agctaaggga gacttttcgac 1800
 gaggacgggg aaacgatagc tgatagactg tggagtcgta aagaatttcg cttgggggacc 1860
 tga 1863

<210> 54
 <211> 474
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 54

atgtcatctt caaacaaaaa atcgctaaac ttcccgggtt tggtcgatcc caggacaggt 60
 aagctagtca tttccaatga acgttgctgt accccatgtg ccctattctt tgtcacatat 120
 aaatgtctcc tatcatgcag cgcaggctgt tctctctttt ctttctccct ttccttttgt 180
 aacaacgatc ccaagtttac ttcagtgcct ggtcttggga ccaccggatt atcattcact 240
 gctatgacag gtaatctaga agatgatttc gaaaagtgtg caacatttgt tttagcttgt 300
 agaggttccg gctgcggctg cggctgtaga cgggattctt ttatcttcac tgcgtcgcca 360
 ctggaagccc ttcttccctt acaaaagcct cttgggaatg aaggaggtaa cagggtacag 420
 ttcctcgatc cgggattctc catccggtca attagcaagt tcattttcac ttaa 474

<210> 55
 <211> 897
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 55

atgtctagaa ttagtatatt agctgtcgcc gcagcattag tggcaagtgc aaccgccgca 60
 tccgtgacca ccactctatc cccttatgat gaaaggggtca atttgattga attggctgtt 120
 tacgtttctg atattggcgc ccatttatct gaatattacg ctttccaggc tttgcataag 180
 actgaaacat acccacctga aattgccaaag gctgtttttg ccggtggcga tttcaccacc 240
 atgttgactg gtatttcagg tgatgaagtg accagaatga tcaccggtgt gccatggtac 300

tctactagat tgatgggtgc tatttccgaa gcacttgcca atggaggtat tgctactgca 360
gtaccagctt ctaccacaga ggcttcttcc acctccactt cagaagcttc tagtgccgcc 420
actgagtctt ctagctcctc tgaaagttca gcagagacca gctcaaacgc tgcttccacc 480
caagctactg tttcatctga atctagctct gctgcaagca ccattgcaag ttctgctgaa 540
agttctgttg caagctctgt tgcaagctct gttgcaagct ctgctagttt tgccaatacc 600
acagctccag tttcttctac atcttctatc tcagtcactc cagtgggtcca aaatgggtact 660
gacagcaccg tcacaaagac tcaagcttcc actgttgaaa ctaccataac tagttgttca 720
aataacgtct gttcaactgt gactaagcca gtctcctcca aagctcaatc tacagctact 780
tctgtcacat cgtcagcatc tcgtgttatt gacgttacca ctaacggtgc taacaagttc 840
aataacggtg ttttcggtgc cgctgctatt gctgggtgccg ccgctctatt gttatag 897

<210> 56
<211> 2508
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 56
atgggtgaag aacataaacc acttttggac gcctcgggtg tcgaccctcg tgaggaggat 60
aaaaccgccca ccgccatttt aagaagaaag aagaaggaca acatgctttt ggtggacgat 120
gctatcaatg atgacaattc tgtcattgct attaattcta acaccatgga caaattggaa 180
ttgttccgtg gtgacaccgt tctcgttaag ggcaagaaga gaaaagatac tgtcttaatt 240
gtgttgatcg atgacgaatt agaagacgga gcatgcagga taaaccgtgt agttcgtaac 300
aatttacgta ttaggctggg tgatttagtt acaattcatc cttgccccga tatcaaatac 360
gctactagaa tttctgtgtt accaattgct gatacgatcg aagggtataac tggtaatctt 420
ttcgatgttt ttttgaagcc ttattttgtg gaagcctaca gaccagtga gaaaggcgac 480
cattttgttg tcagaggcgg tatgagacaa gtcgaattca aggttgtgga tgtcgaacct 540
gaagaatatg ccgtcgttgc tcaggatact attattcact gggaagggtga gccaatcaac 600
aggaagatg aagaaaataa tatgaatgag gtgggttacg atgatattgg tggttgtcgt 660
aagcaaatgg ctcaaattag ggaaatgggt gaactaccat tgagacatcc tcagttgttc 720
aaggctatcg gtatcaagcc accaagaggt gttttgatgt atgggtcccc tgggtactgg 780

aaaaccttga tggcaagagc tgttgctaata gagaccggtg cctttttttt ctttaattaat 840
 ggtccagaag tcatgtcaaa aatggctggt gaatcagagt ctaacttaag aaaggccttt 900
 gaagaagccg aaaagaacgc tccagccatc atttttatcg atgaaatcga ttctatagct 960
 ccaaagagag acaagactaa tggatgaagt gagagaagag ttgtctctca attgttaact 1020
 ttaatggatg gtatgaaggc aagatctaata gttgttgtca ttgctgctac caatagacca 1080
 aattcgattg atcccgcctt aagaagattt ggtagattcg atcgtgaagt cgacattggt 1140
 atcccagatg ctacaggtag acttgaagtt ctacgtattc acaccaagaa catgaagttg 1200
 gctgatgatg ttgatttgga agcattgggt gctgaaacac acggttacgt ggggtgctgat 1260
 attgcctctt tgtgttctga agctgccatg caacagatcc gtgaaaaaat ggacttgata 1320
 gatttagatg aagatgaaat tgatgcagag gtgctcgatt ctttaggagt caccatggac 1380
 aacttcagat tcgcattggg caattcaaac ccatctgcat tgcgtgaaac cgttggtgaa 1440
 agtgtcaatg ttacttgga tgacgttggt ggcctagatg aaatcaagga ggaattgaag 1500
 gaaactgtag aatacccagt cttacatcca gaccaataca caaagtttgg gttatcacca 1560
 tcaaaggggtg tgttgttcta cgggccacca ggtacaggta aaactttgtt agcaaaagct 1620
 gtagctactg aggtttctgc caactttatc tcagtcaaag gtccagaatt attgagtatg 1680
 tggatgggtg aatcggaatc taacatccgt gatatttttg ataaggcaag agcagctgca 1740
 ccaaccgtcg tttttctaga tgaattagac tccattgccca aggcaagagg tggttccttg 1800
 ggtgatgctg gtggtgcttc ggatagagtc gtcaaccaac tattaacaga aatggatggt 1860
 atgaatgcta agaaaaatgt gttcgtgatt ggtgccacca ataggccaga tcaaattgat 1920
 cctgctattt taagacctgg cagattggat caattaattt atgttccatt gccagatgaa 1980
 aacgctagat tatctattct aaatgctcaa ttaaggaaaa caccactaga accagggcta 2040
 gagttaactg cgattgcca ggccactcaa ggtttctctg gtgctgattt actctatatt 2100
 gtgcagaggg ctgctaaata cgctatcaag gattctatcg aagctcacag acaacacgaa 2160
 gctgaaaagg aagtgaaggt agaagggtgaa gacgtggaaa tgacagatga gggagcaaag 2220
 gctgaacaag aaccagaagt agatcctgtt ccatatatta caaaggagca tttcgcagaa 2280
 gctatgaaga ccgctaaacg ttctgtttca gatgctgaat tgcgtcgtta tgaagcatac 2340
 tcacagcaaa tgaaagcatc tagagggtcaa ttcagtaatt tcaactttaa tgacgtcca 2400

ttaggtacta cggctacgga caatgctaac agtaataata gtgctccaag tggagcaggt 2460
gctgcatttg gttctaattgc ggaggaagat gatgatttgc atagttag 2508

<210> 57
<211> 651
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 57

atgcaagcaa gtttacctgg cgaaaagaaa gtcgacacag agcggctgaa gcgtgatcta 60
tgcccacgta aaccattga gataaagtac ttttcacaga tatgtaacga tatgatgaac 120
aaaaaggacc gattgggtga tattttgcat attatcttgc gagcatgtgc actcaatttc 180
ggggcgggtc cccgtggtgg cgctggtgac gaagaggatc gatctattac gaatgaagaa 240
cccattattc cctctgtgga cgagcatggc ctgaaagtat gtaagttgcg cagtcctaac 300
actccacgaa gactcagaaa aacactagat gccgtgaaag ctttattggt gtcgtcttgc 360
gcttgtagcg caagggattt agatatattt gatgacaaca acggcgttgc aatgtggaaa 420
tggatcaaaa ttctgtacca cgaagtagcg caggaaacca cgctgaagga ctcttataga 480
ataactttgg taccttcttc tgatggtata tcagataccc ttaccgttat ccagagcttc 540
agctactcgc ttttgccggt cctcagcgca acgtatacgt cgatgatata acaagacgca 600
tccaactgta cactgattac aacaagaacg gttcatcgga gcctcgacta a 651

<210> 58
<211> 345
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 58

atgactccgc tgttcccaga aagtgtgagc acttacatat atgaatacag cactatctgg 60
agaagtggcg cgctcttaat taaaatgatg cagcgtgtta tcacatcttg cgttaccggg 120
ccttgcaaaa attgctatgt ttttcttgtg cttggtattg cttcgtggag atatatattc 180
tcatatcagg acggaatttt acaaagtgag aactctaaat ggtgtagtaa agagaagaaa 240
aaaaaatgct cagcgattta cctcattac aaccaccgag attcactagg aaacggagct 300
gtccctcgga atttattgtc aacatatcat ccaatgttaa ttag 345

<210> 59
 <211> 552
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 59

atgggttctt cattcgtaat agatcgatcc tcttcgtcac cagcgccacc acggggaccc 60
 gccccgaaat tgagtgcaca tgctcgcaag ataatatgca aaatatcacc caatcggtcc 120
 tttttgttca tcatatcggt acatatctgt gaaaagtact ttatctcaat gggtttacgt 180
 gggcatagat cacgcttcag ccgctctgtg tcgactttct tttcgccagg taaacttgct 240
 tgcatagctc atctacgtgt aggctgccaa attgtaccca tatttcctta tgggtgctttt 300
 ctgaagactc cttacaatag gtgcgcccga aacaaagtca gtgaaagtac gcatcgtaga 360
 gctgtcgttc ggccatagcac tcgctatttc gtgacaacgt tccaggacac ggaaactcaa 420
 ct cattatag tatcctctgt tgaggtaaaa aagagaaagg gtatcgtaat cttttctatt 480
 gaatttcaaa gtatgcactt gaaacaacgt gtagaccatc aagttgattt tcttgggaac 540
 aagatacttt ga 552

<210> 60
 <211> 1599
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 60

atgaaagcat tcaccagttt actatgtgga ctaggcctgt ccactacact cgctaaggcc 60
 atctcattgc aaagaccgtt gggcttagat aaggacgttt tgctgcaagc tgcggaaaaa 120
 tttggtttgg acctcgacct ggatcatctc ttgaaggagt tggactccaa tgtattggac 180
 gcttgggccc aaatagagca tttgtaccca aaccagggtta tgagccttga aacttccact 240
 aagccaaaat tccctgaagc aatcaaaacg aagaaagact gggactttgt ggtcaagaat 300
 gacgcaattg aaaactatca gcttcgtgtc aacaagatta aggaccctaa aatcctgggc 360
 attgacccaa atgtcacaca gtacacgggt tacttggatg tggaagacga ggacaagcat 420
 ttcttctttt ggacttttga aagtagaaac gatcctgcaa aggatccggt catcctttgg 480
 ttgaacgggg gtccaggttg ttcttcacta accgggctgt tctttgaatt aggaccctca 540

ggtgaactat tgaagagctc attgaagaga agatcaaaat cattacctac aaccccaggt 600
 ataaggagcg ggaatggtgt ccaagcaaga gacggtagtc cgatgttgat taggagtaag 660
 agtgttcact ttgatcaggc ggcacctgta aaatattttg ctgaggatga aagccctata 720
 aacgttaata aaactgaaca acacgataat tgtctaagct ttaagcataa gccagtgaat 780
 ttaatggtgg acccggaaga agagacaaaa atgctatcat ctggattaga aacgacatcc 840
 atagatgatg acttgacgac agttgcgcca aaaggcttcg cacatcctgc taaaatttcg 900
 aatccaaaca atggtaaagg caccaacaat acaaaattaa gaaaaagtaa aagatttcag 960
 aacctcctaa agaacaggac cgacatgcca ccatcaaaat caaataaaaa attcgттаат 1020
 ggtggcgggtg ctcatgaaat ttcagatcgt aattcaaaaa attaccatgt tgttgгatta 1080
 tacagcaaga acttccccat tttaagcaac aagaatccta aaagtttaaa gctgaacatt 1140
 tttatcaatt tatcacaaaa taagaaagtt tttctacaag aattgtcatt atacatccat 1200
 agagacaaca attacttttc aaattcctcc tcattttata atattcccaa tagccacaat 1260
 ggtaatgact gtaatggtgt ggccaagggt tataacgctg gctgtacaag attaattgct 1320
 ggaaggatac tagtgaaaaa cattttctat gataaaagag tgggtggtacg atatacgtgg 1380
 gatagttgga gaacaacaca tgaagtggaa tgcgtttaca tcagtgatgg cgatggaata 1440
 ttgccgggca ctaacatgga cattttccac ttcattatcg atgatgtcag caaagtggat 1500
 cctcgcgгca agttagaatt ttgcattcat tattctacac gtaacgacta tgagcgcgaa 1560
 gagtactggg acaacaacaa cgгgaataat tataagggtg atgttgtaat ggatggcttt 1620
 aacgatccct tcgcgгcgгc agcatga 1647

<210> 63
 <211> 1593
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 63
 atgccagaaa agttagccat gtcaatggtc gatataaaag atgcggggag tgaactaagg 60
 gacctgaat ctggagctct ggacacaaaa tcttcgcгcг ctgatgtata ctatgagggt 120
 gtagaattgc atagaaccaa cgaattcatt gataataagc cgtccttttt caataggatt 180
 gcagctgctt taaatgctga gacgaaaggт attgaaccag ttacagaaga tgaaaaaaat 240

gatgactcga tactcaatgc cgccactata tggttttcag ctaatatggt gattgtagcc 300
 tattccgtag gtgccttggg tcctctagta tttggcctaa atttcggcca aagtgtttta 360
 gttatcattt ttttcaatat tttgggtttg atccctgttg cattattctc actttttggg 420
 gtagaactgg gcctaagaca gatgattcta tcgagatatt tggctggtaa catcacagca 480
 agatttttct ctcttgtaa tgtcattgct tgtgtcgggt ggtgtgtttt aaatatttct 540
 gtttctgctc aacttttgaa tatggtgaat gaaggctctg ggcacaactg tcctatttgg 600
 gcaggttgtt tgattattgc tggtggtacc gtgcttgtga ctttttttgg ttacagtgtc 660
 gttcatgcat acgaaaaatg gtcgtgggta cccaattttg ctgccttttt ggtcattatt 720
 gcccaactat cgagatcagg aaaatttaaa ggtggtgaat gggtaggggg tgcaactact 780
 gcaggtggtg ttctttcttt tggttcatct gtttttgggt cagctgcggg ttgggcgact 840
 tatgcagcag attacactgt ttatatgcca aagaccacaa gtaaatacaa aatttttttt 900
 tccgtagtag ccggtctagc gttccctcta tttttcacca tgattcttgg tgctgcttgc 960
 ggtatggcgg cccttaatga cccaacctgg aagtcattat atgataaaaa cgccatgggt 1020
 ggtgtcatat atgctatcct ggtccctaac tctctaaacg gattcgggtca attctgctgt 1080
 gttttgttgg ctctttcaac tgttgctaata aatgtccctg gaatgtacac tgtcgtctta 1140
 tccgctcaag ctttgtgggc acctttggct aaaataccaa gagtagtctg gacaatggca 1200
 ggtaatgctg ccactttagg tatttccatc cctgctacct attactttga cggctttatg 1260
 gagaatttta tggattccat tggttattat ttggctatct atattgccat tgcattgttca 1320
 gagcatttta tttataggcg ttccttcagt gcttacaata ttgatgattg ggataattgg 1380
 gagcatctac ctatcgggat cgcagggtact gctgccttaa ttgctgggtgc ctttggagta 1440
 gcggttgggta tgtgccaaac ttattgggtt ggtgagatca gtcgtttgat cggagagtac 1500
 ggcggtgaca ttgggttcga gttaggcgga agttgggcgt tcatcatcta taacattgta 1560
 agacctttag aactcaaata tttcggtcga tga 1593

<210> 64
 <211> 651
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 64

atgcaagcaa gtttacctgg cgaaaagaaa gtcgacacag agcggctgaa gcgatgatcta 60
 tgcccacgta aaccattga gataaagtac ttttcacaga tatgtaacga tatgatgaac 120
 aaaaaggacc gattgggtga tattttgcat attatcttgc gagcatgtgc actcaatttc 180
 ggggcgggtc cccgtggtgg cgctggtgac gaagaggatc gatctattac gaatgaagaa 240
 cccattattc cctctgtgga cgagcatggc ctgaaagtat gtaagttgcg cagtcctaac 300
 actccacgaa gactcagaaa aacactagat gccgtgaaag ctttattggt gtcgtcttgt 360
 gcttgtaccg caagggattt agatatattt gatgacaaca acggcgttgc aatgtggaaa 420
 tggatcaaaa ttctgtacca cgaagtagcg caggaaacca cgctgaagga ctcttataga 480
 ataactttgg taccttcttc tgatggtata tcagtatgtg gaaaactttg gggagagttg 540
 aacaactgct tccatatgcc agcctcattt tgcgtaatcg agaagttttg ttcagagaac 600
 cgaagcgagg aattgacgag tatctggaaa acgattcttt tcttcaaata a 651

<210> 65
 <211> 1665
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 65

atgacaccta acttaccagg gttttattat gatagagaac gtcgacgtta ttttcgcata 60
 tctgaaaatc aaagcatttc taccacggga acgacgaacc agtacagaaa agataatata 120
 aagcgacaat gtgttgagga aaattacgat aaaaaatttt ctatgattaa aaaaaaacgt 180
 cagcaaacat taaaaaagta caagcttagt cttctgaatc cgttggaaag ggcttttcgc 240
 cctttatcat atgaaaagta catgattggt ttaaatatgc agtatgcatc gcattctctc 300
 actgaaggtc atcactcaca tagttctgct aacgtaaaat cactcaattt tccacacagg 360
 atacagatag gagtattagc aaattgtatt ttattggtta ctcaagaagg atgttttcat 420
 agtaaattag tatttgcaac aaacaagggc tatgtcgcag gattttcatc cctggataat 480
 ttttctgaag aaaatttctt tacgggggtt tccatggctg aattaaatcc tatgttgaaa 540
 tataagtccg agccaactga tgtgttcaaa acaatgaaac ttgagagAAC agttgccatc 600
 aaggaagggc cgagccatta tttttatcac aacgttaata ccagatctaa cgtgcatact 660
 tttgccatct ttttacaaga cttttcttcc taaaactgc taaaattcg tcagggtcaaa 720

<210> 67
 <211> 336
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 67

```
atgatcaaaa gggaaactag gttaagagct aaaatattgg gaataaatgc caatgccagt 60
tcccataacg gtgagtgtgg caacgccagc agtgaaatca ccacagtttg gataatagaa 120
catatgaaaa acaacctcgt aactaaatgg ttgaatcggg tcttgcacac gtcgctaaag 180
atgggtatggt acgtgtaccg tggattcaac aactcccttg gcgtctgtat catctgcttg 240
ccctgtaatg tcctttcgtc ttctcaatca cacttactca tcgccaaaga gtctgctctt 300
cccgttatg attctcgatg ttattatatt ctttag 336
```

<210> 68
 <211> 366
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 68

```
atgtcttcct gctctgtgtc ttcattacga cggaagcgat ctgaagaggt aatatcgttt 60
gtggtttggt ttatgccagg tgaatccttg ctacttaatg gaaatgcaga atcgggttttg 120
gaagttagtt cggtacaaca tgtagtagat tctttttcat tctcgaaggc tggagaagta 180
gccgggettga atccgtcaac tacatctgcc caatattcct ttttcaatgg gtttctaggc 240
atTTTTgatt ttgaggttgt atatctgtat ttgtgtacta atgagtcaga tagcgataat 300
attatacgtc aaaaaaactt gggaaggaca atgaattgta ataacgctga tgatatgttg 360
ttttga 366
```

<210> 69
 <211> 597
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 69

```
atgacagggt actttttacc accacaaaca agttcttaca cgttcagggt tgctaaggtc 60
gatgactctg caattctatc agtcgggtgg aacgttgcgt tcgaatgttg tgcacaagaa 120
```

caacctccaa ttacatcgac ggattttaca atcaatggta ttaagccatg gcaaggaaagt 180
 ttgcctgata acatcggagg gactgtctac atgtatgcag gctactatta tccgctgaag 240
 gttgtttact ccaatgccgt ttcttggggc acgcttccaa ttagcgtgga attgcctgat 300
 ggtactactg ttagtgatga ctttgaaggg tacgtttact cttttgacga tgatttaagt 360
 cagtcaaatt gtactatccc tgatccttca aacatacta ctagcatcgt cacaactact 420
 accgaactgt ggactggtag ttttacttct acatctactg aaatgaccac cgtcaccggt 480
 actaatgggc aaccaactga cgaaaccgtt attgttgcca aagctccaac cactgccacc 540
 tcatccagtt tgtcatcatc ttcttcagaa caaatcacca gctctatcac gtcttag 597

<210> 70
 <211> 1554
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 70
 atgactacgt ttaggccact atcaagtttt gaaaaaaaaa ttctcactca atctttgaat 60
 gaccaaagaa atggaactat tttttcgagt acatattcaa aatctttaag tagagaaaat 120
 gacgctgact ggcatcttga tgaagtcacg ctcggaacaa attcttccaa agatgattct 180
 cgtctgactc tgcccctaata agcaacaact ttgaagagat tgattaaatc gcaaccggca 240
 ttgtttgcaa ctgtaaacga agaatgggaa ttcgagccat tgaagcagct gaaaacttcc 300
 gatattgtta atgtgattga gtttgaaacc ataaaagata aggaggtcaa ttgccattgg 360
 ggtgttccac ctcttatct cttgcgtcat gccttcaaca agactagatt tgttcccgga 420
 tcaaataaac ctttatggac actatatgta attgacgaag cgctattgggt ttttcatgggt 480
 cacgacgtat tgtttgatat attttcagca gctaactttc acaaattatt tttaaaagag 540
 ttaaacgaaa tcagcacagt aacacactct gaagatagga ttttgtttga tgtcaatgac 600
 atcaatctct cagaattaaa atttcccaa tcgatatatg atagcgcaaa attacacctg 660
 cccgctatga caccacaaat cttccacaag caaactcagt catttttcaa atcaatatac 720
 tataacactt taaaaagacc tttcggctat ttaaccaatc aaacttccct cagctcgtca 780
 gtatctgcaa cacagctgaa aaagtataat gatattctaa atgcgcacac ctcatatgac 840
 gggacaacag tatttgggat agtaacaac caaagggtta actattttaa gtcaatcggt 900

aatcaagagc atatatgtct aagaagtttc atctgtggta ttgcaatgat atgttttaaaa 960
cctctcgtta aggatttcag cggtacaata gtatttacta ttcccataaa ttaagaaac 1020
cacttaggct taggtgggtc attgggtctc ttcttcaaag aactaagggt cgaatgtcca 1080
ctttctctaa ttgatgacga actttccgcc aacgaatfff tgaccaacag taacgataac 1140
gaggataatg atgatgagtt taatgaaaga ttgatggaat atcaatttaa taaagttaca 1200
aagcacgtta gcggttttat tatggcaaaa ctgaggagtt gggaaaagaa tgggtttaat 1260
gatgacgata taaggaggat gaagtatgac aatgacgacg atttccatat ccaaaattca 1320
aggacaaaat tgattcaaat caatgatgtt tccgacatat cgttatcgat gaacggcgat 1380
gacaaatctt tcaaaattgt aagtacggga ttacaagtt cgataaatcg cccacatta 1440
atgtctcttt cctatacata ctgtgaagag atgggcctga atatctgtat tcactaccct 1500
gattcgtata atttagaatc tttttagaa tgcttcgaat cttttattga atag 1554

<210> 71
<211> 315
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 71

atgttgttca aacaaaaaac acgagcaata ccatcaccga ctgcaagaac tctaccagtt 60
tcgttcaaat tggcctcgtc ggacacaccc ttaattcttt cctctaagat ggaggaaact 120
tctgtgggtt gtgccttggg ggaagccaat cttctgggtg aagccaaagc agcagcggca 180
ggctcttgcg ccttggtaga gtttaattaga gttctcgata gagaacgaat agcagcagta 240
cgagccaaca ttattatatg tgcgtgtttt ttttatttat tttgttactg ttcttgcgat 300
agttatgaga gctga 315

<210> 72
<211> 5619
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 72

atggaagatt ctgacctgtc tataaccaat ataagagatt ttcttaccga gctcccaaaa 60
ctcgcgaaat gcgaatatag cgaaaccact agttatttac tatggaaaac cttaaattcta 120

cgccttaagc atagtataaa cgatataaac tggcgctctc tcgtttcaat actcaattct 180
 gaagcctggg aaaacgaaaa gtacagagac atactaaatg gaagaaagtg gaggaccctg 240
 gagttcgaga atgaccacca ctctgtgggt aatatgcata ttggaacagc gtgtacgcgt 300
 ttatgcttcc cctctgagac aatttattac tgttttacgt gctccacaaa tccattgtat 360
 gaaatatgtg agctttgttt cgataaagaa aaacatgtaa atcattctta tgttgctaaa 420
 gtggtaatgc gccagaagg cagaatatgc cattgtgggtg acccctttgc ctttaatgac 480
 ccaagcgacg cgttcaagtg caagaacgaa ttaaataata ttcctatttc taacgacaat 540
 agtaacgtaa ccgatgatga aaacgtaatc tccctattga attatgttct ggatttttta 600
 attgatgtaa ctgtttcata caaagaggag gcagaagccc attcaagcga gagaaaagca 660
 tcctccctaa tgcacccctaa tcaaacagc attactgatg atataatgga aaaacacgaa 720
 tgtgaacat tggatcaatga tgaaaatttt gttttctttg ataacaattg gtccaatacg 780
 agaaaagaag cacatatgga gtgggctatt caaatcgaag aagaagagtg taacgtacac 840
 tacatggatt tagcatctac aataacgaga attttgaata caccggttga atatgcaatc 900
 tcaataacga aggcctttaga agattcacac gatgtagtga ctgtgctaca aagtgagaat 960
 tttttcgaaa tagatcaaat agccaaggag tttcaaaagg aaaacatagt agttcatgta 1020
 agaaaagcgg atgatatatt caagagaaag ttaacagatg atttaacaga ttgggttatat 1080
 tctctgtgct ttaaggcggc cacgtctttg caaaataaat atgctcttag aatttccatg 1140
 ctagatgttt ggtattccca tttttctaaa atgagagtat ctcccacaaa taccaatcct 1200
 gacttttcta agattaactt attaggtgga ttcttaatat ctaacgaaga tagtgatgaa 1260
 tcatggttta aaccttggtc attagagaaac attgaagacg aaagaatttc aaaaatactc 1320
 actaattaca atgaaagggt gatcagagcc cattcgccga acacagtaag ccatttctac 1380
 aatttctatg gatctagatt ccaatatatt atcatcaatt ctattaatat cctctcaaaa 1440
 aaatctaaat tcaaatgtt aaagatcatg gcgtcattat tctcgttaag ggatgaaagc 1500
 agaaagtttc ttgccgcaca atatatgat gtttatctat cggctcttga tgatgcagtt 1560
 gcatcagatg ctaaagaatg tcaggtaact cttatgagta tattagggca atacactttc 1620
 caagacccca gcatagcaaa tatgactata agctcgggat tcattgaacg aactattaga 1680
 tttgctttta ctctcatggc attcaatcca gaagacttga tgtcatattt gccatctct 1740

ttatacaatg gctttaagtt gccaccgaa acaatacgaa atcgaaggac aattatttgc 1800
 tttaaagacc tttgtacgat aatgtcagcg aacactgttc cggaagaact actttcaa 1860
 gaggcaat 1860 ttaacgcaat aattgagtc tttcttgaat tcagtaacgt gctgccattg 1920
 aaaagggaaa ctaaagaaca cgtggagggt gaaaactttg atttttctgc attttatttt 1980
 tttttctcat caataactaat aatgacagat ggatacacac gtagtatatc tttgggtcaa 2040
 gatgcggcct tccgtaagca aatcgtcctt aaactacttg atgttgcctc aaccagggaa 2100
 tttgaatcac taaccaatc tagaaaagct atatcacctg ataacgcac aacgaatgaa 2160
 aatgattcga acaaagcgac tttgtctaca gtcagagaga cgatatgcaa ttatgtcgca 2220
 gagactatta atttccagggt aggtgtaa atcacagtatt ttttcaatcc aatgtcatat 2280
 ttgttcaaat ttgttattca atggagtc tgtggtagat atgagccaat tcctgcttct 2340
 ttgacaaact acattaatct cttcgaagtt tttcaagata agcagaaggc tttatatata 2400
 tcagaatctg ctttgtcaac cctagtccta atcgggcaaa taaacgtcgg tttctgggta 2460
 agaaacggaa ctccaattac tcaccaggcc cggatgtata caaaatacag tatgcgagaa 2520
 tttacttata ttagtgacat tttcaatgtg caatttagta tggcaatgtg caatcctgat 2580
 gaactgatgg ttacttacct ctcaagggtg ggtttgaagc actgggcaaa tgggtgtacct 2640
 atgtatgatt atcctgatac agaaacaact gtagccgttg ttaatgaatg cattctgtta 2700
 ttgattcaat tgcttactga agtgagatca ttgggtcatga aatcatcaaa ggaaggcttc 2760
 gagagaacgt tcaaatacaga aataattcat gccctttgct ttgatacatg ctcttacgca 2820
 caaattgtta actgtattcc agaacatata accaagcacc cttcatttga tatatatctc 2880
 gaaaaatacg ccaattacac ttctcctgta agcttgactg acaatggcat tttcgtgttg 2940
 aaagaaaagt ataaagatga gattgatcct tattatatag ggttgtcttc cagtaggagg 3000
 tatgatgtag agaaaaatat caggctgaat atggcaaatt tgaagaaaat gaaatatgaa 3060
 gatacttttg taccagcaaa aaagggttaa gatttgttga agaatacatt attttctggg 3120
 ctgtattcaa tatcatcagt gaatactttt gggtttattt tgaaaaatac tttagatcac 3180
 attataaaat atgattatga caatttattg ccgagagtgg ttcatttgat tcatttatgc 3240
 gtggttaata atctgaatga atttatggg atactgtggc atgaatacgc aattgtggac 3300
 acagaattct gtcattacca cagcattggg tctatcctgt attactgttt gttgaaggat 3360

aatttttcg aatctcatgg taagattagg gaaattttca ggtatttaaat ggaaacagcg 3420
cctcacgtaa atgtaaacag ttatttgagg gagcaaacca cgtcatatac accaggaata 3480
ttgtggccta caaaggaaga taaaagccac aaggataaag aatttgaaag gaaaaaacat 3540
cttgctcgat tgagaaagaa aaaattaatg aagaagttgg ctcaacagca aatgaaattc 3600
atggaaaaca atagtgtaga tacttccgat attagtacac ccagaaccac atcacctagt 3660
ttatctccca ctagaataaa tgcagagaat agtagtaaca caatcaacag ttgctgcat 3720
gatgattgag tattttgcaa gatgccgaag gatgacgatg tatttggtta tttttcatat 3780
caagaacgga acatatgtga tcatggaatt gattttacga atcctacaga tgttaataga 3840
ataaattcgc tgttcagtgg taagcaaaca aaagacagtg caatccaaga aaacccccag 3900
gatgatgatg gaacgagatt gaaatttact agctgtgaac cagtattaag agcatgcggg 3960
catgggtctc ataccaaatg ttttaagtggc catatgaagt cgattcgcgg aatacaaac 4020
caaactacaa aaaatattcc attatcgtat ggttcagggt tgatatattg tcccgtatgc 4080
aattccttaa gtaattcatt tctacaaaa acaaatgata tagataagag aacttcgagc 4140
cagtttttta tgtgtattga aaagcgaagt gaagcgaag aaaaccttga cccaatgagc 4200
tctatttgta ttaaagcagc gatgattcta ggtgatcttc agggtaaaaa agtcacgact 4260
atcgaagatg catataaagt tgttaatagt gtttttatta atactatttc aaatactgag 4320
ctcagattaa gatcgacaa aaaggaagga aaaatagtga atatggaaag aatatccagt 4380
cagtgcattt taaccttaca tttagtttgt gagctaaagt cgtttattta caaaaaattt 4440
gttaattcaa aaacattcag cagcgaaatc tctcgtaaaa tatggaattg gaatgagttt 4500
ctaataaagg gtaataatgt gaatctactt ttgtatatga gtcaaaattt tgataatatt 4560
gatggaggaa aaaccccgca accgcctaac ctatgtatct atgaaatggt caaagaagg 4620
ttccatcaac tactactggt gcttgcaaga gatatgatga gagtaaactt ttacaaagac 4680
tgtcgaaata aaatcaaaat atcatcaaac ggatctgagg aaccatcgac aagcttttca 4740
tatctattca atacttttaa aaagtatggt gatctcttta aaccagacga cgttcggttt 4800
gattttacaa gtttagagaa aattaaagac tttatatgct ctctattact agagtcattg 4860
tccatttttt gtagaagaac cttcttatta ttcaacattc agtatgatga tgatgggtgat 4920
ggtgataata ataataaccg cagcaataat ttcattggacg tcaaacagcg tgaaatagag 4980

cttatttttcc ggtatttttaa attacccaat ttaactcact ttttgaagga ttttttctac 5040
 aacgaactaa cacaaaatat agaaagggtat aatgatggta atgataattt gagaattcag 5100
 caagtaatat atgacatggg gcagaacata aacacaagag catatccttc accagagcat 5160
 atccagctta tcgaactacc attgaacctt tccaaatttt cccttgataa tgatgaaata 5220
 tcgaataaat gtgataaata cgaaatcgca gtatgcttgt tgtgtggcca aaaatgccat 5280
 attcaaaaaa gcatagcact gcaagggttat ttacaggggg aatgtactga tcatatgaga 5340
 aatggatgcg aaatcacctc cgcttacgga gttttcttaa tgaccggcac aaatgcgata 5400
 tatctgtcat acggcaaaaag aggtacattt tatgctgcac cttatctaag taaatacggg 5460
 gagaccaacg aagactacaa attcgggtact cccgtctatt tgaatcgggc gagatacgcg 5520
 aatctagcga atgagattgt ttttggcaac atgattccgc acatagtgtt ccgactaacg 5580
 gacggcagtg cagatcttgg tgggtgggag actatgtag 5619

<210> 73
 <211> 2505
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 73

atgacgaata tggcggagga taaaacaagt ataagcaagg tacattctga attcagcaat 60
 tcctcgaata ccactggatc tgaagaggag agtcggtcgc atcaagagag cttcgacggc 120
 gagtccagtt ccggtgaaag taaaagtaaa agcaaaactaa atcttgaata ttctgcagat 180
 atcgagccat tgaagttcag aatgacaaaa actaataata caaatgacaa attaaaaatat 240
 agtaacaacg gcaacgccac tgattcattt atgagactaa aggaacattt acagagaggc 300
 aatactttta attcgaatct taggggtcaat gagttttacc ctttcaattc cattgataca 360
 gagcaatttg aaaactattt gagagagcca aaatacatta aaatgttgaa acgtcggaaa 420
 aacctgaaac aatttagaag attgtttctc gcgcaagaac taatggccta cgaagggtgaa 480
 acggttacct ccacttccaa atcatctgaa ccaacctcta aagctatatg gagtacaaag 540
 tttagccgcg atggaaaatt tatggccact ggtagcaaag atggtaaaat aagaatatgg 600
 aaagttattg gctctccagt tgaaagagcc gaattggact cgagtgcgga atcaaataaa 660
 gaggcacgag ccaagtcgat gcggatcaaa cagcagggtca gttcattgaa caatccaaaa 720

gaaaaacaat ttttggttc tgctacagag aaatacgaag agaaggaaaa attattgaat 780
ttgtatgctg ctgtctttca cccaacgcct ttgcgactgt ataaagaaca cgtgcaagat 840
gttctggata taaattggtc taaaaataat tttattttgt cagcatcgat ggataagaca 900
gtaaaactat ggcatcccg taggaaaaat tcaacttaaga cattcataca tcctgatttt 960
gtcacttggt tggaatttca cccaccgac gatagatttt tcattagcgg ctgtctggat 1020
cacaaatgca ggttatggtc tatactggat gatgaagtta gctttgagta cgattgtcaa 1080
gacttaataa catctgttac attatcccct gaggagggaa aatacactat aataggaaca 1140
tttaatggat acgttcatat tctgatgacc agaggtctca ctccagtttc ttcatttcac 1200
gtagctgata gacaaacaca agaacaaaac gctcacgtca tggtcacgga aactgactca 1260
aaaattcgtc atgggtccacg tgtgacgggt ttgcaagctt ttagatctca actggacaat 1320
tctttccgct tagtagttac atcgaatgat tcgaggataa gaatttttga cttagaacag 1380
aggaagcttc tagaggtatt gaaaggcttc catagcggat cttccaaca caaggcacia 1440
ttgtccatct ggcatggta gccaatcgtt gtaaatagta gtgatgacca ttgggtttac 1500
ggctggaggt taaagtcttc ggatagagag aatgatcaag acgaacctaa aaggaaacca 1560
aagggtattg ctcggtccgg aagtttgaga agcatattta gtaaatcaat gagtaggtct 1620
tccagccaga ataacgaaga aaaaccacat catcatttaa aacttactaa cttacttccc 1680
ttgcctcatc atagcaacga tcattatata aaaaatacgg attacatttc ttttcatgca 1740
cacaatgccc ctgttacttg tgttagcatt gcaccgccag aaacttcgaa aacattatct 1800
ttgtctaacg atgttatctg cgagctatct ctagagtttt ttcagacatc cgatagtttc 1860
gatgttttga gtcggagtaa cgacgatggc ataatgtcag atgtagagtc gtctttgggc 1920
tacaattcta aaccaggctc aatttcta at gcttccgcca ccagtgtat cccagatgtc 1980
gttgacgcaa ttggaacgat attgatcagt actgataacg tagggactat tcgtgtgttt 2040
agagcagata tgccctctgt tataagaaag cgcgtgttac tcaaactaga agaatacaat 2100
agagaggttc ggagaagggt taacagttct gattctttgc attctttgag tcgaagcttc 2160
aactcgagag cgaaatcaaa cttggctggc caaccggcag cggcgtatac taatactgga 2220
aaaggctatg caacgggacg tggatactct aatatatgtc ccaaagcag tacatcacta 2280
aaaacactcg gcagtaatgc acagccaaga acaccaaggg aaagcatgtc atctattttc 2340

tccaatgcac atgggcctac cactccaacg agcgcaatga atttacctat ccgttgcaat 2400
 gtttgtaacg gttcaagggt tgaggctttt tctgggtgcta atgaccaaca agatagaaac 2460
 tattattgcg tagactgcfg tacagtagtt aataacttcc gctaa 2505

<210> 74
 <211> 1608
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 74

atggaagata tagaaggata cgaaccacat atcactcaag agttgataga ccgtggccat 60
 gcaagacgta tggggccactt ggaaaactac tttgctgttt tgagtaggca gaaaatgtac 120
 tcgaatttta ctgtttacgc ggaattgaat aaagggtgta ataagagaca actaatgctt 180
 gtcttgaaaag tattacttca aaaatactca actcttgcfg atacaatcat tcctaagcat 240
 tatectcatc atgaagcgta ctactctagc gaagagtacc ttagtaaacc tttccacag 300
 catgatttca taaagggtgat ttctcatctt gaattcgatg acttgattat gaataatcaa 360
 ccagaatata gagaagtcac ggagaaaatc tcagaacagt tcaaaaagga tgatttcaaa 420
 gtcaccaata ggtaaatcga attgattagc cctgtaatca tacctctggg taatccgaag 480
 aggccctaatt ggagattgat ttgtttacca ggtaaggata ctgatgggtt tgaaacgtgg 540
 aaaaacttcg tttatgtcac taaccactgc ggctccgacg gtgtcagtgg atcgaatttt 600
 ttcaaagatt tagctctact cttttgtaaa atcgaagaaa aagggtttga ttatgatgaa 660
 gagttcatcg aagatcaagt catcattgac tatgatcgag actacactga aatttctaaa 720
 ttgccaaaac cgattacgga tcgtattgac tacaagccag cattgacttc attacccaaa 780
 ttctttttta caaccttcat ttatgaacat tgtaatttta aaacctccag cgaatctaca 840
 cttacagcta gatatagccc ctctagtaat gctaattgcta gttacaatta cttgttgcat 900
 ttcagtacta agcaagtaga acaaatcaga gctcagatca agaaaaatgt tcacgatggg 960
 tgcaccctaa cacccttcat tcaagcgtgc tttcttgtag ccctgtatag actggataag 1020
 ctgttcacaa aatctcttct cgagtatggg ttcgatgtgg ctattccaag caacgcaaga 1080
 aggtttttac caaacgatga agagttaaga gattcttata aatacggctc caacgttgga 1140
 ggttcgcatt acgcctatct aatctctca ttcgacattc ccgaagggtga caatgacaag 1200

ttttggagtc ttgtcgaata ctactatgac cgcttttttag aatcgtagca caacgggtgac 1260
 cacttgattg gtctgggggt cctacaactt gattttatcg ttgaaaacaa gaatatagac 1320
 agccttcttg ccaactctta tttgcaccag caaagaggcg gtgcaatcat cagtaatata 1380
 ggacttgtct cgcaagatac gaccaagccg tactacgttc gggatttaat cttctcgcag 1440
 tctgcaggcg ccttgagatt tgcgttcggc ctaaactgtt gctccacaaa cgtgaatggg 1500
 atgaacatgg acatgagcgt gggttcaggcg actctacggg atcgtggcga atgggaatcg 1560
 ttctgcaagc tcttctacca aaccatcggc gaatttgctg cgcttttaa 1608

<210> 75
 <211> 939
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 75
 atggggcgta caacttctga gggaatacac ggttttgtgg acgatctaga gcccaagagc 60
 agcattcttg ataaagtcgg agactttatc accgtaaaca cgaaacggca tgatgggcgc 120
 gaggacttca acgagcaaaa cgacgagctg aacagtcaag agaaccacaa cagcagtgag 180
 aatgggaacg agaatgaaaa tgaacaagac agtctcgcgt tggacgacct agaccgcgcc 240
 tttgagctgg tggaaggtat ggatatggac tggatgatgc cctcgcacgc gcaccactcc 300
 ccagctacaa ctgctacaat caagccgcgg ctattatatt cgccgctaata acacacgcaa 360
 agtgcggttc ccgtaaccat ttcgccgaac ttggtcgcta ctgctacttc caccacatcc 420
 gctaacaaag tcaactaaaa caagagtaat agtagtccgt atttgaacaa gcgcagaggt 480
 aaaccggggc cggattcggc cacttcgctg ttcgaattgc ccgacagcgt tatcccaact 540
 ccgaaaccga aaccgaaacc aaagcaatat ccgaaagtta ttctgcccgc gaacagcaca 600
 agacgcgtat caccgggtac ggccaagacc agcagcagcg cagaaggcgt ggtcgtagca 660
 agtgagtcct ctgtaatcgc gccgcacgga tcgagccatt cgcggtcgct gagtaagcga 720
 cggtcacatcg gcgcgctcgt ggacgatgac aagcgcgaat cacacaagca tgcagagcaa 780
 gcacggcgta atcgattagc ggtcgcgctg cacgaactgg cgtctttaat ccccgcgagg 840
 tggaaacagc aaaatgtgtc ggccgcgccg tccaaagcga ccaccgtgga ggccggcctgc 900
 cggtacatcc gtcacctaca gcagaacgtg agcacgtga 939

<210> 76
 <211> 588
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 76

```

atgtccgggt cgttaaaatc tctagacaag aaaatagcta aaagaaggca ggtgtataag   60
cccgtgctag acaatccgtt cacaaacgaa gcacatatgt ggccgcgcgt gcatgatcag  120
ccattgattt ggcagctgct gcaatcctct atcataaata agttgattca cattcaatcg  180
aaggagaact acccttggga gctgtataca gatttcaatg aaattgtgca gtatttgagc  240
ggcgctcacg gaaacagcga cccagtatgt ctatttgtgt gcaataagga ccctgatgta  300
ccgcttgtgc tcttgcagca aatcccgcta ttatgctata tggcgcccat gacggttaaa  360
ctggtgcagt tgcccaagag tgccatggat accttcaagt cggtttctaa atatggaatg  420
ctgctgctgc ggtgcgacga tagggtcgac aagaaattcg tatcgcatat ccagaagaac  480
gttgatctgc ttcagtttcc ctggttaaata gctatcaagt atcggcccac atctgtcaag  540
ctgttgaaaa ctacagtgcc aattgtctcg aagaagaggc aaaagtag                    588

```

<210> 77
 <211> 2352
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 77

```

atggtgaata ctaggggcta cactactctt ccgaatgttg aagaaccagc aaataactca   60
caagatgagc taaactcgca ggactttgag caagctatag gaatgccatc agaacccccg  120
gtatatgttg aagagatggg gatggaagaa ccgcaggctc cggaagcctt tagtgagaaa  180
gtccagcgat ttcgtatgtg ttttgaaaat aacgtgggtga ttccagtaaa gaaaaatgta  240
gtggatccgc tagcaciaat gatttccctg gcctctgaga aattcgattt gttcttaagt  300
aaaataggta atgttatggt aatgaggaga atattttaca tcatgatgat gtctatcatt  360
gcagcgttga ttattgcgag tgataggtta ccgaatggaa aagctcgagg ttcaaatgga  420
tcattctcgg accatgatct ccttttacag tatgctcgga aatcgataga cctttcaaag  480
atagaaagag atttagagta tattagtagt atgccccaca tgtcaggaac aagtgggtgat  540

```


ccaaaactct gggtcgacaa aggtgaccca ctctgttcat ggacgttccc tgaaatcagg 2220
gacactattg caatcaagga ctggagctct gtgcagggtc aagctaacac actcggcaca 2280
attttacaaa atacagcacg ctattttctt gagaataaaa accttcatgg aataaacacg 2340
aacgaatttt ag 2352

<210> 78
<211> 1617
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 78
atgagttctg tcgcagaaaa tataatacaa catgccactc ataattctac gctacaccaa 60
ttggctaaag accagccctc tgtaggcgtc actactgctc tcagtatcct ggatacactt 120
aagtctatgt catatttgaa aatatttgct actttaatct gtattctttt ggtttgggac 180
caagttgcat atcaaatcaa gaaagggttc atcgcaggtc caaagtttaa gttctggccc 240
atcatcggtc catttttgga atccttagat ccaaagtttg aagaatataa ggctaagtgg 300
gcatccggtc cactttcatg tgtttctatt ttccataaat ttgttggtat cgcacttact 360
agagacttgg caagaaagat cttgcaatct tccaaattcg tcaaaccttg cgttgctgat 420
gttgctgtga agatcttaag accttgcaat tgggtttttt tggacggtaa agctcact 480
gattacagaa aatcattaaa cggctctttc actaaacaag ctttggtca atacttacct 540
tcattggaac aaatcatgga taagtacatg gataagtttg ttcgtttatc taaggagaat 600
aactacgagc cccaggtctt tttccatgaa atgagagaaa ttctttgcgc cttatcattg 660
aactctttct gtggtaacta tattaccgaa gatcaagtca gaaagattgc tgatgattac 720
tatttggtta cagcagcatt ggaattagtc aacttcccaa ttattatccc ttacactaaa 780
acatggtatg gtaagaaaac tgcagacatg gccatgaaga ttttcgaaaa ctgtgctcaa 840
atggctaagg atcatattgc tgcagggtgt aagccagttt gtgttatgga tgcttggtgt 900
aagttgatgc acgatgcaaa gaatagtaac gatgatgatt ctagaatcta ccacagagag 960
tttactaaca aggaaatctc cgaagctgtt ttactttctt tatttgcttc tcaagatgcc 1020
tcttcttctt tagcttggtg gttgttccaa attgttgctg accgtccaga tgtcttagct 1080
aagatcagag aagaacaatt ggctgttcgt aacaatgaca tgtctaccga attgaacttg 1140

gatttgattg agaaaatgaa gtacaccaat atggtcataa aagaaacttt gcgttacaga 1200
cctcctgtct tgatgggtcc atatgttggt aagaagaatt tcccagtttc ccctaactat 1260
accgcaccaa agggcgctat gttaattcca accttatacc cagctttaca tgatcctgaa 1320
gtttacgaaa atcctgatga gttcatccct gaaagatggg tagaaggctc taaggctagt 1380
gaagcaaaga agaattgggt ggtttttggt tgtgggtccac acgtttgctt aggtcaaaca 1440
tatgtcatga ttaccttcgc cgctttgttg ggtaaatttg cactatatac tgatttccat 1500
catacagtga ctccattaag tgaaaaaatc aaggttttcg ctacaatttt cccaaaagat 1560
gatttgttac tgactttcaa aaagagagac ccaattactg gagaagtctt cgaataa 1617

<210> 79
<211> 1752
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 79
atggtgcgtt ttgtttcaat tttaagttta ttcggctgcg cggcgacgct tgtcacggcc 60
catgatgaca tggacatgga catggatatg gacatggata tggacatgaa tatcgatacg 120
acaacgtctc aatccataga tgtctcatcc acggcttcaa tcgtccccgt gccacatgaa 180
ccaaaacatt tgcattggcct tcctatactg caatcgccct cgcttaccct tgcggagaga 240
ttgtactggg aaaactacaa caccacaacc tactttacta cacaggctgg gaataggtct 300
gcccttcgct accacattat tacgttgctc ttggttgcat ttgtgctcta ccctgtgtcc 360
ctggcgctaa gcgcgcgccg ttctaggtgg tacttaccct tgctgtttgt taatctatgc 420
at ttgtat tt cgtccgtaat ggcattgtcc gtgttcaaaa atactttccc ggaagaagac 480
tggtatgcgc ataatatcta tggcaccact tctgtgctac ttctcgtttt tatgcttggt 540
cacttcttcg ctgcggtgct ttctgtcccc gtctcattag catcgaaaaa ggagtaccgt 600
ccggttgaca ccatccctct gaatgatctt gaatctacgc ccgtcatggt gaatagtgca 660
cgtggctctc caagtccttc ttccaacaga gacacgttgt tctcgctctc ttcagacacc 720
acgaccgcca cggccaccaa taataataaa cggagacgcg ctgaaggcga agacgagggt 780
gataacacct ccaaccacga cactttgcgc gacgaagact acgataatga tgacgacgaa 840
attgcttcca ttgaagcgcc acctctgctt cctcaagaca taccggtttt ccgaatcttg 900

tttaccaaca cgaagtacca gatgcttgcc ggcacacctct cgtgcgtcgc caacgtggtc 960
 ttccacatgc ttacctaccc gctattcatg tacatctttg tagacctaat catcggcttc 1020
 gctgtaggta acttgctcgg caagggcatc cgcactctta atctcttggc cactggatt 1080
 aagggcgcg tatttttttac tctgggcgtt gtctcttttag caagatactg cggtttcgca 1140
 gctaagtacg gctgggcatg gaacaacatc agcttcacct ctcaactcac acaaacgcgt 1200
 tcctccaatc ttcttttccg gtttgctcct ggggggactt tcaccatgga attcgttgaa 1260
 tccttcctca ttttctttta cgggtccacc aacatcttct tggagcacct ggcaggaaac 1320
 ggcggcgcat ggactgcaa ggatttacag catgtgtcga taaattctca cgggccccaa 1380
 ggtgtgtggg ctactcacgg agtacaagct caaccattgg cgattcgagc atgcccgcaa 1440
 acggccacag accgatgtag ttgctgccac accgggggtac tctccaaacc cgttccccgc 1500
 tttcaccata ttttggaactg ggattctgat gtcccagcac gcacagtcct cgcaattttc 1560
 tactaccatt cacacgcaat ggggatactt gttgtcctat gggtccttct tccgtctgct 1620
 aacatttttg attctgtttt tgggtgccccaa caccaacagt gccgcattca agcctttcac 1680
 ggagttgatc acctcgttct gtctcctctg tgggtggtctg gtatttatgg agtcacgga 1740
 tcagtccatt ga 1752

<210> 80
 <211> 5607
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 80

atgtccattt cttctgacga agcgaaagaa aaacagctcg tggagaaggc agaattgcgc 60
 ctggctatcg cagattcccc tcaaaagttc gaaactaatc tgcagacttt ttgacctca 120
 ttattactaa aactcgctc tccacatgcc tccgttagaa cagcagtatt ttcagcctta 180
 aaaaacctca tttctaggat aaatacgctg cccaggttc agcttctgt gagggcgctt 240
 attgtccaag caaaggaacc caatttagcc gctcaacaag actcgaccaa tgtccgcctt 300
 tacagtctgc tactggcgtc taaaggcata gataggcttt ccttgcaaga tagacagcag 360
 ttgctaccgt tagtcgtttc gaacatctcg tgtctaacag gcacagtagc cgccagaatg 420
 ttccacatcc ttttgaagct tatttttgaa tgggttgac cccaggagtc ttcacatgag 480

caagatccaa tttttggttc tgtcttatta actttattga attttgtgag caataatgtt 2160
 ttacggagat tggaaattct tgttcccgat ttataccatc tagttatcat gaaatttcaa 2220
 tcgttgagtg ataatgatct tgcagtctgt gcaaccatca tcggtataat ttctactgct 2280
 atcgcagact cgactcacgt taagcgaatc acaaaaatag cacaatcaca aacaatggca 2340
 gagacatatg ttgcatctta tgttggtcca cgattatatt tgaaagatca aacaaatcac 2400
 attgaatctg acagtatcct aaacctatta aacattttta caactcatct atcgcatcct 2460
 ggactaaca aggatatgat attaaagttg gtctgccaag tgacaaaatt cggtttactt 2520
 ctccaagtaa gtgcacaaga aaggaaagat ttcttgaaaa aagtcatgga tactatacaa 2580
 gacaaattga tcaacgatgt gacagcaatt caaacgtggt catacctatc actatattca 2640
 acagatttag agaattccag tctttttcaa gaaaaattac ttgaaactaa cgttttctaag 2700
 caaacgatt tcttattttc agttggtgaa tctttaagtg ttgtggctgg taaatgggtca 2760
 agtaagtact tgatcaaaca gattgatatt cctaatttca atgttgagat catgcaacaa 2820
 aaattccctg ctacaaatgt taccactata cttgatgaga tcttttcagg ttgcgactct 2880
 aaaaaaccct ctctgaggaa ggcattctgt atttggtgtg tatcatatat tcagtactta 2940
 ggtcatttgc cagaagtaag ttccaaatgt aatgatattc acttgagatt tatgagattt 3000
 ttggcagaca gagatgaatt tatacaggat tccgccgcta gagggctttc tttggtttac 3060
 gaaattggtg gttctgattt aaaagaaagt atggtcaaag ggctacttaa atcatttaca 3120
 gaatcaaccg cagggctctg atctacaagt gctactggca tctcaggttc agtctccgaa 3180
 gagaccgagt tatttgagcc aggagtttta aacactggag atgggtccat tagcacttac 3240
 aaagatattt tgaatttggc atctgaagtt ggggaccccg cacttgttta caaatttatg 3300
 tctcttgcca aaagttctgc gctatggtca tctaggaaag gtatcgcatt cggctcttggc 3360
 gccattatgt ctaaattctc tttagaagaa ttattactaa aggatcagca aactgccaag 3420
 aaattaattc caaaattgta tagatacaga tttgatccat ttcaagcagt atcacgctcg 3480
 atgacagaca tctggaatac ttttaattcca gaatcctctt tgacgatttc cctctatttc 3540
 aatgatattc ttgatgagct tttatgtggc atggctaata aagaatggag ggtcaggagg 3600
 gccagtactt cagctttatt acaattgatt caatctcaac cgcaagagaa attttccgaa 3660
 aaaaatgctga aaatttggac aatggcattc agaacgatgg atgatataaa agatagtgtc 3720

cgtgaagttg gtaccaagtt caccactgta ttggccaaaa ttttggcaag atctattgat 3780
gtggaaaaag gtgtgaaccc taccaagtct aaggaaatac tagacaatat tttgccattt 3840
ttatggggtc cacatgggtct gaacagtgat gcagaagagg ttagaaattt tgcgctcaca 3900
actttgattg acttgggtgaa acactcccct ggagccatca aaccggtcac tccaaaatta 3960
atttacgatt ttatcacatt gttttcttcc attgaacctc aggtgattaa ctatttggca 4020
ttaaatgctg caaattataa cattgatgct aacgtcattg atacgcaaag gaaaaatggt 4080
gtcacaaatt cacctctatt ccagaccatc gaaaaattaa ttaacaattc agatgattgt 4140
atgatggaag aaataattaa tgtgggttatt aaagctagca gaaaatcagt cggattgcc 4200
tctaaggctg catcctcact tgtcataatt atcttagtga aacggtactc tatcgaaatg 4260
aaaccctatt ctggaaagtt gttgaaagtc tgcttgacta tgtttgaaga tagaaatgag 4320
tcggttaata tagcatttgc aatttcaatg ggatatttat tcaaggtttc agcgttggat 4380
aagtgtatta aatactctga aaaactaata acgaaatatt ttgagcctac ctcaacagaa 4440
aataacaaga aagttgttgg tacagcgatc gactcgattt tgaattatgc gaagtcagaa 4500
ttcgataatg tggcaagtgt atttatgcct ttgattttca tagcatgcaa tgatgaagat 4560
aaagatttgg aaaccttata taataaaatc tggacggaag cttccagctc tggcgccggt 4620
acggttaa at tatacctgcc agaaatttta aacgtacttt gtgtgaatat aaagtcaa at 4680
gatttctcta ttcgaaaaac atgtgctaaa tcagtcatac agtttgtgtg cggattaat 4740
gatagtattc cttatccaca aattgttaag ttatttgata tatcgaggga ggcattaagt 4800
ggtagatcat gggatggtaa agagcatata gtggcagcat tggtttcatt aacagaaaaa 4860
ttttctcaaa ctgtggccga caataatgat ctacaagaat caattaatca tgtaatgtac 4920
actgaagttt cgagaaaaag tatgaaatat gttaagaaga tactaccgct ttacgcgaga 4980
tatatcaatg tgaatccaca agaagagacg atcaccttct taattgaaaa agccaaagaa 5040
atgattcgat tgttgggcag cgaatctgat gatagtgaag gttccattaa gcagacttcc 5100
gatgaatcca caataaaaag aattaagcct aacactgaaa ttacacaaaa gtcattccaaa 5160
gagaacattg agaacgaaga gtatgtgatc aacttgtaa aagttagtgt tgacatatgc 5220
aacaattcta aatcgaggta tccgatgaat ttattggagt tcattataga tgagattgca 5280
taccttttcc ataatgacag aattatacac acatggagaa cgcaactagc tgctagtga 5340

attggtatct cgatagttgg aagatttagt accataagta gcgctgactt tatccaaaat 5400
 gtggggagac tatgggatca aacttttcca ataaattgta acaaggaaac cattgagaat 5460
 gtgaaattgc agatgataaa gttcgggtggc ctgatcattc agaagattcc aagcttgcag 5520
 aacaatatcg aggaaaactt acggttggtg aacagtattg attcaacgag cagaattgag 5580
 ttggaattga aaaatattgg tctatga 5607

<210> 81
 <211> 2844
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 81

atgtcttcca ctgaagcaaa gcaatacaag gagaaaccct cgaaagagta cctccatgcc 60
 agtgatggcg atgaccctgc aaataattct gccgcttctt cgtcatcttc gtcttctaca 120
 tcaacttccg cctcgtcatc ggctgcagcc gttccacgga aggccgcagc cgcttctgcc 180
 gctgatgatt ctgactcaga tgaagatata gaccaattga ttgatgaact acaatctaac 240
 tacgggtgagg gtgatgaatc tggatgaaga gaagtacgta ctgatggggt gcacgctggc 300
 caaagggttg ttcttgaaaa ggacctttct acggaccctg cgtatgggtt gacttcggat 360
 gaagtcgcca ggagaagaaa gaaatatggg ttaaatacaa tggctgagga gaatgaatcg 420
 ttgattgtga agtttttgat gttcttcgta gggcctattc aattcgttat ggaggctgct 480
 gctatttttg ctgccggttt gtctgattgg gttgatgtcg gtgtcatctg tgctttactg 540
 ctattaaacg catctgtcgg atttattcaa gaattccagg caggttccat cgtagacgag 600
 ctgaaaaaga cgttggccaa tactgcaaca gttattagag atggccaatt gatcgaaatt 660
 ccggctaatt aggtagttcc tggtagatt ttgcaattgg aaagtggcac aattgctccc 720
 gcagatggtc gtattgtcac tgaagactgt tttttgcaga tcgatcaatc ggccatcact 780
 ggtgaatcct tagccgctga aaagcattac ggtgatgagg tgttctcctc atccactgtg 840
 aaaaccggcg aggcttttat ggttggttact gccactggtg acaatacctt cgtcggtagg 900
 gctgccgcct tagtggggca ggcttcgggt gtagagggcc atttcactga agtattgaat 960
 ggaattggta ttatcttact tgttctagtt atcgctactt tggtgttggt ctggaccgca 1020
 tgtttctata gaacggtcgg tattgtaagc attttgagat atactttggg tataaccatc 1080

ttttactata ttatgtccac gtctcaagcc tttgataggt tgatgaatgg taagtcatta 2760
aaggaaaaga agtctacaag aagtgtcgaa gatttcatgg ctgctatgca aagagtttct 2820
actcaacacg aaaaaagcag ttag 2844

<210> 82
<211> 1062
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 82

atggtcgata cgcataaact agcagacgac gttcttcagc tattggataa ccgtatcgaa 60
gataattata gggtttgtgt taccctagtc ggttctccag gctccggtaa gtctactatt 120
gcggaagaac tttgtcaaata tataaatgaa aaatatcaca cttttttgtc agagcatcca 180
aatgttattg aggttaatat taggttgaaa cctatgggta acctagtaga ctcttttaaag 240
acgctccagc ccaataaagt agctgaaatg attgaaaatc aggggctggt taaagatcat 300
gttgaggatg ttaattttca accagtcaag tactcagccc ttacatcaaa taatgaagaa 360
tgtaccgcag tagttgccag aggtgggtact gcgaatgcc taagaatcgc agcagttgat 420
aatccagtca atgttaacaa gttggcccag gatagtatca atatagcgca aatagtccca 480
atggatggtt ttcacttatc tcgcagatgt ctagacctat tcaaagacct acaaactgcc 540
cataaaagaa gaggttcgcc ctcaacgttt gacagtaaca atttcttaca attgtgtaaa 600
attctagcca agacgtccct atgtaagggt tcctcacatc ataaatttta ctccacttca 660
agcgtttttg agaagttatc caaaactttt agccaaacaa ttcttgatat ctttgttcca 720
ggatttaacc atgcactaaa agacccaact ccagatcagt actgtatttc caaatttaca 780
aggatagtta tacttgaagg gttataccta ctgtatgacc aagaaaactg gaagaaaatt 840
tacaaaacat tagctgatac gggagcactt cttgtttata agattgacat agactatgag 900
gccaccgaag aaaggggtggc caaaaggcat ttgcaatcag ggtagtcac gactattgca 960
gaaggacgag agaagtttcg cagcaatgat ttgttgaatg gcagggatat agataatcat 1020
ttaattaagg tagataatat cgtccatatc cgcaacgact ag 1062

<210> 83
<211> 534
<212> DNA

<213> Saccharomyces cerevisiae

<400> 83

atgagcagca ttccagctgg cactgatcct gggtcctgcg gtgctaattt caagaatgac 60
cgcaagcgca gagataagat caacgaccgt attcaagaac tattgagtat cattcccaaa 120
gacttcttta gagattatta cggcaattct ggtagcaatg acacgttaag tgaatccact 180
cccggtgcg c ttgggttgtc cagcaaggcc aaaggtacag ggaccaagga cggaaagccc 240
aacaagggcc aaattctcac acaggcggtg gagtacatat cacatctaca aaatcaagtg 300
gacacacaga acagagagga ggtggaactg atgggtgaagg ccactcagtt ggccaagcag 360
acaggcacca ttgtcaacga tataaactta gagaacacca gcgctgaagt cgccctgtcc 420
aggattggcg tgggaccgct ggccgcaaca aatgatgact cagtaagacc gccagcaaag 480
aggttgagct ccttcgagta cggagggtat ggtgagtacg gtaatggtag ctaa 534

<210> 84

<211> 411

<212> DNA

<213> Saccharomyces cerevisiae

<400> 84

atgacatatc ttagaatagc gttagcatca aacaaaagga aagggttcctt tgtattgcgc 60
aattccatgg cagcattatc attgtcaact tcaggcttta aatttttgct tgcattattca 120
agtgctaggg caatcttcaa attgttcgct aactgcaaat gggcaggatg tttcttcgat 180
ttatcaaagg aaatgaggaa agacatgctt gttgtaaatt tccgcttttt tttcaagttt 240
tattcctcca caaagatgca tatcaggaag caaatcatca ttaacattag acatcgaaga 300
aaatttgtca tcgtcttttt ttttttttcg ttttctcttt cgataagttg cgtacagaaa 360
ttttttctgc ctccgaaatc attcgtgcct cgtgatattg agaagaagtg a 411

<210> 85

<211> 462

<212> DNA

<213> Saccharomyces cerevisiae

<400> 85

atggcgggcaa caccagcagc gattgaagtt agtttgacca ttgtatttgt tttgtttttt 60

agtgcctgatg taagcttaac aagaaatagt gaaatgaaag cgcatacctc aaagatggat 120
 agctacagca gctctattta tatgaatgtc ttgccaaactt ccctggcaca aacgagttat 180
 catctggcac ccatctctca cctaaaatgc ctcaagtgtac aatgttcac cccacattcat 240
 tattcatatt attacgggtgc ttctgtactt gaacgatgcg tctttcatag gtcccgata 300
 cgaggcgcac gcttcatagt gcctatacct ttttattgca tttccaaggc acaagaatgt 360
 tttctcacag tgtacatact tccgaagaat ccctttaggg tgccttcaga gatgcagctg 420
 cagcttttgg ccaagaaaaa gctaaaacca aatttgcttt ga 462

<210> 86
 <211> 1995
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 86

atgaagttgc agagtttgtt ggtttctgct gcagttttga cttctctaac agagaacggt 60
 aacgcttggc caccataata cagttacgtc cctgcgaacg taacctgtga tgatgatatt 120
 aacttagtca gagaagcatc tggtttgcata gataacgaaa cagaatggct gaaaaaaga 180
 gatgcataca ccaaggaggc tttgcattct tttttgaata gggccacttc gaatttcagt 240
 gacacttcct tgctatccac tctttttggc agcaactctt ccaatatgcc taagattgcc 300
 gtcgcctgtt ctggtggtgg ttaccgtgcc atgttgtctg gtgctggtat gcttgctgct 360
 atggacaatc gtactgatgg cgcaaagtag catgggtctt gtgggctgct gcaagggtgca 420
 acttacttgg caggtctgtc ggggtggtaac tgggttaacaa gtactttggc ttggaacaac 480
 tggacgtctg tgcaagctat cgtggataat acaacagaat ctaactcaat ttgggacatc 540
 tctcattcaa ttcttaccac agacggcatt aacatcttta agactgggag tagatgggac 600
 gacatatcag atgacgttca ggataaaaaa gacgccggtt tcaacatctc tttggcggat 660
 gtttggggcc gtgctcttgc gtacaatttt tggccaagct tacaccgtgg tgggtgtaggg 720
 tacacatggc caactttaag ggaagctgat gtcttcaaga atggagaaat gcccttcctc 780
 atcactgttg cagacggtag ataccaggc accaccgtga taaacttgaa tgccactctt 840
 ttcgaattta atccctttga aatgggttca tgggaccca ctttgaacgc atttacggat 900
 gtgaagtatt taggtacca cgttacaac ggtaaacag ttaataaagg ccaatgcatt 960

gccggggtttg ataacactgg ttccataaca gccacttcat ctacgttggt taaccaattt 1020
 ttactaagat tgaattctac cgatttacct tcatttattg ctaacttagc caccgatttc 1080
 ctggaagatt tatccgacaa tagtgacgat attgcaattt acgccccaaa tccattcaag 1140
 gaagctaatt ttcttcaaaa gaacgcaacc tccagtatta tcgaatcaga atatctattt 1200
 ttggttgatg gtggtgaaga taaccaaatt attcctttag ttccattggt gcaaaaggaa 1260
 cgtgaactag atgttatttt tgcattagac aattctgctg atactgacga ctattggcca 1320
 gatggtgctt cattagttaa cacttatcag cgtcaatttg gcagccaagg tctcaatttg 1380
 tctttcccat atgttccaga tgtgaacaca ttgtcaact tgggggttgaa caaaaagcca 1440
 accttttttg gttgtgatgc aagaaatttg acagacttgg agtacattcc accattaatt 1500
 gtttacattc caaattcaag acattcattt aatggtaacc aaagtacttt taagatgtca 1560
 tactccgatt cagaacgtct tggatgatt aagaatgggt ttgaagctgc cacaatgggt 1620
 aattttactg atgattctga ttcttgggc tgtgttggtt gcgccattat cagacgtaag 1680
 caacaaaact tgaatgctac attgccctct gaatgcagcc agtggtttac caactactgc 1740
 tggaacggta ctattgacag caggtcagtc tcaggtgtag gaaatgatga ttattcttct 1800
 tctgcttctt tgtctgcctc cgccgtgct gcctctgcct ctgcctctgc ctctgcttcc 1860
 gcctctgcct ctgcttctgg gtcttccact cataagaaaa atgcgggcaa tgctttgggtg 1920
 aattattcta acttaaacac taacactttt attggtgtct taagtgtcat tagtgccgtc 1980
 ttcggtctaa tttag 1995

<210> 87
 <211> 2301
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 87

atgagtgaag aggaaacggt ctacagccca gctccagctt ctacaccggc cccggctgga 60
 accgatgtag gtagtggtgg agcagcagct ggaatagcta atgctgggtgc tgaaggcggc 120
 gacggtgccg aggatgttaa gaaacatggg tcgaagatgc tagtggggcc caggccgcca 180
 caaaatgcga tattcatcca taagctatac cagattctgg aggacgaatc gctacacgac 240
 ttgatatggt ggaccocctc gggcttatcc ttcattgatta agcctgtgga acggtttagt 300

cagggattgc ttcgctcatt aaacaaagct gctaattgtg ctccagattc ggtaactcca 1980
 ttagactcgt ctgtcttgac gggccctcct ccaaaaaaca tggacaatct tctgctgtt 2040
 tcttcaaatt taataaactc ccccatgaac gtcgagcaca gctcaagcct atcacaagca 2100
 gaacctgcac cacaaataga actaccgcag ccatctttgc ccacaacgag caccactaag 2160
 aatactggcg aggctgacaa tagtaagaga aaagggagcg gtgtttattc tttactgaat 2220
 caagaggata gcagcacgtc cagtgtgat cctaaaactg aagataaggc cgctccggca 2280
 ctcaaaaagg ttaagatgtg a 2301

<210> 88
 <211> 1971
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 88

atgaatagt acttgagta ttagaggac ggttttgatc cgaattcaat gaaagttgcg 60
 actttgagga ggatattggt agaaaataat gtcgatttcc catctaattgc taggaaaaat 120
 gcgctggtgg ggctgttcga tgaaaagggt aaaccgcaga tcccgagtt acggaaaatg 180
 tatctgaacg ttcggcccag cgatgaagggt attgtgaaaa tggaccgtcc ctcatcttcc 240
 ccatctatag cttcccctcg tagaagtaga cgagctcgca gggagaaatc tgcttcccc 300
 atggccaaac agtttaagaa gaatagaata ctggatgatg taagtaatga tgatgatgat 360
 gatgatgatg atgatgatga caatgataaa aaagacgatc ctttaattgt acctagtggg 420
 acggataccg atgaagtgga cgatgaagag gatgatgtga taacatcaag ctccaacaaa 480
 tcagacacca atgatttcca gcaaaattcc gatactcgta agaaaaggaa agaccctgat 540
 tctgacgact ggtctgaatc taattcaaag gaaaataaaa tcgataataa gcatttgaac 600
 ctctatcat cagattcaga aattgaacag gattaccaga aggcaaaaaa gcgtaagacg 660
 agtgatttga accaagagca tggaaatggc tctgccattt taggaaaact ttccgtcaaa 720
 acaccaataa agaacacaaa tagaaagcca gtaagcatgg ataattttaa cgattcgttg 780
 acttcaagcg gtacggaaaa tgatccattt gtaccgaaca tacgacacaa tccaaaagag 840
 ctcggaactg ccaatggaac aggccatagc acacccttga gtaagttaaa agtttctgcc 900
 tcatttgagg ataaattgcc tcaaaaggag gtaccatcta caatactggt tccagaagtg 960

gaacagcaag aaccttctca gagtgaaga acaccgtctt tgttttcgtc cgaaggctct 1020
 ggctcagagt cggaagcacc cttgcttcca gagatcacca cgccagggtcc tcatcagcct 1080
 atgggtaata ccagcaataa tgtgggtcgaa atgatagata cagatagtag taacttggta 1140
 tcggatgaag atgaagtttt agtgcctaca aggatcgaga ctccccaatt acccacagag 1200
 aaagacgtcg aaaagtgtga agcaagagtg caagaacttc aagaggaagt aaatgagcaa 1260
 ttagagcatg aaaatgggag tgaatttgat gttaagcaag gatctgggaa ggtcgggaac 1320
 aggcataagt tcaaaagagc actcaaattt ttgagcaaat cattactggc gctattttta 1380
 ttttgcata tcatgtttat tcctctctta tttggcctct ggtatagaga gcaaagactg 1440
 ctcatagggt actgtgggca tgaagtacca tcccatcgag ttagtggcaa ttccttcgag 1500
 tttattcaaa aactggataa tttgttgag gactacagac cgaaatgtat cccttgtcca 1560
 cccaatggta tttgttatcc ttatttgaaa cttaaagtga agccagatta caagttagca 1620
 ccatctagac ttgacttttt ggaaattatt cctgcacaag gcaaatgtgt taaagacgac 1680
 aaaaaacagc agttagtttc cgaagtgggt gaaaaatctt tagagtttct gagagccaaa 1740
 aatgcacaaa tttcatgcgg tgacggaaaa gacgacatcg agagtgggtat gacggaagat 1800
 gccctctatc aaatatttaa tgaggctaga gctccttga ttgcgcagca tgaatttgag 1860
 gacctgtgga tccaagttat caaagattta actgaagaac cagaaatatt atggaggcaa 1920
 gtgagtacaa tttattatct tacaaaaatt attaaacctg ttattatatg a 1971

<210> 89
 <211> 348
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 89

atgcatcgac tacgagcgta ttgtgttata tcagctctgt ccgatacact gcttgccttt 60
 tgtacgagct cggccgagct atacgaaggc ccgctacggc agtatcgcat taaagcgacg 120
 caaatcggc gatgggttgg tagaagagct tgcagaacga ttcccattcg ccacgatccc 180
 gtagagtgcc ctgaaccacg ctcatgtcca tgttcatacc attcacgttt gtggagcaaa 240
 cgtttaggcc gaacgcaaact ctcaaggcgc ctgcagactg cgagaagatt aaatcccgaa 300
 cgtagtacgg cttgggtcgta tcttgcgaga caagtctgt attactga 348

<210> 90
 <211> 2274
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 90

```

atgatgcgtg gtttcaagca aagattaata aagaagacca ccgggtcttc ttcttcttca 60
agcagtaaaa agaaggacaa agagaaggaa aaagaaaaaa gttccactac ctcatccaca 120
tcaaagaagc ccgcttcggc tagtagctct tcccacggga ctactcacag ttctgccagc 180
agtaccggat caaagtctac aactgagaag ggcaagcaat ctggtagtgt tccctcgcaa 240
gggaagcatc atagtagctc tacatcaaaa acaaaaacag cgacgacccc ttcttccagc 300
agcagtagca gtagaagttc aagtgtcagt cgctccggtt caagctccac aaagaaaaca 360
agttcaagaa aaggacaaga acagtccaaa caatcgcaac agccatcaca atctcaaaag 420
caaggatctt cttcatcatc tgccgctata atgaaccca ctccagtact cactgttact 480
aaggacgaca aaagcacttc tggggaagat catgcacatc ctactttgct gggggcagta 540
tccgctgttc catcatctcc catttcaaat gcttcaggta cagcagtttc ttctgatgta 600
gaaaatggta atagtaataa taacaatatg aatattaata ctagtaatac tcaggatgca 660
aaccacgcct cctcaciaag tatcgacatt ccgagatcat cacactcatt tgagagacta 720
ccaacacca caaaacttaa ccctgacaca gatttagagt taattaagac tccccaacgt 780
cattcttcat ctagattcga gccatctaga tatacgccat taacgaaatt gccaaatfff 840
aatgaagttt ctctgaaga aagaatccct ttgttcattg ccaaagttga ccagtgtaac 900
actatgtttg actttaatga tccaagtttt gacattcaag gtaaagagat taaaagaagc 960
accttagatg agctaataga attccttgta acaaataggt tcacttacac gaatgagatg 1020
tacgctcatg tgggtaacat gttcaaaatc aatctgttta gacctattcc accaccagta 1080
aatccagttg gtgacattta tgaccagat gaagatgaac ctgttaacga actagcctgg 1140
cctcatatgc aagctgttta cgaattcttt ttaaggtttg tggaaagtcc tgatttcaat 1200
catcagattg ctaaacaata tattgatcag gactttatff taaagttact ggaattatff 1260
gatagcgaag atatcagaga aagagactgt ttgaaaacga cactgcatag aatatatggg 1320
aagttcttat cattaagaag ctttattcgt cggtcgatga ataataffff ttgcaatff 1380

```

atttatgaga ctgagaagtt taacgggtgtg gcagaattgt tagaaatttt gggttccata 1440
attaatggat ttgcacttcc attaaaggaa gagcacaagg ttttcttggt gaggatattg 1500
ataccattac acaagggtccg ttgtttatca ttataccacc ctgagttggc ttactgtatc 1560
gttcaatttc tcgaaaaaga tcctttatta accgaagagg tagttatggg cttactgcgt 1620
tattggccaa aaataaattc cacaaaagag ataatgtttc taaatgaaat cgaggatatt 1680
tttgaagtga tcgaaccgct ggaatttatt aaagtagaag ttccgttatt tgttcaatta 1740
gctaagtgtg tttcttctcc acatttccaa gtggcggaag aggttttaag ttattggaat 1800
aatgaatatt tcttaaactt atgtatcgaa aatgccgaag tcatcctacc cattatattt 1860
cctgcattat atgaattaac ttctcagta gagctagata cagcaaattg cgaagatagc 1920
atttcagacc cttacatgct tgttgagcaa gcaatcaatt ctggttcgtg gaatagggca 1980
attcatgcta tggcattcaa ggcattgaaa atttttctgg aaacaaacc agtattgtac 2040
gaaaactgta atgcattgta cttatcaagt gtaaaagaaa ctcaacagcg taagggtgcaa 2100
cgtgaagaaa attggagcaa acttgaagaa tatgtaaaaa atctaaggat taacaatgat 2160
aaggaccaat acacaatcaa aaaccagaa ttaagaaaca gtttcaacac agcaagtga 2220
aataacacat taaatgaaga gaacgaaaat gattgtgaca gcgagataca gtga 2274

<210> 91
<211> 3423
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 91

atgggttcat ctggttcaaa atcgaccaca gccactacca catcgcatag tagcacgact 60
actactagta gcacaaccag tacaactacg cctactacca ctagcacgac aagcacgaca 120
agcactaaag ttacaactag ccagaaatt attgtcagta gttctagcac attagtttct 180
tctgtgttac ccgagtttac ttctagctcg tcgctctcct ctgatacaat tgcctcaatt 240
ctatcatcgg agtcattggg ttccattttt tcttctcttt cttacacatc atccgatatt 300
tctagtacat cagtcaacga tgtcgaatca tcaacctctg gccctcaaa ctcatacagt 360
gcgctttcct ccacaaatgc acaactgtcc agctccacta cagagactga ctccataagt 420
agtagtgcta ttcaaacatc ttccccgcaa accagttcat caaatggagg tggttcctct 480

tcggagccat tgggaaagtc ctctgtcctt gaaactactg cttcatcttc tgatacaact 540
gcagtcacat cctccacatt taccacgctt actgacgttt catcttctcc aaagataagt 600
tcctcaggat cggctgtcac ttcagttggt actacttccg atgcctcaaa ggaagttttt 660
agttcaagca cgtccgatgt ttcttcccta ctatcaagta cttccagccc cgcaagctct 720
actatttctg aaaccctacc attttctctt acaattttat ccatcacttc cagcccagta 780
agttcagaag ctccatcggc aacgtctagc tcagtgagtt cggaagcttc atcgtcaaca 840
tctagctcag tgagttcgga agctccattg gcaacgtcta gcgtagtgag ttcagaagct 900
ccatcgtcaa cgtctagcgt agtgagttca gaagctccat cgtcaacatc tagctcagtg 960
agttccgaaa ttctgtcaac aacatctagc tcagtaagtt cagaagctcc attggcaacg 1020
tctagcgtag tgagttcaga agctccatcg tcaacatcta gctcagtgag ttccgaaatt 1080
tcgtcaacaa catctagctc agtaagttcg gaagctccat tggcaacgtc tagcgtagtg 1140
agttcagaag ctccatcgtc aacatctagc tcagtgagtt cagaagctcc atcgtcaaca 1200
tctagctcag tgagttcaga agctccatcg tcaacgtcta gctcagtgag ttccgaaatt 1260
tcgtcaacaa aatctagcgt aatgagttca gaagtttcat cggcaacgtc tagcctagtg 1320
agttcggaag ctccatcggc aatttccagc ttagcaagtt ctagactggt tagctctaaa 1380
aatacatcag ttacttctac tttggttgct acagaagctt cgtcagtaac ttctagccta 1440
agaccttcta gtgagacatt agcaagcaat tcaatcattg aaagctcttt gtcgacgggt 1500
tacaattcga ccgtttctac cacaacatcc gccgcatcta gtacacttgg atctaagggt 1560
tcgtcaagta attccagaat ggccacttcc aaaacctcat ctacttcttc cgacttgagt 1620
aagtctagtg taatattcgg caatagttct accgttacia cctctccatc agcgtctatc 1680
agtttaaccg catctccact tccatcggtc tggcttgata tcacctcttc ggaagcttca 1740
tcaatttctt ctaacctggc tagctccagt gcgccatctg acaataattc caccattgca 1800
agtgcctcgc tgattgtcac caaaacaaaa aactcagtcg ttcatcaat tgtctctagt 1860
ataacttctt ctgaaactac aaacgaatcc aatttggcca catctagtag atcgcttttg 1920
agtaataaag ctactgcccg ttctttatca acatccaacg ctacaagtgc ttctaacggt 1980
ccaacaggca catttagctc catgagctct catacttcgg tgataactcc cggcttttcc 2040
accagtagtg cgtcactcgc aattaattca actgtcgtta gctcatcatt ggcagggttat 2100

```

agtttctcga cacctgaaag ctctccaact acttccactt tggttacttc agaggctcct 2160
tcaaccgttt ccagtatgac cacaagtgcc ccatttataa ataattctac ctctgctaga 2220
ccttcgccaa gtacagctag tttcattact gaatccactt caagcatttc cagcgtgcc 2280
ttagcgagtg gcgacgtcac ttctcatta gcggcccaca atttaactac tttcagtgc 2340
ccttcaacat ccagtgccac acttgtaagc aaatcaacta cctctagctc catcctgggc 2400
acacccagaa tcgacaggtc tggaaattcc tcaactgcct ctagaattgc aacatcactc 2460
cctaacaaaa ctacatttgt ttcttccta agttcaacat ccgctcatgc cagaaatata 2520
tttaattcaa ctgttctagc tactgctaaa caaattgaaa ctttaacttc aacagtcaat 2580
tgcagcaacc ctactcctaa ttacaacata accaaaacag taatcgtaag tagggagact 2640
actgccatag gaactgttac aagttgttcg ggtggttgca ccaagaatag aaagtcaacc 2700
acacttatta ctataacaga tattgatgct tctactgtta ctacttgccc agaaaaagaa 2760
gtaacatcga ccacaagtg agatgaggca gaacatacca ctagcactaa aataagtaat 2820
ttcgaaacgt ccacgttttc ggaaagtttt aaggatatga agacttctca ggaaactaaa 2880
aaagctaaac caggatcaga aacggtgagg agctcgatcat cttttgtcga aaaaacctca 2940
ccaacaacaa aggtttctcc atcaacttcc ccatcagaaa gtaaagctgc aggaaatata 3000
tccgttgcaa cgaatgcttc accatcaact tccccatcag aaagtcaagg tacaggaagc 3060
acatctgtag agggagcaaa aagcaagtca actaaaaatt cagaaggagt atcaaccact 3120
aaagcgaaaa acacatcaac tgttgcgaaa tcttcaactg aaagtccgat cgggaggggt 3180
gaaactaccc ttgaaacgat aattgtctcg agccaaaagt cgctattaac atcacaacta 3240
agttcatcca ctgaaaaggt aaacagatct accaccaaac ctacggcagc gattcatgga 3300
acatcctcat ccgctaaaca aagcacaaca tatactgtca gcacggcaaa agaaaatacc 3360
ggtgcatccc tgaacattaa catgaaagct tttgttattg gcgctattgc tttggtagct 3420
tag 3423

```

```

<210>      92
<211>     1308
<212>      DNA
<213>     Saccharomyces cerevisiae

<400>      92

```


atgaaggaag agctcagcaa agtgagcagt atgcaaaatt tcgagatgat ccagcgtgaa 60
cgattgccaa cattgtatga agtgттаата cagaggacat cgcagccagt tgatctctgg 120
actttttata cattttctttc acaattccca tatgccatca actatctgga cttttggggtt 180
gaccttatga cacatacacg actttgcaaa aactacatag agttggtaag aaaatcatta 240
atcaactttc cacaagaaca acagcagaat ggaagtacat ctacggctac atttgacttg 300
ctgaacgcac tgatagaaga agggcaccta gacccggaag cacctgataa actcttagaa 360
aatagcggcc cagacgtgcc cttttcacca aaattaaacg aattgctggg tgattggaag 420
caccaatcgg gtatcgggtca agaagccctg agaaacgaag acgtagcgt gatcgtcgac 480
gagataatga aaaggcgctc ccaacaagac ggaaaaccgc agataactac aaaacaactg 540
ctgcacagcg cagttgggtct ctgcaacacc tatttagtat cgcccgaaca aagcgaacgg 600
tacctgagca acatccccat ggaaacgcgg aaccgcataa tagaaagcgt acaaatcgag 660
cgaaagtacg acattgagat ttttgacgac ctaaaaaacc taacttacca attcctagaa 720
atggattggt tcccaaaatt tctaagccgc gtcgcactac acaacatcca cgatgaaata 780
tctgattgga gattccactc agtgggctgc accaacgaaa aaagcaatcg ctctcgaggc 840
cagacgcaca tttctcgctc gccattctcc aatcacacgt caatcagtcg tattggcttt 900
ggtttgctct ggctaggcat cggtcttttg atcggatatg ttctaattctt cctggcgat 960
agtcgcgcaa tccgtgtcgt tacgggtcgt ccatttacac tgggatgcta ctgcattgtg 1020
tgtggcatgt atcaagtgga cattgtgtat tcctggtttg gcgtcacaca gagacttctc 1080
cacagacaca aaaacgctgg caatgacgaa ggagatgctt ctagtgatac cgatcacgtg 1140
ccaatgatac ttgcggtggt cggcggtagg cgccgtctta cccgcataga gcacccattt 1200
actcggcagc ttctacgtaa gcgtggactg tgggtgtctgc ttctcgtagt gggtgccact 1260
gccgcattca cagttatttt cagctgtggt cccggccgctc gtgtatga 1308

<210> 93
<211> 372
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 93

atggtttgggt ctgaattggt ggaaatacta gcgtattctg tcgattgctc cgттаатgga 60

gacttataca ccaacacgtc aggggaaatt tcaacagcag acatacttag gttcgcggag 120
attgtagaat acccttctgc tacactatta acacagaatg tgcgtcaaac cacaccacac 180
aataaacaat gcactttgct actaaaacca ttctattcac cttgcgaaaa caacaagcga 240
aaaaaaaaaa gcgagggcga aagagtaaga tcaccacgca cgtttagggg atcggagagc 300
ttatctatac agcaactaga agtatataga acaacaatgg tcgaacgacg ggtagtttc 360
acagctcaat aa 372

<210> 94
<211> 873
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 94

atgctgtggtt tcagtggcca accattgagt gatgatgata attatagaat tgaaaagact 60
caaaggaaca caattcctga acgtctccat ttagcagag agagaaatat gccattgca 120
agtatattcg ggactagagg atattttgta ttctcaagtg agcaatccta tgacaaattc 180
aaacagacaa actttaatat cagtactcta gatgcggatg gtgtaggtgt tcctcttttt 240
catattgtcc aaagttataa cgttattggc aaaattactc ggagctcgcc ggattttctat 300
atctacaagt acgttttaca aggggtgcaa gatccgcctt tatactctga ttgtaaagtt 360
atgtgtcaag ataaagtttt tcgtttatgc aaaattttat attgtgaaat ttatgctcat 420
caaggatttt ttgaaactaa atacgatttc ttctatcctt ctaaaacgca gccgggtcaaa 480
aaatacaaaa taatcaaaca aagtaatatg cgagatctat attccacttt ggacgggtatg 540
cgttttcgtt ggcatgtgaa attctacagc gatcattttc gattgatgtt cctagatgag 600
gacagggtca attactcaaa tagtaaccaa aaggaaaggc aaaaaccaga tcaaggaaaa 660
agtaaggctc cagatttcgt aattggccat tatacaagaa ctttttccga tatactccct 720
agatccacgt caaaatgctc caatcttatt attggagaac actcaaagcc agactctctt 780
ggtatcacga ccgttctga ttgactcag gaatttgctt gtcaggagc ttaaatccat 840
tatctgctgc atatagaacg agaaagaaaa taa 873

<210> 95
<211> 3252
<212> DNA

<213> Saccharomyces cerevisiae

<400> 95

atgtcatctg aggatatcat ttatgatcct cagttcaaac ctgttcaggg aatctacgag 60
aatagattaa gacaatttat tgatactggg ggggattacc atgacttaaa tttaccaag 120
ttttatgata agaagcgcac ttcattagat catgatcacg ttaagggttg gtggtaccag 180
gtttcttttg aacgtggatc tccccctgtt tccccgata agaggccatc ttggaaatct 240
attattgaac gtgacaagaa ggggtgaattg gagtttagag aagcgaacat aaatcagccc 300
tttggaacca gttggtctac cacttgggtc aagggtgaaa tctctttgcc tgaagattgg 360
gttaaataca acgagcaact actttttcaa tgggattggt ctaacgaagg aattgtcata 420
gacccaaaga ctctaatacc tgtgactgct ttttcagggt gtgaaaggac tgaatatggt 480
ttaccgaaaa catcggatgg gaaacatttc ttttacatcg aagctggtaa taatggatat 540
tttggtctgc gtgcaggatc cactataaat ccaccagatg ataatagatt ttttcatttg 600
agaaaagctg atatcgtttg gcccgatcta gatgctcgtg cattgtatat cgatttttgg 660
atgctagggg atgctgcaag agagctacct ggagactcct ggcaaaaaca ccaggcaaga 720
caactaggca atgcagttat gaatcttttt gaccgcaatg atcgttcaag tgttcgtaaa 780
tgtcgtgaat tactacaaag ggaatacttt gactccttt tagaaagcag taagggttac 840
gaacaagggt aatctcaagt ttttaacaaat gtttatggta tcggcaactg tcatatagat 900
acagcttggc tatggccatt cgcagaaaca agaaggaaaa ttgtgagatc ttggtcttcc 960
caatgtactt taatggatcg cttcccagag tataaatttg ttgcttcaca agcccaacaa 1020
tttaaattgt tattagaaga tcatcccgaa tttttcaata aagtgttaat tccaaaaatt 1080
cagcaatctc agttttttgc tgttgggtgg acatgggttg agaatgatac caatattccc 1140
tcagggggaat cgctggcaag gcaattcttt tttggtcaaa ggtttttctt gaagcatttt 1200
ggctctcaagt caaagatatt ttggttacct gacaccttg gtattcttcc gcaaagcca 1260
caactttgcc gcttatctgg tattgataaa tttttgactc aaaagcttcc ctggaataac 1320
atcaacagtt ttcgcgatag cacgtttaac tgggcaggga ttgacgggtc tcaattattg 1380
actcacatgc ctccctggtaa tacgtatata gcagattcac acttcggtga tgttttgcgt 1440
actgccaagc agaataagac accagaatat tacggctccg gtttaattgt gtacgggaaag 1500

ggtgatggtg gtggaggacc aactgaggaa atgctgcaaa aaatgaggcg tattagatcc 1560
 atgaataaca gaaatggtaa tgttattcca aagttacaag ttggtataac ggttgatgaa 1620
 ttttatgatg acatttttgaa aaggactaac caaggccatg atttaccac atggagtgggt 1680
 gaattgtatt tcgaatttca tagggggaca tacaccagtc aagctcagac caaaaaatta 1740
 atgaggttgt ccgaaattaa actacatgat ttggaatgga tagctgcaa aacatcagtt 1800
 ttatatcccg attcgtataa atacccttcc aaacagatta acgaactttg ggagaatggt 1860
 ttgttatgtc aatttcacga tgttctacca ggatcatgta ttgaaatgggt atataagtat 1920
 gaggctgtcc ctatgttgca caacgttgtg aaagaatgta cttccttaat agacaaaacc 1980
 gttcaatttc ttcagagtca gagtaaggca gatttggttg agatgagaac attaacttgg 2040
 tcaaaaccag aaaaggtttc tgaggagtgc tcgttgaacg gtagttacac gtcctctgta 2100
 accgggtacg atgactatat agtccttgcc aatgggaagt tgaaagttat catttgcaaa 2160
 aagactgggg tgatcacaag cattacggat gaaactttgg gggtagaata cctggacacg 2220
 gaacatggca gaaacaaatt gggcgccaac cagtttgta tttatgatga taaacctttg 2280
 ggctggcagg cttgggatac tgaactttat tccgtcaacc aatacaagta tgtaacaaag 2340
 ccgaagaaag ttcaagtttc ctgcaacaca aaagagaaat gtgctgttga ggtcattttt 2400
 caaatttccg aaaaatgcaa aatcaaatca gtgatatcac tcaatgcaac tgcggtcact 2460
 gatgctaaat taagtaaagt agacatttct acgacggtag aaaactggga tgctagaaac 2520
 aaatttttaa aagttgaatt tcccgttaat attcggacg attttgcttc gtatgaaact 2580
 caattcggga ttaccaaag accaacacat tataatacct catgggacgt cgctaaattt 2640
 gaggtttgcc atcacaaatt tgctgattat tctgaataca gcaaggggtg ttcaattttg 2700
 aacgattgca aatatgggtt ttccacacac ggtaacttga tgagattatc attattaagg 2760
 tcaccaaagg ctccggatgc gcatgctgat atgggtactc atgagataaa atatgctatc 2820
 tatccacata gaggagcact atcaagcgac actgttaagc tcgctcacga attcaattat 2880
 tgcttcaaat acaaaactccc caaagatatt ggcatgaatt ttgatgacat cataagcatt 2940
 tccggagatg agaatgtcat tttgtctaac ataaaaagag gcgaagatga tagtgctgtc 3000
 aagtccaact attcattaaa tccaagggat gaacaaagta ttgtggtaag ggtttacgaa 3060
 tctcttggcg gggaatcttt tgcttcacta aataccacac taaatttgaa gcgtattgag 3120

aaggctcgata acttggagat gaaagtttat aagagtttga cagcaacgcg agacgaatca 3180
aatcatgcaa taaacagaat tcccattaaa ttgagacctt ttgagattgc ctcatcagg 3240
ttgtatttct ga 3252

<210> 96
<211> 1704
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 96

atgtccggtg ttaataatac atccgcaa atgattatcca ctaccgagtc taactctaac 60
tcagtagcaa atgcaccatc tgtaaaaact gagcataatg actctaaaaa ctccctcaac 120
ctggatgcca ctgaaccacc tattgactta cctcaaaaac ccctctctgc atataccacc 180
gtcgcaatcc tgtgtttgat gattgcattt ggcggttca tctttggttg ggataccggt 240
accatttctg gttttgttaa cttttctgat ttcacagaa gggtcgtgca aaaaaatgac 300
aagggaacct actacttatc gaaagtaaga atgggtttga tcgtctcaat attcaacatt 360
ggctgcgcca taggcggaat tgtcttgtca aaagtcggtg atatatatgg tcgtcgtatt 420
ggattgatta cagttactgc catttacgtt gtaggcattc taatccaaat aacttcata 480
aacaagtggc accaatactt cattggaaga attatttctg gcctaggagt gggaggcatt 540
gctgtccttt cccaatgtt gatattctgaa gttgctcca aacaaatcag aggaaccctg 600
gtccaattgt accagctgat gtgtacgatg ggtatttttc taggatactg taccaattac 660
ggtaccaaga actatcacia cgccactcaa tggagagtcg gccttggtct ttgctttgcc 720
tggtactacat tcatgggttag tggaatgatg tttgtaccag aatcaccacg ttacctgatt 780
gaggttggtg aagatgagga agcgaaacgt tcactttcga aatccaacaa agtctcagtc 840
gacgatccag ctttggttagc agaatatgac actataaagg cgggaatcga acttgaaaag 900
ctggcaggta acgcatcatg gtctgaacta ctctccacta aaacaaaggc ctttcagcgt 960
gttctcatgg gagtgatgat ccaatcgctg cagcaattaa ccggtgataa ctacttcttt 1020
tactacggca ccaccatctt caaatctgtc ggtctaaagg actcctttca gacttcgac 1080
attatcggtg tggttaattt tttctcttca ttcatagcgg tatacaccat tgagaggttt 1140
ggacgccgta cgtgtctatt gtgggggtgct gcttctatgc tatgtgtctt tgctgtgttt 1200

gcctccgctg gtgtgacaaa gttgtggcct caaggaagca gtcaccaaga cattacttct 1260
cagggcgccg gtaactgtat gattgtgttt actatgttct tcattttttc gttcgccacc 1320
acttgggcag gcggtgttta cgttattgtc tcagagacgt ttcctcttag ggtcaaata 1380
agaggaatgg caatcgcaac agctgcaaac tggatgtggg gtttctgat tagtttcttt 1440
acccattca ttaccggggc aatcaacttt tactacggtt atgtattctt aggctgtctg 1500
gtttttgcat acttttatgt ctttttcttt gtcccagaaa caaaaggcct gacgctggag 1560
gaggtgaata ctatgtggct ggaaggtgtg ccagcatgga aatcagcctc atgggtgcc 1620
ccagaaagaa gaaccgcaga ttacgatgct gacgccatag accatgacga tagaccaatc 1680
tacaagaggt tcttttccag ctaa 1704

<210> 97
<211> 1776
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 97

atgtctcaca aacaattcaa atcagatgga aacatcgta ctccctacct acttggcctt 60
gctcgaagca atcccgccct tacagtgatt aagcacgaca gagtgggttt ccggactgcg 120
tcagctccta attcaggga cctcctaaa gtttcattgg tttctggagg tggcagtgg 180
catgagccaa cgcattgccg ttttgttgg gaaggtgcct tagatgcgat tgcagcaggt 240
gccatttttg cttctcttc aactaaacag atctattctg ctattaaagc tgttgaatct 300
cctaagggtg ccttgatcat tgtaaaaaat tacaccggtg atattataca ttttggcttc 360
gctgctgaaa gagctaaagc tgctggaatg aaagtcgaac tggttgctgt aggagatgat 420
gtctctgtcg gtaagaagaa aggttcttta gtcgggcgtc gaggtctcgg agccaccgta 480
ttggtgcata aaattgctgg ggcagccgct tctcatggac tggagttggc agaagttgcc 540
gaagttgctc agtcagtagt tgacaatagt gtcacaattg cggcatctct tgatcactgc 600
acggttcctg gccacaaacc tgaagccatt ttgggcgaga atgagtatga aatcggtatg 660
ggtattcata acgagtctgg tacctataag tcttctccgc tgccatcgat ttctgagctc 720
gttcccaga tgcttctct tcttctcgat gaggatgaag accgttctta tgtgaagttt 780
gagcccaaag aggacgtagt tcttatggtt aacaacatgg gtggatatgtc taatctagaa 840

ttgggttatg ctgcagaggt catttctgaa caattgattg ataagtatca aattgtgccc 900
 aagagaacga ttactggagc attcattact gcattgaatg gtccctgggtt tggatcact 960
 cttatgaacg cttcaaaagc tgggtggcgat atccttaagt atttcgatta tcctaccaca 1020
 gcgagtggat ggaatcaaat gtaccattct gccaaagatt gggaggtact tgccaaaggg 1080
 caggttccca ccgccccctc tttaaagaca ttgaggaatg aaaaagggtc ggggtgtgaaa 1140
 gctgattatg acacttttgc taaaattttg cttgctggga ttgcaaaaat taacgagggt 1200
 gaaccaaagg ttacttggtg cgataccatt gcaggagatg gtgattgcgg aactactctt 1260
 gtgtccggtg gtgaagcatt ggaagaagct attaaaaacc atacgttgcg cctcaggat 1320
 gctgctcttg gtatcgaaga tattgcgtat atgggtgagg attctatggg tggtagctcc 1380
 ggtggtctgt actctatcta tcttctgct ctgcacaag gagttaggga ttctggggac 1440
 aaggaactta ctgcggaaac tttcaaaaag gcatcaaagc ttgcactaga tgctttgtat 1500
 aagtatacga gagcccgctc tggttacagg actctgatcg atgctctgca accttttgtc 1560
 gaagcgctga aagccgggaa ggggtcccaga gccgccgcc aagctgctta tgatggtgcc 1620
 gaaaagacaa ggaagatgga tgcccttggt gggcggtctt cttacgtggc taaggaggag 1680
 ctgagaaaac tcgacagcga aggtggatta ccagatccag gagcagttgg tcttgctgca 1740
 ctactcgatg gatttggttac agctgctggg tactag 1776

<210> 98
 <211> 1986
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 98

atgagcgggt ttaaagcta ttgcaattg ggtgacaggc tctctcaa atggctaaat 60
 aagtatactt tggttttgct gctagcaatg ctgaagcttc tgtttttctc caaatccata 120
 caacatgcga tagaagtctc ggaaacgtat atttgtcca attgttacag tattgattca 180
 ctatactcca agatgacaga caacacgccg cactatcttag gtatcatggg gaattatctt 240
 atcgagaagg gtatggagga gactgttaaa gctacgctag agacgttatc acttatagta 300
 tatgcgagcg aggggctggt aaactttgcc attgacctgt atttgggcac ttatgcctgt 360
 ttgattgtta gtgccgttga tgggtaccgtg gacgttgcta ctaacattac agaaaaactg 420

<210> 99
 <211> 1593
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 99

```

atgtctgcta ccaagtcaat cgttggagag gcattggaat acgtaaacad tggtttaagt   60
catttcttgg ctttaccatt ggcccaaaga atctctttga tcataataat tcctttcatt  120
tacaatattg tatggcaatt actatattct ttgagaaagg accgtccacc tctagtgttt  180
tactggattc catgggtcgg tagtgctgtt gtgtacggta tgaagccata cgagtttttc  240
gaagaatgtc aaaagaaata cgggtgatatt ttttcattcg ttttgttagg aagagtcattg  300
actgtgtatt taggaccaa gggtcacgaa tttgtcttca acgctaagtt ggcagatggt  360
tcagcagaag ctgcttacgc tcatttgact actccagttt tcggtaaagg tgttattttac  420
gattgtccaa attctagatt gatggagcaa aagaagtttg ttaaggggtgc tctaaccaaa  480
gaagccttca agagctacgt tccattgatt gctgaagaag tgtacaagta cttcagagac  540
tccaaaaact tccgtttgaa tgaaagaact actggtacta ttgacgtgat gggttactcaa  600
cctgaaatga ctattttcac cgcttcaaga tcattattgg gtaaggaaat gagagcaaaa  660
ttggataccg attttgctta cttgtacagt gatttggata agggtttcac tccaatcaac  720
ttcgtcttcc ctaacttacc attggaacac tatagaaaga gagatcacgc tcaaaaggct  780
atctccggta cttacatgtc tttgattaag gaaagaagaa agaacaacga cattcaagac  840
agagatttga tcgattcctt gatgaagaac tctacctaca aggatgggtgt gaagatgact  900
gatcaagaaa tcgctaactt gttaattggg gtcttaattgg gtggtcaaca tacttctgct  960
gccacttctg cttggatttt gttgcacttg gctgaaagac cagatgtcca acaagaattg 1020
tacgaagaac aaatgcgtgt tttggatggg ggtaagaagg aattgacctt cgatttatta 1080
caagaaatgc cattgttgaa ccaaactatt aaggaaactc taagaatgca ccatccattg 1140
cactctttgt tccgtaagggt tatgaaagat atgcacgttc caaacacttc ttatgtcatc 1200
ccagcagggt atcacgtttt gggttctcca gggttacctc atttaagaga cgaatacttc 1260
cctaattgct accaattcaa cattcaccgt tggaacaaag attctgcctc ctcttattcc 1320
gtcgggtgaag aagtcgatta cggtttcggg gccatttcta aggggtgtcag ctctccatac 1380

```

ttaccttttcg gtggtggttag acacagatgt atcgggtgaac acttttgctta ctgtcagcta 1440
 ggtgtttctaa tgtccattttt tatcagaaca ttaaaatggc attaccacaga gggtgaagacc 1500
 gttccacctc ctgacttttac atctatgggtt actctttccaa ccggtccagc caagatcatc 1560
 tgggaaaaga gaaatccaga acaaaagatc taa 1593

<210> 100
 <211> 1923
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 100

atgctaaatc agcacacaag ttcagtaccg gatgacgaac atctgcagat ggcacaccaa 60
 aatagcagtt cagaagttag aaatgaggca gcggtcccag atcaactttt gactccttta 120
 caaccgtata ccatttttatt gaaagatgga gaaacaatag ctacgatgta tcctatacct 180
 gcgtatcctg atttattgcc gctagggctc ttaaatttcc ttctagatga atttaacatg 240
 gaagtggaaa agggagatag ttttccttat tacgagactt tatcactaga agaattcaaa 300
 aatgtctggt ttcataatga tggtcacgtt tgtattatgg tgttaggcga aataccagaa 360
 ctggattata gtatggatac tgaagcggac acaaatgata attttggaac agaaatagaa 420
 accacgaagc acaccacca atataagaaa cgaaaagaac gtcgcaattt aaatctaagt 480
 atgcagtggg agaagcaatg tctaggcata tttgacctca aaccagcata ccctggacgg 540
 tcagcgcatt tggtcacagg aacatttctg gtcaatgctg gtattcgtgg aaaaggtatt 600
 gggaaaacac taatggaaac attcatagaa tgggtcaaaga aattaggatt tacgtcctcc 660
 tttttcccggt taattttacgg aacgaacgta ggaatcagaa gaattttgga aggattgaac 720
 ttttaggcgga ttggaaagct gcctgaagcc gggatttctca agggctttga tgtcccagta 780
 gattcctttca tgtatggtaa agagttcaca catattacga aaagtataga tttgttacga 840
 gatcctcaaa agagtatcga aattgggaaa tatgaacgat taaagcattt tctggaaaca 900
 ggcaagtatc ctttacattg tgatagaaac gaaaaggcta gattaagagt actttccaaa 960
 actcattcgg tattgaatgg caagttgatg acaaaaggaa aagaaatcat ttatgacacg 1020
 gatcaacaaa tccagattgc attagagata catttaatgg aacatttagg catcaacaag 1080
 gtgacctcca aaattgggtga aaaataccat tggagaggaa tcaagagtac tgtttcggag 1140

gtaatctctc ggtgccaaaa atgcaagatg aggtacaaag acgggacagg ggtaataatt 1200
gaacaaaaga gagcagttaa gcaggcgcat atgctaccga cgcagcatat agaaactatc 1260
aacaatccaa gaaaaagcaa gaagcatgat aatgcgttat tgggacaggc aataaatttc 1320
cctcaaaata ttatttccag tacgctgaat gatgtggagg gtgaaccac tccgccagac 1380
actaatatcg tacaaccac attccagaac gccacgaata gtcccgcaac aacagctgaa 1440
gccaacgaag cgaataaaag atccgagttt ctttcctcaa tacagagcac gccactattg 1500
gacgacgaac agtcaatgaa ttccttcaat agattcgtgg aggaagaaaa ctcaagaaaa 1560
agacgaaaat acttggatgt tgcctccaac ggaattgtac cccatttaac gaataacgaa 1620
tcgcaggatc acgcgaaccc cgtcaaccgt gatgaacgag atatgaacca ttcagttccc 1680
gatttagata gaaatgacca tactataatg aacgatgcta tggtgagcct cgaagataac 1740
gtcatggccg ctctagaaat ggtccaaaag gaacaacaac agaagataaa tcatcgaggt 1800
gaagatgtga ctggccaaca aatcgatttg aacaacagtg aaggtaatga gaattcagtc 1860
actaagattg ttaacaacga atctaataca ttacagagc acaattctaa tatttattat 1920
taa 1923

<210> 101
<211> 549
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 101

atggtagcct ccacgacggt accatatcta ccaaagatct ttttcaattt aactggatca 60
cgacaactcc atggcatatt tctgataatt aatttcggtt taccttttag catggagtct 120
tcaccatcag catcgtcctc atcttcattg ttctggcccg ttattttctc agatgactca 180
ggtgtgctct tttcaaccac ttctgatgtt ttctttgaac gatctcttct tttagcaatg 240
tctaccctca agatatgtcc gttaaatttg gtctttctgg ccttagctag ggcttctttt 300
gtgtcatcct ctacagcaaa actaacgaac ccgaagcccc tggacctttt attcgtgtcc 360
ttaacaacta ccgcatgctt gatcggagca aaattggaaa agaaatctgc cagctgctca 420
tctgtgacat cctggggtat agacctcaca acaaagtct tcatatctag gccgtcgtca 480
ttttgttttg agacattact agaaggcact tcaacatttt ctattgtttc ttccatctca 540

ctttggtag

549

<210> 102
<211> 1860
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 102

atgatcataa gattgcattt ttactacctc ctacttttag ttaccattt aggacttgta 60
ggtgcgtatg aaaaagcagc aagaaagaga attcaacctc ccgatttgat acctggtcct 120
ccgggacata aacttggtga tgaaagacca ccgcattacg accaccggcc accttataaa 180
aaacacatcg acaacattcc agcttacaat ctgactgatt tgatagatga taaactacta 240
aataaatatg aaaactcatg cacggtaaatt gtattgacag gtggcttcat ctctctagca 300
agtaattcgt ggcacttacg tgcttataat tacactttaa attacccatc ctttttgatc 360
cgatgcgata atggcagtg c aaatcctaatt ttctctcatg tcttacaaga ctttgtttat 420
gacatcaaca acaaattcaa cgttcaagat gacagtagta aatacatcgg aaaagaccca 480
tttcccttag gaatgataat gatcacctt gcttctgggt gtatctgtgt ggcaacatgg 540
atgctatattt tggttgtctt attactgcca tccgataatc ataatagaag aaataaagtt 600
gtacatgttt acgtcctttt ctctgcgatt ataagaactg tatttctaaa cgagactata 660
gccgtcatat ttgacagcca atatcacgat gactaccagg atgcgagcca atttgaatcg 720
ttcatcgtag aaactgcacc atataaaata tgtgaattag ttgcaaatat tttgagtgat 780
ataaactgga tttatattgt tcactactta cagtccaatt atggaaaacc aacttggaat 840
tggatcccat ttaaaatgaa aaaggggaca catatcataa ttaccgtggg ttgcttcctc 900
tcactagccg ataacatttt attcgcaaac cttcttttga gaaagaacct tgtagttttg 960
aaggatattt acaagctaatt cgaattactg atttacacaa ttttcatctc cattatttgt 1020
tacttcacat ggcataattt tgcttacata cttttaccga aaactgctga aattaatacg 1080
gacggtaagt gtaaaacgaa attgagaatt ctttgggaaa attatcacga aactatacca 1140
ttattggcgt ataattattt tatatttatt ttattctatt tcaccacaat ttttttcgct 1200
gctttcacca aacatgttag aggttggaaca ttttaactttg ttcatctttt gaaagtttta 1260
ataacagtga acgtttgggg cttaattgga gtattggaaa agaggagct gcacataagc 1320

aaaaaaacag tccttggacg aaaaattaac aatagggaca aatttttcgc caatccaaca 1380
 gtcaattatt acggagaaga tttaggcaag catttaagcg ccataacgtt aaacagggat 1440
 ttaaactacta ctaaaagtaa cactacttcc cactgattcat caagtttagt aggatcccct 1500
 tcaccacact ggaaatctcc aatcgaaaga ataagggaca gaagaagaag acataagata 1560
 atgaaaagtg agaataaatt tgggcaaaat cccagttttg gaagtaaatac gaatggcaaa 1620
 cctaatacta aaacgacatt atccaaatat cgacagctat taaggaagcc taggcgaaaa 1680
 accaattcat atgaaccaa aaatggcatt ggacagaata aagaaggctc aactgttaga 1740
 ccaggagccg acaaacatat tagagattcc aattatctag ctacagacat cagtgacaac 1800
 gaaagtatgg aaaccgaact tcgaaccaac cacatttata attacgaaaa tagtgattaa 1860

<210> 103
 <211> 810
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 103

atgtctttca ctaaaatcgc tgccttatta gctgttgccg ctgcctccac tcaattgggt 60
 tctgctgaag ttggacaata tgaaatcgtc gaatttgacg ctattttggc tgatgtcaag 120
 gccaatgttg aacaatatat gtccttggca atgaataatc cagactttac cctaccatct 180
 ggtgttttgg atgtttacca acatatgacc actgctactg atgattccta caccagttat 240
 ttcaccgaaa tggactttgc tcaaatacacc actgccatgg ttcaagtgcc ttggtactct 300
 tctagactgg aacctgaaat catcgctgct ttacaaagcg cgggtatcag tattacctcc 360
 ttaggtcaaa ccgtttccga atctgggtcc gaatctgcc ctgcttcctc agacgcttct 420
 tctgcttctg aatcctcttc agctgcttct tcttctgctt ctgaatcctc ttcagctgcc 480
 tcctcttctg cttctgaatc ctcttcagct gcttcttctc ctgcttcaga atcttcttct 540
 gctgcctcct cttctgcttc tgaagctgct aagtcttcta gctctgcaa gtcttctggc 600
 tcttctgctg cttcatctgc tgcctcatct gcttcttcca aggctcttc tgcagcttcc 660
 tcttctgcaa aggctctc tctctgcaga aaatctacta atagctctc ctctgctacc 720
 tccaagaacg ctggtgcagc tatggacatg ggcttcttct ccgctggtgt tggtgccgct 780
 attgccggtg ccgctgctat gctcttatga 810

<210> 104
 <211> 1470
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 104

```

atgcaagaat caaaagaacc acaaaataaa tttgaagggt gtcaaagaat atcttcatct 60
tcattccacac tcttttgagg aacctccttc gaggaaccga gatgtggaac atcccaagga 120
aaggaagaag acgcttttcgc atgcaataat ggagatcact gctcgagcat aacgaatggt 180
caggaagatg acttttgtcct tccagaacta ttgccgtcat tcgaaatgta tgaaaatttg 240
ctcagcaata tacctcaatc tagtttcgat acatactttc cggagaatcc acctttttat 300
gaggttgctt cccgaaatca gagtattcct tcggaagggt agtctgggaa tgatatgcgg 360
attcttaccg gtgatatcgt tggcccagat aatcatgaag tgactgttga tggccgccgg 420
tttgcttcgc gccctgctga gtctcaaatt cgtaattatg atgatactaa aggtatccca 480
gttgagaata tatacgcatt gcctaggatt aaaaccccca tagcgactga attgtacgtc 540
acaaagacgg ctccaaaatt tggacagctt cctaaacacg agagcatgct aagggaatac 600
acctctgggg atataattca cggttatttc actgtagaaa acaaatcaac caaacctata 660
aaattcgata tgttttattt aactttggaa ggtacgacaa gttcaaaaac acagtcaccc 720
tttggaatcc aaaaaacgac agaaagaatt ttgagaatgg tagatatggc agcgagttgg 780
tcataataatc atgaagacgt gaacacgggg gaagaccttt gtggattttt tgactccatt 840
gataaaacaa gcttttgatt accgaatagc aggatactaa atccaggtga taaacgtaag 900
aaatttttca ctttttaaat tccgaaccag ttattagacg taacctgtaa gcacggtcac 960
ttctctcact ctcttttgcc ccctacatta gggtttgata gaccatcgag ttctcatcca 1020
gagcttttcta ctctaaaatt ttcggagagt ttaggttatg gtcgtttgtc agaaagaggt 1080
tcctcactat ggttaaacga cagttctagt ggcagcttaa taaattactc aataaatgct 1140
atgatagtag gcaaagacgt agcttctggg cgtgtttggt taatgagtga aaaaaagtat 1200
agcataagga tagttccatt tggctttcaa aacaatccaa ttagtaggga gaagtgcctc 1260
aaagacttag aggatttcga tattgaaatt gcaaacaggc ttggaatgat cgaaaaagtc 1320
ttttctaaaa tagagcgagc gattcccatt cataaggagg acatacagga ggcgaatcgc 1380

```

tctgatcaac tatcaccct aagaggtaag tatgaatgga acgcggtagc tggaaatact 1440
 gaaaacggaa cacttaaaaa gaaacactag 1470

<210> 105
 <211> 1485
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 105

atgctgctga aaaattgcca gacggacaag cagcgagata tacggatatgc gtgtttgttc 60
 aaggaacttg atgttaaggg aaatgggtcaa gttactctag ataactctgat aagtgtcttt 120
 gagaagaacg accatccgct caagggaaat gatgaggcaa tcaaaatgct gtttactgca 180
 atggatgtta acaaggactc tgtagttgat ttaagcgatt tcaagaagta tgcttccaat 240
 gccgaatctc aaatttgcaa cggcttccag aggatagatt tagatcatga cggtaagatt 300
 ggcattaacg aaataaatag gtatttgtca gacctcgaca accagagcat atgtaataat 360
 gaacttaatc atgaactttc aaatgaaaag gtgaacaaat tctcgagggt ttttgaatgg 420
 gcgttttcaa agagaaaagc caacattgca ctacgaggcc aggctagcca caaaaagaat 480
 actgataatg atcgggtcaa gaaaaccacc gactcagatt tatacgttac atatgatcaa 540
 tggagagact ttttgctgct ggtaccgaga aagcagggtt cgagacttca tactgcttat 600
 tcctatTTTT acctattcaa cgaagatgtc gatctgtcct cagagggaga tgttactctc 660
 ataaacgatt tcattcgcgg gttcgggttt tttattgctg gtgggtatttc aggtgttatt 720
 tcaaggactt gtaccgcgcc atttgataga ctgaaagtgt ttctcatcgc aagaacggat 780
 ctatcctcga tcttggttaa ttcaaaaaca gatctccttg ctaaaaaccc caatgctgac 840
 ataaacaaga tatcatctcc attagcaaag gctgtcaaaa gcttatatag gcaaggcggg 900
 ataaaggctt tttatgttgg gaacgggtta aacgtcatca aagtttttcc agaaagtctg 960
 ataaagtttg gttctttcga ggtcaccaag aaaataatga ccaaattaga aggctgccgc 1020
 gacacaaaag atctttcaaa gttctctact tacattgctg gtgggttttagc tggatatggca 1080
 gctcagtttt ccgtttatcc tatagatact ttgaaattca ggggtgcagtg cgctcctttg 1140
 gacacaaagt tgaaggggaa taatttgctc tttcagactg caaaagatat gtttcgagag 1200
 ggggggggtc agattatTTT acagaggtgt cacagtcggt atagtgggca tatttcctta 1260

tgctgcatta gatttgggga ctttttctgc cttaaaaaaa tggatatattg ccaaacaggc 1320
 aaagaccctg aacctaccac aagatcaggt cactctaagc aacctgggtg tacttccaat 1380
 ggggtgcattc agtggaaactg taggagcttc tgttgtttat ccaatcaatc ttttaagaac 1440
 aagactacaa gccaagga catatgcaca tccttatgtg tataa 1485

<210> 106
 <211> 2316
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 106

atgagtgaac ccgaagtgcc cttcaaggtg gtggctcagt tcccatacaa gtccgattac 60
 gaggacgatt taaattttga aaaagatcaa gagattattg ttacgtctgt tgaagacgcc 120
 gaatggtact ttggtgaata ccaggattca aatggcgacg ttattgaggg tatcttcccg 180
 aaaagttttg ttgctgttca gggatctgaa gttggaaagg aagccgaatc atctccgaat 240
 accggttcca ctgagcaacg tacaatccag ccggaagtag aacaaaagga cctaccagag 300
 cccatttccc ctgaaacgaa gaaagaaact ctgtccgggc cagtgccagt tccagccgct 360
 acagtgccag ttccagccgc tacagtgccg gttccagccg ctacagcagt atcagcacag 420
 gtccagcatg atagtagtag tggtaatggc gaaagaaaag ttcccatgga ttctccaaaa 480
 ttgaaggctc gcttatctat gtttaatcaa gatataacgg agcaagttcc tttaccaaaa 540
 tcaactcact tggatttaga aaacatacct gtgaaaaaaa caattgtggc agatgctcct 600
 aaatactatg tccccctgg aattccaaca aatgatacgt ccaatcttga aaggaaaaag 660
 tccctaaagg aaaacgaaaa aaagattgtt cccgaaccaa ttaatcgtgc acaggtggaa 720
 agtgaagaa tagaaactga gaatgaccaa ttaaagaagg atttgccca gatgagcctt 780
 aaagaaagaa ttgctctttt acaggagcaa caaagattac aggctgcaag agaagaagaa 840
 ctcttgagaa aaaaggctaa gctcgaacaa gaacatgaac gtagtgcggt taacaagaat 900
 gagccctata cggaaactga agaagcagaa gaaaatgaaa aaactgaacc gaaacctgaa 960
 tttacgcctg aaactgagca caacgaggaa ccgcaaatgg aattattggc acataaagag 1020
 attactaaaa cctcacgcga agcagatgaa ggcacgaatg acatagagaa agaacaattt 1080
 ttagatgagt acacaaagga aaatcagaaa gttgaggagt cacaagcaga cgaggcaaga 1140

ggagaaaatg ttgctgagga aagcgaaata ggttacggcc atgaagacag agagggagat 1200
 aatgatgagg aaaaagaaga ggaagatagt gaagagaatc gtagggccgc attgagagaa 1260
 agaatggcta aactatctgg cgctagtaga ttcggtgctc ctgttggttt taacccttc 1320
 ggtatggctt ctggagttgg aaataaacca tcagaagagc cgaaaaagaa acagcataag 1380
 gagaaggagg aggaggaacc tgaacagctc caagaactac ctggtgccat acctgttatg 1440
 ccatttgttg acccaagttc taaccattt tttaggaaat caaatctaag tgagaagaat 1500
 caaccactg aaacaaagac gctagatcct catgcaacca cagagcatga acagaagcaa 1560
 gaacatggta cacacgcta tcacaattta gctgctgttg ataatgcaca tcccgaatac 1620
 tctgaccatg attctgatga agatactgac gaccacgagt ttgaggatgc aaacgatggg 1680
 ttgagaaagc attcgatggg ggagcaagct tttcagatag gtaataatga gtcagagaat 1740
 gttaattccg gagaaaaaat ttacctcaa gaaccaccaa tctcccaccg tactgcagaa 1800
 gtatcacatg atattgaaaa ttcatcacia aacacaactg gaaatgtttt gcctgtctct 1860
 tccccacaaa caagagttgc tcgcaacggg tcgataaatt ctttgactaa atccatttca 1920
 ggggaaaatc ggcggaaatc cataaacgag tatcatgata cagtttccac taattcatct 1980
 gcattaacag aaaccgctca agatatttcg atggcagctc cagcagctcc agttctaagt 2040
 aaggtgtcac atcctgagga caaggtgcc cctcaccag tgccttctgc accctctgca 2100
 cctccagtag cctctgcacc ttcagtacc tctgcacctc cagtacctcc agcacctcca 2160
 gcactctctg caccttcagt acccagtacc cagtacctcc agtatcttca gcacctccag 2220
 cactctcagc accttcaata cctccagtag ctccaacacc tccagcacct ccagcacctc 2280
 cagcgctct tgcgtgcct aaacacaatg aagtag 2316

<210> 107
 <211> 309
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 107

atgcgtactt tcaactgactt tgtttctggc gcacctattg taaggagtct tcagaaaagc 60
 accataagga aatatgggta caatttggca cccacatgt ttttggtact acacgtagat 120
 gagctatcga ttttttctgc ataccaagca agtttacctg gcgaaaagaa agtcgacaca 180

gagcggctga agcgtgatct atgcccacgt aaaccattg agataaagta cttttcacag 240
 atatgtaacg atatgatgaa caaaaaggac cgattgggtg atgttttgcg tgtgtgctgc 300
 ccaagttga 309

<210> 108
 <211> 3093
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 108

atgaaggcat cgcttacgtt tagtctctcc ggaatatacg cccctgtag catttctagg 60
 gatatatatc tcgaatacgg cgataaaaaa gctgaatgtt tatatgggac aattagattg 120
 cctcagtacg gtccagggtg cacgcctggg aaaattgtac attgtgtcct ggatgattca 180
 ctgcccttct gtagcattgt tgtaccttcc aaactttttg ggtttatgcc gacacagccc 240
 actatggatt tttgctatct tgaaccata ttagacaatg tagtacctgt actggatagc 300
 gtaacgtttc tgattaatga acaattgtac tcaaaactaa tggacctacc gcaagagatg 360
 caacaaatac aatttttgca ttacaaatat aacatcaact ccatggaaac cgtggttcat 420
 tctcgagata ttttaacatc tgggtctttgc caaattttta actgctcacc tttcccgcag 480
 ggccttggtg attttacaga aaccaattg atattagtaa atgatactga gcagaaacta 540
 agtgctctaa aatatgctaa cgaagatgaa gaatatgcat tacctaaaat agggacaaat 600
 tctgctttat caattgatct tgaatctctc ccctgcacaa tttcaagaga tcttttgcca 660
 cctgcacctc acatcaatga tgataattca atatatgcct ttacagacgc tgaaactcta 720
 ctgcgcctgg atgtcacaag tggatcggtt ataacagtgt caaatatggg ttgcgtcagg 780
 ctagttaagc tgtttggttt actactcccc aacggcttta aaaaaagaac aatatacgca 840
 cctcccaaaa taatagcaag ctttccagac tgcagcgtcg tgacaatatc aaagtccaat 900
 ataggccata cagatatctc cattgctaata caagttttca tctcaagagt tggaggctgg 960
 cttcaatctc agaaatgctt tcaaaatatt attctaacaa ccttgaaaaa gtttttttagc 1020
 gagagcaaaa ggattctttg tcaaaatgat ttaatcccaa tcgcttttga ttcaagtatg 1080
 gctgatctca atatagcaga ggaaaatgat gagtctgatg acgaagatga gctagggcag 1140
 tactacaaga acgattccct tgtatggttc tttgtcacia gcgcagagct cgattgcttc 1200

114

tctaaagata attctcattt tattattgat cccaatcgga cgaagctaata aacaactaat 1260
atcactaaca gaagaccatt acccttgagt agatccaatc ttcagagata ttacggtttt 1320
gctgaaactt tttactatga tttgcatatc ttccccatg taagacaatt ggttaacata 1380
ttagaaactt ctttcaattg ttctcaaagg ggaatcacc taaatgcctc tgtgttactt 1440
cattccacta caaacaatgt gggcaaggct acaatggtga gatttgcttc aaaatatctt 1500
ggtatacatc tactggagat agattgcctt tcgctcactt caaattcaag acaactggat 1560
tcaacatcta agattattgg ttacattagg gctaaatgtg aaaatgtcct accgtacgca 1620
tcacctgctg tgattttttt ggctcatttg gattcaattt tgcttgacgt aaacgctaata 1680
caagatccag aggcaatcaa attacaaaaa tctataaact tcgaaatgtc taaacttctg 1740
gacgatttta cgttttaaatt cccaggaact acatttggtg gctccgtaaa taacatagat 1800
aacgtgcctt ccagcttttag atcacatatg agatttgaga ttctcgtacc cgttccgtct 1860
gaagcacaga gactgcgtat ctttcagtgg tacttatctt cacatgaact aaacagagat 1920
gttcaacaaa aggttccagt atcttacatg gataatattt cattttcatc actctcttca 1980
tattctgctg gtttaactcc tttagacatc aaatcaattg tggaaacggc acgaatgacg 2040
gctactgctg gtttttacca agaatcaaag aagtgtggat ggcttccgca atcaattttg 2100
atcactcagg aggatttatc aaaagctact tcgaaagcta ggaacgaatt ctcggtttcg 2160
attggtgccc cacaaatccc taacgtaact tgggatgata taggtggtat tgattttggt 2220
aaaggtgaaa tattggacac aatagacatg ccgctaaaac atcctgaatt atttacctca 2280
gggatgaaaa agagaagcgg tattcttttt tatggtccac cgggtacagg taaaactcta 2340
atggctaagg ccattgcaac aaatttttct ttaaattttt ttagtgtaa aggccctgaa 2400
ctgttgaata tgtacattgg tgagagtga gctaattgtc gcagagtgtt tcaaaggcg 2460
agagaggcta aaccttgtgt catatttttc gatgaaatcg attcagtagc acccaaactg 2520
ggtaatcaag gtgattcggg tgggtgttatg gatcgatatc tttcacagtt actagcagag 2580
ttagatggta tgagtaccga cgctgacggg gtatttggtta tcggagcaac aaacagacca 2640
gacttattgg acgaagcact actaagacca ggacgattcg ataaattgtt atatttaggc 2700
attccggata cggataccaa acaattgaat atttttagagg ctctgactcg caaattcgtg 2760
ctcgacaacg acgtaaagct tattgagttg gcaaagctat gtccatttaa ttacaccggg 2820

gcagattttt atgctctctg ctcagatgca atgcttaacg ccatgtcaag aattgcacgc 2880
atggtagaaa aaaaagtttc tcagcataac gaattgacgg gagagaatat ttctacacgt 2940
cgctggtttg ataagattgc gacaaaagag gatactaagg ttgtcgtaaa aatggaagac 3000
ttcttgaaag cacaagagca gctcacccca agtgtgtcgc gggctgaact gaatcattat 3060
gaagcgggtga gagctaattt tgaaggtgct taa 3093

<210> 109
<211> 1626
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 109

atgcctatct tatcactatc ttcaacacgg aacagcgtgt taacaaggat atatgactac 60
cttaaagcat tagtgcagca agtgattgtg cccaatgtgg aagacgacaa atcttcgaaa 120
agtactcctt tcgaaaagtt agaacctgcg aaacagaacc atccacagaa agactgctgt 180
gctaccgaaa aggacgatct ggttgacgtg agcgaattat ttcccaaaca gaacaacaaa 240
caattgagtc taacatcaaa atcttcagtt gtaccctgtg ctttaaattt ggataaccta 300
gaaacacctt tctcaattaa aattgataat aatgggtgcag tcactacaca gttgaacttg 360
gacgaaccga ttttacgggg ccctagccgc ggcgagccag caaagttaca gaatgacttg 420
ataagttctc ccccgctaga ggaatcctat atcaataatg accagtacaa agctcttttc 480
ccctctaatt tccttccaat cacgcccgtg agtagcgtaa tcactcctgc atcgaagaaa 540
agtattgatg aatctcccct atccgatgag gttcaaggaa ttgctgatga gtcacccgaa 600
actttacat atatatgtca ctattgcat gctaggttcc gaatcagagg ttacttaaca 660
cgacacataa aaaagcatgc gaaaaggaag gcctatcact gtccattttt tgataatagc 720
atctcgcaag aattgcgatg ccatacttct ggggggttta gcagaagaga tacctacaaa 780
acacatttga aatctagaca tttcacttac ccagaagggtg ttaagcctca ggaccgtaat 840
aaatcacctg gagtgtgcac tcaatgtggg gaacacttta gcactagtga gagctgggtg 900
gaaaaccaca ttgaggctgg gaggttgcaa ggtttaccag aaggctattc agagggaata 960
cgagagaaga aaaagacgtc taaaatgaaa atgataaaga cttcggatgg ccaaacaagg 1020
ttcatctcat ccgacgaaag tgtttccgaa ccagctttac aaaataagaa ttgtatagaa 1080

gcgacagtaa tgcagtccaa ggaacgccct aatgacaaga tcataccaac caaaaccgaa 1140
 aaaaacgatt ttggaatagg cactcaatgg tttgaacgca aacaaatata aagacctaca 1200
 caaactacac aatcaagagg acctacagaa gtccaaaatc tcaaagagtg gtcaataata 1260
 tctcccccaa ttttgtcacc ccaaaatgca tcttctgtac cacaagagta tcaatcatca 1320
 agatacacat tgcatatgga ttctccagca ttatcctctg cctcctcagc gctatctcca 1380
 ctttcaggcg atccaataac aactacagaa acaaataagt catacccatt ggattcagag 1440
 caatcgttgt tggagccaga caaaaccgag gaggacgcaa tcaatcagtc aaaggaaaagc 1500
 aatatgattt ccattaatga gatgttacag aagcaaattg actttgaact tctgggtgag 1560
 aatcatttga aggagactca agattatctg gccctttaca aaaaagctta tgggatagaa 1620
 ttttaa 1626

<210> 110
 <211> 1770
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 110

atgactatth cttctgcaca tccagaaaca gaaccaagt ggtggaaaga ggccacaatt 60
 tatcaaattt atcccgcaag tttcaaagac tccaacaacg atgggtgggg tgatatgaag 120
 ggtattgcct ccaagttgga gtacatcaaa gagcttggtc cccatgccat ttggatctcg 180
 ccattttacg actcgccaca agatgatatg ggttacgata ttgccaaacta cgaaaagggtc 240
 tggccaacct acggtacgaa cgaggactgc tttgccttga tcgaaaagac acataagctt 300
 ggtatgaaat ttatcaccga cttagtcatc aaccattgct ccagcgaaca tgaatggttc 360
 aaagagagca gatcctcaaa aaccaatcca aaacgtgact ggttcttctg gagacctcct 420
 aagggttatg acgccgaagg caagccaatt cctccaaaca attggagggtc ttacttcggg 480
 ggttctgcat ggacgttcga tgaaaagaca caagagtttt acttgcggtt gttttgctcc 540
 acccaacctg atctaaactg ggagaacgaa gactgcagaa aggcaatcta cgaaagtgcc 600
 gttggatact ggtagacca tgggtgtagac ggctttagaa ttgatgtggg aagcttgtag 660
 tccaaggttg ctggtctacc agacgctcct gtgattgacg aaaactcaaa gtggcaactc 720
 agtgatcctt tcacaatgaa cggaccacgt atccatgagt ttcatacaaga aatgaacaag 780

tctggggcaa atcaatacac aactcttact tcaccttato ctatgaacga cattttgtac 420
aacatgaaca atccgttaca atcaccgtca ccttcatcgg tacctcaaaa tccgactata 480
aatcctccca taaatacagc aagtaacgaa actaatatct cgcctcaaac ttcaaagtgt 540
aatgaaactc ttatatctcc tcgagcccaa caacatacgt ccattaaaga taatcgtctg 600
tccttaccta atgggtgctaa ttcgaatctt ttcattgaca ctaacccaaa caatttgaac 660
gaaaaactaa gaaatcaatt gaactcagat acaaattcat attctaactc cattttctaat 720
tcaaactcca attctacggg taattttaaatt tccagttatt ttaattcact gaacatagac 780
tccatgctag atgattacgt ttctagtgtat ctcttattga atgatgatga tgatgacact 840
aatttatcac gccgaagatt tagcgacgtt ataacaaacc aatttccgtc aatgacaaat 900
tcgaggaatt ctattttctca ctctttggac ctttgggaacc atccgaaaat taatccaagc 960
aatagaaata caaatctcaa tatcactact aattctacct caagttccaa tgcaagtccg 1020
aataccacta ctatgaacgc aaatgcagac tcaaatattg ctggcaaccc gaaaaacaat 1080
gacgctacca tagacaatga gttgacacag attcttaacg aatataatat gaacttcaac 1140
gataatttgg gcacatccac ttctggcaag aacaaatctg cttgccaag ttcttttgat 1200
gccaatgcta tgacaaagat aaatccaagt cagcaattac agcaacagct aaaccgagtt 1260
caacacaagc agctcacctc gtcacataat aacagtagca ctaacatgaa atccttcaac 1320
agcgatcttt attcaagaag gcaaagagct tctttaccca taatcgatga ttcactaagc 1380
tacgacctgg ttaataagca ggatgaagac cccaagaacg atatgctgcc gaattcaaatt 1440
ttgagttcat ctcaacaatt tatcaaaccg tctatgattc tttcagacaa tgcgtccggt 1500
attgcgaaag tggcgactac aggcttgagt aatgatatgc catttttgac agaggaaggt 1560
gaacaaaatg ctaattctac tccaaatttc gatctttcca tcaactcaat gaatatggct 1620
ccattatcgc ctgcatcatc atcctccacg tctcttgcaa caaatcattt ctatcaccat 1680
ttcccacagc agggtcacca taccatgaac tctaaaatcg gttcttccct tcggaggcgg 1740
aagtctgctg tgcttttgat gggtagcgtg ccgcttacaa atcaacaaaa taatataagc 1800
agtagtagtg tcaactcaac tggcaatggt gctgggggta cgaaggaaag aaggccaagt 1860
tacaggagaa aatcaatgac accgtccaga agatcaagtg tcgtaataga atcaacaaag 1920
gaactcgagg agaaaccgtt ccactgtcac atttgtccca agagctttaa gcgcagcgaa 1980

catttgaaaa ggcattgtgag atctgttcac tctaacgaac gaccatttgc ttgtcacata 2040
 tgcgataaga aatttagtag aagcgataat ttgtcgcaac acatcaagac tcataaaaaa 2100
 catggagaca tttaa 2115

<210> 112
 <211> 375
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 112

atgatgggcg aaacacccaa ttccagtaaa gtaccacggt tggaggccag catggcacgt 60
 agccagtaca gagggtcgga agtctcactg gacacgatcc cgtacagcgg aatctggccc 120
 agaatcaaaa agatcagtag agaaacgcct gtccagataa gtttctgggt gtatggaacc 180
 ttcctttctg gagcaatcac ttccggcagg aaagattcaa atggcttaaa caagtctaga 240
 acacggttgg aggacatddd caaagtaaag cgtgaaccag tgtcagtttt tctacttgct 300
 actatattta actatgtttt tttcttttgc tttcaccaac tgaaccttgt agtaaattgga 360
 gtgaggttga attga 375

<210> 113
 <211> 1098
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 113

atggatttgg tcttagaagt cgctgacat tatgtcttag acgacttgta cgctaaagtt 60
 ctgcccgttt cgttggcagc taatattcct gtcaagtggc agaaattgct agggttgaac 120
 agtgggttca gcaattctac gattttgcag gagactttga actccaagaa tgccgtcaaa 180
 gaatgtagaa ggttctacgg gcaggtgcca ttctgtttg atatgtcgac gacgtctttt 240
 gcatcgctat tgctcgttc cagcatcttg agagaattcc tctcactatg ggttattggt 300
 acgatctttg gtttactact ttacttattc acggctagtc tcagctacgt gtttgtgttt 360
 gacaagtcca ttttcaacca tctcgttac ttgaaaaacc aaatggcaat ggaaatcaag 420
 ttggcagtea gtgctatccc atggatgtcg atgttgaccg ttccatggtt tgttatggaa 480
 ttgaacggcc attctaaact atacatgaag attgattatg aaaaccacgg tgtaaggaag 540

ctcattatcg agtacttcac tttcatcttt ttcactgatt gcggtgtgta tttagcgcac 600
 agatggttgc attggccaag ggtctaccgt gctctgcaca agcctcatca caagtggctg 660
 gtctgcacac ctttcgcac tcattctttc catcctgtag acgggttttt gcaatccatc 720
 tcgtaccaca tctacccatt gattctgcca ttacacaagg tttcttattt gattctgttc 780
 acttttggtta acttttggac tgttatgatt catgacggtc aatacctatc aaacaatcct 840
 gccgtcaacg gtactgcctg ccacacgggt caccatctat atttcaacta caactacggt 900
 caattcacca ctctgtggga cagactaggg ggttcttacc gtagaccaga tgactcattg 960
 tttgatccta agttaagaga tgctaaggag acctgggacg ctcaagttaa ggaagttgaa 1020
 catttcatca aggaggtcga aggtgatgat aatgatagaa tctatgaaaa cgacccaaat 1080
 accaagaaga acaactga 1098

<210> 114
 <211> 1659
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 114

atgggtaaaa ttgcagagtt tctcggaat ccagggtgcta ggcttgacgt tcatcataga 60
 gcacctactg ttgactgcaa acagtacgaa gaattcgggtg attctaacga ttacaaaaat 120
 gatgatgtgg tcagagtagt cagccatagc gatgagagta ctgatgacga actttgtaat 180
 gtgaatttaa cagaaacagg ggcaatcttc acgagtaaag gttttaccgg gttaagcaaa 240
 ggtttcacag ataagaccct ggatttcctg gtacgagtgg ccggttcgca ggcggttttt 300
 tttattgttt ggatcatcct cataatttgg gtgggttattg gtattgttta taacgcacct 360
 ttcaattggc aagttgttat gcaggacgga cagtctattc aaagttatgt ttgggacaca 420
 ctgttgatga gacaacagtt gatgagtacg catgaacaaa ttttgatctg cggtagattg 480
 aagtcgagat tggcttcctt caaaaactat ctaacaagaa gcacccaga ggaagaaaaa 540
 gcagactgca cagttgaagc taatgaagtc agctctgttg aaaatcatat agacccatct 600
 gccattaacg gagaactgcc tgtggaaaat tggtagacc gtttatctaa cgtagcaagt 660
 aggtatatgg gttcaattgc agcaatggtg atattttgga taggtatttt cgtttggatt 720
 gggtgcggtg ctatcccaaa agatgcgggc aacactccac cttacaccgg agaaactaca 780

ggtagtaatc caagattgaa aaagttcagt gacgcttggc agatgtatat taacactgca 840
gttgcagttt cctttctaatt ttgcactact ttcttataaaa atataagggc tagacatgat 900
tatttcacgg ggagggttttt agttgatatc ttgatattgg acgagaaaaat cgactatcgt 960
ataagaaagc attttaacga ttttgaaaca cctcaccagc ttgttactat tgaatctaaa 1020
aaaagggtcga cagggagaaa gatgattgat tgggatgctg atattattgg tactgggtatt 1080
ggtgtcctga ttgggtgtggc agtggttcgcc acatggattg gtattgggtc gccaatgaag 1140
tgggatgata attgggtggtt gattatcggc acatacacag gtttaattgg gtttttggac 1200
ggtttcgttt tgagagaagt gtacttccga atcgttcaac atgaagagaa aaattattct 1260
gatgtggcta aagaagacct tgaattattc caagaattag gtattgaatg tcccgaagaa 1320
tttagtggta aagctcctga aattaacact attggttaca gaacatccca atatattaat 1380
aggatctgct caactccatg gagggttctt gtatccgtca tcatcatcat tggtttaatt 1440
tgtattgctt cgggtttgct ttggagtaca acagggtcaat tgattgctaa cagccaact 1500
atgattatcg aagaattttt ctgctagtt ttgttgcaag cacataattg ggccgatcgt 1560
caaagaagag tggagggttac cgctttgtac gcacgtaggc gcatacttct atcatacgta 1620
gaaaagcggt tcccagaggt tatgatgttg gaaaaatag 1659

<210> 115
<211> 1722
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 115

atggaaacta ttttgcagcc aaaggctaga ccatttgagt ctttgaaaag aaaacgtttt 60
agagaatggt tgaggccgtc gactgcgcat ggatccctgt tgcattctga tacattagat 120
ttgcgtgact ttgcaaaacc taatcccgtt gacacatttt ctaatcttga ttctgggtcat 180
tgtccttttg tcacaactcc aataaaatat gagggtccag atggaaagag ttcttttttc 240
cgaggagaca ctaaatttga aaccctgttc agtaatagaa aattctatga gttcaaagat 300
aatttgaaaa ggggattgaa gaaaatacgt catgggagaa acggacatca aagcgaaaag 360
agatgtccag ttgttgaaga aacaaaaaag tctgtgtcag ataactctga caaaccagac 420
aataatacgc cctgttttga cagattccac acaaatctga aagaatttga aacgcaattt 480

gatcattcaa ataggagcca aaattccgag aaggcttatc tagacaatga atcctgttgg 540
aacctaagtg agaaatttat tccttttaaat aattttaaata atgaagattt gaaacatttt 600
gaagagaatt tgcaaagctt agcgcttgca acttttactc caattgaatc aaatgaatcg 660
cttgataggt cagattcgac acgtggcaca aaacgaagca ttcgcaatga ttccagtgat 720
acaacatctg aaaagagggt atgcttaaaa caatactcag atgaacctga atcggatcat 780
tcgatggaaa gtacaccatc catttacatt accaaagaag ttcaagaaag aattgaagca 840
ttaagctcca cggattcggt tttaattgaa aaagtagatt ttccctctaa caaaattgggt 900
tccagtgcct ccgattatga aagtgataac gaatacagaa atatggatga ggattcaata 960
aacgatgtta ccaactgagaa agaggggaaat gtggtcatac cagactctaa tactagcacg 1020
gtggacgcaa tggaaaaacc aattgaagtg agctcggcct taaaagatga tacattggat 1080
aaagacatag atgatgcgag cagtagctat tcggatgatg tagagaccac attcgagcca 1140
gttgaatctg aggaactttc cgatttatct gatacaagct caagtggaag tagtaaaatt 1200
tatactatcc ccacatttcg cggccttact aataggacca atatatcaca aattctttca 1260
aaagttggta aagctgattt aagccaagat aacttaacgc atttgatcaa aagtcatcaa 1320
aaaaagaaaa gatgcgtgaa ttttagaaat aaaagattct atgatgcttt caatccatat 1380
gttgataacg aagaagatgc agagttatct gacagcgaaa acatttcaga aatggatata 1440
gatctttgta taaaggatcg gagtacctca agtggttaggt ttgatgaaaa ctcacgtctt 1500
ttaatctaca aaaaatctaa aaagttaaac aaagatgaga ctcaaagtgg ttattcgact 1560
actgaaatga ggtcaattct aaagacaaag atgaattcac agcatgatga ggagtctcag 1620
agagcttcga agtgtgacac agtaggtgta gcccaatttt tacattattt tcaatataca 1680
gagtataaaa ggcagagaaa tgaagcagaa attatagact ga 1722

<210> 116
<211> 618
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 116

atgtctccgc cttgcaattg taggctgtta ctcgggtttc ttatcaagtg gcgtgccacg 60
gcactacca catgtggctc aggggttattt atgctcactt caagcgtgcc attgttacag 120

gaagtgtgcg acgcgtcggg tacgctagca tgcaccgctt cattgttcac aagcagcggc 180
 ggctttttta gcaaaccacc tgtagttcca ctagattttc tacttctgct tctacttcta 240
 ctattaccgt tgctattgcc accgttgccg tccgttaaag gtgagccaga cgcatgcgag 300
 attcctgtac tgcctcogtt gttatttttt ttgttggtgt tgctctgctt tcttcagag 360
 ccaattgaaa cctcttttcc attcatatcc gcgatgcaat cccttatacg cttcttaata 420
 aactttgctt cccactcttt cactactgac catcgatcct tcttatttca tagcctcacg 480
 agcacaaatg ataatacgag aaaaaggccc gaccgggtaa ccaacccttt tactatctct 540
 cgctctacct ttagtaataa tgcgtcttat ataaggattt actcatacag tagtccaaaa 600
 tatacctttc cgtgctaa 618

<210> 117
 <211> 534
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 117
 atggcagaat acttggccac ctgctccttc cattcttctt tegtgaagca cttctttcca 60
 tacgtaaagt ctttcccacc attcttgcct tggccgctgc aagatccgct cttcgtggtc 120
 tcgttactaa gagtagatat agtcatttct atttgttacc acacacaaat atatcttcat 180
 ccggctgata tttgtctcta ctgccccctt gcttgcaatt taatgaccaa attacacatg 240
 ttagcttcaa gaaaaatgat gtaccatcaa aatgtctcct gcaacgaacc ggggcaccgc 300
 gccggcagag tcaggaaagc gagatcgaca ctgatagtga taaacagcaa cacaatggag 360
 cgattaccat tcactcggaa cggatccgga caacagtcaa ataaactccg ggatcccaaa 420
 aagggccgta cacacaaacc caagccgagc gaaaaacaca aaaaaataa aacagggaaa 480
 aaaggagcgc aagagaaaac gcacaggagt aggagcagca gaaaggggaa ctaa 534

<210> 118
 <211> 1833
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 118
 atgacggaga ctaaggattt gttgcaagac gaagagtttc ttaagatccg cagactcaat 60

tccgcagaag ccaacaaacg gcattcggtc acgtacgata acgtgatacct gccacaggag 120

tccatggaggg tttcgccacg gtcgtctacc acgtcgctgg tggagccagt ggagtcgact 180

gaaggagtg agtcgactga ggcggaacgt gtggcagggg agcaggagca ggaggaggag 240

taccctgtgg acgcccacat gcaaaagtac ctttcacacc tgaagagcaa gtctcggtcg 300

aggttccacc gaaaggatgc tagcaagtat gtgtcgtttt ttggggacgt gagttttgat 360

cctcgcccca cgctcctgga cagcgccatc aacgtgccct tccagacgac tttcaaaggt 420

ccggtgctgg agaaacagct caaaaattta cagttgacaa agaccaagac caaggccacg 480

gtgaagacta cgggtgaagac tacggagaaa acggacaagg cagatgcccc cccaggagaa 540

aaactggagt cgaacttttc agggatctac gtgttcgcat ggatgttctt gggctggata 600

gccatcaggt gctgcacaga ttactatgcg tcgtacggca gtgcatggaa taagctggaa 660

atcgtgcagt acatgacaac ggacttgttc acgatcgcaa tgttggaactt ggcaatgttc 720

ctgtgcactt tcttcgtggg tttcgtgcac tggctgggtga aaaagcggat catcaactgg 780

aagtggactg ggttcgttgc agtgagcatc ttcgagttgg ctttcatccc cgtgacgttc 840

cccatttacg tctactactt tgatttcaac tgggtcacga gaatcttcct gttcctgcac 900

tccgtggtgt ttgttatgaa gagccactcg tttgcctttt acaacgggta tctttgggac 960

ataaagcagg aactcgagta ctcttccaaa cagttgcaaa aatacaagga atctttgtcc 1020

ccagagaccc gcgagattct gcaaaaaagt tgcgactttt gccttttcga attgaactac 1080

cagaccaagg ataacgactt cccaacaac atcagttgca gcaatttctt catgttctgt 1140

ttgttccccg tcctcgtgta ccagatcaac tacccaagaa cgtcgcgcat cagatggagg 1200

tatgtgttgg agaaggtgtg cgccatcatt ggcaccatct tcctcatgat ggtcacggca 1260

cagttcttca tgcacccggg gccatgcgc tgtatccagt tccacaacac gccaccttc 1320

ggcggctgga tccccgccac gcaagagtgg ttccacctgc tcttcgacat gattccgggc 1380

ttcactgttc tgtacatgct cacgttttac atgatatggg acgctttatt gaattgcgtg 1440

gcggagttga ccaggtttgc ggacagatat ttctacggcg actgggtggaa ttgcgtttcg 1500

tttgaagagt ttagcagaat ctggaacgtc ccggttcaca aatttttact aagacacgtg 1560

taccacagct ccatggggcg attgcatttg agcaagagcc aagctacatt atttactttt 1620

ttcttgagtg ccgtgtttcca cgaaatggcc atgttcgcca ttttcagaag ggtagagga 1680

tatctgttca tgttccaact gtcgcagttt gtgtggactg ctttgagcaa caccaagttt 1740
ctacgggcaa gaccgcagtt gtccaacggt gtcttttcgt ttgggtgtctg ttcagggccc 1800
agtatcatta tgacgttgta cctgacctta tga 1833

<210> 119
<211> 3363
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 119

atggttagta ggttttatca gattccaggt acgcatcggc catcgtcggc aatatcttct 60
tcaaataaat cttcttcact gttgtctgca aggagaataa gtcaaacata tttcaattat 120
caggcgaccc ctgaatgcc aaaaagtttc tctaagtatg atcctgataa cccaaacaaa 180
gataagttgg gaacatacga tggggatatt gtgcctactg ctttaaactg attgtctatc 240
cttatgtttc ttcgttttgg cttcattttg ggtcagttag gtattatatg caccatcggg 300
cttctgctat tgagttacac tattaatctt ctcaccacgt taagtatatc tgctatatct 360
acaaacggga ctgttagggg cgggggtgct tattatatga tttcaagaag ttagggacct 420
gaatttggtg gatccattgg gcttgtcttt ttcttagggc aggtgttcaa tgcaggatatg 480
aacgcagtgg gtattatcga acctttactc tataacttgg gttattctgc tcaaggcgag 540
ccacctgcag ctttgggaga gctactacca agagggcatt ggcacgaatt tacatatgcc 600
acggtcattc ttttcttatg ttttctgtg gcttttggtg gctcgcaaac agtgtcaaga 660
gcagggaata ttcttttttt ggtactggca gcttctatat tttccattcc actttctgca 720
ttgataagat cgccattcac tgaaggcggg atcagttata caggtccttc atggcaaact 780
tttcatgata acctgctccc tcacttaaca aaagggtgcag cagggttcgtt actcaaagg 840
aaggaaacat tcaatgattt atttggcgtt ttttttctg ctacagctgg tatattcgcg 900
ggcgcaggaa tgtcaagtga attgagaaag ccctctaaat caattcctaa ggttacctta 960
tggggtttac ttttcacttt tatctgttat gcggttggtg tcttctccat gggttggtcc 1020
attcccagaa gatcgttata tgatgaagta caaattatac agacgatcag ttccgttcag 1080
tggggttatat tcatgggtga aatggctact tctcttttct ccatcatagt ggggatgctc 1140
ggtgctgctt atgtattaga agcaattgca aaggataaca ttattcctgg tttggagatt 1200

tttgctcatt caccgttata ttcattgatt tttacttggga ttctaacaca gctatgtttg 1260
 ttttcagacg tcaataaaat cgccacattt atcacaatga cattcttaat gacgtttgtg 1320
 gtcatgaatt tggcgtgctt cctattaggt atttcctctg ctcccaattt caggccctct 1380
 ttcaaatact ttaacaggta tactacagca attggcgcat tacttttctgt tgttgcgatg 1440
 ttaatagttg atggcatctc agcgtctgtc ttgtttttgg ctatgatttt gctattttta 1500
 ttcattcatt atttttcacc accgaagtct tggggtgatg tgtctcaaag tttaatatat 1560
 catcaagtga gaaagtattt gcttcgccta cgtcaagaca atattaaata ctggaggcct 1620
 caaatattgc tgtttgtaga taatccaagg acgagctgga acttaataag gttttgcaat 1680
 catttgaaaa aagggtggtt gtatatTTTA ggccatgttg cagtaactgc ggattttccg 1740
 aagcaactaa atgaattaaa aactcagcag aaagcttgga tgaagatcag agacatggca 1800
 gcaataaagg cttttgtcca agttgggact ggtccctccc ttatatgggg aattaggaat 1860
 gtttttattg gttccgggct tggaggtatg aaaccaaaca ttactgttgt cggttttttt 1920
 gacctcgaaa gttatagaaa gcacatccca caaagtcgca gccaaaataa ccttcagaaa 1980
 cagggtgaaa taaaagctac agtgccacgt agtacatgct ctgatgtcaa aatcaatgtt 2040
 ccattgccta cggatgagtg taaaaatgaa accaaagtta atgtacaaca atgggttcaa 2100
 attgtagaag atctatcact gatgcaatcc aatattgcca tagcgcatgg attcaaaaat 2160
 ttagagatac cgaacaaaag ggacagctgc tttccaaaaa aaactataga tctttatccc 2220
 atccaaatgt gcggaaaagt tgaggcaaag ggtgaccagc ctgcggctat cactactaac 2280
 tttgatacgt atacactgat tctacaatta gctgccattt tggttactgt tcctgaatgg 2340
 aagcgcacac attcgttctg agttatttta tttgtggaac aagaatatca tagaacgaac 2400
 gaaactcaac gaatgaaaaa gctattacag gttctaagaa ttgacgcaga ggtttttgta 2460
 gtatcttttag atcaattcag agtatacaac acaattgtca agggagaccc aatcgtgttt 2520
 gattatgtca actcgaaatt ggccgataat gaatgggtgga aagatttgggt tgaagctcgt 2580
 gatacattaa aaccgaagcg gaggttttcc actattgaac ctcaaacgat agcaaagcaa 2640
 tttacacaat caagaaaata tacgtctggg gttcagaaat tgggtgtctc atttacaatg 2700
 aatacgagaa tgccaactaa ccgcattgat accccatgcg agagtgagga ctccgatttg 2760
 gatacagatc ttacgtcaat tcgtgatgcc ttctcggcat cgactaatat ttcagtaggt 2820

aaggacttaa cgaccaaata gaagaccggt tccgacagaa caaatttact cgtaaagaat 2880
ttacaaagcg atgtgtcaac acagtcgtta agaccogttt tctcgagtaa tactttgccg 2940
aggacgagag tctgtgaaga tggcacgggt gaacagccga cactgatccc aattgccgaa 3000
cctgaccttt cgaatgggaa cggacttggg agcgggtattg gcaacggcaa caaattaaag 3060
aaaccgggttc ttcccgaatt atcaccttgt tgttcaaaaag atagttagt cacagcgatg 3120
caaaatttag gtttcaatga tcttcccagc actgctcaac atttggttct gaatgatgtg 3180
atgacacaaa tgtcaaagag ttcggattta attttttcaa ccttgccagt tccagctctt 3240
ggaacacatg aagatcacga tgcaagtta caatatgtcg aggacttggg tatttggttg 3300
gagggettac ctccatgcat gttaatcaat tcgcaaacca tgacagtaac tactgcatta 3360
tag 3363

<210> 120
<211> 543
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 120
atgcattaca agaaagcatt tctagcatct ctattaagta gtattgcgct aactgcgtac 60
gtccacctg aaccctgggc aactttaact ccaagctcta aaatggatgg tggcacaaca 120
gagtaccgga cctcattcgg tctcgctgtt atacctttca cgttactga aagtaaggtc 180
aaaagaaacg tcatttcaca aattaatgac ggtcaagtgc aagtaacgac aaaaaatta 240
cctcatccag tttcgcaaat tggagacggc caaatacaag ttacaacgca gaaggtgcct 300
ccagtagtgt cacatattgt gtcacaaata ggcgatggtc aattacaaat aactacagct 360
aaaaatgttg tcacaaagtc cacaattgct gttccaagta aaactgtaac tgcgacagca 420
acttcaaccg caactgctgt ttctcagatt catgatggtc aagtgcaagt tactatttct 480
tcagccagta gtagttctgt gctttccaag agtaagttaa gagccaacaa agaaaccaa 540
taa 543

<210> 121
<211> 2808
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 121

atgtctgcac atacttaca aaagtttgaa aactcgacct cgggcgattt acctgataaa 60
atgaccattt atcaggattg tatgaacacg tttaacgaat cacctgtcaa ttccaagaga 120
tgtcgtttat tgatttctcg cttgctgaga ctcttggcc agggcgaaac cttcccacag 180
aatgaagcaa ctgcattatt tttctctatc tccaaattat ttcaacacca gaacgatcct 240
ttaaggcagg ctgtttattt ggcaatcaag gaattgagtg gcatttcgga ggatgtgttg 300
atggcaacct cttcaatcat gaaggacgtt caaaccggtt ccgatttgat taagcctgac 360
gctattagat cgctgactta tgtcttggat gaatctactg ctttttccgc tgaaaggtta 420
ttaaaaagtg ccgtggtaag tagacatcct tcaatatcct cagcagcatt atgtacttct 480
tatcatttgc tgcccatttc agaagtcact atcagaagat tcaccaatga aactcaagaa 540
gctgttttgg atttgaaaca atttccaaat caacacggta atagcgaata ttatccaaac 600
tccacttata tttctcaata tcatgctctt gggttgcttt atcaactgaa gaaaactgat 660
aaaatggcgt tactaaaatt ggtagacat ttctctgaaa acaattctat gaaaaatcaa 720
ttggccaagg tagaattggt caagattgtc aacgatttga tttataggga tcctcaatta 780
tttagtcaat tcaggccact tttgtctgat tggctatcca acaagttcga atctgttcag 840
ttggaaacgg cgaaattgat tacttctttc gctactcgca attcccgtt agtggctccc 900
gagttatatg cggcagctat cagtgcctta cagtccttac tgaccgttcc tcgtgtttct 960
tctagattcg ctgcattgag aatcttaaat agaatatcca tggtttcacc agaaaagatt 1020
gttgtttgta atcctgaact agaatcttta attaattgatt ctaatagaaa catttctact 1080
tatgcaatca ccactttatt gaagacagga acttccaaaa atatttcatc tctgatttcg 1140
actattacta attttatcca tgatgtcagt gatgacttta agatcattat tattgacgcc 1200
gttcgtacgt tgtctttgaa cttcccacag gaatggaagt caattttgaa cttcttaatc 1260
gatgttttga aaaatagtga aggtggattc aaatttaaaa acagtattgt cgaagcatta 1320
atcgatattg tttcatttgt tccacagtct aaagaactcg ccttagaaaa cttgtgtgat 1380
ttcatcgagg attgtgaatt caacgaaata ctagtgagaa tactacatct tttgggtaaa 1440
gaaggtccat ctgccccaaa tccatcatta tatgttagac atatttataa cagagtgggtg 1500
ttggaaaatt ctattattag atctgctgcc gttgtagctt tatctaagtt tgctttgacg 1560

aagaacgatc ctaccttata tgagtcaatc ataagtttgt taaagagaat cgctaatgat 1620
aaagacgatg aagtcagaga cagagccacc attgcactag aattcattga ttcggttagg 1680
aataaagatg atgttatagc acaaaatcta atcgaatcca aatattttta cgatattcca 1740
tcattagagt caaaattaag ttcttacatt tcctcaaata ctgattcatt tgcaactgca 1800
tttgatgtga atcaagttcg taagtttact gaggatgaaa tgaaggcaat aaatctgaag 1860
agaaagcaag aacaaatfff caatcaaaag tctgaaacca ctttggatac tacaccagag 1920
gcagagagtg ttccagaaaa aagagctgac gctaattcat ttgctgggtcc aaacttggac 1980
gaccaccaag aagatctact agctactaag tacgctgacg aattgctatc cattgaacaa 2040
attaaaccat ttggtcaatt agtaaatagt tctagggcta tctcattaac tgagccagaa 2100
gcagaattcg ttgtacgtgg tgtcaaacat ctcttcaaag acaatgttgt tttacaattt 2160
aatattacga atactctgac ggatattgcc ctagacaatg tttctgtagt ctgtaccctt 2220
gaaatttctg atgaagctga attagaagag ctattcacc c tacaagtgga cagattatta 2280
ccatccgagg aagcagcttg ttacgttgca ttcaaaaaac ttgatgaaat tgtaatggaa 2340
ggtttcttga acaacttaac attcactaca aaagaaataa accctgacac taatgagcca 2400
tttgatgggtg atgaaggttt ccaagatgaa tatgaaattg actcgatttt cttgaatgct 2460
ggtgattatg ttaagagttc tttcactggt aacttctccg ctacatttga tgagttgcca 2520
tgccaagaag ttgctgtttt caacattcaa gaagatttat ccatacaaga agtagtagat 2580
aagattattt tgaacagtag ctgcttaccg gtggaaagta cccaatttgc tccaagtgat 2640
tcaaactccc acaccttgaa attatttgggt aagagtgcct taactggatc taaagtagcc 2700
ctacagatta agatgatcaa gagttcgaaa ggtcttgctt tgaaagttca tggtaaagggt 2760
gaagacagct tattatgctc tgatctgggtg aatgggtctaa tgcagtaa 2808

<210> 122
<211> 381
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 122

atgtcgccac aaacattttg catcttgctc atattttcat tatcattgga aaaaacatct 60
ctgattgtct ggaatatctt tgttaacctt cgtttgggtg ttttcctcct gtagtagca 120

atttttttctt cagtttttctt atctgtcacc tttctaggtc ttttttagaac gctttttaccc 180
 gtaggacgca tctgctttct tctgctcctt aaggcagatc gtttttctcac ttcacatcaagg 240
 gacccgtatt ctggttttctt gccatcatct cgtattccaa aaaaatcttt ccacagtccc 300
 tgtacggatt ttagcatatt accaatgtct attattgtac ctttctcttc agagtatcta 360
 cttgttcatg ttcagcaata a 381

<210> 123
 <211> 1527
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 123

atgaaaacttc aattggcggc agtggctaca ttagcagtct taactagtcc ggcattcggc 60
 agagtacttc ccgatgggaa atacgtcaag attcccttca caaaaaaaaaa gaacggcgac 120
 aatgggtgaac tcagcaagag atcgaacggc catgaaaaat ttgtactagc taacgagcaa 180
 agcttttatt ctgttgagct agccattggc acaccttcac aaaacctcac tgtgctgtta 240
 gacacaggct cagctgactt atgggttcct ggcaagggaa acccctactg cggttctgtg 300
 atggactgtg accagtatgg cgtgttcgac aagaccaagt cgtccacgtt caaagccaac 360
 aagtcctcgc ctttttatgc cgcttacggc gacggaacct atgcagaagg tgcatttggc 420
 caagataaat taaagtacaa cgaattagac ctacgtggc tatcgtttgc cgtggccaac 480
 gaatctaact caacctttgg tgtgctcggg atcggccttt ccacgcttga agtcacctat 540
 tctggaaaag tcgctattat ggacaagaga agctacgagt atgataactt tcccctgttc 600
 ctaaaacatt ctggagccat cgatgcaacc gcatactctc ttttcctaaa tgacgagtca 660
 cagtcctccg gcagcatcct cttcggcgct gtagatcaca gcaagtacga gggccaactg 720
 tacactatcc cgttggttaa tctttataag tcgcagggtt atcagcaccg ggtggcgctc 780
 gatgtcactt tacagggctt aggactgcaa accgacaagc gcaacatcac attgaccacc 840
 accaagctcc cagccctact cgattcaggc acaacgctaa catatctgcc ctcccaggca 900
 gtggcctttgc tagcaaagag cttgaatgcc tcgtattcca agacattggg ttattatgag 960
 tacacgtgtc cctcgagcga caacaaaacc agcgtggcct tcgacttcgg tggcttccgt 1020
 atcaacgctc ctctatccga ctttactatg cagaccagtg tggggacctg tgtcttggca 1080

ataattccac aagcggggcaa cgccaccgct atccttggtg attccttctt gagaaacgcc 1140
 tacgtggtct acgatttggga taactacgag atttccctag ctcaagccaa gtatggcacg 1200
 gggaaagaga acgtcgaagt catcaaatct accgttccca gtgcaataag ggccccag 1260
 tacaacaaca cttggtctaa ctacgcctcc gccacgtccg gtggtaatat ttttaccacc 1320
 gtgcgcactt tcaatggcac cagtactgcc accactacga ggtcaaccac caccaagaag 1380
 aaaaactcta ccactactgc aaagtcgact cataaaagca agagggcact ccagagggct 1440
 gctaccaact ccgcttccag tatacgtctt accttgggtt tactgctagt cccctcctta 1500
 ctcatccttt ccgttttctt ttcgtaa 1527

<210> 124
 <211> 2586
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 124

atgtccaccg ctgaatttgc tcaactattg gagaacagta tcttaagtcc cgacccaaac 60
 attcggttga ctagtgaaac gcaattaaag aaattatcta atgacaactt cttacaattt 120
 gcaggctctt cttcgcgaagt gcttatcgat gaaaatacaa agctagaagg gcgtattcta 180
 gcggcgctaa ctttgaagaa cgagctggtg tccaaggact cagtcaagac gcagcaattt 240
 gcacaacggt ggattacaca ggtagtcca gaagctaaaa accaaattaa aactaacgcg 300
 ctgaccgcat tgggtctccat agaaccgcgt atagcaaagt cagcagctca attgattgcg 360
 gctatagcag atattgagtt gcccattggc gcatggccag agttgatgaa aattatgggt 420
 gacaatacag gtgcggaaca accagaaaat gtcaagagag cctctttatt ggccttgggt 480
 tatatgtgtg aaagtgcaga ccctcaaagt caagccttag tttcttcac aaacaatatc 540
 ttaatcgcta ttgtccaggg tgcgcaatct acggaaaactt ccaaagcagt cagactggca 600
 gctctgaatg ctcttgcaga ctctttaatt ttcatcaaaa ataacatgga acgcaagggt 660
 gaaagaaact accttatgca agtcgtctgt gaagccactc aagctgaaga tatagaagtt 720
 caagcagctg cctttgggtt tttgtgtaaa atcatgtcac tatactatac atttatgaaa 780
 ccttacatgg agcaagccct atatgcattg accatagcta caatgaaatc tccaaatgat 840
 aaagtagctt ccatgactgt ggaattctgg tccactatct gtgaagaaga aatcgatatt 900

gcctatgagc tcgctcaatt tcctcaatct cctttacaga gttataatth cgctctctct 960
tctattaaag atgttggtccc caatttggtg aaccttctaa cgagacaaaa tgaagatcca 1020
gaagatgacg attggaatgt ttccatgtcc gcaggtgcat gcttgagtt gtttgcccaa 1080
aactgtggca atcatatctt agaacctgta ttggaatttg ttgaacaaaa tattaccgct 1140
gacaactgga ggaatcgtga agctgctgta atggcctttg gttccattat ggatggccct 1200
gataaggtcc aaagaacctt ttacgttcac caagccttac catctattht gaatttaatg 1260
aacgatcaat ccctacaagt taaggaaacc actgcttggt gtattggtag aattgctgat 1320
tctgttgctg aatctatcga cccacaacag catcttcag gtgtcgttca agcttgtht 1380
attgggttgc aagatcacc aaagtggcc acaaactgtt cttggaccat tatcaactta 1440
gtcgaacaat tagcagaagc cacaccatct ccaatctata acttctatcc cgctcttgta 1500
gatggthtga tcggtgctgc aaatagaatt gataatgagt tcaatgcccg tgcacccgc 1560
thttcagcct tgacaacaat ggttgaatac gccacggaca cggtagctga aacttccgc 1620
tccatttcta cgttgtht ggacaaatta gggcagacaa tgagtgttga tgaaaatcaa 1680
ttaacgttag aagatgcgca aagtttgcaa gaattgcagt caaatatatt gactgttcta 1740
gcagccgtta ttagaaaaag tccaagtagt gtagaaccgg ttgcagatat gcttatggga 1800
ctgttcttca ggttgthtga aaaaaaggac tctgcgttth ttgaagacga tgtgttht 1860
gctatttcag ctctagctgc ttcttggt aaaggatttg agaaatacct ggaaacattt 1920
tctccctatt tattaaaggc tttaaataca gtagattcgc cagthtcaat caccgcagt 1980
ggcttcacg ctgatattt aaattcgth gaagaagatt tcagaagata ttccgatgct 2040
atgatgaatg tcttggtc aatgatctt aatccaatg caaggagaga gttgaaacca 2100
gccgtcttga gcgtgttcg tgatattgct tccaatatag gtgctgattt tattccctac 2160
ttgaatgaca tcatggcgt gtgtgttgct gcccaaaaca cgaagccgga aaacggcaca 2220
ttagaagccc ttgattatca aataaaagta ctagaagcag tactagatgc ttatgtgggt 2280
atagtagcgg gtcttcatga taaacctgaa gctctgttcc cttatgttg tactatattc 2340
cagthtattg cacaagttgc agaagatcct cagctgtaca gtgaggatgc tacctcaaga 2400
gcagcagtcg gattgattgg tgatatagca gcgatgttcc cagacggctc aatcaaaca 2460
thttatggac aagactgggt tattgattac attaaaagaa ctaggagtgg ccaattgtt 2520

agtcaagcca caaaagatac agcaagatgg gctagagagc aacagaagcg tcaattatcc 2580
 ttataa 2586

<210> 125
 <211> 321
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 125

atgatttcag tcaatttttc accattgatc tcttcttcga acaccacat ttgtactatt 60
 ggagcgaaaa cttctgggta tcccttaca ttttcggcaa ccaccttggc aatagtagta 120
 cccagttac cagatccaat cacagtaacc ttgaaaggct tttcggcagc cttcaaagaa 180
 acagaagagg aacttctctt tctaccagca ttcaagtggc cggaagttaa gtttaatcta 240
 tcagcagcag cagacatctt tatattatca atatttgtgt ttgtggaggg ggggggtgta 300
 caatatacaa ttgtttcttg a 321

<210> 126
 <211> 1482
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 126

atgctaccct atatggacca agtactaagg gcattttatc agagcaccca ttggagtacg 60
 caaaatagct acgaggatat aacggccaca tcgagaacat tattagattt ccgaattccc 120
 tcagcaatac acctgcaa tccaacaaa tctactccca atacattcaa ttcttttagat 180
 ttttctacga ggtccaggat aaatggttct ctgagttatt tatactccga tgcacagcaa 240
 ttggagaaat tcatgcgcaa ctctactgat atcccattac aagatgccac cgaaacatac 300
 agacaattgc aaccaaacct caatttcagt gttagtagtg cgaatacgtt gagtagtgac 360
 aacaccacag tcgacaatga caagaaatta ctacatgact cgaaatttgt taaaaaatcc 420
 ctttattatg gtagaatgta ctaccccagc tctgatttag aagcaatgat aataaaacga 480
 ctaagtccac aaaccaatt tatgcttaag ggtgtcagta gtttcaaaga aagcttaaac 540
 gttttaacgt gctattttca aagagattct caccgcaatt tacaggagtg gatattttcc 600
 accagtgatc tattatgtgg ttatagagta ttacacaatt tccttaccac gccttccaag 660

ttttaacacct cactgtacaa taattcttcg ttgtcgcctg gtgctgaatt ttgggttaggg 720
 ttagtaagtt taagccccgg ttgttcgaca actttaagat attacacaca ttctacaaac 780
 acaggacgac cactaacttt gacattatct tggcaaccat tattcggcca tatatcctcc 840
 acatattcgg ccaagacagg gacaaattct actttttgcg cgaagtatga ttttaatctt 900
 tattcgattg aatcaaatct ttcatttggg tgcgaatttt ggcaaaaaaa gcatcatttg 960
 cttgaaacca ataaaaaaa taatgataaa ttagaaccaa tctccgacga attggttgat 1020
 ataaatccaa acagcagagc gactaaacta ctgcacgaaa atgtaccgga tctgaattca 1080
 gctgttaacg atattccttc tacactagat atacctgttc acaaacaaaa gctattaaat 1140
 gatttaactt atgcattctc gtcgtcatta agaaaaatcg atgaagaaag atctaccatc 1200
 gaaaaatttg ataacaaaat aaatagttcc atttttacca gtgtttggaa attaagcacg 1260
 tcattacgtg acaagacttt aaaactatta tgggaaggca aatggagggg atttttaata 1320
 tctgccggga cagagctggt attcactaga ggctttcaag aaagtttatc cgatgatgaa 1380
 aagaatgata atgcaatatc tatatcagca actgatacag aaaacggcaa tataccagtt 1440
 ttcccgcaa agtttggcat acaattccag tactccacat ga 1482

<210> 127
 <211> 1017
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 127

atgaaattat caactgtcct attatctgcc ggtttagcct cgactacttt ggcccaattt 60
 tccaacagta catctgcttc ttccaccgat gtcacttcct cctcttccat ctccacttcc 120
 tctggctcag taactatcac atcttctgaa gctccagaat ccgacaacgg taccagcaca 180
 gctgcaccaa ctgaaacctc aacagaggct ccaaccactg ctatcccaac taacgggtacc 240
 tctactgaag ctccaaccac tgctatcca actaacggta cctctactga agctccaact 300
 gatactacta ctgaagctcc aaccaccgct cttccaacta acggtacttc tactgaagct 360
 ccaactgata ctactactga agctccaacc accggtcttc caaccaacgg taccacttca 420
 gctttccac caactacatc ttgtccacca agcaacacta ccaccactcc tccttacaac 480
 ccatctactg actacaccac tgactacact gtagtcactg aatatactac ttactgtcca 540

gaaccaacca ctttcaccac aaacggtaag acttacaccg tcaactgaacc aaccacattg 600
actatcactg actgtccatg caccattgaa aagccaacaa ccacatcaac caccgaatac 660
actgtagtca ctgagtacac tacttactgt ccagaaccaa ccactttcac cacaaacggt 720
aagacttaca ccgtcactga accaaccact ttgactatca ctgactgtcc atgtactatt 780
gaaaagagcg aagccctga gtcttctgtc ccagttaccg aatctaaggg cactaccacc 840
aaagaaacag gtgttactac caaacaacc acagccaacc caagtctaac cgtctccaca 900
gtcgtcccag tttcatcctc tgcttcttct cattccgttg tcatcaacag taacggtgct 960
aacgtcgtcg ttccagggtgc tttagggttg gctggtgttg ctatgttatt cttataa 1017

<210> 128
<211> 1386
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 128

atgatgatgt tccataattg cagaattaat aactacttaa taacttctca aattggcgaa 60
ggcgcgtacg gtctgggtta ccgtgcctta gatattcgta ccgatagaca atacgtatc 120
aaagcgggtt ttcaaagtta cgggtgttagc aaggaggctg atatgggcaa tgataaaata 180
cacaaaaata gcgtgaaatt gcaaaagaag ctcgctaaac tgttcaagga atcgaaaaac 240
gttgtcaggg tgccctctat agatctagaa tcaattgaga atatgtcaga agaagatttt 300
aaaaagctgc ccattataa agagatttcg ctacacctaa gagtccacca tcataagaac 360
attgtcacca tacatgaggt gctacaatct gcagtctgca cgttcattgt catggattat 420
taccaacag acctattcac gtctattgta gataacagac attttgtcac taatggactg 480
ctagtaaaaa aggtttttct acagatctgt tctgctctta attattgcca tgagcacggc 540
atctaccact gtgacatcaa gcctgaaaac ttgtactgg atacagaaga taacgttttc 600
ctatgcgatt ttggtctatc cactacttcc acatatataa agccaaatgt ttgcattggt 660
agctcgtatt atatgcccc tgaaagaatc tcatttgatg ggagagtttc cagctctaaa 720
agtgggggac ataagttggg taaggtttgt ccctcatgta atggcgattt gtggtcatta 780
ggtatcatcc ttatcaattt gacatgcac agaaatccct ggctgaaggc tgacaaaacc 840
gaggataata cctactatta tttcactaag gatcccaata tactaaagca aatcctaccg 900

ctttccgatg acttttactc attattatct aagattttac aagtgaatcc gaagaataga 960
 atgagcttgc aagagttgat gaaagaagtt agttctatta caagcttcac caatgaaggc 1020
 ccgttatcaa aagtgccgcc tctttccaag tctgtttatg aaaagttcgt tagccccgtc 1080
 gataacacga atgagaatct gtctccaaaa tcttacgtgt acatgcacga tagtaaagct 1140
 gccagaatt tatcttatac atcttcaagt gaggaagaag atggaatcaa agaagggata 1200
 gacgatgata atggcagtcg cagtggcagt ttcggaacgc tagacacaga cactggattg 1260
 cattcttcgt tcacaagcac ttcttgcgag tccgataacg aatgttctaa gatttccaac 1320
 aaattttcct tggtcgaaaa aaaattcaac gaacttcgca tgagttcctc ttctttaact 1380
 aactaa 1386

<210> 129
 <211> 2280
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 129

atgcctgcac caaaactcac ggagaaatct gcctcttcca agagcacaca gaaaactacg 60
 aattacagtt ccatcgaggc caaaagcgtc aagacgtcgg ctgatcaggc atacatctac 120
 caagagccta gcgctaccaa gaagatactt tactccatcg ccacatggct gttgtacaac 180
 atcttccact gcttcttttag agaaatcaga ggccggggca gtttcaaggc accgcaacag 240
 ggaccgggtga tctttgttgc ggctccgcat gctaaccagt tcgtcgaccc tgtaatcctt 300
 atgggcgagg tgaagaaatc tgtcaacaga cgtgtgtcct tcttgattgc ggagagctca 360
 ttaaagcaac ccccataggt gtttttggtt agtttcttca tggccatagg cgtggttaagg 420
 ccgcaggata atttgaaacc ggcagaaggc actatccgag tagatccaac agactacaag 480
 agagttatcg gccacgacac gcatttcttg actgattgta tgccaaaggg tctcatcggg 540
 ttacccaaat caatgggatt tggagaaatc cagtccatag aaagtgcac gagtttgacc 600
 ctaagaaaag agttcaaaat ggccaaacca gagattaaaa ctgctttact caccggcact 660
 acttataaat atgccgctaa agtcgaccaa tcttgcgttt accatagagt ttttgagcat 720
 ttggcccata acaactgcat tgggatcttt cctgaagggt ggtcccacga cagaacaaac 780
 ttgttgcccc tgaaagcagg tgtggcgatt atggctcttg gttgcatgga taagcatcct 840

gacgtcaatg ttaagattgt tccctgcggt atgaattatt tccatccaca taagttcagg 900
 tcgagagcgg ttgttgaatt cggtgacccc attgaaatac cgaaggaact agtcgccaag 960
 taccacaacc cggaaacgaa cagagatgca gtgaaagaat tattagatac catatcgaag 1020
 ggttttacaat ccgttaccgt tacatgttct gattatgaaa ctttgatggg ggttcaaacg 1080
 ataagaagac tatatatgac acaatttagc accaagttac cgttgccctt gattgtggaa 1140
 atgaacagaa gaatggtcaa aggttacgaa ttctatagaa acgataccta aatagcggac 1200
 ttgaccaaag atataatggc atataatgcc gccttgagac actataatct tcctgatcac 1260
 cttgtggagg aggcaaagg aaatttcgca aaaaacctcg gacttgtttt ttttagatcc 1320
 atcgggctct gcacccctct ttcgtagcc atgccaggta tcattatgtt ctcacctgtc 1380
 ttcatattag ccaagagaat ttctcaagaa aaggcccgta ccgctttgtc caagtctaca 1440
 gttaaaataa aggctaacga tgtcattgcc acgtggaaaa tcttgattgg gatgggattt 1500
 gcgcccttgc ttacatctt ttggtccgtt ttaatcactt attacctcag acataaacca 1560
 tggaataaaa tatatgtttt ttccgggtct tacatctcgt gtgttatagt cacgtattcc 1620
 gccttaatcg tgggtgatat tgggtatggat ggtttcaaat ctttgagacc actgggttta 1680
 tctcttacat ctccaaaggg cttgcaaaag ctacaaaagg atcgtagaaa tctggcagaa 1740
 agaataatcg aagttgtaaa taactttgga agcgaattat tccccgattt cgatagtgcc 1800
 gccctacgtg aagaattcga cgtcatcgat gaagaggaag aagatcgaaa aacctcagaa 1860
 ttgaatcgca ggaaaatgct aagaaaacag aaaataaaaa gacaagaaaa agattcgtca 1920
 tcacctatca tcagccaacg tgacaaccac gatgcctatg aacaccataa ccaagattcc 1980
 gatggcgtct cattggtcaa tagtgacaat tccctctcta acattccatt attctcttct 2040
 acttttcacg gtaagtcaga gtcttcctta gcttcgacat ccgttgcacc ttcttcttcc 2100
 tccgaatttg aggtagaaaa cgaaatcttg gaggaaaaaa atggattagc aagtaaaatc 2160
 gcacaggccg tcttaaacaa gagaattggg gaaaatactg ccagggaaga ggaagaggaa 2220
 gaagaagagg aagaagaaga agaggaagaa gaagaagaag ggaaagaagg agatgcgtag 2280

<210> 130
 <211> 1863
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 130

atgggtaagg aaactccatt acactcatct tcatcaactt cgctgtcttc attatttagg 60
ccaactaagt tgaagaatth atcgggctaaa atattcaatg gaggtggtaa ccaatcatac 120
tcaaagacag atgatgtttc aaggtcttct tctagatctt caaaaaagaa tacagattct 180
gaccaagagg atcaaataaa gtataacaaa cccaacgacc gaagatctac cataggaaag 240
agcccccagg gaaatggcgc gttgtcaaag gagtcacacg tagtagcaag ttctactttg 300
acagggtatth ctctacttct agctaaaaaa gctcctattg actactctcc ttcacggccc 360
ttacctaaca atcataatcc cgttcgtacg ggacacactg tgccccactt accccatagt 420
attcacaatc caataaacta cattcatcaa ggctcaaaag atgctttcca ccatectcac 480
cccgttcgtc ctacagctca tagcaacatt tctacagtgt cttctgcaaa atctgatata 540
ccctcttcga atthtatata ccaggcacat atgcatcccg tagagatact acagaaacag 600
attgaagaca aacacttcat ggactctcaa gcctccacc ctgggtccgt ggaactacag 660
cataattctt caagcggtag tgatgatacc tcatcaagaa agaaaaatc cttgagatta 720
acaagattth tcaaaaaaat tcataatgat tatcacgata accatcatca tcaccaccat 780
cacaaccgtg gatccacccc taaaaaacg aagctcaatt tgaacaccaa tgaaaatata 840
gtagaaagta acggaaaagc gttatacgaa acagataacc cagtggagct attagaaaaa 900
tatggtatth ctggtagaaa attaggcgaa ggagcttccg gttcagtgtc cgtagtagaa 960
agaacagacg gcaagttatt tgcttgcaaa atgttcagaa aaccacactt aaacaatgaa 1020
ggaactaatc agtctcaatt agctaattat tctaagaagg ttaccactga atthtgtatt 1080
ggttccacgc tgcaccacga aaatatcgtt gaaaccctag atatgttgac tgaaggtgac 1140
acctattht tagtaatgga gtatgcgcca tatgatttht ttaatctcgt catgagtaac 1200
ctaatgacac aagatgaagt caactgttac ttcaagcagc tgtgccacgg cgtaattac 1260
ctgcactcta tgggcttagc tcatagggat taaaattgg acaattgtgt cgtcactaaa 1320
gatggcatct tgaaactgat tgactttggg agcgctgtag tgttccaata ccttacgaa 1380
gataccattg taaaatcaca tggaatcgtg gttctgacc cttatttggc tctgagtta 1440
ttgaaacaaa catctacga tccaagagta gcagatgtgt ggtctatcgc tattatattt 1500
tactgtatgg tccttaaaag atthccttgg aaggctccaa aaaagagctt caactcattt 1560

aggttattta ctgaggaacc tgaggacgaa gatgatatag ttcgggggcc aaataaaata 1620
 ttaaggctac tgccaagaca ttcacggaca ataataggca gaatgttggc tttagaacca 1680
 aagcaaagag ttttaatgaa tgacgtggta aaggatgatt ggcttgtatc cgtccccctcc 1740
 tgtgaagttg accctacatc tggcgatttg gttgaaaaac caaagaatca taagcatcac 1800
 ttggtcactg aggaggagtt gaatgagctg accaagcaac acgggaataa agattcaaata 1860
 taa 1863

<210> 131
 <211> 1089
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 131

atgagtcagc aaacaccaca ggaaagtgaa cagaccacag cgaaagaaca ggaccttgat 60
 caagagagcg tgttgagcaa cattgacttc aatacggatt tgaatcaciaa tttgaattta 120
 tcggaatact gtatatccag tgacgcagga acagagaaga tggatagcga cgaggagaag 180
 tcgttggcca atctgccgga gttgaaatac gctcccaagc tatccagcct ggtgaagcaa 240
 gagacgctca ccgagagctt gaaaagacca cacgaagatg agaaagaggc gatagatgag 300
 gccagaaga tgaaagtgcc gggagagaac gaggacgaaa gcaaggaaga ggaaaagagt 360
 caagaactgg aagaggcaat tgacagcaag gagaagagca ccgacgccag ggacgagcaa 420
 ggggacgaag gtgataatga ggaggaaaac aacgaggagg ataataaaaa cgaaaacgag 480
 catacagcac cgcttgcgct ggtgatgccc tccccatcg aaatggagga acagaggatg 540
 actgcgctga aggaaatcac cgacatcgag tacaagtctg cgcaattgag ccaaaaacta 600
 tatgacaatc aattggtgag gttgcaaacg gagctgcaga tgtgtctgga agggtcacac 660
 ccggaattgc aggtctacta ctcgaagatt gccgcatcc gtgactacaa gctacaccga 720
 gcgtaccagc gacagaagta cgagctttca tgcatacaac cagaaacaat cgctaccagg 780
 acattcattc accaggactt ccacaagaag gtcaccgacc tgcgagccag gctgctgaac 840
 agaaccacgc agacctggta cgatatcaac aaggagcgcc gcgatatgga tatagtcac 900
 ccagatgtca attaccacgt ccccatcaaa cttgataaca agacgctgag ctgtatcacg 960
 ggctacgcag cgcacgacag ctgtgctatc ccggcgagcc cgtggcagag gacctcgctt 1020

gcgaaagcat cgagtaccgc tacagagcca acccgggtgga caaactcgaa gtcattgtgg 1080
accgaatga 1089

<210> 132
<211> 984
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 132

atggctattc aaaagggttag taacaaggac ttgtcccgca aggacaaaag aagatttaat 60
atcgaatcta aagttaataa gatttatcaa aatttttact cagaaagaga taatcaatat 120
aaagatagac tgacagcatt gcaaacggat ttaacttctc tgcataagg tgataatggc 180
caatatgccc gccaaagtacg agatttggag gaagaaagag atctagagtt agtcagggtg 240
cgctgtttg aagagtaccg tgtttctcgt tccggtatcg aatttcaaga agatattgaa 300
aaggctaagg ctgaacacga gaaactcatt aaattatgca aagaaagact gtattcgtct 360
atagagcaaa aaataaagaa attacaggag gagagggttac taatggatgt ggccaatgtg 420
cactcctatg ccatgaatta tagcagaccg caataccaga agaacacgag aagtcacaca 480
gtaagtgggtt gggattcttc gtccaacgaa tatggaagag atacagcaaa cgaaagtgct 540
actgacacgg gagctggaaa cgatagaaga acgctaagga gaaggaatgc ttctaaagac 600
acgagaggta acaacaacaa tcaagatgaa tctgattttc aaactggtaa tggttctgga 660
agtaatggcc atggttctag acaagggtcg caattcccc atttcaacaa cctaacctac 720
aagtcaggca tgaactctga ctacagattt ctacaaggta taaatgaagg tactgatcta 780
tatgcatttt tgtttggcga aaagaacccc aaagacaatg ctaatgggaa tgaaaagaaa 840
aaaaaccgtg gtgctcaacg atattccacc aaaacagctc cacctttaca gtctttgaaa 900
ccagatgagg tcacagagga tatttccttg atcagagaat taacagggtca gcctccggct 960
cctttcagac taaggtctga ctaa 984

<210> 133
<211> 996
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 133

atgctgatgc caaagtcagt tgcattactc agaataagat acacttttga agccgctctg 60
gcaagaggtt tcacaacagt gagagactgt ggggggtgcag aaggctttct gaaagcagag 120
attcgtcagg gatccttgaa tgggtcccaga ttaattacgt gtggacatgc catttcccaa 180
actggtgggtc atggcgatct gagatctggt gccctacctg ctagtgcctt tgacagctgt 240
tcatgccact ttgggtcaagt tgggtgttgta gcagatgggtg ttcccgaatg ctacaaagcg 300
gccagagaag agtttagaag aggtgcagac tttattaaga ttatgggtgg tggaggtgtg 360
gcctctccaa ctgacaaaat atcaaacaaa caattttgcg acgacgaaat aaaagcactt 420
gtagatgtcg caaatagtta ccacacatac gtaacagcac acgcctacac tgcggaagcg 480
atacaaaatt gtatcaagtt aggtgttaag ggtatcgaac acggaaactt attagatgaa 540
cgtaccgcag agcttatggc agaattgggt tgctacttga ctccaacact agttacctac 600
aaagtgatgg gttctgatca atttagtgca ttcttgggac ctgaaaatag tagaaaaaat 660
acagaggtgc tttacaaagg aattgatgca atgaaaattg cccagaaaaa aaaagttaaa 720
atttgttttg gttcagattt attgggtcct ctatatggtt atcaaacgca agagtttcgt 780
attagaggga aagttcaaac gacacaagag attttgctct cagcaactgt tactcctgcc 840
gaaatgaacg gattaggcga taaattggga cagattaagc cagggttcat tgctgacctt 900
ctgatgatga aatcaaatcc gttggacgat ataacgattt tggatgaacc cgagagcaac 960
atactatttg tcatgaaaga gggaaggata tattga 996

<210> 134
<211> 1215
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 134

atgaccatta ttcagacggt tactgaattg ggtgttaccg aggacaccat taaggttcag 60
atggctcctt ccggcgggcaa acacctattg gcagatcccg gtaatcatcc agcggagcat 120
tttgagagcc agatgtcgtg gctaagggtt caaacaaggc agtatctaac tagattcaca 180
gacaaccaat cagatttcgt acattcttta caaaaaagc acagaacgcc ttttagagac 240
gtttatttca aatacacttc gcttatgggt tcccacatgt tttatgttat cgtgcttccc 300
atgcctgtgt ggcttgata ccgcgattta acacgggaca tgatctacgt tcttggttat 360

tcaatttatt tgagtggcta cttaaaggat tattggtgcc taccaaggcc aaaatcaccg 420
 ccagttgaca gaatcacact aagtgaatac actacgaaag aatatggtgc acccagttca 480
 cattctgcta acgctactgc ggtaagtcta ttattctttt ggagaatatg tttatctgac 540
 aactgggtat ggccaacaaa gcttctttta ctgagtctgg tgatatttta ctacttaacc 600
 ctgggtttttg gtagagttta ctgcggtatg catgggtatgc tggatttatt tagcggcgcc 660
 gcagttggag ctatctgttt tttataaga atctgggtgg tgcattgctt acgaaatttc 720
 cagattggtg aacatctctg gtttcccctt ttgagtgtag catggggctt gtttattctg 780
 ttttaaccacg tcaggcccat tgatgaatgt ccttgtttcg aagatagcgt agcgttcatt 840
 ggcgtagtca gtgggctgga ttgcagcgac tggtaaccg aaagatacgg atggaacctt 900
 gtatgtagta ggtacgcac atgtggttct aagggttctt tgaggcctct ggtaggtgtc 960
 gcttctgtga ttgtttgaa agacgtcatt agcaagacag ctgtctacac gctgttaatt 1020
 aaactactca gatttcacga tgatagaagc gaaaaggctt atttccataa cgagacaagt 1080
 gaagaagaag agtgtttatt gtacagcggg gtttccaaag tggaaatcgt cggaagggtt 1140
 ctcatatacg caggtatacc tacaaccgtc tttttgctat gccagtttt tttcacttgg 1200
 acaaacttaa ggtag 1215

<210> 135
 <211> 429
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 135

atggtgcagc cagcacctct cattaccaat gcacctacac cgaaaatacc caacatacca 60
 gctgttgctc tcaatgtagc accttgcatc atggctccca taagtataga ccaactgcag 120
 ggcaaatata acagccacgt gccacgggt ttctctagcc tcatcagctc cgcatacggg 180
 atccatttct taggcagccg agacacgaac ggtcccagtc catccaatct ttcctttctt 240
 gcaacttcca actctttcga cgtaaacaca ggtgctgatt ctttcgagga aggggaggag 300
 gaggaggagg aagaagacgt atatctcttt ctgctgcttc caatgattcc agcaacggta 360
 actcggccgc tgcccagaat ggacctccct agtaaaatac tctttctctg ccaaataaac 420
 attagttga 429

<210> 136
 <211> 1548
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 136

```

atgtccaccc tgattcctcc accttctaag aaacaaaaga aagagggtca acttcccaga 60
gaagtagcta ttattccgaa agatttacct aatgtttcaa tcaagttcca agcttttagat 120
actggtgaca atgtaggtgg cgccctgaga gttcccgggtg ctatctccga gaaacagtta 180
gaagaacttt taaatcaatt gaacgggtact tcagacgatc cagtgccata taccttcagc 240
tgtacaattc aaggtaagaa ggccagtgac cctgtgaaga cgattgatat aacagataac 300
ctatatctct cattaataaa accaggctat aacagtacag aagatcagat cacgctactg 360
tatacgccaa gagcagtttt caaagtcaag ccggttaacta gaagttcatc agccattgca 420
ggtcacgggt ccacaatttt gtgttctgcc ttcgcaccac atacgagttc taggatggta 480
accggtgcag gtgataatac tgcaaggatt tgggactgtg acacccaaac gccaatgcat 540
actctaaagg gtcactacaa ttgggttctc tgcgtttcct ggtcccccca tggagaagta 600
attgctacgg gatccatgga caataccata agattatggg acccaaaaag cggtcagtggt 660
ctaggtgatg ctctcagagg tcattccaag tggatcactt ctttaagttg ggaacctata 720
catcttgtga agccggggtc caaaccaaga ttagcttcat cttctaagga tgggtactatt 780
aagatttggg aactgtgag cagagtttgc cagtatacga tgagtgggtca cacaaattca 840
gtgtcttgtg tcaaattggg cgccaaggt ctattgtata gtggctctca cgatagaacc 900
gtacgtgtat gggacatcaa ttcgcagggc agatgtatca acattttgaa gtcgcatgcg 960
cactgggtta atcacttatc tttatctaca gattacgcat tgcgcattgg tgcattcgat 1020
catacaggta agaagccttc tacaccagaa gaagcccaga aaaaggcatt ggaaaattat 1080
gaaaaaatct gtaaaaagaa tggaaattca gaagaaatga tggttactgc aagcgatgat 1140
tataccatgt ttttatggaa ccactaaaa tctaccaagc ctatagcaag aatgaccgggt 1200
caccaaaaat tagtcaatca tgtggcggtc agccctgatg gtaggtatat tgtctcagcg 1260
tcttttgata actctatcaa actttgggac ggtagagatg gtaagtttat ctccacattt 1320
agagggcata tagccagcgt ataccagggt gcgtgggtcat cggactgccg actactgggtg 1380

```


tcattgttcca aagataccac gttgaaagtg tgggatgtaa gaactagaaa acttttctgtt 1440
gacctccctg gtcataaaga cgaagtttat accgtcgact ggagtgtcga cggtaaaaga 1500
gtgtgtagtg gtgggaaaga caagatggta agattgtgga cgcattga 1548

<210> 137
<211> 1731
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 137

atgtcagcta ctctactaaa gcaaccatta tgtacggttg ttcggcaagg taaacagtcc 60
aaagtgtctg gattgaacct tttgagacta aaggctcatt tgcacagaca acacctgtca 120
ccttccttga taaaactaca ctctgaattg aaattggatg agctgcaaac tgataacacc 180
cctgattacg tccgtttagt tttaaggctc tctgtatacg atgttattaa tgaatctcca 240
atctctcaag gtgtagggtt gtcttcccgt ctaaacacga atgtcatctt gaaaagagaa 300
gatctattgc ctgttttctc tttcaagctt cgtgggtgcct ataacatgat tgccaagttg 360
gacgattctc aaagaaacca ggggtgttatt gcctgttcag ctgggaatca tgcccaaggt 420
gtggcctttg ctgctaaaca cttgaaaata cctgctacta tcgttatgcc tgtttgtaca 480
ccatctatta agtatcaaaa tgtctcgaga ttaggggtctc aagtcgtcct atatggtaac 540
gattttgacg aggctaaggc tgaatgtgcc aaattggctg aagagcgtgg cttgacgaac 600
attcctcctt tcgatcatcc ttatgtcatt gccgggtcaag gtactgtagc tatggaaatc 660
ctaagacaag tacgtaccgc taataagatc ggtgctgtct ttgttcccgt cggcgggtggt 720
ggtttaattg ctggtattgg tgcttatttg aaaagggttg ctctcatat caaaatcatt 780
ggtgttgaaa cttacgatgc ggccacttta cataattcct tgcaacgcaa ccagagaact 840
cctttacctg tgggtgggtac ttttgccgat ggtacgtctg tgcgtatgat tgggtgaagaa 900
acatttagag tcgccaaca agtggttgat gaagttgttc ttgttaacac tgacgaaatc 960
tgtgctgcag taaaggatat ttttgaagat actagaagta ttgtagaacc atctggtgcc 1020
ctttcagtag ccggtatgaa gaaatacatc tctaccgtac atccagaaat tgaccacact 1080
aaaaacacct atgttcccat cctttctggt gctaacatga actttgatag attaagattt 1140
gtttccgaac gtgctgttct tgggtgaagga aaggaagtct tcattgttagt tactttaccc 1200

gacgtccctg gtgcggttcaa gaaaatgcaa aagatcatcc acccaagatc tgtcactgaa 1260
 ttctcttacc gttacaatga acatcgatcat gagtcctcta gtgaagtgcc caaggcttac 1320
 atttacactt ctttcagcgt cgttgacaga gaaaaggaaa tcaagcaagt tatgcaacag 1380
 ttgaatgctt taggttttga agctgtggat atctccgata acgaattggc taaatctcat 1440
 ggtagatact tgggttggtgg tgcttctaag gttcctaataa aaagaattat ttcatttgaa 1500
 ttccctgaaa gaccaggtgc cttgactagg ttccttggag gcctaagcga ttcttggaa 1560
 cttactttat tccattatag aaaccatggt gccgatatcg gtaagggtttt agctgggtatt 1620
 tccgttcctc caagggaataa cttaaccttc caaaaattct tggaagattt aggctacact 1680
 tatcatgatg aaactgataa cactgtttat caaaaattct tgaaatatta a 1731

<210> 138
 <211> 3570
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 138
 atgtacaagc tacaagtggc cttggtgcct ccgagtcctc aggcgacgat gccaatcacg 60
 tttggctacg gaccaaccat cgccgaatct tctcaattgt tgccaaacag aactaatatg 120
 gcgcaaagcg ccggagatgc ctctttgcag tatgctaata tgagatctgc caatgtgagt 180
 ttcacgcaa gctatttcaa ccagtctagg tttaggaagt ttcttttgtt taccaagccg 240
 acaaacacgc tgttgaactt gagtgatgaa atcatcgata agtgtgaaaa aatgtaccgc 300
 agtttgcaag aagacattga aattttgagt ttgcaagata acagcgggtg tgaccttgat 360
 ccggattttt tggtaaagga cgttttcaat gtaaataata tcgtaagagt tatattgaag 420
 aatgagatag atctggacga ttccgcacca gtgtcacttt ataagtcggt aaaacgatcc 480
 aagttgaaca acgggtcgcc ccagtcggtg cagccgcaac aacaaatccc gtcctcttca 540
 ggtgttcttc ggattgcaa gaagaggcca cctacaggaa ccacgacaac aacaaccatt 600
 cgtagtcca ctaatggatc catgaggggt tctaccccat tggctaggca aatttatcct 660
 ccaccttctt cgaagatcgt ctccaacaac tcagatgacg aagacgaaga cattggtgaa 720
 agatcctttt tgccgcctcc aacgcagcct cagtcacctc ccataagaat tagttcgggc 780
 attgacgcag gtaaaaaaat aaaatcaagc atcgctcagg aagatatcgt gtccagatca 840

gcaaccgtgg atccagataa aacaaagcag caacgtctat tgtccggaac tcctataatg 900
 tccaccatga ctccaaacag agttactctt accggtcaga gagtgggttc tgaacacgca 960
 cataaaaaacg aattgggtttt ctctgcttca gcttcttctt cttcatttgc taatgggtggc 1020
 acagctgctg tcaactgctca ggacattaat aggaaaccac ccgtaaccac tccaagaata 1080
 acatcaggaa tggtgaaaat ccccgagcca agaattctcag agattgaaaa agagttaaaa 1140
 gagggacctt ccagtccggc ctccatttta cccgctaaag ctgcaaagat tccaatgaaa 1200
 aaaccttact tggaaaatgg cgagaactac gaatccgacg atagctcaag tagcgaaaac 1260
 caagaaactc ctgaaacaga accacattca aaggcttctt tgcaacgtag tcaaagctcc 1320
 atcgcagata ataattggctc tccggtgaaa aatagtcctc tcggtgatgc catgccacac 1380
 aatgtgcatt tagcagaact tccaaggca agcaatacct cgatcaccaa atcttcaa 1440
 ggcgaatcct ggggaaagca acaagaacat caaccaccaa gaaagagttc actggaaact 1500
 atagtggaaa agaaatctca ggcggaacct tccggtattg tggaaccgaa aagaatgact 1560
 aatttcctag atgataatca ggtaagagaa aaagaagata cgaatgataa acttttagaa 1620
 aaggaaattt tgccgacaat tccacataat gatcagccaa tacttgcatc atctgataag 1680
 tctaattggga cgttgaaatc actagctggg aaagttagtt caaacaacaa cgcttcaaag 1740
 gaagatggca ctatcattaa cggcaccatt gaggacgatg gcaatgataa tgatgaagtt 1800
 gatactacgg ttcgtattgt tcctcaagat tcagattcct ctagtttccc aaagtcagat 1860
 cttttcaaaa tgatcgaagg tgatgataca gatctaccgc aatgggtttaa gggcaaaaat 1920
 tcgagaactt ccggtaatc caaaaattca aagccttaca caacggtttt gaataaagac 1980
 atagacaatt ctaagccaga tccaagaaat attttgcccc agcgaacccc aagaagtgcg 2040
 gctaagaggg ctgccaatt attggcaggt gccaaagaaa acgaagtccc acagaaaagt 2100
 actgaagatt ctagttcggc agcgtccaca gacgatgagt cagagagtgg gattgaaaca 2160
 gatcttctcat cagacgatga ttttaaaagg aaaaatatgt cgggtgcctaa taatgggccc 2220
 aaagacattt ctttacattc tttgaaaggc agtgttgttc cagtgaaaga ctcaaagata 2280
 atcaataaag aagttgatga agaaagaaac gacaaaagag atagtcaaaa aaagtcagcc 2340
 gtgagtgaat cttcagtaac aaatagcaaa ataagtgaac aaatggcgaa aagcttttat 2400
 ccgaattcaa acaagaagca aaatgaagct acaaagggtgg aaactaagcc agcaacacaa 2460

atctcagaaa taggcagcga cagatggagg tttaactggg tgaacataat aatcttggtg 1920
ctcttggtgt taaatctgct gtatttaatg aagttgaaca agaagatgga taagctgacg 1980
aacctcatga ccacaaagga cgaagttgta gcgcacgcga ctctattgga cataccagcc 2040
aaagtacaat ggtcaagacc aagaagggga gacgtgttgt aa 2082

<210> 140
<211> 4074
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 140

atgaatgtat atgatgatgt gcttgacgct actgttgtgt ctcattcatt agcaacacat 60
tttactactt cagattatga ggagctctta gtgggtgcgaa caaatatcct ttctgtctac 120
aggcctacta gggatggtaa actgtatttg actgatgagt ttaagtttca tggcttgatc 180
accgatatag gcctcattcc ccaaaaagac agtccggttaa gttgcctgct tttatgcaca 240
ggcgtcgcta aaatctctat tttaaagttc aacacgctaa caaactcaat cgatacccta 300
agcctgcatt actacgaagg aaagttcaag ggtaaactcg tggtagagct ggccaaaatt 360
tccaccttga gaatggatcc tggaagttct tgtgccttac tgttcaataa tgacattatc 420
gcttttctac ccttccatgt caataaaaaat gacgacgatg aggaggaaga agatgaggac 480
gagaacatag acgatagtga attaatccat agcatgaatc aaaaatccca agggacgaat 540
actttcaata agaggaagag aaccaagtta ggtgacaagt tcacggctcc aagcgtggta 600
ttggtagcga gtgagttgta cgaaggcgcc aaaaatatca tagatattca gttcttgaaa 660
aattttacta aaccaacgat agcgtcttta taccaaccaa agcttgtttg ggcaggaaac 720
accaccattt caaaactccc tacacaatac gttatactca cattaaatat ccagcctgca 780
gaaagtgcc acaagattga atcaaccaca atagcatttg tcaaggaact gccttgggat 840
ctacacacca ttgtacctgt ttcgaatggg gctatcattg tgggaaccaa tgaactggca 900
tttctagata atactggcgt tttacaatcg acagtattat taaactcatt tgctgataaa 960
gagttacaga aaacaaaaat tatcaacaat tcttcattgg aaattatgtt cagggagaaa 1020
aacactacgt caatttggat accttcgtcc aagagcaaaa acggaggaag taataatgac 1080
gaaacactac tacttatgga cttgaaatcc aatatatact atatccaaat ggaagcagag 1140

ggcaggttac tgattaaatt cgatatatttc aagctaccta tagtcaatga tcttttgaag 1200
 gagaactcca atccaaaatg tataacacgt ttgaatgcc acaattcaaa caaaaatatg 1260
 gacttattta ttgggttttg ttcaggaaat gctttggttc tcagattgaa taatttgaaa 1320
 tctaccattg aaacaagaga agcacacaat ccatcttcag gtacaaatag tttgatggat 1380
 atcaatgacg acgatgatga ggaaatggac gatttatacg ccgatgaagc tcctgaaaat 1440
 ggactaacia ctaatgattc caaaggcact gtggaaactg ttcaaccttt cgatatcgaa 1500
 ctgttatcat ctctaaggaa tgttggtccc atcacatcgt taactgtagg taaggatatc 1560
 tccattgatg atgtggtaaa aggactacca aatccaaaca aaaacgagta ttcgctagtt 1620
 gccacatcgg gaaatgggtc aggttctcat ttgaccgtca tacagactag tgttcaaccg 1680
 gaaattgaat tagcattgaa atttatcagt ataacacaaa tctggaatct gaagatcaaa 1740
 ggaagagata ggtacttaat aactactgat tccacaaaat cccggagtga catatatgaa 1800
 agtgacaata acttcaaact tcataagggc ggccgtttta gaagagatgc tactacagtt 1860
 tacatttcaa tgtttggtga agaaaaaaga ataatacaag tcaccaccaa tcacttatat 1920
 ttatatgata cacattttag acgtctcacc acaattaaat ttgactacga agttattcat 1980
 gtttccgtca tggatccgta tatactagtt accgtatcaa ggggtgatat taagatatatt 2040
 gaattggagg aaaagaataa aagaaaattg ttaaaagttg atttgccaga aattttgaat 2100
 gaaatgggta ttacatctgg tttgattttg aaaagcaata tgtgtaatga atttttgatt 2160
 gggttgagta agtctcaaga agaacagtta ttgtttacat ttgttactgc agataaccaa 2220
 attatctttt ttactaaaga ccataatgac agaatctttc aactaaatgg tgttgaccaa 2280
 ttaaatgaat ctttatacat tagcacttat caactgggag atgagatcgt ccctgatcca 2340
 tcgattaaac aagtaatgat aaacaaactg ggccatgaca ataaagaaga atacctgaca 2400
 atattaacct tcggaggaga gatttaccaa tatagaaaat taccacaaag acgtagtaga 2460
 ttttatagaa acgttacaag aaatgatcta gctattactg gtgctcctga caatgcatac 2520
 gccaaagggtg ttagttccat cgaaagaatc atgcattact ttcccgatta caacgggttat 2580
 tcggtaatat ttgtaaccgg tagcgttcca tacatattaa taaaagaaga tgattccaca 2640
 ccgaagattt tcaaattcgg aaacatacca ttgggtttcag tcaactccctg gagcgagcgt 2700
 tcagtcatgt gtgtagatga tattaaaaac gccagagttt acacactaac tactgacaat 2760

cgttctgcga ccgaaagctc aacagcaagc acaaaagctg ctccctaggaa aaagacgtac 120
 tcgcagtcaa atgggtattcc cataaggatt gataatctcc ctccggggcaa gacttggggcc 180
 caggtaaaat atttgatagg cggaatcata taccatacca atattttaca ggtgaaaatg 240
 ctgcctccaa tgacttccat ggttcctcct tttattactt ttcagagttg cattgtcatt 300
 ctgaagaact cgatagataa cgagtccttg gaaaacttac tacttacttt gaacacctac 360
 caatgggatt atcatgatct gttcgtttac ctgttgccgt acactaatga ttctccttca 420
 ctgcgatatc cagaaatcag tgatagcaac aatgacgtcc ggagtgctcc cgatgaaact 480
 aaaagatcta tttctcctcg atatgcaagc catgtttcat ctgtgacacc gcagccacca 540
 tccgcttcta cccaccttc tcaatttttc agtttttctc ctgaagtgag ctttcgaaag 600
 aatgagaaca taacgccatt gccacgcct gttcccgtag ctgttggtgt gccacctctt 660
 gctccccgc ctcatgggtcc attttcgact tcgatgctac ctatgttggg tgctcctccg 720
 ggaacggtac ctaatatgca gatgccctat caaactactc taccttcacc aacagctgct 780
 gctactgctg gtgggtccact tgcttccct acacactatc cccgtcgtcg gcatttctat 840
 caccagaacc aaagccagtt tcaaaaatac atgcataata gccccaggaa tccagatact 900
 ggcacaggcc ctctgtctttc tcagcagcat cacctctcct taaggaacaa taagataaat 960
 ccctcttata acgaaatatc tgccctttac aacttgaaca tggcctcaaa ttccaataat 1020
 aatggtaata ttccactac aagtacgaat ggtgatgacc gtgccctcca agcaaagaat 1080
 ggtggaacaa ttacaccttc acaaactcaa ataaatcaca aaagattaaa gcataatctt 1140
 aacgagaaaa gcttttagaaa acaaatgacg aatagaggta tgtggcagct gaagatcata 1200
 aatttccac cctatatacc tatagaattc ttggagaaat tatcagagtc tgatttcaat 1260
 gagttaatga accaagagaa gttcacagtt attgaaatta aagagaaagg acaattggaa 1320
 aaatttggaa ggctaagatg gacagttcta aaagatttta taaaactgaa atgccccaa 1380
 ctattaagac tacaggaaag acagtttcta cagcaacaaa acgaagcatc tttactcaat 1440
 gaatctatgg acgctctaaa gatatcgaa aatgagaaca ccaacgggag tgcaaataat 1500
 agcacatata caaatggcgg acctcgaaca tctatcaata atacaaggga attctatgta 1560
 ggggtttatg aagatcatga agaagcaact ctactgaggt ttgaattacc ggaagatgaa 1620
 tttagaggagt ttaatagaaa tttgccaact acttttgcac aaagtggaaa cgtctctgac 1680

tccgaaggtg atagcaaggc gaaatacttt aaagtttagca caattgtgta taatgccatt 1740
 gttgggttcc acgataaaga gctgtctgat ttgacgttcg aatccttaca agaccaggaa 1800
 tattcactgg ggtacaaaat tcatgtaatg gaactgccac catttgacga ggatgaattt 1860
 gaaaatcaac ggcagcagtt ctaa 1884

<210> 142
 <211> 612
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 142

atgggttctt cattcgtaat agatcgatcc ttttcgtcac cagcgccacc acggggaccc 60
 gccccgaaat tgagtgcaca tgctcgcaag ataatatgca aaatatcacc caatcgggcc 120
 tttttgttca tcatatcggtt acatatctgt gaaaagtact ttatctcaat gggtttacgt 180
 gggcatagat cacgcttcag ccgctctgtg tcgactttct tttcgccagg taaacttgct 240
 tgcatagctc atctacgtgt aggctgcaa attgtaccca tatttcctta tgggtgctttt 300
 ctgaagactc cttacaatag gtgcgccgga aacaaagtca gtgaaagtac gcacgcgtaga 360
 gctgtcgttc ggccatgacac tcgctatttc gtgacaacgt tccaggacac ggaaactcaa 420
 ctcattatag taccctctgt tgaggtaaaa aagagaaagg gtatcgtaat cctttctatt 480
 gaatttcaaa gtatgcactt gaaacaacgt gtagaccatc acgtgggttg tttgaaggga 540
 ttgggtccgc ctggaaatct ggttcgtctt caacaaacgt cagggaacttt ttacatttt 600
 tcccgaccat ga 612

<210> 143
 <211> 2682
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 143

atggctggac accatcacga acatgaacaa gagcgcgacc acgagcaaga acacgaacac 60
 gattcccttc aacggcctac tactggatca gaaaggacta gaagtatatc cttttcgaag 120
 ttgcttacgc ggtcatggaa aaggaatgag agttcatcga acaacatgag tgtgtctagc 180
 gtgaatctgt attcggatcc agagaactcg agagaatcag atcacaataa tagtggctca 240

gatttaaaac cagagaatat ttgtctgcat caatcaggcc atatcatgct ttctgacttc 1920
gacttgctta ttcaggctaa agattccaag gttcctgttg tcaagggttc cgctcaatca 1980
acccttggtg ataccaaaat atgctcagat gggtttagaa ccaattcctt tgtcggaact 2040
gaagaatata ttgccctga agtcataaga ggtaatggcc acaccgctgc ggtcgattgg 2100
tggacgctag ggattttgat ctatgaaatg ttatttggtt tcactccatt caaaggcgat 2160
aacacaaatg aaactttttac gaatatTTTg aaaaatgagg tcagttttcc caataacaat 2220
gaaatctcca gaacttgtaa ggatttgatc aaaaaattac tgacaaaaaa tgaatctaaa 2280
agactgggtt gcaaaatggg cgctgccgac gtgaagaaac accccttttt caagaaagtc 2340
caatggtctt tgctgagaaa tcaagaaccg cctctgatac cagtgttata tgaggatgga 2400
tatgattttg ctaaattata atctaataag aagagacaga ctagtcaaga cagccataaa 2460
catctcgatg agcaagagaa aaatatgttt gaagaacgag ttgaatacga cgatgaagtc 2520
tctgaagatg atccattcca tgacttcaat tcaatgagtt tgatggaaca ggataacaat 2580
tcaatgattt atggtaatac caattcttat gggaaaattg catacactcc aaactccaac 2640
agatcgagga gtaatagtca tcgaaccttt ttttaagagat aa 2682

<210> 144
<211> 582
<212> DNA
<213> Saccharomyces cerevisiae
<400> 144

atgtcgttta ctgctccttc agatcccgtc aataaaccga caaaagtga ggtatcacag 60
ttgtgtgaac tatgtcattc aagaaaggct ctcatagaa gacccaaaaa cctgtctaaa 120
ctttgcaaac aatgcttctg cctcgtgttc gagacggaga tccataaacac tattgtagca 180
aataacttgt ttcagagggg agaaaaagta gccgtggggg cctctggttg taaagactcc 240
acgggtgtag cgcatatgct gaagcttctg aatgaccgtt acgattacgg cattgagatt 300
gtactgttga gtattgacga aggaatcatc ggatacagag atgattcctt ggccacgggtg 360
aaaaggaatc agcagcagta tggccttcct ttggagattt tttcctttaa ggacctctat 420
gattggacaa tggatgagat tgtatccgtt gctgggtataa ggaacagttg cacgtattgt 480
ggtgttttta gaagacaatc attggaccgt ggtgctgcaa agtgggcata tctcacgttg 540

tcaccggcca caatgcagac gatatggcag agacagtact aa 582

<210> 145
 <211> 1422
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 145

atggcaaagg ataatagtga gaagctgcag gtgcagggag aggagaaaaa gtccaagcaa 60
 ccggttaatt tcctgcctca gggtaaattg ctgaagccaa atgaaatcga atatgagttt 120
 ggtgggacta ctggtgttat tggatatgctg atcgggtttc cactgctaata gtactatatg 180
 tggatttgtg cggaatttta tcacggtaag gttgccctac ccaaggctgg tgaatcgtgg 240
 atgcacttta tcaagcacct ataccagtta gtcttgagaga acggtatccc agaaaagtat 300
 gactggacta ttttcttaac attttgggtg tttcagatca ttttctacta tacgttgccc 360
 gggatttga caaaagggtca accattgtct catttgaagg gaaaacaatt gccttacttt 420
 tgtaatgcca tgtggacctt gtatgtaact accactttgg tcttggtttt gcactttacc 480
 aatcttttta gattgtatgt cattattgac cgttttggga ggatcatgac atgtgccatt 540
 atttcagggg ttgccttctc catcatattg tacttatgga ctttatttat ctcacatgac 600
 tatcatagaa tgacaggaaa ccatctatat gatttcttca tgggagctcc actaaaccct 660
 aggtggggga ttttggactt gaagatgttt ttcgagggtta gattaccttg gttcacctt 720
 tactttatca ctttgggtgc ctgtttgaag cagtgggaga cttacggcta tgtgacacca 780
 caattggggg ttgtcatgtt agctcattgg ttgtacgcga acgcatgtgc taaagggtgaa 840
 gaattgattg ttccaacctg ggacatggct tacgaaaagt ttggatttat gctgatcttc 900
 tggaatattg ccggtgtccc atacacttac tgtcattgta cgttgtattt gtactaccat 960
 gacccatctg aatatcactg gtctacactg tacaatgttt cgctgtacgt tgttctatta 1020
 tgcgcctact acttctttga cacggcaaat gctcagaaaa atgccttcag aaagcaaagt 1080
 tctggtgaca agacaggtag gaagactttc ccatttttgc cataccaaat tttgaagaat 1140
 ccaaagtata tggttacctc caatggatcg tacctattga ttgatgggtg gtacactttg 1200
 gctagaaaaa ttactacac tgccgattgg actcaatctc tcgtttgggc cttgtcttgc 1260
 gggttcaact cggtgttccc atgggttttc ccagtattct tccttggtgt cctgattcac 1320

agagccttca gagaccaagc aaaatgtaag agaaagtacg gaaaagattg ggatgagtat 1380
 tgtaaacatt gcccttacgt cttttattcct tatgttttct ag 1422

<210> 146
 <211> 4104
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 146

atggagaaag acctgtcgtc tctttactct gaaaagaaag acaaagagaa cgatgaaacc 60
 ttattttaaca tcaaactatc caaatctgtt gtcgagacca caccgctaaa tggtcattca 120
 ttgtttgatg atgataaatc actttcagac tggacggata atgtgttcac tcaatcagta 180
 ttctatcacg ggtcagatga cttgatatgg gggaagttct ttgtctgcgt gtacaagtcc 240
 cccaacagca ataagttgaa cgctataata ttcgacaaat taggaacatc atgcttcgaa 300
 tccgtcgata tatcttccaa ctcgcaatac tatccggcca ttgagaatth gagtccaagt 360
 gatcaggaaa gcaatgttaa gaaatgcatt gctgtcattc tgttacagcg ctatccatta 420
 ctttcacat cagacttatc acaaatattg tccaataaat cggaattg cgactatgac 480
 ccccttatg ctggagattt ggctagtagt tgccagttga taacagcagt tcctccagaa 540
 gatctgggga agcgcttctt tacatcagga cttctgcaaa atagatttgt cagctctacc 600
 ctgttagatg ttatttatga aaacaatgaa tccaccatcg aactaaataa taggttggtg 660
 ttccatctgg gtgaacaact tgaacaactt tttaaccag tcacagaata ctaccggaa 720
 cagacagaat atgggttataa ggcgccagag gacgaattac ccacagaatc ggatgatgat 780
 cttgtcaagg ccatttgcaa cgagttatta caactacaaa caaattttac tttcaatttg 840
 gtagaatttt tgccaaaatt cctgatcgcc ttgagagtca gactactcaa tgaagaaatt 900
 aatgggttat ccacaaccaa attaaatcga ctcttccac ctacaataga tgaagtcaca 960
 agaatcaatt gtatttttct agactcgcta aagacagcaa tcccttacgg ttcctcgaa 1020
 gtactgaagg catgcagcat tactattcct tatttctaca aagcatatac aagacacgag 1080
 gcggccacaa agaacttcag caaagatatt aaattgttta ttaggcattt cagcaatgta 1140
 attccagaaa gagaggtcta cacggaaatg aaaatcgaga gtataattaa gggacctcag 1200
 gaaaaactac tgaagctaaa cttaattata gagagattgt ggaagtcgaa aaaatggaga 1260

ccgaaaaatc aagaaatggc aaaaaaatgc tacaacaata tcattgatgt cattgattcg 1320
 ttggaataat tagattcccc acttcattct tatagtagca gagtatttac tccatcgga 1380
 aaaatcctta cagaattagc caaatgctgg cccgtagaac tgcaatacaa atggctgaag 1440
 agaagggtag tcggtgtgta tgatgtagtg gatttgaatg atgaaaataa gagaaattta 1500
 ttagtcatat tcagtgatta tgtgggtttc atcaatatac tggaggcaga aagttactac 1560
 acttcagatg gatcaaacag gcccttaatc tcagatattt taatgaactc attgatcaac 1620
 gaagttccgt tgcctccaa gatccctaag ttgaaagtgg agcgtcattg ctatatagat 1680
 gaggttctag tttctatatt agacaaaagc actctacgtt ttgatcgatt gaagggaaaa 1740
 gattctttct caatggtagt taaattatcc tctgcattta tctcttcttc gtcagttgct 1800
 gacttgatta cgaaggctag aattttggaa aaagacactg catttcattt atttaaagct 1860
 agtagaagcc attttacatt atattctact gctcacgagc tttgcgctta tgattccgaa 1920
 aaaataaaat caaaatttgc cttattcctg aacataccac catccaagga gatattggag 1980
 gtcaacaacc ttcatttggc tttttttgca agattttgca gtaacgatgg tagagataac 2040
 atcgtaatct tagacgtctt aaccaaacat gacgataaac atatagaagt tacatccgat 2100
 aacattgttt tcaccataat taatcaattg gccattgaaa taccgatatg cttttcttcc 2160
 ttaaaactcat cgatggccaa agatttactc tgtgtaaagt agaatttgat aaaaaactta 2220
 gaacatcaat tggaagaggt caagcacctc tcaacagacg aacatagggc tgttaatagc 2280
 aaactttccg gtgcatccga tttcgatgct actcacgaga agaaaagatc atacggtacc 2340
 ataacaacat ttagaagcta tacaagcgac ttgaaggaca gtccatcagg cgataatagt 2400
 aatgtcacca aggaaactaa ggaaatttta ccagtgaaac ctacgaaaaa gtcttcaaaa 2460
 aaaccaagag aaattcaaaa gaagaccaag acaaacgcct ctaaagcaga gcacatagaa 2520
 aagaagaagc ctaacaaagg caaagggttt tttggcgtgt taaaaaatgt ttttggaagt 2580
 aaaagcaaga gcaagccttc accagttcaa agagtgccta aaaaaatatc gcagaggcat 2640
 cctaagtctc cagtgaagaa gccaatgacc tcagaaaaga aatcctcccc taaaagggca 2700
 gtcgtttcat ctcccaaaat taaaagaaa agtacttctt tttccacaaa agaatacaca 2760
 actgctaaat cttctcttcg agcagttgaa ttcaaactct atgacttgat cggaaaacca 2820
 cctgatgttg gaaatggcgc acatcctcaa gaaaatacca gaatatcttc agtagtaagg 2880

gatacaaaat atgtctccta caatccctct cagcctgtga cagaaaatac cagtaacgaa 2940
aaaaatgtcg aacccaaagc ggatcaatcc acaaagcagg ataacatttc caattttgca 3000
gatgtagagg tatctgcgtc ttcttatcct gaaaaacttg atgcagaaac agatgatcaa 3060
ataattggga aggcgacgaa ttcgtcatca gttcatggaa ataaagagct gccagacctt 3120
gctgaggtga ctacagcaaa tagggtttct acaacatcgg ctgggggacca acgtattgat 3180
acccaaagcg aattttttacg tgcagctgat gttgaaaact taagtgatga cgatgaacac 3240
agacagaatg aaagtagagt ttttaacgat gacctctttg gtgattttat tcctaagcat 3300
taccgtaata aacaggagaa cattaacagc tcgagtaatt tgtttccaga gggaaagggtg 3360
ccccaagaaa agggcgatc aaatgaaaac actaacatat ctctcaaaac taatgaagat 3420
gcatctacat tgacgcagaa actctctcca caagcgagta aagtgctgac agaaaattct 3480
aatgaattaa aagataccaa caatgaaggg aaggacgcaa aggacataaa attaggagat 3540
gattacagtg ataaagaaac agcgaaagaa ataactaaac caaaaaattt tgttgaagga 3600
ataactgaac ggaaagaaat attccccact attcctaggt tagcgccgcc agcttcaaaa 3660
attaactttc aaaggtcacc atcctatatt gagctctttc aaggaatgag ggtggtttta 3720
gataagcatg atgccatta taactggaaa cgcttggtta gtcaagtctc cttaagtgag 3780
ggactaaaag tcaatactga ggaagatgcg gcaattataa ataaaagtca ggatgatgcc 3840
aaggcggaaa gaatgactca aatttctgaa gtgattgagt atgaaatgca gcaacctatc 3900
ccaacttatt tgcctaaggc gcatctagat gactcgggta ttgaaaaaag tgatgacaaa 3960
ttcttcgaaa ttgaagaaga acttaaggaa gaattgaagg gcagcaaaac ggtaatgaag 4020
atgtcggtaa taataatcca tccaattcta ttccaaaaat cgagaagccc ccagcattca 4080
aagttattag aacatcgcct gtga 4104

<210> 147
<211> 567
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 147

atgaatcctc aagtcagtaa catcatcatc atgttgggtca tgatgcaact ctcccgtcgc 60
attgacatgg aggacccaac catcatcatg tacattagaa ttttatactg ttcttccatc 120

ggtatctctt ggatcatcta ccaaatggcc agaaagagaa ttgttgctaa aaacgacatg 180
 actaccatga agtacgtcga acctggtaat gctatgtccg gcgaaggtga gaagctgcaa 240
 gttactaccg tcagagacta cgatttgaag gaaatagaca gtgctatcaa gtctatctac 300
 actggtatgg ctatgatggg tttcatgcat ttgtacttga aatacaccaa cccattgttc 360
 atgcaatcca tttctccagt gaaaagcgct ttggaacaca acgaagtga aattcacctc 420
 ttcggtgaag ctgcaaccgg cgatttgaag agaccattca aggctccatc tttgtttggt 480
 ggtatgggtc aaactgggtc aaagaccgac aagaaatcta tcgaagaagc tgaaagagcc 540
 ggtaacgctg gtgttaaggc tgaatga 567

<210> 148
 <211> 435
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 148
 atgaatatcc tttttctcat atatctgaaa gacaaaagat cggcacggca atgccctgca 60
 gcatttcttc ctagtttttc cgaatttcca ttacgtattg gatcttgtgc gcatatttgt 120
 cagtccttca cggaaaaaaaa aaaagagcac tgggtcactt cggaaaaact tttgactcaa 180
 tgcaacagtg tcataatcct ttgcgctgtc tctttgaaga aaaatcagga gtgcaagata 240
 tcgattaatt ccttggaagt tatgatggtt agtcttagtt taactctctt gaagaagggg 300
 tttttcagtt ggtcaacact ctttagaggt aaaaaaaaaa aaaaaaaagaga 360
 attcttcatg taatttacca tgattctacg tttttgcaag caaaaatgaa gataatccga 420
 gcgcatgcga agtag 435

<210> 149
 <211> 351
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 149
 atgggggaaat attcatcatg tagaatttca aatattttca ttgtaatttc taaaattaat 60
 gagggaaaatt cgatatatct ggtatcactt tattattcct tcagcacgaa atgtcgagcg 120
 atctcgatgc aggaaccagg tataagtagc gatagtaaatt ttttttctct ctttttaata 180

atccggaaag tctcagttgc gagtgattgc agacagttgt atgaatgtaa aaaaagtaat 240
gaaaacattt gggagtattt caaacggagg ttagagacga ggctttcgag cttttctatt 300
attttaagtg ctgtgtttcc ggacgtgctc ttcactttct tattttcttg a 351

<210> 150
<211> 642
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 150

atgggactta tttcatcaga aaatgaggcg ataaacgagg tgaaaaaggc agataaccat 60
cacgttagca aatttgtgac tagttactat gggccatcat cgtcgtcatg gcagtcagga 120
atatggattt tgtttgtgct gtttgttgcc gcagtaatcc ttataatact gttcactttt 180
gtagcgaaca gaaggagacg aaggatgggg cgtgctccca ttagaggtag ggcattggtg 240
acaccgcctt catacagaca gtctcagcaa caatatactg ggaccgttca gcaacggaca 300
gatgattatg ttcctgagta tacagaaaca gcgaacgaac atgatcttgg atactatgac 360
cagcggggcg agtttcaccc caacgataag gctgcatacg tggccccccc gccattggta 420
caagaatgtt catcagaatc tgtaattct ttagaaagac ctcccgtgc tgtagttcac 480
caagctaact ctttagatac ggattacggt ttaacaaggc ctagcaatgg gcgcgttcca 540
gctgtaagtg atacggtgga gcaattggaa aggcctcccg gcgggactac aacgcaggaa 600
attaaccac cggagagggc aaaggtaa at gcaaggatcat ga 642

<210> 151
<211> 3042
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 151

atgaaggact tgtctcatta tggctcctgc ctatgtgtta aattttacaa tgattatgtt 60
ctagctgggt atgggccttt catccatgct tatgactatc attcggctac gttgattaac 120
aaatgtaggc tatttcacta caataaagtt catggactta gcctttctag tgaagggaaa 180
atattggcct atggtgcaag atcagtaaca atagtggaa ttgaagacgt tttaaagaaa 240
gagtcattgg tggatttcga aaggattaac tcagattgga ttaccggtgc tacattcagc 300

ttgacaact tgcaaatata ttgtttaaca tgttataata aagtgtctaat ttgtgattta 360
 aattgtgaag ttcttttttag gaagtctctt gggggagaaa gatctattct atattccggt 420
 ataattaaag ttttcggtcc ggataaagta tatgttaacg ctggtactgt aatgggcggt 480
 gttatcattt gggacctgtt ctcgagaca aaaattcata acttactggg tcatgaaggt 540
 tctatctttt atgttaattt aagcaacaac ggaagatatg ttgccagttg ctctgacgac 600
 agatcaatta gactgtggga tttagaaact ggcaagcagc tgtctgttgg ctggagccat 660
 acggcaagaa tatggaattt aatgtttttt gataatgatt caaaactaat aagtgtttct 720
 gaagattgca catgccgtgt atggaacatt atcgaatcac gagaaaacgt tgccgaatta 780
 tccatatcta acgtttacga agtacattta atcaagagta tatggggcgt tgatgtgaaa 840
 gacgacgaaa tgatagctgt aacctccggg aatgatggta ggttaaagct gattgatctt 900
 cttcaactga agagacacgg cgatgaagaa acatcgttca gtctagatga tatcgcaaag 960
 caatgtggcg atattttcga aaagaatgaa agtatcaagg gatttcaatg gttttcattc 1020
 ggtgtaattg ctatcacttc attgggtaaa atacttaaat acagtgatgt cacgaaacaa 1080
 tggaagttgt tactaacaaa tgaaaaattc aactcgtatc caattacaaa tgggattcaa 1140
 acgcaaaata tcgctgtctt ttccaataat aaaagtgaca tccttcttat caaatttagc 1200
 aaagatagcg ctgacataat tgagaccgaa gaattccatt tagatgagct ttctaagaca 1260
 aataactgtc tcgttacaga atacgatgat gactccttcc tattgacttt acaatcccca 1320
 aatcctcgag agaagtttgt atgtttggaa ataagccttc agaacttaaa aattaaaagc 1380
 aagcactgtt tcaataagcc ggaaaatttt tcttcctcat gtttgacctc cttccgaaat 1440
 catatttttag tcggctcacg ttttagtaca ttagtaatct acaacttact tgatgagagc 1500
 gaggagccct tcataattag gagattaagt cccggagaca ctacaacctc aatcgaattt 1560
 gtagaagata aagacaactc tgcggtcttc tcagtaacaa atagggatgg ctattatgta 1620
 tttattgagt tgacgaaaaa cagtttggaa gaggtccct accgactaag ttataagggtc 1680
 ttgcattcta ataagatgat gaaaggtttc ttggagggcg ctttctttaa ttcaaaaggt 1740
 gaatacatta cttatgggtt caagtccagc ttgttttata tctacaatga aaccaactgt 1800
 tatgaactag ctagtgaagt ttgtggtggt tcccatcgtc tgtggaatct cgcaaaaatt 1860
 actgatggcc acgtattaat gtatattaag gcatcccgat ttcatttaag gaaaatttac 1920

aactccattg tgcctgaaac tttagaaaat ggtgtacacg gaagggaaat cagagatatt 1980
tcaatctgtc ctgtttcaaa taccaacacg aatgacaatt ttaaggatgg gcatatattc 2040
tgtactgcat ctgaagatac tacaattaag ctgggatatt ttaacaatag aacaggggaag 2100
gtgcagaatt tttggacaca aagaaagcat gtgtctggat tacaacgttg tcagtttata 2160
aatcacaaac taatgatatc atcttcagct agagaggagt tattcttatg ggaattgaac 2220
gataagtata ataaacgacc atatatgacc atacgacaag ctttacctgt atccacaaat 2280
aattctgata taaggatcat ggattttgat gtcaaattta tatcacagtc aggtgacttc 2340
ttattagtta ctgtttattc agattcaaca ataaagattt ggcactatag ggaaaatcag 2400
aataagtttg acctgatcat gcaaggctgt tataagacgt gctgtttatt caacgtcgta 2460
tttattgcac tgaaagaaga gtccttgtt gtcatttcac caactgatgg acatttagtg 2520
gtttataata taaccgagta cgtaccattt tccgttgatc cgatttctgg cgatttggtt 2580
gaccacaaac tggacgctac tatctcaaat cttcccgac ctgtagcgca gttgccggta 2640
catcaatctg gtgtcaagtc cctagactat gttgctaag ctacaagaac ttccgccaca 2700
attttgacag ggggtgatga taatggttta gggttaagca acctgaaatt agatgactcg 2760
aataaagtaa cgttaaaaac aagtgacttt atcgctgcag cagcttcttc gacaataacg 2820
tccggtatgt tgattaatgg tggcaaagaa gtcattacca catcggttga tcaagtaata 2880
cgcgcttggg aaattaccgc aggcaagctt tcaactgtag ataaaaagcg taccactgtg 2940
gcggtacag gatcattaga aatcatttcc aatgatgaag atgctgattc tgagaaaacg 3000
ttactgatcg gaggtgttgg tttatcaatt tggaaaaaat ga 3042

<210> 152
<211> 933
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 152

atgcaataca aaaagacttt ggttgctct gctttggccg ctactacatt ggccgcctat 60
gctccatctg agccttggtc cactttgact ccaacagcca cttacagcgg tgggtgttacc 120
gactacgctt ccaccttcgg tattgccgtt caaccaatct ccactacatc cagcgcacatca 180
tctgcagcca ccacagctc atctaaggcc aagagagctg cttcccaaat tgggtgatgg 240

tccgcgttct ctctttttcg ctctttttctg gctaccgcgc ccgccttata tataaaatct 120
 cttccgaata acaaagtggc cgaaacaagc gccaacgtcg accattttgc caccgtgtca 180
 ctgtgcacga gcaacgaaaa actggcggtg gttgcgcctc acgaattgct tgagcctctt 240
 cccaatatca tcgcgcattt atttgagtca ttctctgccg ctttattatt aaaagtctgt 300
 gtgctatcaa aatgctcttg ctctgttca ccctctatgc gtaaactt gcgcgtttct 360
 ccctttctct tttag 375

<210> 155
 <211> 1644
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 155

atgactaaat cggttggtga tgaagagtca cagtacattg aggaccctag ttttgcagca 60
 gcagctgcat ttactggcgg cagggacggg gtttcgtaca gtaatcagcg atttgctgag 120
 ggttccggcc attcttctga cttagcaaag tcattagaag actatcggcc tcctgatgaa 180
 aagccgtcct cattgtcatc tgtgggggaa ggtggcgcta atgaggaaga gaagggcgg 240
 aacgacggcg gtcccttggc aagaattcaa acagggcttt tttctccaag actgcgaaat 300
 cataggaaaa agattctctc gaagtgtgtt ttgaacaact tcttcattgc ttgtgtgtgt 360
 gtatcgctca tatcgattta ctggggtgcc tgttacggaa cagatcgta ctttttcaaa 420
 gtgaaaaata ttgttgtatt gcaggatgcg ccatctaata cttcagttca atctatttcc 480
 gcgatcatat cctcattgtt agcgtctgtc cccgggacat ggcatatata caacgcaaca 540
 tcatttcata ggaaatttgg tacgacgaac tccaccgaaa ttgacagaaa gatagtcgat 600
 ttaatttacg atgagagata ctggctggcg ttaaactgta aacctaatgc tacagacact 660
 ttgtataatt ctttgattag ccaagacgca aactcggagt tcaattcatc aatttttttt 720
 gaatccgtgt ttgaaagtgg tcgtgaccca tcgagtgtta aatcgaccat tctaccactc 780
 atgcaacaat tggaggtccg ccttcagaaa tattacgtca aggaatatct tccctcattg 840
 atgagcaaca tcaattctaa tgacagagat cttaataata acatggagaa ctgggcgatt 900
 gcaggacagt tggtgttcac ctacaacgat tatcgtcctt ttgctgatcg tattctaattg 960
 gcccctctgc aggtcgggtct gatttattgt attttgtaa ccgttttaca actgtcatta 1020

tatggtaagt tgcacggaga aatggccaga gttctgaagc caaagcatat tttaatctac 1080
 aggcttctaa tttcctgggc aacttatattt cttctttcca ttggattctg taccgtatct 1140
 gcaattttta ggatcgattt ccccccgcc tttggcagag gaggattcgt agtatattgg 1200
 atgtctacgt ggttggtaat gatggctggt ggtggtgcc atgaaaacgt tctcagctta 1260
 gttatagctt actgccctcc atacctgagt atttggttga tgacgtggat catattaaat 1320
 atttctgctt cattctaccc aatggttttg aacaacgaat tttacaggta cggctacata 1380
 atgccaatcc ataatgccgt ggatatctat aaagtgattt ttttgaattt aacccaaaaga 1440
 aaaatgggaa gaaattacgg tattctcgtg gcatggggtg ccctcaatac atccttgatg 1500
 ccattttgta tgaagtttgc aggtaaaaaa atgcaaaaaa atgctatgca agcagcagaa 1560
 gccgctgtcg cagcagctac ccagcgtgct agccgcccg cagaggccaa tactgataaa 1620
 aataacaacc cgcccggaaa ttaa 1644

<210> 156
 <211> 1761
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 156

atgtcggatc attctcccat ttctaataag gaaaatcatc tgctgccatc agactcgtca 60
 agaagctcat ccagcgatat gcattcgacg ggcaccacgg gaaccacagg cgtcgaacct 120
 gtagatttca ccggtgaagg tgccaaatac acaactgcta cggagggcaa tgggtggtgca 180
 gatttagcga ttcaaagaac gacgactatg aattctgctg cagaatcaga ggttaatatc 240
 acgagaagat taactaaaat ccttactggg tctgttaacg agcctgaccg tgtagagggt 300
 gattatacca attgtgcgcc catgggtggt gacagacctt accctccatc gttgccgagc 360
 agagacctgt acgaggttac ttttgatggt cctaacgacc cactacatcc atttaactgg 420
 cccatgaaga agaaagtgt gctatgtctg gtcttatgtc tggattctat tgccattgct 480
 atgtgttctt ccatttttgc ctctgcagtg ccgcaaactc gcgagatata ccacgtcatc 540
 gaagttgtcg ccatttttggg tatcacgctt tttgttcttg ggtttgcggc ctcaccgggt 600
 atctatgctc ctctttctga attgtacggt agaaagggtg ttctggtttt atctgcgttt 660
 ggatttgccc ttttccaatt tgctgtcgct actgctgaga acctgcaaac tattttcata 720

tgttagattct ttggtggttt tatcggggca gcacccatgg ccgtcgtccc cgccgcgttt 780
 gccgacatgt ttgatactaa tgtagaggt aaagccattg cgctattttc tctaggtgtt 840
 tttgtaggcc ccattttatc gcctgtcatg ggttcttata tcgcacaaag aactacctgg 900
 agatgggttag aatatgttgt cggttggttc gcttccgcag ttttcgttgc catcgtattg 960
 ttctttgaag aaacacatca ccctaccatt ttggttaaca aggccaaaca gatgagaaag 1020
 caaagtaata actgggggtat tcatgctgct catgaagacg tggagctatc catcaaagac 1080
 attgtccaaa aaactgtgac gaggcctatc attatgcttt tcgtggaacc attgctacta 1140
 ttcgtgacta tttacaactc ttttgtctac ggtatcttgt atttggtact ggaagcctac 1200
 ccacttgtct ttgtggaggg ttatgggttt actgaaaacg gtgagttgcc atacatcgcc 1260
 ttgattatcg gtatgatggt gtgtgctgct ttcatttggt atatggacaa cgattatttg 1320
 aaaagatgta gagccaaggg gaaattagt cccgaggcca gattgtacgc aatggtcatt 1380
 gcagggtaccg ttttcctat tgggtatctta tggttctgtt ggacgggcta ctatcctcac 1440
 aagattcatt ggatgggtccc cacagtagga ggggccttca tcgggttcgg tttaatgggt 1500
 attttcttgc catgtttaaa ctatatcatt gaatcgtatc tattgttggc agcttctgcc 1560
 gtgcgagcaa acactttcat gaggtctgca tttggtgcat gcttccatt gtttgcagga 1620
 tatatgttcc gtggcatggg tatcgggttg gctgggttgt tattaggtct atttgccgct 1680
 gcgatgatcc ccgtgccttt actattctta aaatatggtg aatctatcag aaagaaatcc 1740
 aagtatgctt acgccgctta a 1761

<210> 157
 <211> 810
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 157

atggtgctta gtgattcgtt gaagctgccc tcgcctacac tttcagctgc tgctggagt 60
 gatgattgtg acggagagga ccacccacg tgccagaatt gtttactgt caaacgccc 120
 ctatggagaa gagatgaaca cggtactgtt ctctgtaatg catgtggcct cttcctgaag 180
 ttgcacgggg aaccaaggcc tatcagcttg aagacggaca ccattaagtc aagaaatagg 240
 aaaaagctga ataacaacaa tgtgaacact aatgccaata cccattctaa cgacccaaat 300

aaaatattca agagaaagaa gagactgctt acaactgggtg gtggttcatt acctacgaat 360
 aatccgaagg tttctattct ggaaaagttt atgggtgagcg ggtccattaa gccactgtta 420
 aaaccaaagg aaaccgttcc caacacaaag gagtgctcca cgcagcgggg aaaattttct 480
 ttggaccctt gcgaacctag tgggaaaaac tacctctatc agatcaacgg ttcagatata 540
 tacacgtcaa atatagagct gacaaggctg cctaatttgt caacattatt agaaccctca 600
 cctttttcag attccgctgt accagaaata gaactaactt ggaagctaca taatgaggag 660
 gaggtaatca aattgaagac caagataagc gaattggagt tggtgacaga cctatacaaa 720
 aagcacatat tccaactgaa cgaaaaatgc aagcaactgg aagtggaact aactccaga 780
 gcttcagtac aatctcacc cacaacattaa 810

<210> 158
 <211> 2970
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 158
 atgttgcggt ttcagcgatt tgcgtcctcg tatgcccaag cacaggccgt tagaaaatat 60
 ccagttggag gtatattcca tggttatgaa gtgagaagaa ttctaccggt tccggagctg 120
 agactcactg cggtagattt ggtgcactcc cagacaggag ccgagcattt gcatattgat 180
 agagacgaca agaataatgt gttcagcatt gcttttataaa ccaaccctcc agattccact 240
 ggggtccctc atattctaga gcatacaacg ttgtgtgggt ctgttaaata tccagttagg 300
 gacccttttt tcaaaatgct aaataaatct ctagctaatt tcatgaacgc tatgacaggt 360
 ccagattata cattttttcc cttttccact acgaaccctc aagatttcgc taatttaaga 420
 ggtgtttatt tagactccac cttgaatccg ctacttaaac aagaagattt tgatcaggag 480
 ggttggaggt tggagcataa aaacatcaca gaccgggaga gtaacattgt tttcaaaggt 540
 gttgtctata acgaaatgaa aggtcaaata tcaaatgcc aattactatt ctggagtaaa 600
 tttcaacagt ctatttatcc ttccctgaat aactccggcg gagatcctat gaaaattaca 660
 gacttgagat acggcgatct cttggatttc catcacaaaa attaccatcc ctccaatgca 720
 aaaactttca cgtacggtaa cttgccattg gtggatacgt taaagcaatt aaatgagcag 780
 ttcagtgggt acgggaagag agctcgaaag gataagttgt taatgcctat tgatttaaaa 840

aaagacatag atgtcaagtt actgggtcaa atagatacta tgcttccacc ggagaagcag 900
 acaaaagcct caatgacgtg gatttgtgga gcgccacagg acacatatga tacctttttg 960
 ttaaaagtac tggggaattt attaatggat ggccattctt ctgtaatgta tcaaaaatta 1020
 atagaatcag gaattggttt ggagttctcc gtaaattcag gtgttgaacc aactacagca 1080
 gttaaatttgc taactgttgg tatacagggc gtgagtata ttgaaatatt taaagacact 1140
 gttaaataata tttttcaaaa cctgttgga acagaacatc cttttgaccg caagcgtatc 1200
 gatgccataa ttgaacaatt ggaattatct aagaaggatc aaaaggctga ctttggactt 1260
 caattactct attctatact acctggttgg acaaacaaaa tcgatacctt tgagagcttg 1320
 ttgtttgagg acgttttgca aagatttaga ggtgacttag aaacgaaagg tgatacttta 1380
 ttccaagatt taatccgtaa atatatcgtt cataaacctt gtttcacgtt ttccattcag 1440
 ggatctgaag agttctctaa atctttggat gatgaagaac aaacaagact gagagaaaaa 1500
 attactgcct tggatgaaca agacaagaaa aacatcttta aacgtggtat actgttacag 1560
 gagaaacaaa atgaaaaaga agatttatcc tgtttaccta cttacaaat aaaagacatc 1620
 ccaagagctg gtgataaata ttcaatcgaa cagaagaata atacaatgtc taggattact 1680
 gataccaatg gtatcacata tgtcagaggt aaacgtttac taaatgacat aatacccttt 1740
 gaactcttcc catacttacc tttatttgct gaatcgtaa ctaacctagg gacaacaaca 1800
 gaatccttca gtgaaataga agatcagata aaattacata cgggtggtat atcaacacat 1860
 gtagaggtta catctgacct taacaccaca gagcctcgcc tgattttcgg gtttgacgga 1920
 tggctcttaa attcgaagac cgaccacatt tttgaattct ggtctaagat cttactagaa 1980
 actgatttcc ataaaaacag cgataaattg aaagtcttta tccgcttatt agcatcttca 2040
 aacacatctt ctgtagcaga tgccgggtcat gcatttgcaa ggggctattc tgccgcacat 2100
 tatagatcaa gtggagctat aaatgagacc ctcaatggta ttgagcaact acaatttata 2160
 aatagattgc acagcttggt agacaatgaa gaaactttcc aaagagaagt tgtcgacaag 2220
 ctaactgaat tgcaaaagta cattgttgat accaataaca tgaatttttt tatcacctca 2280
 gactctgatg ttcaagcgaa aacagtagaa agccaaattt caaaattcat ggagagatta 2340
 cctcatggca gctgcttgcc caatggacca aagacttcag attatcctct tattggatcc 2400
 aaatgtaaac atactttgat aaaatttcct ttccagggtcc attacacatc ccaagcttta 2460

ttgggtgtgc cgtatacaca taaggatggc tctgcacttc aagttatgtc aaatatgcta 2520
 acattcaaac atttgcacag agaagtcaga gaaaaggggtg gtgcttatgg tgggtgggtgct 2580
 tcttatagcg ccttagcggg tattttcagt ttctattcct ataggggatcc tcagcctttg 2640
 aagagtttag aaaccttcaa gaatagcggg cgttatatac tgaacgatgc caagtggggc 2700
 gtcacagacc ttgatgaagc taaattgaca atatttcaac aagtagacgc acctaaaagt 2760
 cccaaaggag aaggcgtgac gtatttcatg agcgggtgta cagacgatat gaaacaagca 2820
 agaaggggaac aactcttaga cgtatctctc ctggacgttc atagagtcgc cgaaaaatat 2880
 ctactaaaca aagaaggggt gagtacggtc attggacctg gaatcgaggg gaagactggt 2940
 tcaccaaatt gggaggtgaa ggaactgtag 2970

<210> 159
 <211> 1764
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 159

atggatatac tcaagagggg aatgaatcg gacaagttaa cgaaaataga gacagaatct 60
 actacgatac caaatgactc ggatagatct ggttcactga tcagaagaat gaaggattcc 120
 ttcaagcaaa gtaacctgca tgtcattcca gaagaccttg aaaacagcga acagacagag 180
 caggaaaaaa tccaatggaa actagcttct cagccctatc aaaaagtctt gagccaaagg 240
 cacttgacca tgattgccat aggtgggtact ttggggacgg gactgttcat tggtttaggt 300
 tattcttttg catctgggcc agccgctttg ctaatcggtt ttttgtagt tgggtacttca 360
 atgttctgtg tcgttcagag tgccgcagag ctttcttgcc aattcccggg ttctgggtca 420
 tatgccacac atgtcagtag gttcatagat gaatcggttg gctttactgt ggctacaaac 480
 tatgcttttg cttggctgat ttcttttcca agcgaattaa ttgggtgtgc acttactatt 540
 tcatactgga accaaacggg taatccggct gtttgggtgg ccatttttta tgttttcatt 600
 atgggtactga acttgtttgg tgtgagaggc tttgccgaga ctgagtttgc tctgtcaatc 660
 attaaggtta ttgctatatt tattttcatc attattggta tcgtccttat tgccggaggg 720
 gggcctaact ctactggta tattggcgcc aaatactggc acgaccaggg tgccttcgca 780
 aaacctgtct tcaagaattt gtgtaacaca ttcgtttctg ctgctttttc ctttgggtgg 840

gctccgtctg ctagagtctg ttctccctcc caggaagctt ctgcttcgtc tatttctgct 480
 agtcgttcat cggctcacca caacgatttg agctccagcc ttatgaaaaa tcccaatttg 540
 tcatttgatt cacatccacc cagggtcaga agctcatcca agagtgtgtg aatcactccc 600
 gtctctaaaa gcgttccaga tgtcgatcct gctgtttag atgtcgcaaa agttagagaa 660
 gagtttcaac agcaagcctc cttgccttcc atgaaaagag tttccggaag caccgctgga 720
 gactcttcca ttgcttcttc gagtttctaat ctgaggtact cacagcaatt tcaggataac 780
 tttatcgaag aactgatag tgaggatgac attgattctg atttgagac cgatgtact 840
 aagaaataca acgtcccaaa atttgggtggc tattccaata acgcaaagtt aagagcatct 900
 ctaatgagaa actcgtatga gctattcaaa catttgccat ggacaatagt cgacagtgc 960
 aaagggaaag gatccttgaa aaatgcagtt aatattgcag ttgctgaaaa gacagtgaaa 1020
 gaacctgttt cctgggtagg tacaatggga atccctactg acgaacttcc tcacgaagtt 1080
 tgccataaga tttcaaagaa attagaacag gatttttctt cttttccagt ggtcacggac 1140
 gatattactt ttaaggggtgc ttataagaac tacgccaaac agattttatg gccactcta 1200
 cattatcaaa ttccagataa tccaaattca aaggcttttg aagaccattc ttgggactac 1260
 tatcaaaaag tgaatcaaaa gttttctgat aggatagttt ccgtttacaa acctggcgac 1320
 acaatttgga tccatgatta tcatttgatg cttgtccac aaatgggtgag agagaaactg 1380
 cctaaagcta agattggatt tttcttacac gtatcatttc caagtagtga ggtcttcaga 1440
 tgcttgcta acagagaaag gattcttgaa ggtattattg gtgcaaaactt tgttgggttt 1500
 caaactaaag aatacaaaag acatttcta caaacttgta acagattgct tgctgcggat 1560
 gtctctaata atgaagtcaa ataccattgc aatattgttt ccgtgatgta tgcgccaatt 1620
 ggtattgatt attaccattt gacatcgag ttgagaaatg gttctgtact tgaatggcgc 1680
 caattaatta aagaaagatg gcgtaataaa aaactgattg tttgtcgga tcaatttgac 1740
 agaattagag gtcttcagaa aaaaatgtta gcctacgaga ggtttttgat agaaaaccct 1800
 gaatacatcg aaaaagttgt tttgatcaa atctgcacg gtaagagttc cgatcctgag 1860
 tacgaacgtc aaattatggg tgtcgttgat agaacaatt ctttgtcttc gaacatcagt 1920
 atctctcaac cagtgggtctt tttgatcaa gatttagatt ttgctcaata tttggcattg 1980
 aattgtgaag ctgacgtttt ccttgtggat gcgctgagag aaggtatgaa tttaacatgt 2040

catgagttca ttgtcagttc attcgaaaaa aatgcgcctc tattattatc tgaattcact 2100
 ggtagttctt ctgtcctaaa ggaagggtgcc atcttaataa acccatggga tataaatcat 2160
 gtagcacaaa gtatcaagag aagtttagaa atgtctccag aagaaaaaag gcgtaggtgg 2220
 aaaaaattat tcaaatctgt tattgaacat gattcggata attggattac aaagtgcctc 2280
 gaatacataa ataatgcttg ggagtcacaac caagaaacgt ctactgtttt caatttgggt 2340
 ccagaaaaat tctgtgctga ttacaaagcc tccaaaaagc atttatttat cttcaagatt 2400
 tcagaacctc caacgtccag aatgctatcc ttgctaagtg aattgagttc aaataatata 2460
 gtttacgttt tgagttcatt tacaaagaat acattcgaaa gcttatacaa tgggtgttcta 2520
 aacatcggat tgatagcgga gaatggtgcc tacgtaagag ttaatgggtc gtggtacaac 2580
 atcgtggaag agcttgattg gatgaaagag gtggcaaaga tctttgacga gaaagtcgag 2640
 aggttacctg gttcatacta caaaatcgct gattctatga tcagattcca tacagaaaac 2700
 gctgatgatc aagatcgagt cccaactgtt attggggaag ccattacgca cataaacacc 2760
 ttatttgatg acagggatat tcacgcttat gtgcataagg atattgtctt cgttcaacaa 2820
 acgggggctag ccttagccgc cgctgagttt ttgatgaaat ttacaacag tggcgtcagt 2880
 cctactgaca atagcagaat atctctatca agaacatcct cttcgatgtc cgtcggtaat 2940
 aataagaagc atttccaaaa ccaggtagat ttcgtttgcg tttccgggtc gacatcacct 3000
 attattgaac cattatttaa attagtgaag caagaggttg aaaagaacaa tctaaaattt 3060
 ggttacacca ttctttacgg tagctcaaga tccacttatg ccaaggaaca tatcaatggt 3120
 gtcaatgaac tttttaccat ctttcatgac ttgacagccg cctaa 3165

<210> 161
 <211> 309
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 161

atgtctttta gaaagaaaaa actcaaact ccagcgggta gtcaatttat tataaacgac 60
 tccataatga gctatattga ccgcacgaaa aactaataa ggatgattgg atgcaagaac 120
 cagtacataa aagcacgtat gaaagataag accttcttct atacgaagca attccgtaca 180
 gccaaaaaca aatttttctt tcattctgtac cattgggagg ccactcatat taacgttgac 240

cactatatat gtacatgtca tcccattttt tggggctcta taggtcagaa actcaggaga 300
tccgcctga 309

<210> 162
<211> 2835
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 162

atgatatcag cactagattc tatacccgag ccccaaaact ttgcgcttag tccagatttc 60
aaatggcttt gtgaagagct atttgtgaag atacatgaag ttcaaattaa tggaacggcc 120
ggcactggca aatcaaggctc tttcaagtac tatgaaataa tatcgaattt cgtcgaaatg 180
tggagaaaaa ccgtgggaaa taatatatat cctgcactgg ttcttgctct tccctaccgc 240
gatagacgaa tctataatat taaggattat gtattaataa gaactatatg ctcttacttg 300
aagttgccaa aaaattctgc aacagagcag cggttaaaag attggaaaca gcgtgtcggc 360
aaagggtggga atctttcttc tcttcttggtg gaagaaattg ctaaaagaag ggctgaacct 420
agctcaaaag cgattacaat tgataacgtc aatcactatc tggatagttt gagtggagac 480
aggttcgtct ccggacgagg atttaagagt cttgtcaagt ccaaaccctt cctgcactgt 540
gtggagaata tgagtttcgt cgaattaaaa tacttctttg atatcgtgct taaaaataga 600
gtaataggag gtcaagagca caaattgcta aactgctggc atcctgatgc tcaggattat 660
cttagcgtga tatctgattt aaagggtgga acttcaaaac tttatgatcc aaaagtctgt 720
ctaaaggatg atgatttgag tataaaagtt ggctttgcat tcgccccca attagccaaa 780
aaagtgaatc tttcttatga gaaaatatgc cgtacactac atgatgattt tttggtagaa 840
gaaaaaatgg atggagaacg aattcaagtt cattatatga attatgggtga atccataaaa 900
tttttttagta gacggggcat cgactatacc tatttgtagc gagcgagctt atcatcagga 960
actatatctc aacatttgag gtttacagat agtggttaaag aatgtgtttt agatggagaa 1020
atggtgacgt ttgatgcaaa aagacgggtg attcttccat tcggtcttgt taaaggaagt 1080
gcaaaggaag cgctatcttt taatagtata aataatgttg actttcacc cttatatatg 1140
gtgtttgatc tgttatacct gaatgggact tcgttgacac cattaccctt tcatcaaagg 1200
aagcaatatc tgaacagcat ttttaagtccc ttgaaaaata ttgtagaaat agtacgatct 1260

<210> 163
 <211> 1023
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 163

```
atgtctacag acaagatcac atttttgttg aactggcaac caaccccata ccatattcca 60
attttcttgg ctcaaaccaa aggttacttc aaggagcaag gtctagacat ggccatccta 120
gaaccaacca atccttccga tgtcactgag ttaattggat ctggtaagggt cgacatgggt 180
ttgaaagcca tgattcacac cttggctgcc aaggcccgtg gtttcccagt gacctctgtt 240
gcctctttgt tggacgaacc atttaccggt gtcttgtact taaagggcag tggtatcact 300
gaagacttcc agtccctaaa gggtaagaag atcggttacg ttggtgaatt cggttaagatc 360
caaatcgatg aattgaccaa gcactacggt atgaagccag aagactacac cgcagtcaga 420
tgtggtatga atgtcgccaa gtacatcatc gaaggtaaga ttgatgctgg tattggtatc 480
gaatgtatgc aacaagtcga attggaagag tacttggcta agcaaggcag accagcttct 540
gatgctaaga tgttgagaat tgacaagttg gcttgcttgg gttgctgttg cttctgtacc 600
gttctttaca tctgcaacga tgaatttttg aagaagaacc ctgaaaagggt cagaaagttc 660
ttgaaagcca tcaagaaggc aaccgactac gttctagccg accctgtgaa ggcttggaaa 720
gaatacatcg acttcaagcc tcgattgaac aacgatctat cttacaagca ataccaaaga 780
tgttacgctt acttctcttc atctttgtac aatgttcacc gtgactggaa gaaggttacc 840
ggttacggtg agagattagc catcttgcca ccagactatg tctcgaacta cactaatgaa 900
tacttgcctt ggccagaacc agaagagggt tctgatcctt tggaagctca aagattgatg 960
gctattcatc aagaaaaatg cagacaggaa ggtactttca agagattggc tcttccagct 1020
taa 1023
```

<210> 164
 <211> 2781
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 164

```
atggagcaga atattattag taccataagc gatgagtgtg ttcgtcaccg gtcgaagtac 60
```


gcggttggtt tggaaaatct aggaaattcg tgttacatga actgtatcat tcagtgtatc 1740
 ttaggtacac acgaattaac ccaaattctt ttggacgatt catatgctaa acacatcaat 1800
 attaatagta agttgggatac gaaaggtatt ctggcaaaat attttgcaag gttggttcat 1860
 atgatgtata aggaacaggt tgatgggttca aagaaaattt ccatatcacc gataaaattt 1920
 aaattggcat gtggatctgt taactcatta tttaagactg catcccaaca ggactgccaa 1980
 gagttttgcc aattccttct agatgggtct catgaagact tgaaccaatg cggttcaaac 2040
 ccacctttga aggagctttc tcaagaagct gaggcgagaa gagaaaaact gtctttgcga 2100
 attgcctcgt caattgagtg ggaacgattc ttgactactg atttcagtggt tattgtcgac 2160
 ttatttcagg gacaatacgc ctcacgacta aaatgtaaag tctgtagtca tacctcgaca 2220
 acataccaac cttttacggg gctgtcaatc cctattccta aaaaaaattc ccgaaataat 2280
 attaccattg aagattgttt cagagagttc accaaatgtg agaacttga agtggatgag 2340
 caatgggttg gccacattg tgaaaaaagg cagccctcca cgaaacaatt gacaataacg 2400
 agattaccga ggaatctgat agtccattta aagagatttg ataatttatt aaacaaaaat 2460
 aatgacttcg tcatataccc ttttttggtg gacttgactc cattttgggc caatgatttt 2520
 gacgggggtt ttctccagg tggttaatgac gatgaactac caataagggg acaaatacca 2580
 ccttttaagt atgaattata tgggtgtagca tgccactttg gtactttgta tgggtggtcat 2640
 tatacagcct atgtgaaaaa gggattaaag aagggatggc tatattttga tgataccaaa 2700
 tataaacctg tcaaaaacaa agccgatgca attaactcta atgcatacgt tttgttttat 2760
 caccggtct acggtgtttg a 2781

<210> 165
 <211> 1464
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 165

atggcttact ctaaaatcac attactagcc gctcttgctg ctattgctta cgctcaaacc 60
 caagcacaaa tcaacgaatt gaacgttggt ttagatgatg ttaagaccaa cattgccgac 120
 tacatcacc tctctacac tccaaattca ggtttttcct tggaccaa at gccagctggt 180
 attatggata ttgctgcgca attggttgca aatccaagt atgactccta caccactttg 240

tactctgaag tggacttttc tgctgttgag catatgttga ctatgggtccc atgggtactct 300
 tctagactgc ttccagaatt agaagcaatg gatgcttctc taactacctc aagttctgct 360
 gccacatctt caagtgaagt tgctagctct tctattgctt catccactag ctcttctggt 420
 gcaccatcct caagtgaagt tgtcagctct tccgttgac catcctcaag tgaagttgtc 480
 agctcttccg ttgcaccatc ctcaagtga gttgtcagct cttccgttgc ttcacctca 540
 agtgaagttg ccagctcctc tgttgcgcca tctcaagtg aagttgtcag ctcttccgtt 600
 gcttcatcct caagtgaagt tgccagctcc tctgttgcg catcctcaag tgaagttgtc 660
 agctcttccg ttgcaccatc ctcaagtga gttgtcagct cttccgttgc ttcacctca 720
 agtgaagttg ccagctcctc tgttgcgcca tctcaagtg aagttgtcag ctcttccgtt 780
 gcttcttcta caagcgaagc tactagtct tctgtgtca catcttctc cgctgtttcc 840
 tcttcgaccg agtctgttag ctcttctct gtcagttctt cctcagccgt ttctcttct 900
 gaagctgtca gttcctctcc agtttctca gttgtttcat cttcggcccg acctgctagc 960
 tcaagcgttg ctcttataa ctcaaccatt gctagctctt cttccactgc ccagacttct 1020
 atctcgacca ttgtctctta caactccaca accaccacca cccagctag ttctgcttcc 1080
 agcgttatta tctcaaccag aaacggtacc actgttactg aaactgacaa cactcttgct 1140
 accaaagaaa ccactgtctg tgactactct tcaacatctg ccgttccagc ttccaccacc 1200
 ggttacaaca attctactaa ggtttcaacc gctactatct gcagtacatg caaagaaggt 1260
 acctctactg caactgactt ctctacacta aagactacag ttaccgtatg tgactccgcc 1320
 tgtcaagcta agaagtctgc taccgttggt agcgttcaat ctaaaactac cggtatcggt 1380
 gaacaaaccg aaaacggtgc tgccaaggct gttatcggt tgggtgccgg tgcttttagct 1440
 gctgttgccg ccattgctact atga 1464

<210> 166
 <211> 534
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 166

atgtttcgag ccggatcatc aaaaagattc ttacgaaaca cactaatagc aatttcatgg 60
 gttccggtac ttctaacaat caataataat gtggtccata ttgcgcaagt taaaggtacc 120

tctatgcagc ctacgctgaa cccgcaaacg gaaacgctgg caacagattg ggtgctgctt 180
 tggaagtttg gagtcaagaa cccaagtaat ttatctagag atgacattat ccttttcaaa 240
 gtcctacaa accctcggaa agtttactgc aaaaggggta aagggttacc gtttgatacc 300
 attgacacga agtttccata ccctaaacct caagtgaacc tgcccagggg acacatatgg 360
 gtcgaagggg acaattatth tcattcgatt gatagcaata cttttggccc catttccagt 420
 ggggttggtca tagggaaagc tataacaatt gtttggccac cctccaggtg gggaacggat 480
 ctcaaactga gtaccggtag agactgcatt agcaaaagag ccattttaga atga 534

<210> 167
 <211> 1395
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 167

atgggacaaa ttctatcaaa cccggtaatt gataaagaga gccactccgg tgctgactcc 60
 ttgaccgctg ttggactgtg tgcaatgcaa ggggtggcggg tgtcaatgga ggattcacac 120
 attctagagc ctaatgtttt gacaaagtcc gataaggacc atattgcatt ttacggtata 180
 ttcgatggtc atgggtggcgc taaagtagca gaatactgtg gtaataaaat agtggagatc 240
 ctgcaagagc agaaatcggt ccatgaagga aatttaccac gggctttgat tgatactttc 300
 ataaacacag acgtgaaact gttacaagat cctgtgatga aagaagacca tagcggatgt 360
 acggctacat ccatattagt atcaaagtcc cagaacttgt tagtatgtgg taacgctggt 420
 gacagtagaa ccgtactcgc caccgacggg aacgcaaagg cattatcata cgatcacaag 480
 cccactctag caagcgaaaa atcacgtatt gtggcagctg atggcttcgt agaaatggat 540
 aggggtcaacg gtaacttggc gctctctcgt gccattgggtg attttgagtt caaatccaac 600
 cccaaattgg gccccgagga gcaaatagtg acatgtgttc cggacattct cgagcattct 660
 ctagattacg atagggacga gtttgtaatc ttagcctgtg atggatatctg ggattgtttg 720
 acttcccaag attgtgtgga cttgggtcat ctgggccttc gcgaaggcaa gacattgaat 780
 gaaatttctt cgcggatcat cgatgtctgt tgtgctcca ccacagaggg gacgggtatt 840
 ggatgcgaca acatgagtat agtggtgtgc gcgctgctga aagaaggtga agacgtcgct 900
 caatggagcg accgtatgaa gtccaaggcc caccgcacat cagtgcgttc ttttgcagac 960

aagagaagaa ggggtgttttag ttactacgat ttttccaaat gtaacgacga acaggtgttc 1020
gctatcacta cgaagaaacc tcaggacaaa ttactcgcg accacgaagc cgctgtggcc 1080
tcggtgactg ccgccgataa cgacgatcca atggacatag acgacacgga cgctgacaca 1140
gatgcagaaa atcttgaccc ttccagccaa tccaagagca agacctccgg cccattgat 1200
ctagcatcct tggaggcgct acttgggtgct acaggaggag tgaagacaga cagcaacggg 1260
aacaaagtca cctacactct tccccagtct gccttggccc aactgctcca aaccatgggc 1320
catgaccggt cttcctccca tcccagagaat gacagtaaca ctgaccacaa ggccggccgt 1380
tcccacttgc aatga 1395

<210> 168
<211> 363
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 168
atgttctcgg atctatgcga tgcgggtctt cttgaatcct tgtgcttgat gagaatgtgc 60
aggcatctta cacgcactgg atggtctctt aagtgccttg gtagctgggc cttgttggtg 120
ccctcaggct cctcccattg cgagtgcctt gtctctggat tgaaaaata ctctcttttc 180
ttggacttac tatacctgac ggtccacggg gttggcagcc cggctctcga tgctacgtca 240
gatggcattg gtgcgtcgtt gtggtgccgt agtcggttat gcgtgggaat aagtaccaca 300
atgatcattc aggtcctttt tctacttaga tcgaaggga aaaggtatga taccgctcg 360
tga 363

<210> 169
<211> 1845
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 169
atggccttat tggagaagtt gcatcgaagg attgttgata tggggcttgt cccgcgtata 60
atcgccttat taccagttat ttccatgcta tgcgtcttat ttgggtttat ttctatagct 120
attctgccta tggatggaca gtacagaaga acatacattt ctgagaatgc attgatgcct 180
tcacaagcgt atagttactt tagagaatct gaatggaaca ttttgagggg ctatcgatct 240

<210> 170
 <211> 510
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 170

```
atgatagcgt ggtccctagt ggctacgttg caatgcaaaa tgacagggaa gagttctttc 60
tatacatgta gagcacttat gggcctatth gaaggtgggt ttgtggctga tttggttctc 120
tggatgtcgt acttctacag ctcttcagaa ttgtcaataa gactgtcgtt cttctgggtg 180
acactatctc taacacaaat catcacttca attgtggcct tcgggggtttt tcacatgaga 240
gggatagggtg gcatggcagg gtggcaatgg ctttttttga tagaaagaat tttcacttta 300
gtcatcggta tcagtgcata cttcttgatg gtaccctccg tagttcaaac gaagaaacct 360
tggagcaaga aaggatgggt cactgagagg gaagaaaaaa tcatcgtaaa caagattctg 420
agagatgatc cgacaaaagg ggatatgaac aataggcaag gtatgtcact taaaatgtta 480
tggcagggga taacagatta ctatatatag 510
```

<210> 171
 <211> 609
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 171

```
atgaaagttt ccgataggcg taagtttgaa aaagcaaact ttgacgagtt tgagtcggct 60
ctaaataaca aaaacgactt ggtacattgt ccctcaataa ctttatttga atcgatcccc 120
acggaagtgc ggtcattcta cgaagacgaa aagtctggcc taatcaaagt ggtaaaattc 180
agaactgggtg caatggatag gaaaaggctt tttgaaaaag ttgtcatttc cgtcatggtc 240
gggaaaaatg taaaaaagtt cctgacgttt gttgaagacg aaccagattt ccagggcgga 300
ccaatccctt caaagtatct tgttcccaag aaaatcaact tgatgggtcta cacgttgttt 360
caagtgcata ctttgaaatt caatagaaag gattacgata ccctttctct tttttacctc 420
aacagaggat actataatga gttgagtttc cgtgtcctgg aacgttgtca cgaaatagcg 480
agtgttaggc cgaacgacag ctctacgatg cgtactttca ctgactttgt ttccggcgca 540
cctattgtaa ggagtcttca gaaaagcacc ataaggaaat atgggtacaa tttggcagcc 600
```


tacacgtag

609

<210> 172
<211> 1947
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 172

atgatgttgg agccttcacc tccaccttta acaacaacgg taacaccctc ccttccgtcc 60
agtttaaaga aatctgtgac agataatgac cagaataata acaacgtgcc caggaagaga 120
aaactagcat gccagaattg ccgtagaaga agaaggaaat gtaacatgga aaagccttgt 180
tcaaactgta tcaagtttcg taccgaatgt gtattcactc aacaagactt aaggaacaaa 240
agatattcta cgacttacgt agaagcttta cagagccaga ttcggtcttt gaaagaacag 300
ttgcaaatat taagttcctc gtcttccaca attgctagca atgctctctc ctcgttaaaa 360
aacaacagtg atcatggtga tgctcctaata gaaaaaatct taaagtatgg cgaaacagca 420
caatcagcac taccatcatc tgaaagcaac gatgagaatg agtctgatgc gttcaccaag 480
aaaatgcctt ccgagagccc tccaccagtt ggcacaaata gtatatatcc atcaaattcc 540
ttgtctataa taaaaaagaa gacggatgga agcacaagat atcagcaaca gcaggtcagc 600
ctaaaaaatt tatcaagaag tccccttata ttaagatcgt tgtcactctt tttcaaattg 660
ctataccccg gacattacct tttcattcat agagaaactt tcttaagtgc tttcttcggt 720
gatactaaca ctaaaagtta ctattgttcc gaagaattgg tatttgcaat cgctgcattg 780
ggatctttga tttcatacaa atcagaaact gagctttttc aacaatctga agtggtttat 840
caaagagcca agacgatagt actcaaaaaa atttttcaac tggaagattc ttcggttagct 900
gaatcgtcgt cctcttcgaa attagcaatc atccagactc tattgtgttt ggcattttat 960
gacattggaa gcggagaaaa ccccatggct tggtatcttt ctgggctggc atttaggatt 1020
gcccacgaaa tcggcctaca tttgaatcca gaagcatgga gtaatgttta tgaagacgag 1080
ctgtcaataa tggattttga agtgagaagt agaatttatt ggggctgcta cattgctgat 1140
catttaatag cgatcctctt tggaagatca acttccttgc gtttgtccaa ttccactggt 1200
ccagaaacag acgagctacc tgaaattgag actggtatag aggagtacat atatgaccca 1260
aaagtaatat tgtccactgc aaacccttg aagaaactga ttgtgttata gagaataacg 1320

gagatTTTTg catccaagat tttcagccca aacgaaactc tacttcaaag gagtgaatac 1380
 ttggccaaat ttaatctgga ggtatacaat tggagaaggg atttgcccc tgaactacaa 1440
 tggaccaaga ggtcattgat ggaaatgaca gattttaacc caaccatagc ttacgtatgg 1500
 tttcattact atatcgtgct aatttcctat aataaacctt tcatatacga aatcaaacia 1560
 agccgggaat tgggtgaagg ttatgttgat gaactgtatt atcttttaaa agtttgga 1620
 aataaattta agacgtttga gaaggccaca atttacetga tttattctgc gattttagcc 1680
 atccaatgca tgaagtccaa cttgattaaa aaggatagaa aacaagactt cttaaatttt 1740
 ttaagtgcgc ctaccctgaa ttacgaactt gctagaaaat tcatagaaaa ctctgaagat 1800
 gctttgcata attcagaaac tatggattta ttagggactc tatctcacgg taacgatttt 1860
 gccttagagt acaattttga ctttacttta ttgaatgaga ttgatatgct gattgggtgga 1920
 aacaccaatg atgggttgct gaagtaa 1947

<210> 173
 <211> 1461
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 173

atgggtactg gtaagaaaga gaaatctaga cgtattcgtg aagggtgacac caaagatgg 60
 aatcttcgtg tgaaggggtga aaatttctac agagactcca agagagtcaa attcctgaat 120
 atgtacacta gtgggaagga gatcaggaat aagaaaggta atttaattag ggccgcttct 180
 ttccaggact ccacaatacc ggatgcgagg gtccaaccag atcgtcgttg gttcggtaac 240
 acaagagtga tatctcagga cgcaactgcag catttcagaa gtgcattggg tgaaacccaa 300
 aaagatacat atcaagttct tctgagaaga aataagcttc ccatgtcatt gttggaagaa 360
 aaggacgcag atgaatcccc aaaagccaga attttgata ccgaaagtta tgctgatgcg 420
 tttgggcca aagcccaaag aaagagacca cgtcttgctg catccaatct agaggacttg 480
 gtcaaggcta caaatgaaga cattaccaag tatgaggaaa agcaagtctt agatgccaca 540
 ttaggactaa tggggaacca ggaagacaaa gaaaatgggt ggacctccgc agcaaaagaa 600
 gctattttca gtaaggggtca atccaaacgt atttggacg aattatataa agtcatcgat 660
 tcgtctgacg tggtaatata tgttctagat gcaagggatc cattgggtac ccgttgtaag 720

tccgtggaag agtatatgaa gaaggaaaca ccacacaagc atttaattta tgttcttaat 780
aagtgtgatt tggtagctac ctgggttgca gcagcttggg tcaaacattt gtcaaaggaa 840
cgtccaactt tggcgtttca cgcattctatt accaactctt tcggtaaagg ttcgttaatt 900
cagttgctac gtcagttctc acagttgcat actgatagaa agcaaataatc tgtaggggtt 960
atcggctatc caaacactgg taaatcgtcc atcattaaca cattgagaaa gaaaaagggtg 1020
tgtcaagttg caccaatccc tggtgaaact aaggtctggc aatatattac tcttatgaaa 1080
agaatttttt tgattgattg tccaggtatt gtgccgcctt ctagtaaaga ctccgaagaa 1140
gacattttat tcagaggtgt tgtcagagtc gaacacgtca cacaccaga acaatatatt 1200
ccaggtgttt taaaacgttg tcaggtaaag cacttggaag gaacttacga gatctcagga 1260
tggaaggatg ccacggagtt tattgaaatt ctggcaagga aacaaggtag attactgaag 1320
ggtggtgagc ctgatgagtc tgggtgttct aagcaaata tgaatgattt taatagaggt 1380
aaaatccctt ggttcgtcct tccacctgaa aaggaagggg aagaaaaacc aaagaagaaa 1440
gaagttgaga agacggcata g 1461

<210> 174
<211> 1074
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 174

atgtctcaaa atagtaaccc tgcagtagtt ctagagaaag tcggcgatat tgccatcgag 60
caaagaccaa tccctaccat taaggacccc cattatgtca agttagctat taaagccact 120
ggtatctgcg gctctgatat tcattattat agaagcgggtg gtattggtaa gtacatattg 180
aaggcgccaa tgggttttagg tcatgaatca agcggacagg ttgtggaagt tggatgatgcc 240
gtcacaaggg tcaaagttgg tgaccgtggt gctattgaac ctggtgttcc tagccgttac 300
tctgatgaga ccaaagaagg gagctataac ctttgccac atatggcatt tgctgcaact 360
cctccaattg atggtactct tgtgaagtac tatttatctc cagaagattt ccttgtgaaa 420
ttgccagaag gcgtcagtta tgaagagggc gcttgtgtcg aacccttatc agtcgggtgta 480
cactctaata aattggctgg ggtccgcttt ggtaccaaag ttgtgtatt tggatgcaggt 540
cctgtggggc ttttaactgg cgcagtcgcc cgcgcttttg gtgccaccga cgtcattttc 600

gtcgatgtat tcgacaacaa gctacagaga gcaaaagatt tcggagccac aaacactttc 660
 aattcttccc agttttccac cgataaagcc caagacttgg ccgatggggc ccaaaagctt 720
 ttgggcgga atcacgcaga tgtggtgttt gagtgttcag gtgctgatgt ttgcattgat 780
 gccgctgtca aaacaactaa ggttggaggt accatggtgc aagtcggtat gggtaaaaac 840
 tacactaatt ttccaattgc tgaagttagt ggaaaggaaa tgaaattgat tggatgtttc 900
 cgttattcat tcggtgatta tcgtgacgct gtgaacttgg ttgccacagg aaaagtcaat 960
 gtcaagccat tgataacca caaatTTaaa tttgaagatg cagccaaggc ttacgactac 1020
 aacattgccc atggtggaga ggtagtcaag actattatct ttggtcctga atga 1074

<210> 175
 <211> 3306
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 175

atgacatacc cggttagtgc agccgctcct gccgacattt catattctaa aaataccccc 60
 ttggtagggc tctctaaacc tccatgcttg taccaacacg cttcctcgtc cgtcgattcg 120
 ttttcgtcaa cattcagtga tgatgatcgt tcggaccttg ttgctgtacc taatgagtcg 180
 ccgcatgcat tttcgtataa tcccatatca ccaaactcac tgggagtaag gttgaccatc 240
 ttaagaaggt ctttggaat aatggtaaac agtcctgaca tcttacatga gttgaagaaa 300
 aaagcaccgc taatagcata cccccctca cttagacaca caagaaactt aacagagact 360
 gccacgttat cagcatcgcg agatccgtta aatgggtctc taatttcacc attagtatcc 420
 aatatgccat ctctgctag tagaccgctg atacagagag caacgtcctt aatggtgttg 480
 cctgataatg atactgccag taaactgaat ccagccaagt ccgagttaga aaacttgtta 540
 ttcttgctaa atttagcatt ggaaaacaat tccttcgaaa gagcttccga ttacacatg 600
 ctatcgttat tgaatatcaa gaaaataaac tttgattcag acattcaaaa atcagaaact 660
 ttgaaaaagg ttttattaga tagtttagca gaaccatttt ttgaaaacta caagaagttc 720
 cctcaciaag atttaggttc gaaatcgcaa tataatgaat atgaggagaa acacgatgat 780
 atagtctcct tagcagacat caaaccacaa caggactata gccgaattct tcaccccttc 840
 acatctgcaa aaaattctgg tccagaggcc atttttacat gttctcaaca ataccctgg 900

gtatcgttac gttcaagga cattagggat gtcgcattga aaagagagtt tactggcaat 2220
 aacaacaata acagcaacca gaatatctat gatgagaatt ttgtcggaaa aaggaagtac 2280
 gtgttgaaac agaagaccag aaaaatcttt tcctgtggca agattggcaa gctaagtact 2340
 agtttggaac actgcgtaa ttttgttgaa aatagtataa agagtgcaat gatgttatat 2400
 gatgataatg gaatagatag tgagcttcgc gattcagaag ctttacggat tttttcatct 2460
 cttgttcatt attgtaatgc aggttaa 2487

<210> 177
 <211> 393
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 177

atgggcacgg acttcagtgc ctccattgt gccaaactgct ctgcagttgg ctttatcttg 60
 gagccgcct gtgaaccctg taagaggtct actttggact ggcccggtgg agccagcgag 120
 gtctctggca ggtattcttt tgcagagaac tcttcctta gctcgttgat cgcttcaagc 180
 cactcgtcga cccctttctc tgccgatggt tcgctagctg gtgttcgtac tgacgactgg 240
 aaacgagcaa cacatgtccc actttgccac aggagacgtg gcctgactaa catatacctc 300
 ctgcacaat gcagcattat attcacctca gatccgtatc tatctatctt tcttctgaaa 360
 acgatagctg ctgtcttttc tgtacgtgta taa 393

<210> 178
 <211> 2304
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 178

atggttcaat ctgctgtctt agggttccca agaatcggtc caaacagaga attaaagaag 60
 gccactgaag gttactggaa cggtaaaatc actgtcgatg aattattcaa ggtcggtaag 120
 gatttgagaa ctcaaaactg gaagttgcaa aaggaggctg gtgttgatat catcccatcc 180
 aatgacttct ctttttacga ccaagttttg gatttgtctt tgttgttcaa tgtcattcca 240
 gaccgttaca ctaagtacga tctatctcca atcgacactt tgtttgctat gggtagaggt 300
 ttacaaagaa aggccactga aactgaaaag gctgtcgacg tcaactgcttt ggaaatgggt 360

aaatgggttcg actctaacta ccattacgtt agaccaactt tctccaagac cactcaattt 420
 aagttgaacg gccaaaagcc agttgacgaa tttttggaag ccaaggagtt aggtattcat 480
 actagacctg tcttggttggg tccagtttct tacttattct tgggtaaggc tgacaaggat 540
 tctctagatt tggaaccatt gtccctattg gaacaattgt tgccctctata cactgaaatc 600
 ctatctaaat tggcttctgc tgggtgccact gaagttcaaa ttgacgaacc tgtcttagtt 660
 ttggacttgc ctgccaacgc ccaagccgcc attaagaagg cttacactta cttcgggtgaa 720
 caaagcaatc taccaaagat tactttggct acttacttcg gtaccgttgt ccctaactta 780
 gacgccatca agggcttgcc agttgctgcc ttacacgttg actttgtag agctccagaa 840
 caatttgatg aagtcgttgc cgccattggc aacaacaaa ccttgctcgt tggattgtt 900
 gatggtagaa acatttgga gaatgatttc aagaagtctt ccgctatcgt taacaaggct 960
 attgaaaagt tgggtgctga cagagtcgtt gttgccactt cttcttctct attgcacaca 1020
 ccagttgatt tgaacaacga aaccaagttg gacgctgaaa tcaagggtt tttctctttc 1080
 gccactcaaa aattggatga agttgttgtg atcaccaaga acgtttccgg tcaagacgtt 1140
 gctgctgccc tagaagctaa cgctaaatct gttgaatcca gaggtaaatc caagtttatc 1200
 cacgatgctg ccgttaaggc cagagttgcc tctatcgacg aaaaaatgtc tactagagca 1260
 gctccatttg aacaaagatt gctgaacaa caaaaagtct tcaacttgcc attgttccca 1320
 acaacaacta ttggttcctt cctcaaacc aaggacatca gaattaacag aaacaaattc 1380
 aacaagggca ccatctctgc tgaagaatat gaaaaattca tcaattctga aattgaaaag 1440
 gtcacatgat tccaagaaga aattggtttg gatgtcttag tccacggtga accagaaaga 1500
 aacgatatgg ttcaatactt cgggtgaacaa atcaacggtt atgctttcac tgtaaacggt 1560
 tgggttcaat cttacggttc cagatatgtc agaccaccaa ttattgttgg tgacttgtcc 1620
 agaccaaagg ctatgtccgt caaggaatct gtttacgctc aatccatcac ttctaagcca 1680
 gtaaagggta tgttgactgg tccaattacc tgtttgagat ggtctttccc aagagacgat 1740
 gtcgacaaa aaactcaagc tatgcaatta gctttggctt tgagagatga agtcaatgat 1800
 ttggaagctg ccggtatcaa gggtatccaa gttgatgaac cagctttaag agaaggttta 1860
 ccattgagag aaggctactga gagatctgct tactacacct gggctgccga agctttcaga 1920
 gttgctactt ctggtgttgc taacaagact caaatacact ctcatttctg ttactctgac 1980

ttggatccaa accatatcaa ggctttggat gctgatgttg tttccatcga attctctaag 2040
 aaggacgatg ctaactacat tgctgaattc aaaaactatc caaaccacat tggcttaggt 2100
 ttattcgata ttcattctcc aagaattcca tcaaaggatg aatttatcgc caagatttca 2160
 accatcttga agagctaccc agctgaaaag ttctgggtta acccagattg tggtttgaag 2220
 actagaggct gggaagaaac tagattgtct ttgactcata tggtcgaagc cgccaagtac 2280
 ttccgtgaac aatacaagaa ttaa 2304

<210> 179
 <211> 816
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 179

atgaaagttt ccgataggcg taagtttgaa aaagcaaact ttgacgagtt tgagtcggct 60
 ctaaataaca aaaacgactt ggtacattgt ccctcaataa ctttatttga atcgatcccc 120
 acggaagtgc ggtcattcta cgaagacgaa aagtctggcc taatcaaagt ggtaaaattc 180
 agaactggtg caatggatag gaaaaggtct tttgaaaaaa ttgtcgtttc cgtcatggtc 240
 gggaaaaatg tacaaaagtt cctgacgttt gttgaagacg aaccagattt ccagggcgga 300
 ccaatccctt caaagtatct tattccaag aaaatcaact tgatgggtcta cacgttggtt 360
 caagtgcata ctttgaaatt caatagaaag gattacgata ccctttctct tttttacctc 420
 aacagaggat actataatga gttgagtttc cgtgtcctgg aacgttgtca cgaaatagcg 480
 agtgccaggc cgaacgacag ctctacgatg cgtactttca ctgactttgt ttctggcgca 540
 cctattgtaa ggagtcttca gaaaagcacc ataaggaaat atgggtacaa tttggcacc 600
 cacatgtttt tgttactaca cgtagatgag ctatcgattt tttctgcata ccaagcaagt 660
 ttacctggcg aaaagaaagt cgacacagag cggctgaagc gtgatctatg ccacgtaaa 720
 ccactgaga taaagtactt ttcacagata tgtaacgata tgatgaacaa aaaggaccga 780
 ttgggtgatg ttttgcattg gtgctgcca agttga 816

<210> 180
 <211> 1965
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 180

atgccaaata atactcttaa acaaggctcc aaaattgaaa atgtttctcc ctctaaaggt 60
catgtcccaa gtttttgtaa gcagttcata aacaacccta agagtatgtc atccgaaaat 120
attacagtcc ctagatcacc aacttctctt tcaaggaatg ctcaaccaac tacttttaaa 180
cggcctccat tatcttcaag accatattca tataataccc caaccaaaga taggaaatcc 240
ttttccaaat ccgcgaaaca gaacaataac aataacaacg ctaattccgg aacatcgctt 300
cacgcagagt tcaaaaatta cagagatatg tttttatcta atagaaatgg tttcacaggt 360
agggttttcg gtgttacttt agcagaatcg ttgagcgctg ccagtgcaga ggtcattgtt 420
caaagtgagt tggtagtggg tggtcggata cccatcgctg tagccaagtg cggcgcatac 480
ttaaagcaa atggattgga gacctcgggt atatttcgta tagcgggcaa tggtaaaaga 540
gtaaaagccc ttcaatacat attctcgtcg ccacctgatt atggtaccaa attcaacgat 600
tgggaaacat atacagtgca cgatgttgca tcgctcctga ggagatacct taataatttg 660
gcogaaccac taataccttt atccctatat gaacaattca gaaacccgct acgatctaga 720
ccaagaatcc taaggcatat gttgaccac gaagtttctc atccgaatgc gaataaaaca 780
aataatgtaa cagtaaaatc aagtagacag aactataatg atgatggtgc taatgatggg 840
gacatcgaag aggaggacgc taaagatgat gaagaaaaaa gacgaagaaa aatacgtcat 900
aagagaaggc tgaccgcga tataaggga gctatcaagg aatatgaaga gctctttgtt 960
accttatcaa atgacacgaa acagctaact atatacctac tcgatttact gagtcttttt 1020
gcaaggcaat cacagtttaa cctaattgtt ggtagaaact tggcggccat cttccaacct 1080
tcaatattat cgcacctca acatgatatg gaccccaaag aatacgagtt atcccgacta 1140
gtagtggaaat ttttgattga atactcgtac aagctattac cccatctttt gaagttggct 1200
aaaagggaac aacaggaacg gttgtcaacc gaaaataaga aaaataatgg agataaacag 1260
aaaactgac ctatagaaat accaaagac acctcatcgg attcgccacc aatagtttct 1320
tccaataaaa acccaccggc gattgacaat aacaataaac tagaccatac gacgttatcg 1380
ccaatatcta cttcgatacc ggagaactca tcagacctac agacttcaaa aatgttaaag 1440
cctccgaagc aaagaagacc aactcaaaa tcgtttgggt ctactccggt tcctccggat 1500
gttattgcta gtaataaaag aagaacgagt ttattcccgt ggttacataa accgggaatt 1560

ttgagtgaca caggagacaa tggcgactta actgctactg aagctgaagg tgatgattat 1620
 gaagaagaaa atgttgatcc atacggtcag tctccatcta gcgtacactc aggttctttg 1680
 cccaaacagc attatctgcc aattcctcga atgaacagat cgttgagtgg aaacagtacc 1740
 aattcgctct ttaacactag acctatttca atgatcctga ccagtggtaa tgataattcc 1800
 gctgatcaat tagaattact aagtaacact catagcaata atgagcgcag taatgcttta 1860
 ccattaaccg aagatgatgg ggatgaaaga aattcaagat cacgcaagag ggaatcatgg 1920
 tttcaaagac taacaagccg ttcaggctct gctaacaggg cttga 1965

<210> 181
 <211> 669
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 181

atgaagtttt tcccactcct tttgttgatt ggtgttgtag gctacattat gaacgtattg 60
 ttcactacct gggtgccaac caattacatg ttcgatccaa aaactttgaa cgaaatatgt 120
 aactcgggtga ttagcaaaca caacgcagca gaaggtttat cactgaaga cctgttacag 180
 gatgtcagag acgcacttgc ctctcattac ggggacgaat acatcaacag gtacgtcaaa 240
 gaagaatggg tcttcaacaa tgctgggtgg gcgatgggcc aaatgatcat cctacacgct 300
 tccgtatccg agtacttaat tctattcgga accgctgttg gtactgaagg gcacacaggt 360
 gttcactttg ctgacgacta ttttaccatc ttacatggta cgcaaatcgc agcattgcca 420
 tatgccactg aagccgaagt ttacactcct ggtatgactc atcacttgaa gaagggatac 480
 gccaaagcaat acagcatgcc aggtgggttcc tttgcccttg aattggctca aggctggatt 540
 ccatgtatgt tgccattcgg gtttttggac actttctcca gtactcttga tttatacact 600
 ctatatagaa ctgtctacct gactgccagg gacatgggta agaacttggt gcaaaacaaa 660
 aagttctaa 669

<210> 182
 <211> 1563
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 182

<210> 183
 <211> 1770
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 183

```

atgactat tttctgcaca tccagagaca gaaccaaagt ggtggaaaga ggccacgttc 60
tatcaaattt acccagcaag tttcaaagac tctaattgac atggctgggg tgacatgaaa 120
gggattgcct ccaagctgga gtacatcaaa gagcttggtg ccgatgccat ttggatctca 180
ccattctacg actcgccaca agatgatatg ggttacgata ttgccaaacta cgaaaaggtc 240
tggccaacat atggtacgaa tgaagactgc tttgccttga tcgaaaagac acataagctt 300
ggtatgaaat ttatcaccga cttggtcac c aatcactgtt ccagcgaaca tgaatggttc 360
aaagagagca gatcctcgaa gactaatcca aagcgtgact ggttcttctg gagacctcct 420
aaaggttatg acgccgaagg caagccaatt cctccaaaca attggaaatc ctat ttttgggt 480
ggttcgcgat ggaccttcga tgaaaagaca caagaattct acttgcgttt gttttgctcc 540
actcaacctg atttgaattg ggagaatgaa gactgtagaa aggcaatcta cgaaagtgcc 600
gttggatact ggtagacca tgggtgtagac ggcttttagaa ttgatgtcgg aagtttgtag 660
tccaaagttg taggtttacc agatgtctct gttgttgaca aaaactcgac ttggcaatcc 720
agtgatccat acacattgaa tggaccacgt attcacgagt tccatcaaga aatgaatcaa 780
ttcatcagaa acagagtgaa ggatggcagg gagattatga cagttgggtga aatgcaacat 840
gcctccgacg aaactaagag actttatagc agtgcttcaa gacacgaact tagtgagtta 900
tttaactttt cccacactga tgtggggact tcacctttgt tccgttaciaa cttgggtccca 960
tttgaactga aggatttgaa gattgccctt gctgagctgt tcaggtacat taatgggtaca 1020
gattgttggg caacaatcta tctggaaaat caccaccaac ctcgttcaat tacgagattt 1080
ggtgacgatt ctcccaagaa ccgtgttatt tctggtaagt tactctctgt gttgctaagt 1140
gccttgaccg gtactctata tgtgtatcag ggacaagagc ttggccaaat caatttcaag 1200
aactggcctg ttgaaaagta cgaggatgtc gaaatcagaa acaactaciaa tgccattaaa 1260
gaagagcatg gggaaaactc agaggagatg aaaaagtttt tagaagccat tgcccttata 1320
tccagggacc atgctagaac acctatgcaa tggctctcgtg aggagccaaa tgctgggtttt 1380

```

tctgggtccta gtgctaaacc atgggttttac ttgaacgact ctttcagaga aggcattaac 1440
gtcgaagatg aaatcaagga tcccaactcg gttttgaact tctggaagga ggccttgaag 1500
tttagaaagg cgcataaaga cattactgtg tacggatacg atttcgagtt tattgattta 1560
gacaataaga agttgttttag cttcacaaag aagtacaaca ataaaacatt gtttgcggt 1620
ttgaacttta gctctgatgc gacagatttc aagattccaa atgatgattc atcggttcaag 1680
ttagagtttg gaaactatcc aaagaaggag gtagatgcct cttccagaac attgaagcca 1740
tggaaggaa gaatatatat cagcgaatga 1770

<210> 184
<211> 2196
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 184

atgttttagag tatttggttc atttgatca aagggtaatc aatcttctgg tgaagagcaa 60
tcaacaaaga caaacaggt tctgaagcag gctaagtact ttgagatcgc cttaaaggca 120
atggattttg tccttgatga tagaacggat gaagggttga atttgctgaa aaaagctgaa 180
atggaaactg gttcagatca aactatcttg actttggcaa gaggtgttat tgaatttctt 240
caagccactt tgagttttga aactgaagaa atgaaaagag ctgcaattac tttaggcaaa 300
gctgagcaaa tgtcctggaa aagtaagcaa aatgctgaaa agaccaattt taggagcagt 360
tcaatatatc ctcccggtac tgtctatgct gtaacatata ctgagtcatg tctgttgcac 420
gccttggtga tgtattttag tgaaagcatg atggaagcag ccaaggcttt gctaaagtta 480
aggagggctt atacaatggt acaagatatc atggttactg tcaaaaaagc tgaacgatcg 540
aaaaattcga gctctccctc tccaagcgaa aagagccaag agtcatgcgg aagttttggt 600
tctgcagaga caactttcat atcggttgat ataccataca aattgtcttc cgaggacaag 660
tccaatccac tcctattgga atttgctgaa aaaatctaca cgatgagaat ggggaaggta 720
tcagggtgcc atattggcaa tactccatct tttcataggt taagggatga tttgggttta 780
cagacgactc cgtctcaagc ttccgaccgc cattctgttt cagatgattt cgatttagaa 840
caggctacca tcgacgaatt catccattca ggtgctaatt tatgctatgg tatcttgcaa 900
gtcgtcttat cttacttcc acctgcaatc ggtgctgtgc tatctattgt tggattcaag 960

ggatcccgtag aagaaggttt gaggctagtt tggaaggcta caaaggagag aaatgttcac 1020
 ggggtgtatag gtttgttagg tctgatgttt tattacgacg gtcctttcca atttacagat 1080
 gctgactttg atataccacc aaacgataat ggatcgaggg ctttaaaca aagcagaaca 1140
 aacgatagta gccttttacc aggttatatg gacagtgcaa ccttattgca tcctggaaaa 1200
 attctggagg acgcattact aaaagcaaga gcactttttc ctaatagtgc cctgtggctg 1260
 ctaaagtagg ccaaaatgct tgctggaaag ggcaggcttc gtgattctct ggccctaatt 1320
 gactctattg atgtcaatag tatccgatg agacaagtga aatcgttgat ggtgtttgaa 1380
 cgtgcgatcc ttttagtcaa cttacacgaa tacaacagag ctgccgatga ttttaataagt 1440
 ttgcttgata ttagtgattg gtctcacgca ttgtacactt attttgcggg ttgctgttac 1500
 ttggaaaatt ggaggatgac acaattaggc ttattaaatg acggtaaaga acaattctat 1560
 aaagagcggg ctcgagaact catatttgac gctccatctt tgtaggtaa gaaaacgttc 1620
 aaatccaaaa atcttccatt ggatagattc atgcttagaa aagttcaaca atttaataat 1680
 atgcagaaga aattaaacct acaagaacca ctagactcaa tagcaacatc acctgtccat 1740
 gaactggctt atttctacaa cgggttacaac aggatgactg aaaacgattt aattttgacc 1800
 aaaaagatgt tgacagagta tcacaacccc gccattgatt cggaagacc agatcaagag 1860
 ctgatcagaa acttactact atccttgacc ttaagaagat tgggggatgc tgaaagaggt 1920
 ttagccttgt tagatgacat tgttctgcca aaaatattct acattcaaaa tggcaaagtc 1980
 aaatatttca aaaaaaccga agacccatgg gcataatccag ccgctcttta tgagagagct 2040
 ttattctgtt ggaaactggg tggcatggaa agtttgaatg aatgtaggga atggctgcta 2100
 agagcccaaa attatgccgc cgattacgaa ttgagtacgc gtatcggtat gaagatcaaa 2160
 gccgcccttg atagagttga aaacgcgctt gcttaa 2196

<210> 185
 <211> 2790
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 185

atgtctcagc agaatatattt ggcagctagt gtttcagcgc tctctcttga tgaatctact 60
 gtgcatacgg gcggagcatc ttccaaaaaa agtagaagac ctcacagagc atatcataac 120

ttttcctcgg gcactgttcc tactttgggc aattcacccct acactacacc ccaattgaat 180
 cagcaggatg gttttcaaca acctcaagcc ttaccacctta agcaatttgg tggcttcaac 240
 aacggttcgg gttccgttat gtccacgcct gtaatgggtga gtcaagagcg attcgggtgcg 300
 agtgaggcct cctcgccata tggccaatct atgcttgata tgacagcgcc tcaacctaca 360
 tctcacattg ttccaactca aagatttgaa gatcaagctc aatatttaca acgatctttc 420
 gaaacttgta gagattctgt tccgcccttg ccgaccaccc agttttattg tgttgaccaa 480
 ggttcatgtg atccgcactt gatgagttta tccatgtaca acatccccga aagtgaacac 540
 ttgagagccg ccacgaagct accacttgga ttaaccatcc aaccattttc cactttgaca 600
 ccgaatgatg cagaagttcc cacaattcca ttaccaatgg atggtacgcc tttgcgttgt 660
 agacgttgtc gtgcgtatgc taatcctaaa tttcagttca cttatgattc aagtgttatt 720
 tgtaatatatt gtagagttaa gatgcaagtt ccaggtgagc attttgcgcc catgggtccc 780
 aatgggcaac gaagtgattt gaacgaaaaa tcagagttat tgcacggaac agtcgatttc 840
 ttggtgccaa gtatttacia tgctattcag gagaaggagc ttttaccact acactacgtg 900
 tttttgattg atgtttcatt gttagctaat gagaacggaa gttcttttagc catggtggaa 960
 ggtgtcaggt catgtattga gtatatattca gatttccagc caaattgtga ggttgctata 1020
 atcgtttatg ataataagtt gcggttcttt aatttgagac cagattttaga taatgcacaa 1080
 gagtacattg taagtgaatt ggacgatgtt ttcttaccat ttataaatgg attatttggt 1140
 aaacccggaa actcgatgaa aatcattaat gacacattga taaaaattag tggttacatc 1200
 tccaccgaca agtatagtca cgtaccccaa gtctgttatg gttctgcttt acaagccgca 1260
 aaattagcgt tagacacagt aactggcggg caaggtggta agattatttg ttctttgaac 1320
 agcttgccaa cgatcggcaa cgggaattta tcgctaaaaa gggacaatgc acacattgct 1380
 catgttaaatt gcgacaatgg gttctataag aaattagcat cggatttttt gaaatcctac 1440
 atttcttttag atttatatgt gaccaatgcg ggattcattg atatggccac tgtgggcat 1500
 cctgtagaga tgacttccgg tattttgaaa tattatcccc actttcaaca agagacggat 1560
 gccttcactt tgggttaacga catgggttaca aatgtctcca atattggttg ttatcaagct 1620
 ttattgaaag ttcgctgttc tactgggcta tctgtggaac agtactactg cgattcatct 1680
 gataatacgg atcatgatcc aattattcct gtattgacta gagataccac cttagatgtc 1740

ttactaaaat atgacagtaa aataaaaaaca ggaaccgatg ttcattttcca aactgcattg 1800
 ttatatactg atattgatgg tgtcagaaaa gtctgttcta ttaacacgtc aggtgcggta 1860
 tctaataaca ttcgtgaaat tttcaagttt ataaatcaaa atcctgtcat gagaataatg 1920
 atcaaagatg tcataaagac gtcggtgat tgtgactttg taaagatcag aagattaatt 1980
 gatgacaaga tggtcgaaat cttgacccaa tatagaggat tggtagcag taactcatca 2040
 acgcaattga tactgccgga ttctataaag acattgcctg cttacatggt agcatttgaa 2100
 aaaagcgaat taatgaagcc aaacgctcaa agtaccctg gtaatgaacg aatttatgat 2160
 ttattgaagt acgattcatt gaactcagca caactttgct acaaacttta tccacaaatt 2220
 gtgccattcc atgtattatt agaggaaact gatctgacct ttacgatgc taatgataaa 2280
 ttattacaga tcaactccag ctctattaat aatctatctg taagagcctc aactcctaat 2340
 ttcattaacg gcggttgcta cttgattttc caaggtgata ctatctatct atggtttaat 2400
 gagaacacca atagaatgct cttgcaagac ctgctgtcag tggatgaatc cttgcccgtc 2460
 agccaaattt cgttatttag tggaaacattg cctgagacgg gcactagtat taatcaaaag 2520
 gcttcaaacg tcattaaaaa ctggcaacaa gtagtcaaca agtcatcatt gccgttagtc 2580
 ttgttgaggc ctaatgttga tcaatattac agtaatgtga tgagtcaatt gctttgag 2640
 gacaagaccg tcaacagaat cgaatcatat gacaattact tggtagaat gcataaaaaa 2700
 attcaagaaa aacttcaaaa agacgatttc attaaagtct cgactgccgc aactcacgaa 2760
 aatatccatc aaaaatttgt gcagttttga 2790

<210> 186
 <211> 2694
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 186

atgcctcaag caagcacatt cggatcgac agtctagaag ctcatccctt acacattcag 60
 ccagctgttc atatcaaact cagtaaagag gaaaggtctc actacaggga gcaatacga 120
 tcattaaagt atatttcaaa ttatgtttct gttttcgacc aagcgттааg cgacaatatt 180
 gactctagga ttagaaaaga aaatgaagcc ttactgaaaa aatattatga atcaagaaaa 240
 ccttttactt ttaccagctt taggcaagga agtgtaatca gttcttctga ttcttctaca 300

ggcttcactg agagaacaaa gacctactgt tttttgaacg atttcgtcag taattgcgta 360
 aatgaggttag atccatatac gctgaaaatg acagtaagaa atagaaacac tgccttgaat 420
 atggagaacc tcgatgatga acgtaagagc aaagatgata tatacgattt tgaagataat 480
 actgacgacg agtgtaatgc caagtgccat ggtgctttcc attattcgtc agaaagattg 540
 gaaattcttc gctcacgttc gacaatatcg tactttaagt attataaaaa gcttttgacg 600
 gtagacctaa gggacagtga tgttttaaaa aggcataatt tatggatgcc aatgatcact 660
 agaagattta gatttttatt agtatcaagt tcgaaaccgg aagatgtaag gttaacaacg 720
 ccgattccaa cattctcgga atcagattta gacattttca agaacaagac atgtccactc 780
 tttatcaatg gtacagactg tgttcctaga agttatgaca ctttttcggg ttcttctgta 840
 atcgcttcaa tattttcaga atataaactt ccatcccttt catatcattg ttctgtcgag 900
 ttgaacgacc aattatttat tgcggtggt ttgatggcat gtcatagata tgatgaggaa 960
 gcgcctgac taaaggattt ttacgtggat ggcataaaga atttaccgcc accactaata 1020
 ccagagctaa ttaataaccc atccatgatt cctaactctc acttgtagtg tttttccttg 1080
 acttcttcca gactaacaag acctgatatt tctgggtaca ttccgcccc actggtgtgc 1140
 acccagggct gtaaattaac tgaaaggcat atctttttgt atggcgggtt tgaaatcaag 1200
 tcggaaaccc aagttgatga taagggaaga tattttataa gaaaaagagc ttttttgaac 1260
 aatactggtt acattctaga tacagtgcg tccaatttct caaagattga attagtcgct 1320
 cctccgtacc agtttgcaat ttacaataat ttctcgccaa gatttggtca catgcaggca 1380
 tcaataagta attccaacaa caatgtatcc aatgaaaata ccacaacaag tgcgaaagga 1440
 agaaggtcga taagcccata tcgccaaagg aatggggatc aaaaataga tgatttggtt 1500
 ggttcaccag gaagtacgga ctatttagag gatgatgcaa ttccacctgt aacaaacca 1560
 aggtctacag atagtctctc ttccaaacat tgtagcacag caacacacat ttgctcatct 1620
 gtttaatacca ttctgatctt tggaggggat agtcagactg gtgacgacaa gtatgaagct 1680
 atgaatgaca tgtggaagat aaatatccct gtagtttctc gtgggaaacg taattattat 1740
 aaatttgacg atactgtaac tgctactaag atccctatta ttgatgatcc agaattatgg 1800
 ccgagcagaa gagccttttc agcgtgctgt gtaccagatt attttaccac ggatgttgaa 1860
 cccatagaaa cgagattact gaggaacttg aaaaatgact tctccatcga tttggaaata 1920

cgcccaggaa ataagccttc tcaaccactt tttccgaata tcccacattc aaggaaggag 1980
aagaagagtg gtcgcatag tatgcatatt tccaattcta ataatagtag tagtgaagac 2040
acttcttcaa agtctaccag gaataccaca tccagtcctc ccacaagccc taaacataca 2100
ccaccattga atccatcaaa aaaatgtgca tcaatcggaa gaactattgc gttccacgga 2160
ggttcagatg gctatgacgt ttgcagcgat atgtgggtgt ttgacttcga ttccgaaacc 2220
tggaactaaa tagacctta tgccaaaaca caagaggaat ctgatgggtt ggtacctatc 2280
aacttatgta tggtaggaca ctcaatgaca actgtaggcc acaagggtgt gcttatcggg 2340
gggtctacgac aagggtgatg tgaccgaata taccgggacg aaactcttcc tgaagaagta 2400
atatcgggtg ttccactcgg aagtggcggt ataaatgtcg tggatttaaa tacacaatgc 2460
cttcaagggt gcaagctaata acgaaatgat ggagatacta aagaatctgt cattatggat 2520
cctcatgtcg gcacacccca ccaagtattg gccgtcgcag gtactataga actgggtcaaa 2580
ggaaccatga ccttaatagg aggtgtagta gccggtcgcg aagacatttc gagcctttac 2640
ttgagaggag ctgtcttaca attcattcta ccaagcatga atctagccaa ctaa 2694

<210> 187
<211> 978
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 187
atgattgaag agaatttgaa acagaaaatc cacgataagt tcgttgcagc caaaaagaat 60
gggcatctga aagtaacgca tgcagaatcc aagaagtga aagatcctca aacgacgaca 120
caatattggg tgacatttgc tccatctttg gcacttaagc cagacgctaa caagaatagc 180
gattcaaagg cggaggaccc gttcgccaat cccgacgaag aactagtggg gactgaagat 240
ctaaatgggt acggagaata taagctgcta ctcaacaaat ttctgtggg cctgaacat 300
agtctcctag tgacaagcga gtttaaagac cagagatctg ctttgacgcc aagtgacttg 360
atgactgctt ataatgtgct ctgtttctct caaggagaca aggacgatga tgtcacttgt 420
gaaaggatc tgggtctttaa taattgtgga cctcatagcg gttcctcaca agatcacaaa 480
cacttgcaga tcatgcaaat gcctgaaaaa ttataacctt ttcaggacgt attgtgcaac 540
ggaaaggatc atttcttgcc caccttcaac gcagagccat tacaagatga taaggtttcc 600

ttgtgtcatt tcgtcttgcc gctgccggaa tcgtctgatc aagtggacga agatcttctt 660
 gctatgtgtt acgtatcttt gatgcagaga gcacttacat tttccaaga ttggaccaat 720
 gagtctccgg agttgaccaa gtcatacaat gtgctactga ccaagaaatg gatctgtgta 780
 gttccaagat cgcatgccaa gagtggaccg ccattgatgt taaacattaa ctccacgggg 840
 tactgtggta tgatcctcgt taaagacaga gaaaaactag agaacctcac tgaagatcct 900
 catcttgtgg acaagtcggt actgcaatgc gggtttccca acacagcagg ccaaaaacca 960
 acagagtatc actattaa 978

<210> 188
 <211> 648
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 188

atgttcgaaa ttaaaactgaa tgatagaata actgaatttc tgcgaaagtt caagaatagc 60
 gcgaaatcaa acgaaggaat tgatgaggac attgatttgt tcctgaagcg acacgcaata 120
 cctatgcagt cacttctttt ttatgtgaaa gagtatagaa aagacagtga tctccaatgc 180
 tctatcaaag aacttttgaa acctttggag ttcgaattca agccaaggc cgtcagaggt 240
 ttacactatt cagaggattt caagaaaaaa ttagagtttt tgaaatatca ggaacaagaa 300
 cttgaatatc aaagtatggt caagagaagc aagtctgtct tttcacttca agaagacgat 360
 gaactcacgc cttcaciaat taataaacag attaaggaac aagttaccac tgttttcaac 420
 gttcttgtaa gtgtcatatc ggttggtgtg gccatttggg actggaccgg atcttcaaca 480
 aactttccgg tccatgttcg tcttttggtg tgcttgttct ttggaatatt ggtcttagta 540
 gcagatgtgg ttgtgtataa cagctatctg aaaaaactcg aagaagcaaa agtaaaagaa 600
 aaaacaaagg ttgagaaaaa gaaagttcta agcaagatta cactgtaa 648

<210> 189
 <211> 1980
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 189

atgccttctt ctttgacaaa aaccgaatct aactcagatc ctogaacaaa catacagcag 60

gagaccgaag gtggtataga tgacgtaaatt gctgtcgatg gtgaattgaa tctaacaagg 1740
atgaccacgt taaggaccat ggaaacagac ccttcgacta gagaaaaacc aggtgaaagg 1800
ctatctctgc gcaggacca tacgcagccc gttcctgcct cgtttgatcg cgaggacggg 1860
caacatgcgc aaaatcgtaa tgaaccatt tccaatagtt tatactcagc tatcaaggat 1920
aatgaagacg gttattcgta tacggaaatg gccaccgatg cttccgccag aatgggttga 1980

<210> 190
<211> 1668
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 190

atgtataatg gcaaggatag agcacaaaac tcctatcagc caatgtacca aaggcctatg 60
caggtacaag gacaacagca agctcaatcg ttcgttgga agaaaaacac aatcggaagt 120
gtgcatggaa aagccccgat gctaattggc aataatgatg tttttactat tggaccttat 180
agggcaagaa aagatagaat gcgggtatct gtcttagaaa agtacgaagt tattggctac 240
attgctgcgg gcacatatgg taaagtttac aaagcgaaaa gacaaatcaa ctccgggtacc 300
aattccgcta atgggttctag tctgaatgg accaatgcga aaattccgca gtttgacagc 360
acgcaaccaa aatcaagctc ttcaatggac atgcaggcaa atacaaacgc attaagaaga 420
aacttgttaa aggatgaagg agtgaccccc ggaagaatac gaactacgag ggaagatgta 480
tccccgcact ataattccca aaaacaaacc ctcatataaa aaccgctgac ggtatttttat 540
gccattaaaa agttcaagac agagaaggat ggcgtcgaac aattgcatta tacgggaata 600
tctcagagtg cctgtagaga aatggcatta tgtcgagaat tgcacaacaa gcatttaacc 660
acattagtgg aaattttttt ggaaaggaaa tgtgtccata tggatatacg atatgcggag 720
catgatctgc tacaatttat ccacttccat tcccatcccg aaaaaaggat gataccacca 780
agaatggttc ggtctattat gtggcagctt ttagacggcg tatcgtatct tcatcaaaat 840
tggtgtgctt atcgagattt gaaacccgca aatataatgg tgaccataga tggatgtgtt 900
aaaattgggtg atttaggttt ggccagaaaa tttcataata tgctgcaaac cctctatact 960
ggggataaag tgggtgtcac tatatggtac cgtgcacctg agttgctatt gggagcacgg 1020
cactataccc ctgcggttga tttatggtcc gttggctgca tttttgcaga actgatagga 1080

ttacagccca tattttaaagg tgaagaagct aaactagact ctaaaaagac tgttccattt 1140
 caagtgaatc aactacagag aatttttgaa gttcttggca ctcccgatca aaaaatttgg 1200
 ccttatttgg agaagtatcc agaatatgat caaattacga agtttccaaa gtatagggat 1260
 aaccttgcta catggtatca ttccgcggga ggaagggaca agcatgcttt aagcttactt 1320
 taccacttgt taaattatga tccaattaaa agaatagatg catttaatgc gttggaacat 1380
 aagtacttca cagaaagtga tattcctgtt agtgaaaatg tatttgaagg tctaacttac 1440
 aaatacccg g caagaagaat tcacacgaac gataatgaca tcatgaatct tggatcaaga 1500
 acgaaaaaca atacacaagc ttcaggaatc accgcaggtg ccgctgcaaa tgcggttaggt 1560
 gggcttggtg ttaaccgtag aattctggcc gcggcagcag cagccgctgc tgcggtgtca 1620
 ggaaacaatg catcagatga gccatctcga aagaaaaaca gaagatag 1668

<210> 191
 <211> 597
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 191
 atgtctaaag acacgcatga tgatgaactg ccgagctacg aggacgtaat caaggaagag 60
 gagagattgc aatctcaacc gccacgacca ccaagaccag cagctaactt ggcgcaaggg 120
 caccaatcaa gacccacca aaggccctcg acaatgccag caacgtcctc atcccaaaca 180
 tatgctcact cacactctta tacgcctaca agttcccaac cacggcctcc accgaggcca 240
 caacagaatc ctagcttgcc ctggacatac cctcccaggt tttactgttc caagtgtgga 300
 aatacgggtt acaagttgaa gaatggacga tcttgcaagt cgtgttgag gaggtttgca 360
 cctcaaaata acgttgtttc tgcaccgaca tattacacaa actatacaat gcccggtgtac 420
 accaacgcat ggcagggtaa taggcccttg tacgttcaac caggggatcc tcgcctgggt 480
 ggcgtgctat gtggtgaatg cagaggggtcc ggacgcacca gattcctgtt ggacgaagat 540
 atatgtcctc tttgtcatgg tgtaggcaga attatcacc agcctcaacg ctattag 597

<210> 192
 <211> 981
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 192
 atggcagaag tactgaccgt cctcgagcag ccgaactcaa ttaaagattt tctcaagcag 60
 gattcaaata ttgcgtttct agctggtgga gtagctggcg cggtttcccg aaccgttggt 120
 tcaccttttg agagaggttaa aatactgctg caagttcaaa gttcaaccac ttcttataac 180
 cgaggatatct ttagctctat acggcagggt taccatgagg aggggaaccaa aggtttattc 240
 agaggaaatg gtttgaactg cataagaatt tttccctata gtgcagtcca gtttgtagta 300
 tacgaagctt gtaagaaaaa gttattccat gtaaattggca ataattggaca agaacaacta 360
 acgaacaccc aaagactatt cagtgggtgca ttgtgtggtg gttgtagtgt ggtggctact 420
 taccggttg acttgatcaa aacaagacta tcgattcaga cagcaaattt gagcagttta 480
 aaccgctcaa aggcaaaaag tatatcaaag cctccgggga tctggcaatt actaagcgaa 540
 acttacagac tcgaaggcgg tctcagggga ttatataggg gtgtatggcc aacgagtctt 600
 ggtgttggtc catatgtagc actaaacttt gcagtttacg aacaattgag agaattcggg 660
 gtcaattcct ccgatgctca gccttcttg aaaagtaacc tctataaatt aacaattggc 720
 gccataagtg gaggggttgc gcaaacaatc acttatccct ttgatctgct aagaagaaga 780
 tttcaagttc tcgcaatggg cggaaatgaa ctgggattta gatacacgag tgtctgggat 840
 gcgctcgtga caatcggcag agcagaaggc gttagcgggt actacaaagg cttagctgca 900
 aaccttttta aagttgttcc ttcaactgca gtgagttggc tagtttacga agttgtatgt 960
 gattctgtaa gaaattggtg a 981

<210> 193
 <211> 3303
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 193
 atgtctcagt tattttatca gggcgactct gatgatgagc tccaggagga acttacgagg 60
 cagacaactc aagcatctca aagttctaaa attaaaaatg aagatgaacc cgacgactcc 120
 aatcatctta atgaggtgga aaatgaagat agcaaagttt tagatgacga tgcagtgtta 180
 taccctctta tacctaatga gccagatgac atagaaacgt ctaagcccaa tattaacgat 240
 attaggccag ttgatattca attgacttta ccattgccgt ttcagcaaaa agtggtagag 300

aattcattaa ttactgaaga tgcattaate ataatgggga aaggactagg attgcttgat 360
 attgtggcca atttattgca tgtttttagct acaccaacat ccattaacgg acaactaaag 420
 cgagcgctcg tcctagtgtt gaatgcaaaa cctatagata atgtaagaat caaggaggcc 480
 ttagaagagc tgtcgtgggt ctctaatact gggaaggacg acgacgatac tgctgtcgag 540
 agcgatgatg aactttttga aaggcctttt aacgtagtta ccgcggaact gctgagcatt 600
 gaaaagagaa gaaagctata tattttctggc ggaatcttga gcattacttc tagaattctc 660
 attgtggatc tcttatccgg cattgttcac ccaaataagg ttacgggtat gctgggtattg 720
 aatgcagact cacttcgaca taattcgaat gaatcgttta tattagagat ttacaggtct 780
 aaaaataactt ggggttttat taaagccttt tctgaagcac cagagacgtt tgtcatggaa 840
 ttttcacccc tcaggacgaa aatgaaagaa ttacggctaa agaacgtttt gctatggccg 900
 aggttcaggg tagaggtctc ttctgtttg aatgccacta ataagacgtc acacaataaa 960
 gtcattgaag tcaaggtctc cttacaaat tccatgtctc agatacagtt tggcttgatg 1020
 gaatgtttga aaaaatgtat tgctgagtta agcagaaaaa atcctgaact agctctggac 1080
 tgggtggaata tggaaaatgt cctggatata aactttatca ggtcaattga ctcggtgatg 1140
 gtgccgaact ggcaccgaat ttcttatgaa tcaaaacaac tggttaagga tataagattc 1200
 ctacgccacc ttttaaagat gctcgtaact tcagacgcag ttgacttttt tggagagatt 1260
 caattaagtt tggatgcaa taaaccgtca gtatcccgaa aatacagcga atcaccgtgg 1320
 ctattggctg atgaggcaca attagtcata tcgtatgcga agaaaagaat attttacaaa 1380
 aatgaatata ctttagaaga aaatccaaaa tgggaacaac ttattcatat attacatgat 1440
 atttcacatg agagaatgac caatcacctt caggggccta ctttagttgc ctgttccgac 1500
 aaccttacat gtttagaact agcaaaggct ttgaatgcct caaacaaaaa aagaggagta 1560
 cgtcaagtgc ttctgaataa attgaaatgg tacagaaaac agaggaggga aacgaaaaaa 1620
 ttggtcaaag aagtgcaaag tcaggacact tttccagaga atgcaacatt aaatgtaagc 1680
 tcgacatttt ccaaagaaca agtgaccacg aaaagaagaa ggacaagagg tgcttcacaa 1740
 gttgcggccg ttgaaaagct aaggaatgca ggtaccaatg tagatatgga ggtgggttttt 1800
 gaggatcata agttatctga agaaattaag aagggaagcg gtgatgattt ggatgacggt 1860
 caggaagaaa atgccgcaaa cgattcaaag atttttgaaa tacaagaaca ggaaaatgaa 1920

atccttatcg atgatgggga tgctgaattt gacaacggag aattagagta tgtgggcgac 1980
cttccgcagc acatcacaac ccatttcaat aaggatttat gggcagaaca ttgcaacgag 2040
tatgaatatg ttgatcgtca ggacgaaatt ttaatctcta cgttttaaag tctcaatgac 2100
aattgctcat tgcaggagat gatgccctct tacattataa tgtttgaacc agatatatcg 2160
tttatcaggc agattgaagt ttataaggcc atagtgaagg atttgcaacc aaaagtatac 2220
ttcatgtact acggtgaaag tattgaagag caaagtcatt tgactgctat caagagagag 2280
aaagatgctt tcacaaagtt gattagagag aatgcaaadc tgtcccatca ctttgaaacg 2340
aatgaagatc tttctcacta caaaaattta gctgaaagga agttgaagct ttcaaaatta 2400
cgaaaatcta ataccagaaa tgcgggtggg cagcagggat tccataatct tactcaggat 2460
gtcgtcattg tggatacacg tgagtttaat gcctcattac caggcttact ctaccgatat 2520
ggcataaggg ttattccttg tatgttgaca gtcggcgatt atgtgataac tcctgatatt 2580
tgtctcgaaa gaaaatcgat ttctgactta attgggtcat tacagaataa cagattagcc 2640
aaccaatgta aaaaaatggt aaaatactat gcatatccga cactattgat tgagtttgat 2700
gaaggacagt cgttttcttt agaacctttt agtgaacgta gaaattataa gaataaagac 2760
atatcaactg ttcatectat atcaagcaag ttatcccagg atgaaattca gctaaaacta 2820
gccaaattag tattgcggtt tcccacttta aagattatat ggtcttcctc acccctgcaa 2880
actgtaaata taatcctaga gttgaaatta ggacgtgagc aacctgaccc tagtaatgca 2940
gttatattgg gaacgaataa agttagatcg gatttttaata gactgcaaa gggcctgaag 3000
gatggtgata acgagtctaa attcaagaga ctggtgaatg ttcttgaggt gtcaaaaatt 3060
gattatttca atctccgcaa aaagatcaag agcttcaata agcttcaaaa gctttcatgg 3120
aatgagatta atgaacttat taatgacgaa gatttgacgg atagaatata ctacttcttg 3180
agaacagaaa aagaagaaca agaacaagag tcaacagatg aaaatcttga atctcctggg 3240
aagaccactg atgataacgc ttacatgat catcataatg atgttcctga agcacctgtg 3300
taa 3303

<210> 194
<211> 3108
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 194

atggaagagc tgaatattga ttttgacgta ttttaagaaaa ggattgaatt gttgtattcc 60
aagtacaatg agtttgaagg ttctccaaat tcgctgctgt ttgttttagg ttcgtccaac 120
gctgaaaacc cgtaccagaa gacgaccata ttgcataatt ggttgctaag ttacgaattt 180
cccgtactt tgattgcatt agtccccgga aagggttatta taattactag ttctgccaag 240
gccaagcatt taaaaaaggc aattgatcta tttaaagacc ctgaaagcaa aattacgctg 300
gaattgtggc aaagaaacaa taaagaacca gaactcaata aaaagttatt tgatgacgtt 360
attgccttaa tcaatagcgc tggtaaaaca gtgggtatcc ctgaaaagga ctcttaccaa 420
ggtaaattta tgactgagtg gaaccagta tgggaagcgg ctgtgaagga gaacgaattc 480
aatgtcattg atatttcgct gggctcttct aaagtttggg aagtgaagga tgttaacgaa 540
caagccttcc tgtccgtttc aagtaagggg tcggacaaat ttatggacct tttatccaat 600
gaaatggttc gggcagttga cgaggagttg aaaatcacca atgccaagtt atcagacaaa 660
attgaaaata aaattgatga tgtgaaattt ttgaagcaat tgagtccga ttttaagcgca 720
ttatgccac caaactacaa attcaacttt gatttattgg attggacctt ttctccaatc 780
attcagtcg ggaaaaagtt tgatcttagg gtttctgccc gttctaccaa tgatcagttg 840
tacggcaacg gttgtatttt agcttcatgt ggtattcgtt acaataatta ttgttctaatt 900
attactagga cttttttgat cgatccatct gaagaaatgg ccaacaacta cgattttcta 960
ttaactttgc aaaaagaaat tgtaactaac attctgaagc ccggccgtac accaaaagaa 1020
gtttatgaat cagtaataga atacatcgaa aaaaccaaac ctgaactagt gcccaatttc 1080
acaaaaaaca ttggttcatt gattggtctc gaatttagag attctaactt tatattaaat 1140
gttaagaatg attaccgtaa aatccaacgc ggtgactgct ttaatatctt gtttggtttc 1200
aataatctga aagattctca aagtgctaac aactacgctt tacaattagc tgatcgggtt 1260
caaattcctc tcgatgaaac agagcctoca cgcttcttaa caaattacac caaagccaaa 1320
tcccagatat cattttattt caataatgaa gaagaagaca ataataaaaa gaaatcttca 1380
cctgccacca aagtccttag taaaccagac agaaattcca aaattttaag aacaaagtta 1440
cgtggcgaag cccgtggtgg tgccgaagac gctcaaaagg agcaaattcg taaagaaaac 1500
caaaagaagc tacacgaaaa attggaaaag aatggattac tcagatttag tgctgctgat 1560

gccaatggcc cagatagtga acctcgtaa tacttcaaaa aatatgaatc ttatgttcgg 1620
gattcacaac taccaaccaa tattcgatg ctaagaattc atgtcgactg gaaaagccaa 1680
acaattattc taccatttta cggtaggcca gtcccatttc atataaattc atataagaat 1740
ggttctaaaa acgaagaagg cgaatatacg tatttacgtt tgaactttaa ttcaccggga 1800
tcttctggtg gtatttctaa aaaagtggag gaattgccgt atgaggaatc agcagacaat 1860
caatttgtag gttcgattac actaagatcc aaagatggtg accgcatgag tgaaaccttt 1920
aaacaaattg cagatttgaa aaaagaagcc acaagagag agcaagaacg taaggcgctt 1980
gctgatgttg ttcaacagga caaattgatt gaaaataaaa ctggaagaac gaaaagactg 2040
gatcaaattt ttgtgaggcc aaatccagat acaaacgtg tacctagtac tgtctttatc 2100
catgaaaatg gtatcagatt tcaatcccca ctaaggactg atagcagaat agacatatta 2160
ttctcaaaca ttaagaatct aatttttcaa tcttgtaaag gtgaattaat tgtcgtcatt 2220
catattcatt tgaagaatcc aattttaatg ggtaaaaaga aaatacaaga cgtccaattc 2280
tatcgtgaag cttctgatat gtccgtcgat gaaactggag gtggaagacg aggtcaatcc 2340
agattcagaa gatatggtga tgaggatgag ctggaacaag aacaagaaga aagaagaaaa 2400
cgagctgctg ttgataaaga atttaagtat tttgcagacg caatcgcaga agcatcaaac 2460
ggtttattga cgggtggagaa tacattttaga gatttgggct tccaaggtgt cccaaataga 2520
tcggcagttt tctgtatgcc aactacagat tgtttagttc aattgattga accaccattt 2580
ttggtgatta acctagagga agtcgaaatc tgtattttag aaagagttca atttggtttg 2640
aaaaacttcg acatggtttt tgtttataaa gatttcaata aaccggtcac tcatatcaat 2700
acagttccga tcgaatcttt agatttcttg aagcagtggg taacagatat ggatattcct 2760
tacactgtct caacaatcaa tttgaattgg gcaactatta tgaagtcatt acaagatgat 2820
ccatatcagt ttttcttaga tgggtggttg aattttctgg ctactggttc agatgatgaa 2880
gcatctgatg aaagtgaaga agaagttagt gaatatgagg cttcagaaga cgacgtaagt 2940
gatgaaagcg cattttctga agatgaagaa ggatcagagg tggatgacga tattagtggg 3000
gatgaaagtg aggactatac tggcgacgag agtgaggaag gtgaagactg ggatgaatta 3060
gagaaaaagg ctgctagggc tgataggggt gcaaacttta gagattag 3108

<210>

195

<211> 2853
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 195

```

atgagtgaca atccatttaa tgcgagtctt cttgacgagg actcaaaccg tgagagagaa   60
atactagatg ccacagcaga ggccttttcg aaaccaagcc cttcttttaga gtattgtact  120
ttatccgtgg acgaagctct agaaaaactg gacactgaca aaaacggtgg tttacgatca  180
tctaacgagg ccaacaatag gagatcactt tatggcccca atgaaataac cgtagaagat  240
gatgaaagtc ttttcaagaa gttcttgtca aatttcattg aggatcgaat gattctactt  300
ttaataggat ccgcagtggg ctctcttttt atgggtaaca ttgatgatgc tgttagtata  360
acactggcca ttttcatagt tgtcactgtc ggttttgtcc aagaatatag gtctgaaaaa  420
tctctagaag cgttgaataa attggttcct gctgaatgtc acttaatgag atgtgggtcaa  480
gagagtcatg tactggcttc caccttggtt cctggtgatt tagtgactt cagaatagg  540
gacagaatcc ccgcagacat tagaattatt gaagcaatcg atttatccat cgatgaaagt  600
aatttaactg gtgaaaatga accggtacat aaaacctcac aaacgatcga aaaatcttcc  660
tttaacgatc agcctaattc aattgtaccg atttctgaga gatcttgtat agcttatatg  720
ggtacattag tcaaggaagg tcatggtaag ggtatcgtcg taggaacagg taaaaacaca  780
tcctttggtg ccgtttttga aatgatgaat aatattgaaa aaccgaagac tccattgcag  840
ttaacaatgg acaaattggg aaaggacttg tcaactggta gttcatagt tattgggatg  900
at ttgttttag ttggtatcat acaaggtaga tcttggttag aaatgttcca aatatcggt  960
tccttagcgg ttgctgctat tccagaaggg ttaccaatta ttgtcactgt tactttggca 1020
ttgggtgttc tgagaatggc caagcgtaaa gccatcgtga gaaggttacc aagtgtcgaa 1080
actttaggct ctgtcaacgt tatctgctcc gacaaaacag gtacactaac ctcaaaccac 1140
atgaccgtat ctaaactttg gtgcttgga agtatgtcca ataagctaaa cgtcctctca 1200
ttagacaaaa ataagaagac taaaaattct aatggaaatt tgaaaaacta tttgactgaa 1260
gacgttaggg aaactctaac tatcggaat ctctgtaata atgcatcttt ctctcaagaa 1320
catgccatat ttctgggaaa tctactgat gtagctcttt tagagcaatt ggcaaacttt 1380
gaaatgcctg atatcagaaa caccgttcaa aaagttcagg aacttccatt taactcgaaa 1440

```

agaaaattaa tggcaaccaa gattctcaac cctgtcgaca ataagtgtac agtttatggt 1500
 aaaggtgcat ttgaaagaat tcttgagtac tccacaagtt atttgaaatc aaagggtaaa 1560
 aaaactgaaa agttgactga agcccaaaaa gctacgataa atgagtgcgc aaattctatg 1620
 gcatctgaag gtttgcgtgt ctttggattt gctaaactaa ctttgtctga ttcatacaact 1680
 cctctaaccg aagacctaat caaagattta acctttactg gtttaatcgg tatgaatgac 1740
 ccaccaagac cgaacgtaa atttgccatc gaacaattac tacaaggtgg tgtccatatt 1800
 attatgatca ctggtgattc tgagaatacc gcagtaaaca ttgcaaaaca aattggtatt 1860
 ccagttattg atccaaagct ttccgtttta tccggtgata aattagatga aatgtcagat 1920
 gatcaactgg ccaatgtcat cgaccacgtt aatatttttg ctctgtctac gcctgagcat 1980
 aagttaaaca ttgttcgtgc attaagaaag aggggtgatg tggtagcaat gactggtgat 2040
 ggtgttaacg acgctcctgc gttgaaactt tcagatattg gtgtttctat gggtagaatt 2100
 ggtacagatg tagccaaaga agcctcagat atggtcttaa ctgatgatga cttcagtact 2160
 attttaactg ccattgaaga gggtaaaggt atctttaata atattcagaa tttcctgact 2220
 tttcaattgt ctacttctgt tgccgcacta tcattagttg cactatctac agcgttttaa 2280
 ctaccaatc cactgaacgc aatgcaaatt ctttggataa atattttaat ggatgggcca 2340
 ccagctcaat ccttaggtgt ggaacctgtt gatcatgaag ttatgaaaaa acctccaaga 2400
 aaacgtaccg ataaaatttt gacctatgat gtaatgaaac gtttactaac caccgcggcc 2460
 tgtatcatcg ttgggacagt ttacattttt gttaaagaga tggccgaaga tggtaaagta 2520
 actgctagag atactactat gacatttact tgttttgttt tttttgatat gtttaatgct 2580
 ttggcctgca gacataacac aaagtcaatc ttcgaaatcg gctttttcac gaacaaaatg 2640
 ttcaactacg ccgttggact gtctctgtta ggtcaaatgt gcgctatata tataaccattt 2700
 ttccaaagta tctttaaaac tgagaaactt ggtatctctg atatactatt gttattgctc 2760
 atcagcagta gcgttttcat cgttgatgaa ttgagaaaat tgtggacgag gaaaaagaat 2820
 gaagaagact caacgtattt ctcaaatggt tga 2853

<210> 196
 <211> 3276
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 196

atggataaaa gtaagcagat gaacatcaac aacttgtcca acatccccga ggtgattgac 60
cctggcatca ctatcccaat atacgaggaa gaatacgaga acaatggaga gagtaatagc 120
caactgcagc aacaacccca aaagcttggg tcatataggt cgcgagcagg aaaattttct 180
aatacattga gtaacctttt gccctccatc agtgccaagt tacaccattc gaagaaaaat 240
agtcacggaa agaacggtgc tgagttttcc tctagcaaca acagttccca atctacggtg 300
gcggtccaaga caccaagggc cagcccttcc aggagtaaga tgatggaaag ttctatagac 360
ggtgtaacta tggatagacc tggcagttta accctcctc aagacatgga aaaattggtg 420
cattttcctg actcgagtaa taactttcta attcctgcc cccgaggatc tagcgactcg 480
tttaacttgc cacatcagat ctcgaggacg agaaacaaca caatgtcttc tcagataact 540
tccatttcat caatcgcccc caagcctcgt acttcgagcg gaatatggtc ttcaaagtct 600
agtgcgaacg atcccatgca acagcacctt ttgcaacaat tgcaacctac gacaagcaat 660
aatacaacta attcaaacac gctcaacgat tattcgacaa aaactgcata ttttgacaac 720
atggtatcta ctagtgggaag ccaaatggca gataataaga tgaatacgaa taacttggct 780
atcccaaact ctgtttggtc aaataccaga cagagatctc aatccaacgc gtctagcata 840
tataccgacg ctccactgta cgaacagccc gctcgtgcca gtatttcacg gcactatact 900
attccaacac aggaatctcc attgattgct gatgaaatag atccgcaatc catcaattgg 960
gtaacaatgg acccactgt accatcaata aaccaaatat cgaacctttt acccacaat 1020
accatttcta tttccaacgt ttttccccta cagcaccagc agccacaatt aaataacgcg 1080
ataaacttaa caagtacttc cttggcaacc ctatgctcca aatatggtga agtcatatct 1140
gctaggactt taaggaattt aaacatggct ttagttgaat tttcttccgt ggaaagtgcc 1200
gtaaaagcct tagatagttt acagggcaag gaggtatcta tgattggagc accaagtaaa 1260
atttcatttg ccaaaatctt acctatgcat caacaacccc cacaatttct tctcaattct 1320
caaggcttgc cattgggttt agaaaacaac aatttgcaac cacagccttt attacaggag 1380
cagttattca atggagctgt gactttccaa caacaaggaa atgtttctat acctgtattt 1440
aaccagcaat cacaacaatc gcagcaccaa aaccatagtt cgggttctgc tgggttttagc 1500
aatgttctcc atggttataa taataacaat agtatgcacg gaaacaacaa taactcagca 1560

caacctcata cgaacaacaa caacaataat aacaacacga actataacga cgataacacc 3240
gtttttgaaa ctctgacttt acactctgca aactga 3276

<210> 197
<211> 2922
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 197

atgacttcac tttcttcaca gccagcgtac acgttggttt tcgatccttc tccgagtatg 60
gagacttact cgagtaccga ttttcagaaa gctcttgaaa agggatctga tgaacaaaaa 120
attgacacga tgaaatcaat tttagttaca atgctggaag gaaatccaat gcctgaattg 180
ttgatgcaca taataagatt tgtcatgcct tctaaaaata aggaattaaa aaagcttttg 240
tacttctact gggaaattgt tcccaaacta gctgaagatg gaaaattgag acatgaaatg 300
attcttgtct gtaatgccat tcaacacgat ttgcaacatc ctaatgaata tattagaggt 360
aacacattaa ggtttttaac gaaattgaga gagggcgaac tcttagaaca gatgggtccc 420
tctgtcttag cgtgcttgga ataccgtcat gcataatgttc gtaagtatgc aatcctagca 480
gttttctcca ttttcaaggt cagcgaacat ttacttcccg atgctaaaga aatcatcaat 540
tcgttcatag tagctgaaac tgatccaata tgtaaaagaa atgcatttat tgggttagct 600
gaattagatc gtgaaaatgc cttacactat ttagagaaca atattgctga tatagaaaac 660
ctagaccctt tattacaagc tgtctttgtt caatttatca gacaagatgc aaacaggacc 720
cctgctttga aagcccaata tatcgaatta ttgatggaac tgctttcgac cactgacttc 780
gatgaagtca tcttcgagac cgcattagcc ctaactgtgt tgtctgcaa tccaaatgtc 840
ttggttcctg cggttaacaa attgattgac ttggccgtca aggtttctga taataacatt 900
aagttaattg ttctagaccg tattcaagac atcaatgcta ataacgtagg tgctttggaa 960
gagttaaccc tggatatttt gagagtcttg aatgcagaag atttagacgt tcgttcaaag 1020
gcgcttgata tttcaatgga cttggccaca tccagaaatg ctgaagatgt tgttcagctt 1080
ttgaagaaag agctgcaaac aaccgtaaat aaccagatc aagacaaggc aatgcagtac 1140
agacaattgt taataaaaac tattcgtacc gtggctgtaa actttgtaga aatggcagca 1200
agtgttgttt cgctattatt agatttcacg ggtgatttaa actcggttgc cgccagtggg 1260

atcattgcct ttatcaaaga agtgatcgaa aaatacccac aacttagagc caatatcctt 1320
 gaaaacatgg ttcaaacgct agacaaagtg agatctgcta aagcttaccg cgggtgcatta 1380
 tggattatgg gtgagtatgc tgaaggagaa agtgagatac aacattgttg gaagcacatt 1440
 cgtaacagcg taggtgaagt tcctatcctt caatcagaaa tcaaaaagtt aacacaaaaac 1500
 caagaacaca ccgaagaaaa tgaggttgac gctaccgcca agccaactgg tccagttatt 1560
 ctaccagacg gtacgtatgc cactgaaagc gctttc gatg tgaagacttc tcaaaagtca 1620
 gttaccgatg aagaacgtga ttctagacct ccaattcgcc ggtttgtttt aagtggatgat 1680
 ttctacacag ctgccattct ggccaacacc atcattaaac ttgttttaaa attcgaaaac 1740
 gtttccaaga acaaaactgt catcaatgct ctaaaggcgg aagctttact aatttttagtt 1800
 agtattgtaa gagtgggtca aagctctttg gtggagaaaa aaattgatga agattcttta 1860
 gagagagtta tgacatctat ttctatttta ttggatgaag ttaatcctga ggaaaagaag 1920
 gaagaagtta aacttctgga ggttgcattc ctggacacca ccaaatcctc attcaagaga 1980
 caaattgaaa ttgcaaagaa gaacaagcat aagagagcat taaaagacag ttgcaaaaac 2040
 atcgaaccaa ttgatacgcc gatttctttc aggcaatttg ctggtgtgga ttctactaat 2100
 gtgcaaaaag atagtattga agaagattta caactggcaa tgaaaggaga tgcaatccac 2160
 gctactagca gctctagtat ttcgaagctg aagaagatag tacctttatg tggcttttct 2220
 gatccagttt acgccgaggc ttgtattaca aacaatcaat ttgacgtcgt attagatggt 2280
 cttcttggtta atcaaacgaa agaaacattg aaaaacctac atgtgcaatt tgcaactctt 2340
 ggtgatttga agattattga cacaccacag aagaccaacg tgattcctca tggcttccac 2400
 aaattcactg ttactgtcaa agtttctctt gctgacacag gtgtcatttt cggtaatatt 2460
 atttatgatg gtgcgcatgg tgaagatgct cgttatgta ttttaaacga cgttcatggt 2520
 gacattatgg attatatcaa accagccact gctgacgatg aacatttccg taccatgtgg 2580
 aatgcatttg agtgggagaa caaaatatcg gtcaaatcac aactaccaac attgcatgct 2640
 tatttgagag aactgggtcaa gggaactaat atgggtattc taacaccatc agagtcgttg 2700
 ggagaagatg attgtagggt ctttaagttgt aatctgtatg cgaagtcgtc ctttggtgaa 2760
 gatgccctag ccaacttggt tatcgaaaag gattccaaaa ccaatgatgt cataggttat 2820
 gttcgtatcc gatcaaaggg acaaggtttg gctctgtccc taggtgacag agtggcattg 2880

attgctaaga agaccaataa acttgctctc actcatgttt ga 2922

<210> 198
 <211> 324
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 198

atgtcagctc aagattatta cggaaactct gcctccaaac aaagctattc tcgtcctagc 60
 gctccaccac caggatatga aacggcgtct agaggttacg ctccatcgca aagccaacag 120
 aactattatc cacctcaaca gcagcagcag cagtatcagc aacaacctca atactatcag 180
 caacagcagc cccaatatta ccaacaacac ccacagcagc ccatttatgt ccaacaacaa 240
 ccggccagtt ctggaaatga agactgtcta gcgggctgtc tagcggggtt atgtttatgc 300
 tgtactttgg atatgctgtt ttag 324

<210> 199
 <211> 987
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 199

atgcctgccc ctcaagatcc aaggaatctt ccaattagac aacaaatgga agctcttatc 60
 cgtcgcaaac aagctgaaat cacgcaaggt ttggaatcca tcgatactgt taagttccac 120
 gctgatactt ggacccgtgg taacgatggt ggtgggtgta cctctatggt tatccaagac 180
 ggtacaactt tcgaaaaagg tgggtgtaat gtctccgttg tttatggtca attgagccca 240
 gcggccggtt cagccatgaa agctgatcat aagaatctgc gtctaccaga agatccaaag 300
 actggtttgc cagttaccga cgggtgtcaag ttcttcgctt gtgggtttaag tatggtcatt 360
 catcccggtt acccacacgc tccaaccacg cacttaaact accgttactt cgaaacttgg 420
 aaccaagatg ggaccccaca aacttggtgg tttgggtggg gtgctgattt gacaccttct 480
 tacttatagc aagaagacgg tcaattattc caccaactgc acaaggatgc cttggacaag 540
 cacgacactg ctttgtaccc acgtttcaag aaatgggtgtg atgagtactt ctacattacc 600
 caccgtaagg aaacacgtgg tattgggtgg atattctttg acgattatga tgaacgtgac 660
 ccacaagaaa tattgaagat ggttgaagac tgtttcgatg ctttcttgcc atcctacttg 720

<211> 2787
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 203

```

atgtttacgt cgcagcgaca gcttcgacaa aatgggagtc cgatgtcatc atcacgttca 60
tcacaacatt cctctggtac agcgtcgccg atatcagact ctccagcatc gaatcgcagc 120
tatggaagag atctacgagg cttaatggga attgatatac ctgctaacga accagctttt 180
aacagggcc aatagcagtga tacaatctat ttcaggccta agaagattta caaaatggaa 240
catgagcacc catcacgata tacttttagta caactgcaga caagatcgca gccggacgat 300
gtcgcaagta gtcaagtaaa ccctgaaggc ggaaccgacg atctagagct gggcgatccg 360
tgtggcaatc aatctttata cactataggg gctggagtacg ttccagattt agactttaca 420
aagctagtga atgagtggca aaagtccacc gaggatttgt atgagttcag aagcagtgcc 480
actccgcagg taaaaatcaa agacagtgga aagggaaact acgaactttg gagctcaccg 540
gatgcaatat tgactcaaaa caaacttcga agagatagtt tttcgcaaga gaacagtgat 600
tcgttaagtc cagaagattc tattttatca agaaatttgc attctaaggt caaacccatc 660
cctctgcca gaaacagcca gcaaatatit acaccctgt ccaacttaga agcggaaagg 720
agatcctcat atacaactag tagcaacaac aatagcataa cacagaataa taaattctct 780
tttgcaagt taaagtattc acttccaact caaagttctg cagttcctgc gtcgttcgat 840
tcaaatgctt cgtcactaaa ttttcttcgg actactacat tatcgacctt atcagagcta 900
caaataagcc ccaacgatat gatggatttg attcagaagc ttcccagaaa ttttttgaac 960
ttgccgtata ctcaaaggaa aaaggtgatt atcgagcatg caccatctca tgactacaag 1020
gccatgatgt ccctagttaa gaagtttatg ttaacatctt ctagaagtaa cttttctctc 1080
gctgggtttg ccaataatgc ttcagtttcg caggccacgg ctaatgatga taacatcaat 1140
agtaggaaca cgccaataa tagcaatgac acctacgtaa atacgcgtcc acttcaaaga 1200
tctaggcacg gttccattgc atcccaatit ttaagttctt tttcaccttc gatgacgtca 1260
atagctaaaa tgaattcgaa cccattgagt ggaagcgcag gtggcagtgc gagaccagac 1320
gataagggtg tggaataact aggtcatcgg ttgggtaaaa tcataggttt cggcgcatgg 1380
gggatcatat gggaatgctt tgatattgaa actggtgttg gtagagtgat aaaaattgtg 1440

```

aagttcaaag gacacccaaa tatcaagaaa catgtgctga gagaagtagc catatggagg 1500
actttgaagc ataacagaat actccccctt ttagattgga agcttgatga caactatgca 1560
atgtattggt taacggaaag aattaacgat ggtaccttat acgacttggg aatatcttgg 1620
gacgaattca aacgttcgaa gataccattt gcagagagat gcagattgac ctttttttta 1680
agcttacaac tattatctgc attaaagtac atgcattcca aaacgattgt tcatgggtgac 1740
atcaaattag aaaactgtct gttacaaaaa gaaggtaaaa aatcggattg gaaggttttc 1800
ctatgcgatt ttggaatgag ttgccacttc gatgagaagc atgtttatcg taacgatact 1860
tttgatgaaa acttgagtag tggcaacagc catagaaaga gaaaaagtat tgaacaaact 1920
aatttgataa agtatccac aaccaatttt ttacctgacg accgaactaa tgattttgac 1980
gctagtgaaa acttaaaata ccaatttgaa aatcgaaagc atcaaccgtt tacaccaaaa 2040
ggaatgggta gctccagttc acattcatta aagcatctca atcaaccatc ctcttcttct 2100
tcttctaate tatttcacaa gccagcctct caacctcaac cacagcatcg gagtcccttt 2160
catgggaggg acaagacaac cgatttttca aacctggaac ccgaaccttc taaatatatc 2220
ggatctctgc cttacgcttc gccagaactt ctaagatact cagatgcaag acgttcaaaa 2280
tcagttgaaa tgcataattt tgattcacca gactcctctc aatcggaat tagcgcagca 2340
tcatcatctt cctctaattt atcttctcta tcatcctcta caaaggcgtc cgcagtcacg 2400
aattccggtg taactacaag ttcaccgtct ggttcacga ctgattttcc atgtattggt 2460
tctcctttag gaccagcatc cgatatttgg gccttgggag taatgctata tacaatgtta 2520
gtaggaaaat taccctttaa tcatgagttc gaacctaggt tacgctctct gattaaagta 2580
ggcgaatttg accgattttc tttagctcag gtctgtaaat ttgacaggaa aaaaaatgaa 2640
ggaacgattg gtcaaggctt gtatgacaca gtcattggat gtttgacgat tgacttggat 2700
aagaggtgga aattgaaaag gattgaagaa gtccttcaaa acgaaatgaa cctaagcgag 2760
gccattcacg ataataatgg ctcatga 2787

<210> 204
<211> 2409
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 204

aagtcaacat ttaatgaatt aatagacaaa tctttatcca agaaggaaca gagaagaatg 600
cacgcaaaga ttttttagagc aagattgtat aagaaaagaa ttttatggca agaaaatgaa 660
aatgagacgt ttttggagag gaaattggaa atgaaaagaa ttggcagcaa gtccagcaat 720
gttgaagata ataccagtag ccagccaagg aaaaattacc atttaccaag tgacgatttg 780
aagtatactc tttaaaaaa tgggtcggaa tgcctatatt gttttttata ctttccaggg 840
cctttcaact attccaaatg ttgtcaacag cctatttgta ccgagtgttt tgtacagatt 900
aagagagctg atcctcactt ccctcatgac gaagtagacc caactgaacc acaaactaat 960
gacagtgaaa aggacccaaa tcttcttacc tctgagccag caaattgccc ctactgtgca 1020
actgctagtt ttagcatcac ttatcaacca cccacaaatc gtgaaactgg tataggggggt 1080
atgccagccg actcatacgt gtataaggac gccgccatat caagagctga tggcggtcag 1140
ccaaacatat cagccattac ttcggatacc attcgtcctg attgggagat taaattgaac 1200
aaagaaaggg caaggttgat gaggagatcc gcgaatgcca ccgtataca tataagtaat 1260
aggttgatcg atccaagcca tagcagaagg agaaatacaa gtcacagtat aaccctatt 1320
catgatgaaa gtacgtcagc ttcaagatct cctgaaccga caataaacga acttgaagat 1380
caaatggta gagaggctat taggttaagc cttgaagatc aggacaaccg aaaaaaatca 1440
aagaatagaa acacctcttt gagaccatag 1470

<210> 206
<211> 2931
<212> DNA
<213> Saccharomyces cerevisiae

<400> 206

atgaaagtga agaaatcaac tagatcaaaa gtttcgacag catgtgtcaa ttgcagaaaa 60
aggaaaatca aatgcacagg taaatatcca tgtaccaact gcattttctta cgattgtacg 120
tgtgtattcc taaaaaaaca tttaccgcag aaggaggata gttcccagtc tttgcctact 180
acagctggtg ctccaccctc ttcccacgcc aatgtagagg cttcagcaga tgtacagcat 240
ctggacactg cgattaagct agataatcaa tattacttca aactgatgaa cgacctgata 300
cagactccag tctctccgag tgcgacgcat gtcctgata cttccaataa tcctactaat 360
gataataata ttctctttta agatgattcc aaatatcaaa atcaactgggt tacgtatcaa 420

gcgaatgaaa tgtttcaaga atggagggaa attaataat tcttaataca ggttgatact 2100
 gatatttattg tttgggcatg tttggacttt tatgaactga tatttttcgt gatggcttca 2160
 aaattttatg tggaagaccc gcacatcact ttagaggatg ttatcaacac tttgaaagtt 2220
 ttttaagagaa taactaacat tattttctttt ttttaataata atttggacga gaaggattat 2280
 gattgtcaaa ctttcagggg gttttcgaga agttcgagtt tggttgccat atccataaga 2340
 atcatatttt taaaatactg ctatgccgaa caaattgata gagccgaatt catcgaacgt 2400
 ttgaaagaag ttgaaccggg tctaagtac cttttgcgtg agttttttga taccgctct 2460
 tttattttaca ggtacatggt gaaatccgtt gaaaaatcag gctttcattt aataattaga 2520
 aaaatgttag aaagcgacta taaatttttg tatagagaca aattggccac tggtaatat 2580
 ccagaccaag gaaattcaag ccaaatttct cagttgtatg acagtactgc tccttcatac 2640
 aacaatgctt ctgcctcagc agcaaactca ccgttgaagt tatcgtcttt gttgaactct 2700
 ggagaggaat cgtacactca agacgcacga gaaaatgttc catgtaactc gcggcatcaa 2760
 gatcgatcgt tacaacagac aaaaagacaa cattctgcgc ctagccaaat aagcgcta 2820
 gagaataata tatacaactt ggggtacttta gaggagtttg tcagcagtg tgacctgact 2880
 gatttatatc atactctgtg gaatgacaat acttcatatc ctttcttatg a 2931

<210> 207
 <211> 1515
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 207

atggcggttt taagctattt tgccactgag aatcaacaaa tgcaacaag gaggttgcca 60
 agaactgctg aaggttctgg tggctttggt gtgttggtga tgaatgaaat tatggatatg 120
 gatgagaaga agcccgtttt cggttaaccat tccgaggaca tacagaccaa attggacaag 180
 aaattaggac ctgagtatat ctccaagaga gttggggtttg gaacaagcag gattgcatac 240
 atcgaagggt ggagagtaat taatcttgct aatcaaactc ttggatataa tggctggtct 300
 acggaggtaa aaagtgtagt tatcgatttt ttggatgagc gacagggaaa gtttagcata 360
 ggggtgtactg caattgttcg tgttacgttg actagcggga cttatagggg agatattggg 420
 tatggtaccg tggagaacga aagacggaaa cctgccgctt tcgaaagggc caagaaatct 480

ggcgggcgact tcatcatcac tcagatgttt tacgatgttg ataatttact caactgggtg 600
 tcccaagtta gagctgcggg catggacgtg cccattattc cggggatcat gccgatcact 660
 acctacgcgg ccttcttgag aaggatccaa tggggccaaa tctccatccc tcaacatttc 720
 tcgtcccgat tggatcctat caaggacgat gacgagttgg tccgtgatat cggaactaac 780
 ttgatcgtgg aaatgtgtca aaaattgctc gacagtgggtt acgtttctca cttgcacatc 840
 tacaccatga acttggaaaa agcgcctctc atgattctgg aaagattgaa cattctacct 900
 acggaatcag agttcaatgc acatccattg gccgtgttgc catggagaaa atctttgaat 960
 ccaaagcgta aaaacgagga agtcagacct atcttctgga agagaagacc ttactcctat 1020
 gtcgcaagaa cctctcaatg ggccgtggac gaattcccca acggtagatt cggtgattcg 1080
 tcttctcctg cgttcggtga cttggatctg tgtggttcag acttgatcag gcaatcagcg 1140
 aacaaatgtc tcgaattatg gtccaccctt acttccatca acgacgtcgc cttcttggtc 1200
 atcaactact tgaatggaaa cttgaagtgt ttaccttgga gtgatatccc catcaatgat 1260
 gaaataaatc caatcaaagc acacttgatt gagctgaacc agcattctat catcactata 1320
 aactctcaac ctcaagtcaa cggcattagg tccaatgaca aaattcatgg ttgggggacc 1380
 aaggatggtt acgtttacca gaagcaatat ttggaattta tgttgcccaa gactaagttg 1440
 cccaagttga ttgacacctt gaaaaacaat gagttcttga cctacttcgc catcgactct 1500
 caaggtgacc tgctaagtaa tcatccagac aactccaagt ccaacgctgt gacttggggg 1560
 attttccccg gcagagaaat tcttcaacct accattgtcg agaaaatttc gttcttagcg 1620
 tgggaaggagg agttctatca tatcttgaat gaatggaaac taaacatgaa taaatacgat 1680
 aaaccgcata gtgcccattt cattcagtc ttgattgacg attactgctt ggtcaatatt 1740
 gttgacaatg actacatttc tccagatgat caaatccatt ccacctact aagcctataa 1800

<210> 210
 <211> 2772
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 210

atgaaatccg atttcaagtt ctctaacctt ttaggtacgg tctacaggca aggtaacatc 60
 accttttccg atgatggcaa gcaactactc tcaccggtgg ggaatagggt cagcgtgttt 120

gacttaatca acaacaaatc gttcacgttt gaatacagagc atcgcaaaaa tattgctgcc 180
attgatctga acaaacaagg cacattgctg atttctattg acgaggacgg tcgcgccatc 240
cttgtcaatt tcaaagcccg taacgtgctt caccatttca acttcaaaga aaaatgctcc 300
gctgtgaagt tcagccctga tgggagactc tttgcattag cctcaggcag gtttttacag 360
atttggaaga ctccagatgt taataaagac agacagtttg ctcccttcgt ccgccatagg 420
gtgcatgcgg gacactttca agacataacg tctttgacgt ggtcacaaga ttccagattt 480
atccttacga cttccaaaga cttaagcgca aaaatatggt ccgtagattc agaggaaaag 540
aaccttgccg cgacaacatt taatgggcac agagactacg ttatgggtgc gttcttcagt 600
catgatcagg aaaaaatcta cactgtaagc aaagacggtg ctgtctttgt ctgggaattt 660
accaagaggc catccgatga cgacgacaat gaaagtgaag acgacgacaa gcaagaagaa 720
gtagatattt cgaaatacag ctggagaatc acaaagaaac atttttttta cgcaaacc aa 780
gccaaagtaa agtgtgtcac cttccatcca gcaacaaggc ttttagctgt cggatttact 840
agtggggaat tccgtcttta cgatttgcct gatttcactt tgattcaaca gctttctatg 900
gggcaaaacc cagtcaacac cgtttagcgtc aaccaaaccg gcgaatggct ggcgtttggt 960
tccagcaaac tgggccaatt actagtttac gaatggcaat cggaatcgta tatcttgaag 1020
cagcagggcc atttcgattc caaaaatagt cttgcatact ctccggatgg ttcacgtgta 1080
gtgacagcat ccgaagatgg gaaaatcaaa gtttgggaca ttacatcagg gttttgtttg 1140
gccacttttg aagaacacac ctcttcagtt actgctgtac agtttgcgaa aaggggtcag 1200
gtcatgttct catcatcggt agatggtacg gtgagagcgt gggacttaat caggtatcgt 1260
aatttttagaa cattcactgg tactgaaaga atccaattca attgttttagc ggtggatcca 1320
tcaggtgaag tggtttgtgc cgggtccctg gacaattttg acattcatgt ttggtccgtg 1380
caaactggtc aattattaga tgctttgtcc ggacatgaag gccctgtttc gtgtctttca 1440
tttagtcaag agaacagtgt cttagcttct gcatcatggg ataaaacaat tagaatctgg 1500
tccatatttg gtagaagcca acaagtagaa cctatagaag ttatttccga tgtttttagcc 1560
ttatcaatga gaccagatgg taaagaagtt gcagtatcta ccttaaaggg tcaaatatcc 1620
attttcaaca tagaagatgc caagcaggtg ggcaacattg actgtagaaa ggatataata 1680
tctggtaggt ttaatcaaga taggttcact gccaaaaatt ctgaacgata caaatttttt 1740

atttcgcacg ttttaccggg tcagaaactt cgaggaagct gtgacaattg gaaaaaaaagg 360
 caaaactaa 369

<210> 212
 <211> 2610
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 212

atgactgaaa gtgctataga tgaccaaagg tttaatctta caaaggagtt acaacgacac 60
 tcatgcagag atcaagggaa aataacacaa aaggatgatg ctttagattt tataagttac 120
 agttcttttc aatcctcttt taatactgac caaaaaagcg cgaacaatgg aagtactgtg 180
 agaagaagca taaggtcgat ttttagaaga gcagccgaat tgcctagagt ccatatgggg 240
 cctcttactt attcacatgg gataaatgag cttgttaaca agaaattaag aaaagactgt 300
 gatctcagca cgctatgtcg cgtattgcaa agaggaatca ggatgattag gatgacaaga 360
 agaagaagga agttctatga atttaaatta atcaataaca acgggcaa ataatatggaaa 420
 gatggttcga agtatctgga attagactcc gttaaagaca tcagaatcgg tgatacggcg 480
 agtacttatc aagaggaagt agatccgaaa agattgagat cggacagtaa actttggatt 540
 gctattattht ataaggthtt caacaaattg aaagcgthtac acgtagthtg tttgaatgaa 600
 ttggacttht acacattctt aagctgcatt tgcggtthtag tgaagthtaag gagggaatta 660
 atggaaagca tactthttgcc tgataattcg caattcgcta ggatacattg gcaaattact 720
 gthttctgaaa aagaggaaga tgagaaaaag gacacattga gctthtgaga tgtgaagaaa 780
 ctatgtgata aatttcatat ttatgtgtca actggtcaat tgthtagagtt thtccaatta 840
 gcagacatca atcataacgg actattaaat taththtgaat ttgaaaagtt cattaaaatc 900
 ttaaagaata ggaaagaggt aaatatgatt tggthtaaat ttacaaaacc tccacactcc 960
 cacttatcat ttgaaaattht thttcaattht ttaattacag agcagcatga gcaagtggat 1020
 cgtcaaaactg catggtcata thttattaag tacagagaac cgactcagct gacgatgggg 1080
 caagatggtt ttaccaagtt cthgaaggag caaccatatt tggthggaggt taaagaggag 1140
 ttatattcaa agccattaaa ccattaththt attgcatctt cacataatac thattthattg 1200
 gggaaacaaa thgcagaaac tccatctgtg gagggatata thcaagthct acaacaaggth 1260

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400

tgtaggtgcg tagaaattga tatatgggat ggtgaaaatg ggccagtggg atgccatgga 1320
 tttttaacgt cagctattcc cttaaaaaca gttatacgcg tgataaagaa gtacgctttt 1380
 ataacgtctc cgtatccttt gattatttca ctggaaataa actgtaacaa ggataatcaa 1440
 aaattggcaa gcctgataat gagagagggt ttagcagaac agctgtactt tgttggcaca 1500
 agaactgata aactgccatc accaagggaa ttaaaacata aaatactgtt gaaatccaag 1560
 aagacgagtg aagcaactag aggtcttagc gttaatgagc catttccatc ttcttttagt 1620
 tcttcttagc aatcagctaa tgaacaggaa ttaagaatga aagatgactc cacgaacagt 1680
 agtagcgcaa caaattcttc tagtatgcaa cgcacaaaa gaattggatt aaaaaagcac 1740
 gctgatataa ttaatgatgt ttctaacatt tctggaatac atggcatcaa gttcaggaat 1800
 ttctctttac cagagtccaa aacgatagcg cattgttttt cactgaatga gcgcaaagta 1860
 gaatacatga taaaagacaa acacttaaaa ttatcgttgg ataaacataa tagaagatat 1920
 ttgatgagag tctatcctca cgtttttacga tacaatcat caaattttta cccaatacct 1980
 ttttggaggc ccggtgtaca aatggtgggt acgaattggc aaactaatga tattggacag 2040
 caacttaatc tggcaatgtt tcaaataatta gatcaccaac ctgatggaag ttttaaatca 2100
 ggatacgtgc taaaacccaa aaagttgcta cctgtagtaa caaaggcgaa aatgattcca 2160
 ttaattttacg aacattttga aaatggtagt gatcctgtta ctgttaaaat tcgaatttta 2220
 tctacacagt tattgcccag attgaatgat acatcgccaa gcagaaataa caccaattcc 2280
 tttgttaaag tggagtttca taccgatgac gagccgacaa tgcccatctc aatcgataag 2340
 ggtacaagga tttctgccac tgaagcatcc actaagagtt ctcaaggga tggattcaac 2400
 ccaatatggg atgctgaagt ttctatcaca ttgaaagata cagacctcac atttataaaa 2460
 ttcattggtta tctctgaaga gaccagatt gcattctgtt gccttaagct gaactatttg 2520
 aggatgggat atcgtcacat tccgttgttt aacatggagg gggacaata catattttgc 2580
 actttattta ttcatacaca aattttatag 2610

<210> 213
 <211> 1815
 <212> DNA
 <213> *Saccharomyces cerevisiae*

 <400> 213

CC-0. In the public domain. Digitized by Google

atggctgaac tgagcgaaca agtgcaaaat ttaagcatca acgacaacaa cgagaatggt 60
tatgttcctc ctactttaag aggaaaacca agaagtgcc aataaacag tagcaactac 120
aataacaaca acggcggcta caacggtggc cgtggcgggtg gcagcttctt tagcaacaac 180
cgtcgtggtg gttacggcaa cggtggtttc ttcggtggaa acaacggtgg cagcagatct 240
aacggccgtt ctggtggtag atggatcgat ggcaaacatg tcccagctcc aagaaacgaa 300
aaggccgaga tcgcatatt tgggtgtccc gaggatcaa atttccaatc ttctggtatt 360
aacttcgata actacgatga tattccagtg gacgcctctg gtaaggatgt tcctgaacca 420
atcacagaat ttacctcacc tccattggac ggattgttat tggaaaacat caaattggcc 480
cgtttcacca agccaacacc tgtgcaaaaa tactccgtcc ctatcgttgc caacggcaga 540
gatttgatgg cctgtgcgca gaccggttct ggtaagactg gtgggttttt attcccagtg 600
ttgtccgaat catttaagac tggaccatct cctcaaccag agtctcaagg ctctttttac 660
caaagaaagg cctaccaaac tgctgtcatt atggctccaa ctagagagtt ggccacccaa 720
attttcgatg aagccaagaa atttacttat agatcctggg tcaaggcctg cgtcgtctac 780
ggtggttctc caattggtaa ccaactaaga gaaattgaac gtggttgca tcttttagtc 840
gctactccag gtcgtttgaa tgacttggtg gaacgtggta aaatttcttt ggccaacgtc 900
aagtatttgg ttctagatga agctgataga atgttggtg tgggtttcga acctcaaatt 960
agacatattg tcgaagactg tgatatgact cctgttggtg aaagacaaac tctgatgttc 1020
tcagctactt ttcccgtga tatccaacat ttggcccgtg atttcttaag tgactacatc 1080
tttttgtctg ttggtagagt cggttctact tcagaaaaca ttactcaaaa agtcttatac 1140
gttgaaaatc aagataagaa gtcagcctta ttggatctat tgtctgcac cactgacggt 1200
ttgactttga tctttgtcga aactaagaga atggcagatc aattgaccga tttcctgatc 1260
atgcaaaact ttagagctac cgccattcat ggtgaccgta cccaatctga gagagaacgt 1320
gccttggccg ccttcagatc tggtgccgt actttattgg ttgccacagc tgtcgcagct 1380
agaggcttag atattccaaa cgtcaccac gttatcaact acgatttacc aagtgatgtc 1440
gatgattacg tccatagaat tggtagaact ggtcgtgccg gtaacaccg tcttgccact 1500
gcctttttca acagtgaaaa cagtaacatt gttaaagggt tgcataaat tttgactgaa 1560
gctaaccaag aagtcccatc attcttgaag gacgctatga tgagtgtcc aggtagcaga 1620

gaaggttata ccgactaccc aacatatgaa gaggcagtag atttaggttg gaacaagaac 1200
tga 1203

<210> 215
<211> 354
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 215

atggtaccaa cgatgttccc tccaccaaag gtgttcttat gtagtgacac cgattattta 60
aagctgcagc atacgatata tatacatgtg tatatatgta tacctatgaa tgtcagtaag 120
tatgtatacg aacagtatga tactgaagat gacaaggtaa tgcattcattc tatacgtgtc 180
attctgaacg aggcgcgctt tccttttttc tttttgcttt ttcttttttt ttctcttgaa 240
ctcgagaaaa aaaatataaa agagatggag gaacgggaaa aagttagttg tggatgatagg 300
tggcaagtgg tattccgtaa gaacaacaag aaaagcattt catattatgg ctga 354

<210> 216
<211> 1575
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 216

atggaacacc aagcacttcg aaggcttgta ctgtactgcc ccaatttcac ccgacgtggc 60
gctcttaggc aaaatatgac tagagtgagc tgtagacata tgtcaggcaa ggggtggaggg 120
agagatgaga aagggtgattg caatgaagaa aaggattctt ccaaagattt ggggagggta 180
ccgtcgaaga tgaaacgagc atatgatggc gaaacagtta ttaaagaggg agattcgcac 240
gctgagtcgc tagcgcagca gggaaagcag cccacagacc tcgcatataa cagcagatcg 300
aagatatctg gttctaattt gcatttattg gttcctagag ttgcgtctac agactatatt 360
tcgaataaag aggttcacac ggagggcctg tttgccggct atcgaccctt gtttctgggg 420
aactcagggtt ttccgtctga tgcaagaaag ggtaaaaact ttcattgagtt agacgacgtt 480
cttccaata tacaggtagt ggacgcttcc gagaaagatg gcaaactcaa tgtgcaggag 540
attattgagg acttacaag aacaagtttg agagaaagca ttcattagtat ggaacagtta 600
ccatcttcgc acaaacgtaa acccgtaata ccgtgggacg catctataag tggcatgggt 660

tataatgaca tgcctttcaa atatgtgccc aaaaatatta ttctgaaaat gaagccattt 720
 aaacttttgc gtattgagag aaaaagtcaa gcgaagaatg caagaaagcc tactatgata 780
 aaacttcagt ttcacaatcg aagaatcaat gacaccccag agttagttaa tttataccat 840
 aataaatccc gtttgacga gtcactttac aatacaaaac cccttcaaga atctggatat 900
 tcaagtgcaa atacaagtaa aagacagaaa atgttaaaag caagaagcga ctttgaacat 960
 aaacagaaaa attatgcata caaacacaca tttatcaaaa atgatacagga actgttccgc 1020
 aatgaactaa ctaagttaaa taagatactt gctagagaat tcaaaaaatt gacaaagcta 1080
 tccatacata atgagttcaa gagagaacac ttgcccctgg ccgtttatgt gagcaaatca 1140
 aagggcacia agaaactgtt tagaagatca ctgaagatga aaatcatgga ccacatatat 1200
 ccagtttata ccacgatatt gtcaacttta acaaattcca gagactctaa gaaatttgaa 1260
 aacaaaatca aggcgtatat tgaaaaaatc atagtgcggt tatcagatga agtaccatcc 1320
 acatattttt tccaagatgg cgtagattgt attattcaac caagtccgat tcataatttc 1380
 aagagaatgc attggttaag atacaccaag aggcacaata ccttttgggg gaggactata 1440
 cataaggacg ttcaagtcag cttcaatgac aagtatgttg ttactaggag cggcgtgagg 1500
 tatacgaggt atcccactaa tttgaatata caattattgg aaactgcatt tgaagaatgg 1560
 gactactatg agtga 1575

<210> 217
 <211> 1557
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 217

atggcgccca tcttttagaaa ttaccgggtc gctatcggtg cttttgccgt tattatgctc 60
 attttgttga ttaaaacatc ttccatcggt ccaccttcta ttgcacgtac agttactcct 120
 aatgctagta ttcccaaaac tccggaggac atctctatct tgcccgtcaa tgatgaacca 180
 ggttaccttc aagattcgaa gactgaacaa aactatcctg agcttgccga tgctgtgaag 240
 tcacaaacaa gtcaaacatg cagcgaagaa cataagtatg ttatcatgat cgatgccggc 300
 tctaccggtt cccgagtaca tatatacaag tttgacgtct gtacttcccc acctacatta 360
 cttgatgaaa aattcgacat gttagagcct ggtttatctt ctttcgatac cgattccggt 420

ggtgccgcta actcccttga cccattactg aaagtagcaa tgaactatgt ccctattaag 480
 gcaagaagtt gtactcccggt tgcgggtgaaa gctactgcag gcctaagact cttgggtgat 540
 gccaaatctt caaaaatttt gagcgctgta agggatcatt tggagaagga ctatcctttc 600
 ccagttgtcg aaggtgatgg tgtttccatc atgggcgggtg atgaagaagg tgtcttcgcc 660
 tggattacta caaactacct attaggtaat atcgggtgcta atggcccaa gttacctact 720
 gctgccgttt ttgacttagg cggagggtct acacaaattg tttttgagcc tactttccca 780
 ataaatgaaa aaatgggtcg tgggtgagcat aaatttgatt tgaagtttgg tgatgaaaat 840
 tacaccttgt accaattttc tcacttaggt tacggtttga aggaaggaag aaataaagtt 900
 aactctgttc ttgtggaaaa tgcattaaaa gacggcaaaa tattgaaggg tgataacact 960
 aagactcatc aattgtcatc tccatgccta cgcctaaag ttaatgccac aaatgaaaag 1020
 gttacattag aatccaagga aacttatacc attgacttta tagggccgga cgagccaagt 1080
 ggtgcacaat gtagatttct gactgatgaa attttgaata aagatgctca gtgccagtct 1140
 ccaccatgct ctttcaatgg ggttcaccaa cttcttttag ttctgtacatt caaagaatcg 1200
 aacgatatct atattttctc ttattttctac gacagaacct gtccattggg tatgcccttg 1260
 tcctttactt tgaatgaatt gaacgatttg gcaagaatag tgtgtaaagg cgaagaaact 1320
 tggaatagtg tcttcagtggt cattgcgggg tccctagatg aattggaaag tgactcgcac 1380
 ttctgttttg acttatcttt tcaagtgtcc ttattacata cgggatatga cattccatta 1440
 caaagagaat tgagaactgg aaagaaaatt gccataaag aaatcggttg gtgttttaggt 1500
 gcgtcattac cattgttgaa agctgataac tggaaatgta aaattcaatc agcttga 1557

<210> 218
 <211> 552
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 218

atggtacctc tggcaatctt ggttgggaca cccaaagctt ggaagaaaga agtcttacct 60
 ggttccatac cagtgttgac ggctctaacc cagatgtctt ctggagcaac ggcaccagct 120
 ctggctggag cagcaactct gttagagaca ataacttctt tgatttcagt caatgggttcg 180
 ttagtgaaaa cgaaaccaac gttacctttg acaaaaggca acaacttttc gaagtctggc 240

aagtcggata agaaacctct gatggctctt ctaaccatgg tgttcttacc catcaagacg 300
acagctctgc ctctcaattc ctttctgact tcgtgcattt gttgggaaga aacattgtca 360
acaccaacaa cgaacaaaga cttgtattct tccaagtatt ctcttaattt agcaaagtat 420
tcagctttct tttcacgaat gcctcccatt tcaaacttat tatacgtatt tattagactg 480
tttgcaggat gtttaaaggt attccgctta tgtatcttat ggctgaaact tgaaaaaaga 540
atcgagaatt ag 552

<210> 219
<211> 663
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 219

atggaggaag aagaattaag taaattgttg gccaatgtta agatagatcc gagcctaaca 60
tcaagaatta gtcaaataga cagcttcaaa ctgtcggaat tgatggttct aaagacagat 120
attgagacac aactagaggc gtatttcagt gtgcttgagc agcaaggcat cggcatggac 180
tctgcgttgg tgacgccaga cgggtatcct cgttcggatg tcgatgtatt gcaagtcact 240
atgatcagaa agaatgttaa tatgctgaag aatgatttaa atcacctttt gcaaagatca 300
cacgtcttac taaaccagca ctttgataat atgaacgtta agtcaaacca agatgcaaga 360
aggaataacg acgatcaagc tattcagtat accatccctt ttgcatttat cagtgaggta 420
gtacccggta gcccttcaga taaagcagac ataaagggtg atgataagct gatttctatt 480
ggtaatgtgc atgcgggcaa cactctaaa cttcaaaaca ttcagatggg tgtaatgaaa 540
aatgaagaca ggccacttcc cgtccttctc ttgagagaag ggcaaactct aaagacatcg 600
ctaacacctt cgagaaactg gaatggtaga ggtcttttgg gttgtaggat acaagagcta 660
taa 663

<210> 220
<211> 2295
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 220

atgcctgcc aatacacat ttctgcagac ggtcagtttt gcgataaaga tggcaacgag 60

atccaattgc gtggtgtcaa tttggatccg tcagttaaaa tccctgcaaa gccattccta 120
tccacccacg ctcccataga aaatgacacg tttttcgagg atgctgataa agtcagtttc 180
atcaatcacc ccttagttct tgatgatata gaacagcata tcatcagatt gaaatcactg 240
ggttacaata ccattcgttt acccttcacc tgggaatctc ttgaacatgc tgggtccagga 300
cagtacgatt ttgactatat ggattatata gtcgaggtag taaccaggat taacagcgta 360
caacaaggta tgtacattta tttggaccct caccaagacg tctgggtctag gtttagcggg 420
ggatctggag caccgctatg gaccttatac tgtgcagggt ttcaacctgc aaacttcctg 480
gccaccgatg ctgcaatctt acataattat tatattgacc ccaaaacggg caggggaagt 540
ggcaaagatg aagagtccta ccctaagatg gtttggccta caaactactt caaactggcg 600
tgtcaaacia tgtttacggt attctttggg gggaaacaat atgctcctaa gtgcacaatt 660
aatggagaaa acatacagga ttacttgcaa ggaagggtta atgatgcaat catgacactg 720
tgcgcaagaa ttaaagaaaa ggctcctgag ttgtttgaga gcaactgcat tattggatta 780
gagtctatga acgagccaaa ctgtggttac attggtgaaa caaatctcga tgtgattccg 840
aaagagagaa atttgaaatt gggcaaacg ccaacggcat ttcaaagctt tatgctgggt 900
gaaggatatt agtgcacaat agatcaatat aaaaggacat tttttggatt ttctaaggga 960
aaaccgtgca caatcaatcc caaaggcaaa aaagcttggc tgagtgcaga ggaaagagat 1020
gcatagatg cgaagtataa ttgggaaagg aaccctgaat ggaaaccaga cacttgcat 1080
tggaactcc atgggtgttg ggagattcag aatggtaaac gccctgtttt actcaaacca 1140
aattacttta gccaacctga tgcaacggta ttataaaca atcattttgt tgactattac 1200
actggaattt ataacaagtt tagggaattc gatcaagaat tgtttattat aatccaaccg 1260
ccggtaatga agccaccacc caatttaca aattctaaaa tattggacaa taggacgatt 1320
tgtgcatgtc atttttatga tggatgaca ctaatgtata agacatggaa taaacgaatt 1380
ggcatagaca cctatggact agtaaacaaa aaatactcaa atcctgcctt tgctgtagtg 1440
cttggcgaaa acaatatagc gaaatgcatt aggaagcaat tatcagaaat gcaaaaggac 1500
gctaaatcca tgcttggaag aaaagtacct gtattcttca ccgaaattgg tattccattt 1560
gacatggacg acaagaaaagc atatattaca aatgactatt cttcacagac cgctgcattg 1620
gatgctcttg gatttgcat agaaaggaagt aatctttcgt acaccttatg gtgttattgc 1680

agtattaatt cacatatatg ggggtgacaat tggaacaatg aagatTTTTc gatttggtcc 1740
 ccggatgaca aaccactcta tcacgatacc cgagcaaaaa ctctactcc tgagccatct 1800
 ccagcctcta ctgtggcttc ggtatccact tctacatcta aatcgggttc ttcacaacca 1860
 ccaagtttca taaaaccaga taatcattta gatttgata gtccctcgtg cactttaaag 1920
 agcgacttgt caggggttcag agctcttgat gctataatga gaccattccc catacaaatt 1980
 cacggaagat ttgagtttgc tgagtttaac ttatgtaata aatcctacct tttgaaatta 2040
 gttggtaaaa cgacacctga acagataact gtccctacat atatttttat accacggcac 2100
 cattttacac caagccggtt gtcaattcgt tcatcatcag gtcattatac ctataaact 2160
 gactaccagg ttcttgaatg gtttcacgag cctggccatc agttcattga aatttgcgca 2220
 aaatcgaagt caaggcccaa cacccttga agtgacactt cgaatgactt accacggaa 2280
 tgcgttatca gctaa 2295

<210> 221
 <211> 3123
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 221

atgagtaatg acagggaagt acccacactc tcgcagctca acacaactgt cagcagagat 60
 aaagacgtat cggacacttt gtcaccggat ttgacagca aaggaagtgc aaccgggct 120
 gacggtggca atttcccaat gtatattgcc attaatgagt attttaagcg aatggaagat 180
 gaactagata tgaagcccg tgacaagatc aaagtaataa ctgatgacga agaatacaag 240
 gatggctggt attttggtcg aaatctgaga accaatgagg aaggtttata tccggtggtc 300
 ttactcaaa agataacagt ggagaaggct ccgacattga tgagagccaa gtctaccaa 360
 aggatatata gtccattaac caatgaagat cctcttcttt ccagcacttt tatcagtga 420
 aacgattcaa acagtgaact gccaccccg caaccaattg aaaccgccgc ctctatttcg 480
 agaactgcca atggaaagat cgaaagaaac ttgtctttaa agaatacaat gagtgacata 540
 gacaatgcac tactggagtt taaagacgac tctataggtc caccagatcg tttcatcaat 600
 tcgggcagag acgaggaaca tagcattacg catgaaacaa ttctatcagc cactgatgga 660
 ctggatgtag tcgaatctaa cagtaagcca acaacgagta gttctactgg gttcctgaac 720

ggagatttgg aaaatcaagc tactttaatt aatggaattg atactactaa attgaaccct 780
 gtagaagcag agttttggtc acccgaagaa ataacagctt attttattat ggaaggatac 840
 gatgtccaat ctgcctctag attccagaag cacaaaatat cgggtaaaat tttgttagaa 900
 ttagagcttg ttcatttaaa agagttggac ataaattctt ttgggacaag atttgagatt 960
 ttcaaagaaa tagaaaaaat caaagaggct attagaacta atggccgctc cctgaataga 1020
 gctagtaaga ccaataacgc taacatttat aaccaattga tgcctcccg c aaacgttgac 1080
 cagagagctt cctacagagg ccatgttaga aagacttcac agtcgtaga ggaccttccg 1140
 tcacaacaga attttatccc cactcccaga aatactagga actcctcagc ttccaagcac 1200
 cggcctaaat ctttagtttt tgattcaca gaggctaattg ctaatatagc tccagatgtt 1260
 caaattcctc aggtggtaga ggaaatggca ggtaatgaaa atttgtttgt ttctccgagg 1320
 agagcccca aaccccatc ttaccctagt ccagcacaac ctccaaaatc gccctattg 1380
 aataacacaa ggacgtcacc ttctcctgct caactttatt catggcaatc acctacttta 1440
 tctttctcag ggcctaaaag aacttcttat atcgatcaat attcttcac agattctaatt 1500
 ttcaattccc gttccgcact cccaaagaac aaccaaggcg gtggaaggc gttgtcacct 1560
 attccatccc ccaccgtaa ttctgttaga aatgaagata gtgaaggcaa gctaacatcg 1620
 tcttcgaaga ggaattctgt cccttattat ggatacgctc ctgaatcttc ttcggataga 1680
 aaatcctctt gttccagcca tgaggaagag cagtttcaag aaacaatgaa cacattcgaa 1740
 agaccacgt ccagtatata cgctgatgga tctaccattg catccataag taatgacaaa 1800
 ttggcacatg agaaggagg gaagaaaaa ccaacgagac actcgtcttc attatcttct 1860
 aaatcaaaaa gcgattccag gaggaactcg tctttaaaga gaagcagcag tgcatcgca 1920
 actagttcat tcaaaaaaag ttccttcatg ctaagtcctt ttaggcaaca atttactgat 1980
 aatgctgctc gctcttcaag tcctgaagag aatcccataa cctcaatgcc gtcagaaaaa 2040
 aacagctcac cgatagttga taaaaagtct tccaaaaaga gtagatctaa aagaagatca 2100
 gttagcgcaa aggaagctga aatctttacc gaaactgtga aagatgataa aaataagagg 2160
 tctgcgagt aggtctattaa aggtgaaacg ctcaagggca aaagcttgcg tcaaataacc 2220
 gctagacctg tagccaagaa aaagcaaaact tctgcattta tagaaggttt aaggagtatt 2280
 agtggttaaag aggcaatgaa ggatgctgac ttttctgggt ggatgagcaa gaaaggcagc 2340

ggtgccatga gtacttggaa gacgagattt ttcacattgc atggtactag attgtcatac 2400
 ttcagctcca ctacggacac gagagaaaga ggtcttatcg acattactgc tcacgcggtt 2460
 gtgectgcta aggaagatga taaactagtt tcattatatg cagccagtac aggtaaagga 2520
 cggatttgtt tcaaactatt acctccgcaa ccaggatcaa agaaagggtt gacatttaca 2580
 caacctcgca cgcactatatt tgcagtagat aataaagaag agatgagagg ttggatggct 2640
 gcactaatta aaaccacat tgatatcgac acatcagtgc caattatcag ttcctataca 2700
 acacctacgg tttccttgag caaagcgcaa gagatgtag cagaagcgag agaagagacc 2760
 aagctaaggg aacagcaaat gctagagaac gaggaagatg aggaccagtt tttatgggat 2820
 caacagcagc ttcaacagca gcaacatgac aataatcaag ggcaagctga tcgcacaata 2880
 tcagcgtcaa cccaacgaac ttccgacgag gataatacta tatctactcc gaatttgtcc 2940
 tctgctaaca atacaacat tggctcaaat ggattttcca gtccgttctt actagcttcc 3000
 ggattgttat cgcttgaggt ggctcgcaat agtagtatgc gtggaacaga gaaaaaggt 3060
 aaattctcaa cggaagagga ttacttcggg gataattcaa aacataaaac cgacaaaata 3120
 taa 3123

<210> 222
 <211> 2682
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 222

atgtccaggg aagggttatcc aaactttgaa gaggtagaaa ttcctgactt tcaggaaact 60
 aacaacaccg ttccagatct tgatgattta gaattagagt atgaccaata taaaaataat 120
 gaaaataatg acacgtttta tgataaggac ttagagagca attctgtagc aaagcacaac 180
 gcagtgaaca gctcaaaggg cgtaaaaggc tcgaagattg actacttta tccttcagat 240
 gtctcgttgt atgacaattc cgtttcccaa tttgaagaaa caacggtatc gctaaaagag 300
 tactatgacc acagtatacg atctcatctc acggtgaaag gagcatgtag ttatcttaag 360
 agtgtttttc ccatcatcaa ctggctacca cattacaatt ttagctgggt tactgcggat 420
 cttattgcag gaattacat tggctgtgtc ctctgcccgc aatccatgtc atatgcacaa 480
 gcgcgccgcg taccagcgca gtatggggtg tactcctcgt ttattgggtgc ttactcctac 540

attcgccaca gaaaaaaatc tgaccgtcca tggaatgatc ctgggtccatg ggaagcacct 2220
 gctttcttaa agaatttgaa attctggaag aaaagggaga acgaccctga atccatggaa 2280
 aacgcgcccc gcacctcagt cgatgttgaa agagatgaca ggccattgct gaaaatacta 2340
 tgcttagact tctcacaagt ggcacagaca gacgctacgg ctcttcaatc attgggtgat 2400
 ttgagaaagg ccataaatca atatgcagat aggcaagttg aattccactt tgtgggtatc 2460
 atttcaccat ggggtgaagag aggtttaatt agcagaggat ttggtactct gaacgaagaa 2520
 tacagtgatg aatccattgt tgccgggtcat acaagttatc acgtcgccag agtacctcaa 2580
 ggccaagaaa atcctgaaaa atatagcgtt tataccgctt caggaacaaa tctacctttc 2640
 ttccatatcg atatcccaga ttttgctaaa tgggatatct ag 2682

<210> 223
 <211> 1908
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 223
 atgaagttag aaaatactct atttacactc ggtgccctag ggagcatctc tgctgctttg 60
 gtcatcccaa atcttgaaaa tgccgccgac caccacgaac tgattaacaa ggaagatcac 120
 cacgagagac ccagaaaagt ggaattcact aaggacgatg atgaggagcc atctgactct 180
 gaagataaag aacatggaaa gttccataag aagggccgca agggccaaga caaggagtct 240
 ccggaattca acggtaaacg tgcaagtggc tctcatggga gcgcccacga gggaggaaaag 300
 ggcatgaagc ctaagcatga aagttccaat gatgatgata atgatgataa gaagaagaag 360
 cctcaccata aggggtggctg ccacgaaaat aaggtggagg agaagaagat gaaaggtaag 420
 aaagtcaagg gcaagaagca ccacgaaaag acgttggaga aaggagggca ccacaacagg 480
 ctgggtcctc tegtgtccac tgcacaattc aaccagacg cgatctccaa gatcatcccc 540
 aaccgctaca ttatagtctt caagagaggt gccctcaag aagagatcga tttccacaag 600
 gaaaacgtcc agcaggcaca acttcaatcc gtagagaact tatctgccga agacgctttc 660
 ttcatctcta ctaaagacac ctcttgtcc acctctgagg ctggcggtat ccaggactca 720
 ttcaacatcg ataatctttt ctccgggttac atcgggttact tcaccaaga gattgtcgac 780
 ttgatacgtc aaaaccatt agtagacttt gttgagagag actctattgt cgaggctaca 840

gaatttgaca ctcaaaatag cgccccatgg ggggttggccc gtattttccca cagagagcgc 900
ctcaacctgg ggtccttcaa caagtatctc tacgatgatg atgccggtcg cgggtgtcacg 960
tcctatgtta ttgacacggg tgtcaacatc aaccacaagg acttcgaaaa gagagccatt 1020
tgggggaaaa ccatcccact taacgacgaa gatctcgacg gtaacggcca cggtagccac 1080
tgtgccggta ctatcgcttc caaacactac ggtgtcgcta aaaatgccaa cgttggttgcg 1140
gtgaaagtct tgagatcaaa cgggtcttgt accatgtctg atgtcgtcaa aggtgtcgaa 1200
tatgccgcaa aggcgcacca aaaagaagcc caagaaaaga aaaaggggtt caaaggttcc 1260
acagccaata tgtcgcttgg tggtaggcaag tccccagctt tggacttggc tgttaatgca 1320
gccgttgaag tcggtattca ctttgccgtg gctgctggta acgaaaacca agacgcttgt 1380
aatacctccc cagcttctgc tgacaaggcc atcaccgtcg gagcttccac gttgagcgat 1440
gacagagcct actttttcaa ctggggtaag tgtgtcgacg ttttcgcccc aggttttaaac 1500
attttgtcca cctacattgg aagtgatgac gccaccgcca ctttatcggg tacctcaatg 1560
gcttccccctc acgttgctgg tttgttgacc tactttttgt ctttgcaacc aggttctgat 1620
agtgaatttt tcgaattggg ccaggattct ttgactcctc agcaattgaa aaagaagcta 1680
attcattaca gtacaaagga cattttggtc gatatccctg aagacactcc aaatgtttta 1740
atctacaacg gtggtggtca agatttgtcc gctttctgga atgataccaa aaagtcccat 1800
tcactctggtt tcaagcaaga attgaacatg gatgaattca ttggatcaaa gaccgattta 1860
atctttgatc aagtgagaga tattcttgat aaattgaata ttatttaa 1908

<210> 224
<211> 3189
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 224

atggtcgaat atagtacgca gaaggcccca catgccggaa atgatgataa tagctctacc 60
aagccatatt cggaggcgtt tttcttaggg ttcaataacc caacgcctgg attagaagct 120
gagcactcaa gcacatcgcc tgcccccgag aactccgaaa cacataatag gaaaagaaat 180
agaatattgt ttgtctgcca ggcttggttg aagtcaaaaa caaagtgtga tagagaaaaa 240
cctgaatgtg gtcgatgcgt caagcatggg ttaaaatgtg tttatgacgt atcaaaacag 300

cccatagtagc cattaaaaag tgtcgcacag gataagtcag accttgatga catgaatgtg 1980
 atttcagaaa tgaatatatt atcttcagaa aattcttctt catttcacaa tcgaataatg 2040
 aataaactat tgatgttgag aacttcaatg gccgtattct tgcattttga aacacttatac 2100
 actaaggata aaagtatctt cccattctac aagaaatact ttatgggttag ctgtatggat 2160
 gcgtttgtcac taataaatta tttcaataag tttttcaacg gagaatatcg acacgcaata 2220
 tcttctttta ccagttttta tgttacaaaa tttattcagt tagcactatc cagcacaatc 2280
 ttcagcctat tagggattat actaagaata ggtttagcca tccatatgtt atcttctgaa 2340
 gtacaaaagt tatcggaac gacagatcca agaataaagg agttaatac caaagtcgaa 2400
 aaatttagta ccctgcaaag agatctcgag tctgcttttag aaggtatata ttgctctgct 2460
 tcggaacatt taagattcac atacttcccc gtttttaaga tgttggtttt attcgatgtc 2520
 attgtacaaa ggatgagaaa ggggtgaatta tggcacggca tatttacgat gattcaaatac 2580
 gaacaaatgc attctaggat aatcaagaca ttaagcatta ccttaggagt caaactggac 2640
 aaaaaggata ggctattaga ggaattgatg gcatgcaatc acgttgcgaa ttttagcggt 2700
 gaagatatag atgagctgaa ccgtaatatc aaaaagaga ttcaaatttc ttcaggattg 2760
 aagccgctg taaacacaat tgacttaacc aacggcgaac cattcgaaa tgctgttcct 2820
 accttcacaa agacatggag ttcattccta gataatttag aaaaactatc atcgccgct 2880
 gcagttggtc agagcttggc ctacaacagt ggtttacgtc agggtccttt gccgggtggt 2940
 ggttcaaaag agcaaagcc aatagccggg atgaataact tgaacaattc aatcaatgct 3000
 acaccaattg tcgataactc atctggatca caacttcta atggtttcga tagaggccaa 3060
 gcgaataata ctctttttcc aggttatatt ggaggtttgg atttatattga ttatgacttt 3120
 ttggtttggg caatgacttt gcttaaaaat tttctttcca aactcctacc tattcatttc 3180
 atcaattaa 3189

<210> 225
 <211> 1077
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 225

atggatgcaa catcgaggat ggagcagcct gatgtctttg taagcaaact ctaccacctg 60

ctgcagggga acgcttactc gaacataata caatgggtcga ctgatggcag caagctcgtc 120
 atttggaaatc cggaccagtt caccaaagtc atcctagagc gatttttttg tattcacacc 180
 tttgcagcat tcgttaagca attgagcaaa tataacttcc agaaggcggg ccgcccggac 240
 tgcgtggagt tttccaacat tcattttcaa aaagataaca ttaatagcct ctactgggtt 300
 aaagctcatc agtctgccgc cactcccaat gtcgccgccg tcaataatat gaataagcag 360
 tgtacttttc actgggaccc tttcaaagtg aactccattc taagcaaggc catcggcaag 420
 ccttccttcg agaaattagt gaaaaatgtt gacaggcttc agggcaatct tgatgagctt 480
 aagtcgacaa acgcagatag tctgcgtatt ataagggaaa ttaacgccag cttacagaca 540
 atctcctacc accagtttca cgcctaccaa accgctaact tccttcaaga aaattttgaa 600
 gccatcaaaa aggttgatg cccggactct tgtctacaac accagcaacg ccaaccaaag 660
 cgcccaaac gctactcgtt gctgttacta ataccaaacg catccgaatt gtcagaaaca 720
 cctttgatgc gtttcgccgg cgtgttcgaa tttatgaact gctctttgga tacggccact 780
 cagtggcacc cgagttgca tcccagggca tacgaccttc ttttcgtcac cgtgtcggcc 840
 aacatgcaac aagaacatct catctacttc aagagactga gaaacctact cccaagcttt 900
 cctgtaatag ccattattaa cagaccgctc tcccctcaag ataccagcat tgctccctcc 960
 aactactctc gctattatth ccaccattht ttgcagttgg ggttcagtga catcctagtt 1020
 agccccttca cccaacaca acttataacg ctcccttcca aacatcttcg aacgtga 1077

<210> 226
 <211> 1698
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 226

atgaaaagaa cggtaatatc ttcctcgaac gcatatgcta gtaagagatc tcggctggat 60
 atagaacatg attttgaaca ataccactcg ttgaacaaaa aatattatcc aaggccaatt 120
 actaggacag gcgcaaatca attcaataat aagtctcggg ctaaaccaat ggagattgtg 180
 gaaaaactgc aaaagaagca aaaaacgtcg tttgagaatg ttagcactgt catgcactgg 240
 tttcgaaatg atctacgttt atatgataat gtgggactgt acaaaagtgt tgcgctcttc 300
 cagcaattga ggcaaaaaaa cgcaaaagcc aaattatatg ctgtttatgt catcaatgaa 360

gatgattgga gagcccatat ggatagcgga tggaaattga tgtttataat gggggcggtta 420
aaaaatttgc agcagtcctt agccgaatta cacatacctc ttcttctgtg ggaattccac 480
actccaaaaa gtaccttata taattcaaaa gagttcgtgg agtttttcaa agaaaaatgt 540
atgaatgtaa gttcaggaac aggtacgata atcactgcta atatagaata ccaaacagat 600
gaactgtacc gtgatattag gctgttagaa aatgaagacc atagattgca attgaaatac 660
taccacgact cttgcattgt tgctcctgga ttgatcacta ctgacagagg caccaactat 720
tctgtgttta ctccatggta caaaaaatgg gtgctatatg taaataatta caaaaagagt 780
acctctgaaa tttgtcattt gcatataatc gaaccattaa agtacaacga aacttttgaa 840
ctgaagccat tccaatattc attaccggat gaattccttc aatatatacc taaatcaaaa 900
tggtgcttgc cagacgtttc tgaagaagca gctttatcca gattaaaaga tttcctcggg 960
acaaaaagtt ctaagtacaa caatgaaaaa gacatgctat atttgggtgg aacctctggg 1020
ctaagtgtat atataactac tggtaggata agcacaagac ttatagtcaa ccaggcattt 1080
caatcatgca acggacaaat aatgtcaaaa gactgaaag ataattcgtc cacccaaaat 1140
ttcatcaaag aagttgcatg gagagatttt tacagacatt gtatgtgcaa ctggccatat 1200
acctcaatgg gaatgcctta tcgattggac acttttagata taaaatggga gaataaccct 1260
gtagcatttg aaaagtggg tactggtaat acaggcattc ccatagtcga tgccataatg 1320
agaaaattac tgtacacagg ctatattaat aacagatcta gaatgatcac agcttctttt 1380
ctttctaaaa acttattaat agattggaga tggggggaac gctggtttat gaaacacttg 1440
atagacgggtg attcgtcttc aaatgttggg ggctgggggtt tttgttctag tacaggaatt 1500
gatgcccac catatttttag agtttttaat atggatatac aagcaaaaaa atatgacca 1560
caaatgatat tcgtcaaaca atgggttccc gaattgattt cttccgaaaa taagcgtcca 1620
gaaaactatc caaaaccttt agttgattta aagcatagta gggagcgtgc tttgaaagtt 1680
tataaagacg caatgtga 1698

<210> 227
<211> 2772
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 227

atgagattct cacactttct caaatacaac gctgtccctg aatggcagaa tcattaccta 60
gattataacg aattgaaaaa tttgatctac acattacaga cagatgaatt gaaacaagaa 120
acgccaaaccg gtgacttaaa cgatgacgct gactctcaga ctccagggtcc aatcgctgat 180
atagaaaagca acatagctgc aggagaacca tctccatcga aaagaagatt tacacataaa 240
ctcaagcgta agctcttttg ttctaaaaca ccttcaggaa gcaaaagggg agactccgac 300
gaaaaggcca tagatgggaa caatattaac gaggaacaa ttgagttaga cgagttatct 360
cctcaaggga aaaccacctc tttcaataag aattttatac gtaagaaatt ctttgaatca 420
cgcagctcat ctgtgagtag cgagggaaag acgctcttca gttcttatga tacattcgta 480
actaacctga gcgacgagaa attgaaagta gatgatttct acaaaagaat ggaagctaag 540
ttctatgaaa gatttgacca cttgattaat gatttggaga aggaaggcat tgtaacaaga 600
ttgaatgaaa ctttcaatcc tgaaattcaa gcattgcctc ctttaagaga aattatttct 660
ggtacatcag agacacattc atctaataac ccatttgaaa tacactctc aaacatcgac 720
agtgaattga gaaatagggt tgattacagc gaagaagaaa tggatgaaga tgatgacgtt 780
gacgtgtttg ctgacactac cgacaatacc gccctcttga attattcgca atttaacatt 840
aaatctcaga aaaaatcatt attaaaacag acaataataa atctttacat agacctttgc 900
cagttgaaat cttttatcga attgaacaga atgggtttca gtaaaattac taagaagtct 960
gataaagtat tgcacatgaa cactaggcaa gaattaatag aaagtgaaga atttttcaaa 1020
gacacctaca tcttccagca tgaaacttta agcagtttaa acagtaaaat tgcacaactt 1080
attgaatfff atgctgttct catgggtcag cctgggaacg tagattcatg caagcaagag 1140
ttaaagtcgt acctgcacga ccacattgtt tgggaaagaa gcaacacatg gaaagacatg 1200
ttgggcctct cttcgcaaaa taacgatata ataactattg aagatgaagc tgagaaaactt 1260
atgcaagaaa agcttcaaat tgaatatctc aagtatccat tgcttaagcc aattaatttg 1320
aagtttacta aaattgaaaa tttggcagtt cctaagctat tttttgggaa aagagcaatg 1380
aaaataggct tcattatcat tgtcacaggt gttttgttgg gtgttaaaac tttcaatgac 1440
cctgtcgaac accggtgtat ggcatggta gaatgctgtg ctttcttatg ggctagtga 1500
gccattccat tacacatcac aggtttattg gttccccttc taactgtcct ttttagggta 1560
ctaaaagacg atgacggtaa ggtaatggga gcagcagctg cctctacaga aatcttaggt 1620

acaatgtggt cgtcaacaat tatgatttta ttagcaggtt tcacattggg tgaagccttg 1680
 tcgcaatata acgttgcgaa agttttggca tcgtgggttat tggcccttgc aggtaccaag 1740
 ccaagaaatg tccttttaat ggcaatgagt gttgtattct ttctttcgat gtggatttcc 1800
 aacgttgcoct ccccagtatt gacatattct ctattaacac ccttactaga tccgctggac 1860
 tacacttcac cgtttgctaa ggcattagtc atgggtggtg cactttcggc agatattggt 1920
 ggtatggcctt cacctatttc ttcgccacag aatatcatct ccatgcagta cttaaaacct 1980
 tatggaatcg gctgggggca attttttgct gtcgctctgc ctacaggtat tctatcgatg 2040
 ctgtgctcct gggccttgat gatactcacc tttaaaatag gcaaaactaa actggaaaaa 2100
 tttaaaccaa taaggaccag atttactata aagcaatatt ttatcatcat tgtaactatt 2160
 gctactattc ttctatggtg ttagagagtc caaatagaaa gtgcttttgg atcgtccggt 2220
 gaaattgcag taataccgat agtcctgttt tttggtacag gtctactatc aacaaaggat 2280
 ttcaacacat tcccttggtc aattgttggt cttgctatgg gtggtatagc ccttggttaag 2340
 gcagtttcat cttcaggcct gttggttaact attgcaagag cattacaaaa gaaaattcag 2400
 aacgatggtg tttttgctat cttatgtatt ttcggtattt taatgttagt tgtgggcact 2460
 tttgtctcac atactgtgtc agcaatcatc attattccct tgggtcaaga agttggtgac 2520
 aaattatccg atccaaaggc agtccaatt cttgtgttcg gttgcgcctt gttagcctca 2580
 tgcggtatgg ggttggttc atctggattt ccaaacgtta ctgctatttc tatgaccgat 2640
 aaaaagggtg atagatggct aactgtaggc gcttttatct ccagaggtgt tcctgcttcg 2700
 ttgttagcgt ttgtctgcgt aattactctc gggtatggta ttagttcttc cgtcttaaaa 2760
 ggtagcactt aa 2772

<210> 228
 <211> 3246
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 228

atgtattttg ataaggataa ttccatgagc ctaggccgt tattgccaag tgatgagcag 60
 aagctaaaca ttaatcttct aacgaaaaag gagaaattct cgcatttaga ccccatat 120
 gacgcaaaag ccactccaca aagaagcact tcgaatagaa acgttggcga ttacttttg 180

gaaaaaagaa cgcctaagcc tatgattcaa aaggccttga cgaatacggg taatttcatt 240
 gaaatgtacc ataatacagca gagaaaaaat cttgatgatg aactatttaa agaagtaatg 300
 attaatagatg aaaacggaaa aactgtcgct agtaccacacg acggcagata tgacaacgat 360
 tacgataata acgatattaa tgaccaaaaa acttttgata atatagcggg aagtccccac 420
 atggaaaaaaa atcgaaacaa agtaaagatt gaacatgact cttcatctca aaaaccaata 480
 gctaaagagt catccaaagc ccaaaaaaat ataatacaaa aggggaatcaa ggactttaaa 540
 tttggtagtg taatagggtga tggcgcggtat tctactgtaa tgtttagcgac gtcgattgat 600
 accaaaaaga ggtacgccgc aaaagtacta aacaaagaat atttaatacg ccagaagaaa 660
 gtcaaatacg tcagcataga aaaaaccgcc cttcaaaagc tcaataattc tcctagtgtt 720
 gtgcgattat tttccacttt tcaggatgaa tcaagcctat actttctctt agagtatgcc 780
 cccaatgggg actttctttc tttaatgaaa aaatacgggt cattagacga aacctgcgca 840
 cgatattatg ctgcgcaaat aatagatgcc atagactact tacattccaa cgggtattatt 900
 catagagata taaaaccaga aaatattctt ttagatggag aaatgaagat caaactgact 960
 gatttttgta ctgcgaagtt actgaatcct acaataataa gcgtttcgaa accagaatac 1020
 gatttatcaa caaggtcgaa atctttcggt ggaactgcag aatacgtatc tccagaactt 1080
 ttaaatgaca gttttacaga ctatcggtgc gatatttggg ccttcggatg tatacttttc 1140
 cagatgattg ccggaacc accattcaaa gctaccaatg aataactgac tttccaaaag 1200
 gtaatgaaag ttcagtacgc ctttacacca ggtttccac ttattatcag agatttggtt 1260
 aagaaaatct tagtaaaaaa cttagaccga agattgacga taagccaaat taaggaaat 1320
 cattttttca aagatttgaa ttttaaagac ggctctgttt ggtcaaaaac gcctccagag 1380
 atcaaaccat ataaaatcaa cgccaaatcc atgcaggcaa tgccaagcgg aagcgataga 1440
 aaactgggtg agaaatcagt caacacactt ggcaaatcgc atctagtgc tcaaaggtca 1500
 gcttcaagtc cctctgttga ggaaactact cattcaaccc tatacaataa caatactcac 1560
 gcttctactg aaagtgaat atcaataaag aagagacca ctgatgaaag aacagcgag 1620
 atacttgaaa atgcaagaaa ggggtataaac aataggaaaa atcaaccagg caagagaaca 1680
 ccaagtgggtg cagcttctgc tgccttagca gcttctgctg ctttaaccaa gaaaaccatg 1740
 caaagctatc caacttctag ttcgaaaagt agcagggtcaa gctctcctgc gacaacatca 1800

agaccaggaa cttataagcg tacttcttct acagaaagta aaccatttgc caaatctcca 1860
 cctttgtcag catcagtttt atcgtcaaaa gtcccaatgc ctccatacac acctccaatg 1920
 tcgcccccta tgacaccata tgatacatat caaatgacac ctccctatac gacaaaacag 1980
 caggattatt ctgataccgc aattgccgca cctaagcctt gtattagtaa gcaaaatgtt 2040
 aaaaatagca cagattctcc cttgatgaac aagcaagata ttcaatggtc cttttacctg 2100
 aaaaacatca acgaacatgt actaaggacg gaaaaactgg attttgttac cacaattac 2160
 gatattcttag agaagaaaat gcttaaaact aatggttcat tgttagatcc tcaactgttt 2220
 ggtaagccta gacatacttt tttatcccaa gtagctagga gtgggggaga ggttacaggt 2280
 tttcgaaatg atccaactat gactgcttat tccaaaacag aagatacgta ctattcgaaa 2340
 aatattatcg atttgcagct cttggaagat gattatcgaa ttgaaggagg tgacttatcg 2400
 gagttgctta ctaacagaag cggagaaggg taaaaatgca atcaaaacag ctcaccaatg 2460
 aaagacgatg ataaatccga atctaacaat aaaggaagct ctgttttttc tggcaagatt 2520
 aaaaaattat ttcaccctac ctgagcagct gaaacgctct cttcctctga tgaaaaaacc 2580
 aagtactata aacgaaccat tgtaatgaca tcatttggaa ggtttctagt atttgccaag 2640
 aggaggcagc caaatccagt taaaaattta aagtatgaac tagaatatga cataaatttg 2700
 cgtcaacagg gtaccaaaat aaaagaacta atcattccct tggaaatggg aactaatcat 2760
 atagttgtga ttcagacacc ttacaagtca tttcttttga gcaactgataa aaaaaccacg 2820
 agcaaattgt ttactgttct caaaaaaatt cttaattcga atacaaataa aatagagaaa 2880
 gaactgttgc aaagaaacca aaaggtaatt gaaagaagaa catcatcatc cggaagagcc 2940
 atacctaaag atcttccaac ttccaagtct ccttcgccaa aaccaggac gcatagccaa 3000
 tctccatcaa tttcaaagca caattcgttt tctgaatcga ttaatagcgc taagagcaac 3060
 agatcaagca gaatttttga aacctttatc aatgccaaagg aacaaaattc aaaaaaacac 3120
 gctgtccag taccgttaac cagtaaatta gttaacggat tgccaaaaag acaagttacc 3180
 gtgggattag gtctaaacac aggaacaaat ttcaaaaact catctgcaaa atcgaagagg 3240
 tcgtaa 3246

<210> 229
 <211> 4146
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 229

atggcatcta ttacttttag aactccatta tcctctcagg aacaagcctt ttataatcag 60
aaatttcacc aattggatac ggaagatctc ggggtggtca ctggcgaggc agtcagaccg 120
ctcttcgcgt cttctggtct tccagggcaa ttactatcgc aagtgtgggc taccgtcgat 180
atagacaata aagggttttt gaacttgaac gagttttcgg ctgctttgag aatgatcgct 240
caattgcaaa atgctcccaa ccaaccaatt tccgctgccc tatatgagag cacacctact 300
caactggctt ctttttctat aaatcagaac ccagccccta tgcaaagcgg tagtgcaacc 360
ggcaatacaa acaacactga tattcctgcc ttatcctcaa atgatattgc taaattttca 420
caactgtttg ataggacagc aaagggtgct caaactgttg ctggtgataa agccaaggat 480
atatttttta aggcaagatt accaaatcaa actttagggtg aaatttgggc tctttgtgat 540
agagacgcat ccggtgtctt agacaaatct gagtttataa tggccatgta tttgatccaa 600
ctatgtatgt ctcacatcc tagtatgaac acaccaccgg ccgtgttgcc tactcagctg 660
tgggattcta ttcgtttaga acctgttgtt gttaatcaac caaacaggac tactcctttg 720
agtgctaact ccactggcgt atcttcacta acaagacact ctactatata acgtctatct 780
actggtgcat tcagtaatgc tgcttcagat tggctcttaa gttttgaaaa aaaacaacag 840
tttgatgcaa tttttgattc attagataag caacatgctg gttcgctaag ctctgctgtg 900
ttggttccat tcttcttata ctctagatta aaccaagaga cgtagccac catctgggac 960
ttagctgaca tccacaacaa tgctgaattc accaaattgg aatttgctat tgccatgttc 1020
ttaattcaaa aaaagaatgc tgggtgtcgaa ttaccggatg ttatcccaa tgaattatta 1080
cagtcccccg ctttaggact ttatccgcca aaccacttc ctcaacaaca aagtgcacct 1140
caaattgcca tcccctcaag agcaagtaag ctttctttac aggatatgcc acaccaagtt 1200
tctgccccag cagttaatac tcaaccaaca gttccacaag ttcttctca aaactcaa 1260
aacggttctt tgaatgattt actggctttg aacccttcat tcagctctcc ttctcccact 1320
aaagcacaaa ctgtggttca aaacaacaca aataatagtt tttcatatga taataacaat 1380
ggccaagcaa cattacaaca acaacagcca cagcagcctc cacctttaac tcactcctcc 1440
tctggattga agaaatttac tcccacctca aacttcggtc aaagtataat caaggaagaa 1500

gttccaaaac atgcttcaag tccagtcaaa cgtacagctt caacaacact gccacaagtt 1620
 cccaactttt ctgtgttttag catgccagca ggcgctgccca ctagcgctgc cactgggtgct 1680
 gctgtaggcg ccgcagtgagg tgctgctgct ttaggcgcat ccgctttttc aagatcttcc 1740
 aataatgcat tcaagaacca ggattttattt gcagatgggtg aagcttctgc tcagttatct 1800
 aatgctacca cagaaatggc taattttatct aaccaagtaa actccctgtc caagcaggca 1860
 agtataacta atgacaaaaa gtcaagagcg acccaggagt tgaaacgtgt tactgagatg 1920
 aaaaattcca ttcaaataca attgaacaat ttacgttcta cccatgacca aaatgttaaa 1980
 caaacggaac aactggaagc acaagtactt caagtaaaca aagaaaacga aacattagcg 2040
 caacagttgg ctgtatccga agcaaactac catgccgctg agtccaaact caatgaacta 2100
 actactgatt tgcaagaatc tcaaacaag aacgcagaat taaaagaaca aattacgaat 2160
 ttgaactcga tgacagcctc cttacagtca caattaaatg aaaaacaaca acaggtcaag 2220
 caagaaaggt caatggtaga tgttaattca aaacagctag agttgaatca agtcacagta 2280
 gcaaacttgc agaaggaaat cgatgggtctt ggcgaaaaga taagcgttta cttaactaaa 2340
 caaaaggagt taaatgacta ccaaagacc gtggaggagc aacacgcaca attacaagct 2400
 aaataccagg atctgtccaa caaggatact gatttaacgg accgtgaaaa acaatttgaa 2460
 gaacgtaaca gacaaattga agaacaagaa aatctctacc atcagcacgt ttctaaattg 2520
 caagaaatgt tcgacgatct atcacagaga aaagcttctt ttgaaaaagc tgatcaagag 2580
 ttaaaggaga gaaacatcga atacgctaac aatgtgagag agttatccga aagacaaatg 2640
 aatttagcta tgggacaatt acctgaggat gctaaggaca ttattgcgaa aagcgctct 2700
 aatacagata caacaaccaa agaagccaca tcaagaggaa atgttcacga agacactgta 2760
 tccaaatttg tcgaaactac tgttgagaat tcaaacttga atgttaatcg ggttaaagac 2820
 gatgaagaaa agacagaaaag aaccgaaagt gacgtatttg atagagacgt tccaactttg 2880
 ggatctcaaa gcgatagtga aaatgccaat acaaacaacg gcacccagtc aggaaatgag 2940
 acagcaaadc caaacttaac tgaaacatta agtgataggt ttgatgggtga tttgaatgaa 3000
 tatgggtattc caagaagtca atccttgaca tcgtctgttg caaacaatgc tectcaatcc 3060
 gtaagagatg atgttgagct accggaaacg ttggaagaac gtgacaccat caataatact 3120

gcgaatagag ataatactgg aaacttatct cacattcctg gtgaatggga agctacccca 3180
gctaccgctt ctactgatgt tttgagcaac gaaactacag aagttattga agacggaagt 3240
accacaaaaa gggctaattc aaatgaagac ggtgagtcgg tcagttctat ccaagaatct 3300
ccaaaaatct ctgctcaacc aaaagcaaag acaataaatg aagagtttcc accaattcag 3360
gaattgcata ttgacgaaag cgattcatcc tcttcagacg atgatgagtt tgaagatacc 3420
agagaaaattc catcagcaac agtgaagacc cttcaaactc cctataatgc ccagcccaca 3480
tcaagtttgg aaatccacac ggaacaagtc ataaaaatc ccgctccagg cacttctcct 3540
tcacataatg aaggtaactc aaaaaaggca agcaccaatt ccattttgcc tgttaaggac 3600
gaatttgatg atgaattcgc aggggttagaa caagcggctg tggaggaaga taatggtgct 3660
gattcggaat ctgaatttga gaatgttgcg aatgctgggt cgatggagca atttgaaacc 3720
atagaccata aggatctcga tgacgaacta caaatgaacg cttttacagg gacgttaact 3780
agttcctcta acccaactat cccaaaacca caagtacaac aacagtcaac cagtgaccct 3840
gctcaagtaa gcaacgatga gtgggacgag atttttgctg gatttggttaa ctccaaagct 3900
gaaccaacca aagtagctac cccaagcatt ccacaacaac caattccatt gaagaatgat 3960
cctatcgttg atgctagctt gtcaaaaggt ccaatagtta accgcggggg tgcaactact 4020
ccaaagtctc tagccgtcga ggagttaagt ggcatgggat ttactgaaga agaagcgcac 4080
aatgccttgg aaaagtgcaa ctgggatcta gaagccgcca ctaacttttt gttggatagt 4140
gcttag 4146

<210> 230
<211> 2109
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 230

atgagtaata aggaagagca tgttgatgag acttccgcaa gtgggtgtcaa ggaggttagt 60
tctatagctg ctagacatga caatggttac gcgccttcgc taatcacgtc gacgtcgggc 120
atggactcct ttcaatcgca cgcgctactg aatgatccaa ccctaataga ggattattca 180
gatatcatta ataataggcc tacaagtgga agtaaaactta ctttaggaaa cgaggattcg 240
gagagtatgg gcggaagtgt tgtggtgact ccgacttcga ataagagttc gcccttcaat 300

gaagaagatt tttatatgga tgaacaaagg gcggtatcat cagcaagcat aaatagttca 1980
ctttccggat caagggcatt gtctaatacc aatatgtccg atccggcttc gaagcccaat 2040
tctttggttc aacatctcta tgctccagtt tttgacagaa tggatgtggt gatgaaacca 2100
attggatga 2109

<210> 231
<211> 6156
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 231

atggacgctt actccacaag accattaacc ctatctcacg gttctttaga gcacgtgctt 60
ctggtaccaa ccgcttcatt tttcattgct tcgcaattac aagaacaatt taataaaatt 120
ttgcccgaac ccactgaagg gtttgctgca gatgacgagc ctaccacacc tgctgaacta 180
gtgggggaaat tccttggtta cgtatcttct ctagtcgaac cttccaaggt cgggtcaattc 240
gatcaggtct tgaacctttg cttaacagaa tttgaaaact gttattttaga aggcaatgac 300
attcacgcct tggctgctaa actattacag gaaaacgaca caactttagt gaagactaaa 360
gaactaatta aaaattatat taccgccaga ataatggcta agagaccatt tgacaaaaaa 420
tccaactctg ctcttttttag ggccgtcggc gagggtaacg cacaattggt agccattttc 480
ggtggtcaag gtaacaccga cgactacttt gaagaattgc gtgatctata tcaaacttat 540
catgtcttag tgggagattt aatcaagttc tccgctgaaa ctttaagtga actgattaga 600
actacttttag atgctgaaaa agtctttact caaggtttta acatattgga atggttgagg 660
aacccttcaa ataccccaga caaggactat ttactttcca ttccaatttc atgcccctta 720
attggtgtca ttcaattggc tcaactacgta gttactgcca agcttttggg tttcactcca 780
ggtgagttaa gatcttactt aaaaggtgct acaggtcact ctcaaggttt ggttactgct 840
gtcgccatag ctgagacgga ttcttgggaa tccttcttcg tctccgtaag aaaagcaatt 900
actgtattat tcttcatcgg tgttcgttgt tacgaagcat acccaaacac ttccctacca 960
ccatccatct tggaagattc cttggaaaac aatgaaggtg ttccatctcc aatgttgtcc 1020
atttccaatc taactcaaga acaagttcaa gactatgtaa ataagactaa ctctcatttg 1080
ccagctggta aacaagttga aatttctcta gtcaatggtg cgaagaatct agtcgtatcg 1140

ggccccaccac aatcattata tgggtttaaac ttgactttaa gaaaggccaa ggccccatct 1200
ggactggatc aatcaagaat cccattcagc gaaagaaaat tgaagttctc caatagggtc 1260
ttacctgttg catcaccatt ccattcccat ctattgggtc cagcttcaga tttgattaac 1320
aaagacttag tcaaaaacaa tgtcagcttt aacgctaaag atattcaaat ccccgtttac 1380
gacacttttg atgggttcaga tctaagagtc ctttcagggt ccatttccga gagaatcgtc 1440
gactgcatca ttagattacc tgtcaaatgg gaaactacta cacaattcaa agccaccac 1500
atattagact ttggtccagg tggagcttcc ggtttagggt ttttaacca tcgtaataaa 1560
gatggtagtg gtgttcgtgt tatcgttgcc ggtactctcg acattaaccc agatgatgat 1620
tacggattca agcaagaaat ctttgatgtt actagtaatg gtttgaagaa aaatccaaac 1680
tgggttgaag aataccatcc aaaattaatt aagaacaaat caggcaaat tttgtcgaa 1740
acaaaat ttaataat cggtagacca cttttattgg ttcctggtat gacaccatgt 1800
actgtttctc cagatttcgt agctgctacc acaaagctg gttataccat tgagttggcc 1860
gggtggtggtt acttttccgc agcaggtatg accgccgcta ttgattctgt ggtttctcag 1920
atagaaaagg gtagtacctt cggtatcaac ttgatctacg tcaatccatt tatgttacia 1980
tgggggtattc cattaatcaa ggaactaaga agcaaagggt atccaattca attcttgacc 2040
attggtgctg gtgtcccatc attggaagtt gctagtgaat acatagagac attagggttg 2100
aagtaacttg gtttgaacc aggttccatt gatgctattt cgcaagttat aaacattgct 2160
aaagcacatc caaacttccc aatagcttta caatggaccg gtggtagagg tgggtggtcat 2220
cattctttcg aagatgccc cactccaatg ttacaaatgt actccaagat tagaagacat 2280
ccaaacatta tgttgatatt cggttctggt ttcggttctg ctgatgacac ttaccatac 2340
ttaaccggtg aatgggtccac aaaattcgat tatccaccaa tgccattcga tggtttccta 2400
tttggttcga gggatcatgat tgctaaggaa gttaaaactt ctctgatgc taagaagtgt 2460
attgctgctt gtactggtgt tctgatgat aaatgggaac aaacctacia gaagccaact 2520
gggtgtattg tcaactgttcg ctctgaaatg ggtgaaccaa ttcacaaaat tgccactcgt 2580
gggtgttatgc tatggaagga attcgacgaa accatcttca acttaccaa gaataagttg 2640
gtaccaactt tggaagcaaa gagagattac attatctcaa gattgaacgc cgatttcaa 2700
aaaccatggt ttgctaccgt caacgggtcaa gcccgtagcc tagccacaat gacatacga 2760

gaagttgcaa agagattggt ggaattaatg ttcacatgat ctaccaactc ttggtttggat 2820
gtcacatgga gaaccttttac tgggtgatttc ctacgtcgtg tcgaagaacg tttcactaaa 2880
agtaagacat tgtctttaat ccaatcctat tctctactag acaagcctga tgaagctatt 2940
gaaaaagtat ttaatgctta tcctgcccgt agggaacagt tcttgaatgc gcaagatatt 3000
gatcactttt tgagcatgtg tcaaaatcca atgcaaaaac cagtgccttt tgttccagtt 3060
ttggatcgta gattcgagat ttttttcaaa aaagattcgt tatggcaatc tgagcacttg 3120
gaagccgctg tcgaccaaga cgttcaaaga acatgtatcc tacatggacc tggtgcagca 3180
caattcacta agtcacatga tgaaccaatt aagagcatta tggatggtat tcacgatggt 3240
cacatcaaaa agttactaca tcaatattac ggtgacgatg agtcaaagat tccagcagtt 3300
gagtactttg gtggtgaaag ccctgtagac gtacaaagtc aagttgattc ttctctgta 3360
tctgaagact cagctgtttt taaggcaaca tcctctactg atgaagaaag ctggtttaag 3420
gctttggcgg gatccgaaat taactggaga catgcaagtt tcttatgttc ctttatcact 3480
caagataaaa tgtttgtttc taacccaatt agaaaagttt tcaagccaag ccaaggaatg 3540
gttggtgaga ttccaacgg caatacttct tcaaagactg ttgtcactct ttcagaacct 3600
gttcaagggtg aattgaaacc aactgttatt ttgaagttgt tgaaggagaa cataatccaa 3660
atggaaatga ttgagaacag aactatggat ggtaagcccg tcagcttgcc attgttgtac 3720
aacttcaacc cagataatgg ttttgctcca atctctgaag ttatggagga cagaaaccaa 3780
agaattaagg aaatgtactg gaaattatgg attgatgagc ctttcaattt ggactttgac 3840
ccaagagatg tcattaaggg caaagatttc gagatcaccg cttaaagaagt ttatgacttt 3900
acacacgctg ttggaaacaa ttgtgaagac ttcgtttcta gacctgatag aacgatgttg 3960
gccccaatgg actttgctat tggtgtcgga tggagagcca tcatcaaggc cattttccct 4020
aatacggtcg atggtgactt attgaagttg gttcatttgt ctaacggcta caagatgatt 4080
cctggcgcta agccactgca agttggtgat gttgtttcaa ctactgctgt tattgaatct 4140
gtcgtcaacc aacctacagg aaagattgtc gatgtggttag gtacattatc gagaaatggc 4200
aagcctgtca tggaagtcac ctctcattc ttctacagag gcaactatac tgactttgaa 4260
aacactttcc aaaagactgt tgaacctgtt tatcaaatgc acatcaaaac ttctaaagat 4320
atagctgtct tgcgctctaa ggagtgggtc caattggacg atgaagactt cgatctgtta 4380

gtgaagggttg ctagattggc cggaaagtac attccaaact tgactgcaaa accattccag 6060
 gttactaagg aatattttoca ggacgtttat gatttgactg gtcctgaacc tatcaaggaa 6120
 atcatcgaca actgggaaaa gtatgaacaa tcctaa 6156

<210> 232
 <211> 378
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 232

atggaaaagg atgaggagga tgaagaatct gaagaagcag aggaagagct gctggtgctt 60
 gaatctgatg agaaactgaa tgatgtgaac gatatggagg caatgctggt agacgaactc 120
 gtatgtgaca cgagggacct acttgatgtc gatgaagtaa gggaagatga gtcagcactt 180
 gaggaagaaa ccatactgga tgacaaaatg gaacttgaag aactaactct acttacggaa 240
 gaacgtgcag tagatactgc tgaagaattc gaagatgatg attgcacgaa aaattgtgcg 300
 cgtatcgtcg atatgcatga cagtattaaa agtaataagc ggaaactatt cttggttgtg 360
 aaagacaaca tactatga 378

<210> 233
 <211> 3648
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 233

atgacaaaga aatcatttgt gagcagtcct attgttaggg actcgacatt gctggtacca 60
 aagtcattaa tagcaaagcc gtacgtatta ccgtttttcc cgttatacgc tacctttgcc 120
 caactatatt tccagcaata tgatcgttac atcaaaggac ctgagtggac ttttgtctac 180
 ttggggacat tggatatcctt gaacatccta gtcatgttaa tgcttgcttg gaatgtcaag 240
 atcaaggcga aattcaacta cagtactact aaaaatgtca atgaagctac tcacattctc 300
 atctacacca ctccaaataa tggttctgat ggtatcgttg aaattcagag agtaactgaa 360
 gcgggctctt tgcagacttt tttccaattt caaaagaaaa gattcttgtg gcatgaaaat 420
 gagcagggtat tttcttcacc aaagttcctt gttgatgaat ccccaaagat cggtgatttc 480
 caaaaatgta agggccattc cggtgaccta actcatttga agagactata tggtgagaat 540

<213> Saccharomyces cerevisiae

<400> 234

atggaggcac ttatcgtatt tatagtgttt tccgtatccg gagcatttgc ttacaaatgc 60
tcctatgaaa ggctctgggt taaagtaggg tctttgtttg acattatatc aacttcctcg 120
aagaaaaatg tcattccgtt ggcaagcaaa atggaagttg gctcgaatga ggatgtgtct 180
agtatgggta atttcataaa taaattctac acagagtatt ctttaccctc acataaggta 240
ctgcaatcac tgcgagtcct tttttcatta gcaatgatga cgtatacagt aaccatagag 300
attattctat ggagattaa ggttgctgga atggacaagg aagttacttt cataacgact 360
tggtgtgtgc ctctgactgc aatcatgcta tccttcatac taattttatt tcagcccttt 420
ttcattataa tatcgttact gaataaattc tacaatgaca agttcgatat cgatagggtg 480
ataatagtga catgcataat cttgtccaca cttattgccc tgttaagtta cataaatatt 540
ggaccgttcc agtacacaaa aaatattcta actagattgt ccatcggagg cgtcacagtc 600
atggcttccc tatctgggtt agccactgtt tctagtttat actacaactt tttagtcac 660
tggcacaagt ttcgtaatac accaatgtca gaccccagtt ttagaaacat caacaacagc 720
aacaataaca gtaaattctt cttatggaca acagacgcct atatagagga aaaaatccaa 780
gattatgaac acaacattga acaaaatgta caaatattaa gaagtttaga agaagaggtc 840
ggagaaaact caacttttaa agcagagttg atggaaaaaa tcgcttggtg tcaactggag 900
cttgggaaat tggaagcatt attacaacag tcccctcagg tacgcacttt taagaaagct 960
tttgaagtcg ggtttatcat atactgtctt cataaactaa taataacttt cctgaaaaga 1020
atcccctata tcatatacca ctgctcaaa tatccagatg actacgatta tgaaaatttt 1080
agtgaaaatg cagcatccga tcctttagcc attacgatag caaatatttt ggatttttcg 1140
tttttcaggt tcaattacca gcacgatctc gattcggtta caaacagat atcgttattt 1200
ttgtcaattt ctctctttct ttgctgtctt tctgctgtca ataccaccat ctctacgtt 1260
gtgacccttt tgcccataaa gttccagatt cttgcacttt tcgccatgca gaatgatgac 1320
actgctaatt tacttcaga gtacaccaat aactcttcct ataagggaac aaagagaaac 1380
tattctcagg aacaaaaagg aatatctttg ataaaaaatc tgggtggtgtc agagttgact 1440
ggcgtctacg ttttggctac aacgctaatt gttagggtccc atctcccttt tgaagtatca 1500

caaagattaa aggagctatt ggggtggaaag tttaccgtcc caaacattgt catagattct 1560
 tggtttgatg aagtctacgc ttttgcattgt gtgtttacct ttatttgcatt aagaattgca 1620
 gaacgaaagc tttccaccaa aaaagtcagt gttgaataa 1659

<210> 235
 <211> 2121
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 235

atgattcaaa aaatgagccc aagcttaagg aggccatcaa cgagggtctag ttctgggttca 60
 agtaatatcc cacaatcgcc ctctgtacga tcaacttcat cgtttttctaa tctgacaaga 120
 aactccatac ggagcacctc taattcgggt tctcagtcga tttctgcatt ttccactaga 180
 agtaactccc cactaagatc cgtatcagcc aaatccgatt ccttccttca cccaggtagg 240
 ataaggatca ggcggagcga cagtattaac aacaactcga gaaaaaacga tacatatact 300
 ggggtcaatca ctgtgacct cccggccgaaa ccacggagcg ttggaacttc ccgtgacct 360
 gtgggggctaa aatcgcccag gtactctcaa ccaagatcca actcacatca cggtagcaat 420
 acatttgtta gagacccttg gtttattact aatgacaaaa caatagtgca tgaagaaatt 480
 ggagagttca agttcgatca tgtttttgct tcccattgca ctaatttgga agtttatgaa 540
 agaaccagta aaccaatgat tgataagtta ttgatggggg ttaatgccac catatttgcg 600
 tacgggatga ccgggtcagg taaaacgttt acaatgagcg gaaatgaaca agagctaggc 660
 ctaattcctt tatctgtgtc gtatttattt accaatatca tggaacaatc aatgaatggc 720
 gataaaaagt tcgacgttat aatatcgtag ctcgaaattt acaatgaaag gatttacgac 780
 ctgttagaaa gcggattaga agaatccggg agtagaatca gtactccttc aaggttatat 840
 atgagcaaga gcaacagcaa tggattgggc gtagaattaa aaatcagaga tgactctcag 900
 tatgggggtca aagttatcgg tctcaccgaa agaagatgtg aaagtagtga agaattattg 960
 aggtggattg cagttggtga caaaagtagg aaaattggcg aaactgacta caatgcaaga 1020
 agctcacgat ctcatgccat tgtactgatt cgtttaacaa gtactaacgt aaagaacggc 1080
 acctcaagat cgagtacatt gtcgttgtgt gacctagcag gttcggaaag ggctacgggg 1140
 caacaagaga ggagaaagga aggttcattc atcaacaaat ccttacttgc tttgggggact 1200

gtgatatcca aactcagtgc cgacaagatg aactcagtag gctcaaacat tccctcgcca 1260
 tctgcaagtg gcagtagcag cagtagtgga aatgctacca ataacggcac tagcccaagc 1320
 aaccacattc catatcgtga ttctaaattg actagattat tgcagccggc actaagcggc 1380
 gacagcatag tgacaacgat atgtacagtc gacaccagaa atgatgcggc agcggaaact 1440
 atgaatacgc tgagggttgc atcaagagcg aaaaacgtcg cacttcatgt atccaaaaaa 1500
 tccatcatca gtaacgggaa taacgatgga gataaagatc gcaccattga gctactgaga 1560
 cgccaattgg aagaacaacg taggatgatc tctgaattga agaaccgttc aaacattggc 1620
 gagcccttaa ccaaattctc caatgaaagt acttataaag acattaaagc caccggcaat 1680
 gatggtgatc cgaatttggc tctaattgaga gcggagaatc gagtattaaa atataaacta 1740
 gagaattgtg aaaaactact agataaagat gtggttgatt tgcaagattc tgagattatg 1800
 gaaattgtag aaatgcttcc ctttgaggtc ggcacccttt tggaaacaaa gttccaaggt 1860
 ttggaatcac aaataaggca atataggaaa tacactcaaa aacttgaaga caagatcatg 1920
 gcgctagaaa aaagtgggtca tactgcaatg tcgctaactg ggtgtgacgg cactgaagtg 1980
 atcgaattac agaagatgct cgagaggaag gataaaatga ttgaggccct gcagagtgcc 2040
 aaacgactgc gggatagggc tttgaaacca ctcattaata cacagcaatc accgcaccct 2100
 gtcgtggata acgataaatg a 2121

<210> 236
 <211> 1137
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 236

atgacaatta acacaaagaa catagttggtt gttggtgctg gtgtgtttgg tgtgtctgtg 60
 gcaaactact tgtacagga actgggtggg acatacgcaa taaagctcgt cacagcatct 120
 aattatgtgt attttctacc ctcagctgtc cgtttgacgg tttcaaagga ttataccaag 180
 tcgatcctgc cgtaaaaaa tgttcttgat agtggtattg aagttatcaa agatacggct 240
 gccagctttg atgataagga ggtagttttg gggtcagaca gggccataaa gtttgatata 300
 ttggttcttg caactggctc aaagtgggct gatccaattg gttcaactta taccttcggg 360
 gataactata aagagtatct tgaaagagag gcttctcgaa tctcagatgc agatcacata 420

gacttcacca aagagaagga cattgttagc gcagtcgtta aggctaccaa cggcgggtgcc 720
cacgggtatca tcaatgtttc cgtttccgaa gccgctatcg aagcttctac cagatactgt 780
agggcgaacg gtactgttgt cttgggttggc ttgccagccg gtgcaaagtg ctcctctgat 840
gtcttcaacc acgttggtcaa gtctatctcc attgtcggct cttacgtggg gaacagagct 900
gataccagag aagccttaga tttctttgcc agaggcttag tcaagtctcc aataaaggta 960
gttggcttat ccagtttacc agaaatttac gaaaagatgg agaagggccca aattgctggc 1020
agatacgttg ttgacacttc taaataa 1047

<210> 238
<211> 1692
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 238

atgtctgaaa taaccttagg taaatattta tttgaaagat tgagccaagt caactgtaac 60
accgtcttcg gtttgccagg tgactttaac ttgtctcttt tggataagct ttatgaagtc 120
aaaggatatga gatgggctgg taacgctaac gaattgaacg ctgcctatgc tgctgatggc 180
tacgctcgta tcaaggggat gtcctgtatt attaccacct tcgggtgttg tgaattgtct 240
gctttgaatg gtattgccgg ttcttacgct gaacatgtcg gtgttttgca cgttggttggc 300
gttccatcca tctcttctca agctaagcaa ttgttgttgc atcatacctt gggtaacggc 360
gacttcactg ttttccacag aatgtctgcc aacatttctg aaaccactgc catgatcact 420
gatattgcta acgctccagc tgaattgac agatgtatca gaaccaccta cactacccaa 480
agaccagtct acttgggttt gccagctaac ttggttgact tgaacgtccc agccaagtta 540
ttggaaactc caattgactt gtctttgaag ccaaacgacg ctgaagctga agctgaagtt 600
gttagaactg ttgttgaatt gatcaaggat gctaagaacc cagttatctt ggctgatgct 660
tgtgcttcta gacatgatgt caaggctgaa actaagaagt tgatggactt gactcaattc 720
ccagtttacg tcacccaat gggtaagggt gctattgacg aacaacaccc aagatacggc 780
gggtgttacg ttggtacctt gtctagacca gaagttaaga aggctgtaga atctgctgat 840
ttgatattgt ctatcggcgc tttgttgtct gatttcaata ccggttcttt ctcttactcc 900
tacaagacca aaaatatcgt tgaattccac tctgaccaca tcaagatcag aaacgccacc 960

ttcccaggtg ttcaaatgaa atttgccttg caaaaattgt tggatgctat tccagaagtc 1020
 gtcaaggact acaaacctgt tgctgtccca gctagagttc caattaccaa gtctactcca 1080
 gctaacactc caatgaagca agaatggatg tggaaccatt tgggtaactt cttgagagaa 1140
 ggtgatattg ttattgctga aaccggtact tccgccttcg gtattaacca aactactttc 1200
 ccaacagatg tatacgctat cgtccaagtc ttgtgggggtt ccattggttt cacagtcggc 1260
 gctctattgg gtgctactat ggccgctgaa gaacttgatc caagaagag agttatttta 1320
 ttcattggtg acggttctct acaattgact gttcaagaaa tctctaccat gattagatgg 1380
 ggtttgaagc catacatttt tgtcttgaat aacaacgggt acaccattga aaaattgatt 1440
 cacggtcctc atgccgaata taatgaaatt caaggttggg accacttggc cttattgcca 1500
 acttttgggt ctagaaacta cgaaaccac agagttgcta ccactgggtga atgggaaaag 1560
 ttgactcaag acaaggactt ccaagacaac tctaagatta gaatgattga agttatgttg 1620
 ccagtctttg atgctccaca aaacttgggt aaacaagctc aattgactgc cgctactaac 1680
 gctaaacaat aa 1692

<210> 239
 <211> 462
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 239
 atgtctagtc aaacagaaag aacttttatt gcggtaaaac cagatgggtg ccagaggggc 60
 ttagtatctc aaattctatc tcgttttgaa aaaaaagggt acaaactagt tgctattaaa 120
 ttagttaaag cggatgataa attactagag caacattacg cagagcatgt tggtaaacca 180
 tttttcccaa agatgggtatc ctttatgaag tctggtccca ttttggccac ggtctgggag 240
 ggaaaagatg tggttagaca aggaagaact attcttgggt ctactaatcc tttgggcagt 300
 gcaccaggta ccattagagg tgatttcggt attgacctag gcagaaacgt ctgtcacggc 360
 agtgattctg ttgatagcgc tgaacgtgaa atcaatttgt ggtttaagaa ggaagagtta 420
 gttgattggg aatctaataca agctaagtgg atttatgaat ga 462

<210> 240
 <211> 858
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 240

atgtgggctc aattatcata tactagacca gaatctcaga agactgactt aacgtcgttg 60
 ttttccacag atcaagagca aaatccatta aatgactacc agtaccagat caatattagg 120
 gaactggagg agtattacaa caagacgatt ttaaacgagg ataacataca ggaaacaagc 180
 agtgaaatat cttcggcagt ttcattctct ccaccaaaaa atacaaacgc tattcaaccg 240
 gggctactgt atgatccaca gttaatgaac ccttttctcc catccgctca cctgaatagc 300
 acggcaccta ctacttttaa aaagaaacta gaggtacaaa taaatccgga ctatgtccca 360
 aaatcttcac aattaccatt aacttcacag aatttgcaac agttgtctca acaaaagccc 420
 aaaaatgatg cttctttttc atcagagaag gaatcctcag ctcaacctaa ggtgaaaagc 480
 caagtgcagg aaactcccaa acaattatac aagacagagc tgtgcgaatc attcacttta 540
 aaaggaagtt gcccttatgg cagtaagtgt cagtttgctc acggactcgg cgaattaaag 600
 gttaagaaat cgtgcaagaa tttcaggacg aagccctgtg tgaattggga gaaactaggt 660
 tattgtcctt atggcagaag atgctgcttc aaacatggcg acgacaacga cattgctggt 720
 tacgtgaaag ctggtactta ctgtaacgct tcttcgacta gcaaacaatc agacgaaaag 780
 agaagcaatg gtcgcggtc cgccaagaag aagaatctaa atgttaaagt aaaggctttg 840
 cagagaatga cctggtga 858

<210> 241

<211> 4263

<212> DNA

<213> Saccharomyces cerevisiae

<400> 241

atgagttctg acgcttccac gtacagactt gaggatgttt tatccagctt ctatagagtg 60
 gagaaaatca aaaagatcaa ctatcatcag tacatttcta aagcccaaaa cgatcaatgg 120
 tctatccaaa tggaattcat gctacggaag caggatccaa agactctagt tgcgctgctt 180
 tcaagggatt tatggtgttt cagtataaat gatgatccgg taccgacacc tctgcgata 240
 gaacataaac cagtgaagccc agataaaaac ggaactttca ctgccgatta ttcaaagcca 300
 aacttaccgc cacactatgc tcttttttta aaagctttta gaaggaaaat ttacattaat 360

ttggcattag gttcacacaa taagctaata caatttggga atgcctgcat atcattaagc 420
 ggagtgccaa attatctcgt acagctagaa ccacaccttt ttgtaaacgg agatctcaca 480
 gtgtcgttat gtgccaagaa catgggatta gtaccaatga aggaggaaaa tttggaagaa 540
 tcttttccttt caaagcatgc gctttattta gcaccatctg gaataaggat gcatttggcc 600
 cctgcttcca agcaaggata cttgataacg ccacaaaaac atacagaact tctcttgacg 660
 acgttaagtg tatctcatgg tataaactta caaaataaaa aaaatttgaa atgggttgct 720
 gttgttcttg acttaggaca tctcaacggc cacacaccta ctatagcttc gtatttaact 780
 cccttacttg aagcaaagaa gctagtatgg ccgctgcatt taatcttcgc ccaaccagta 840
 gctgatatag aaaattctac ttccggagat ccatcagaat ttcactgttt gcaagatgct 900
 ctggatgcca ttgatgattt catacaatta aagcaaacag ctgcctatag gactccagga 960
 agttccggcg tattgagcag taatattgct ggtacaaatc ccttaagctc agatggagca 1020
 tatacagaac agtttcaaca ttataagaac aactcaatta gttctcaacc cgcttcttat 1080
 cattctgtcc aagaaactaa taagatatct ccgaaagatt tctcccctaa tttcacaggc 1140
 attgataaat taatgctgtc gccagcgat caatttgctc cagctttctt aaatacccct 1200
 aataataaca tcaatgagaa tgaattattt aatgatagga aacaaactac agtatcaaat 1260
 gacttagaga acagcccact gaaaacggaa ctggaggcaa atggtagatc actcgaaaag 1320
 gtaaataatt ccgtgagcaa gacaggaagc gtagacacac ttcataataa agagggaaca 1380
 ctggaacaac gagaacagaa cgaaaatctg ccaagtgata aaagtgactc tatggtagac 1440
 aaggaattgt ttggtgagga tgaggatgag gatttatttg gcgatagcaa taaatcgaat 1500
 tctacaaacg aatcgaacaa aagtatatcg gacgaaatta ccgaggatat gttcgaaatg 1560
 tctgatgaag aagaaaataa taacaataaa agcattaata aaaataacaa ggaaatgcat 1620
 actgatcttg gtaaagatat tccatttttt ccctcatctg aaaaaccgaa tatccgtacg 1680
 atgagcggaa ctacaaaaag attaaatgga aagaggaaat atttgatat tccgatagat 1740
 gaaatgacct tgccaacgag tccattatat atggaccag gtgcgccact ccctgtggaa 1800
 acaccccgcg atagacgcaa aagtgtgttc gtcctactga attttaacct cataatagaa 1860
 aacaatgttg ataacaaata caaatctgga gggaaatfff ctttcagtcc gttgcaaaag 1920
 gaggaagcat taaactttga tatttctatg gcggatcttt ctagctctga agaggaagag 1980

gatgaagaag agaacggtag cagcgatgag gatctaaagt cattgaacgt acgcgacgac 2040
atgaaacctt ctgataacat cagtactaat actaatattc atgagcctca atacataaat 2100
tactcttcga tcccaagtct acaagactct attataaagc aagaaaattt caattcagta 2160
aacgatgcta atatcactag caataaggaa ggcttcaact ctatttggaa aattcctcaa 2220
aatgatatac cacagaccga gtcaccactg aagaccgttg attcatctat tcaaccata 2280
gaatccaata taaagatgac cttggaagat aataatgta ccagtaatcc gtccgaattt 2340
acgccgaata tggtaaattc tgaaatttct aacctaccaa aagacaagag tggatatccc 2400
gaattcacac cggcggaccc caatttatct tttgaatcat caagtagtct accgtttcta 2460
ttgagacaca tgccgctagc atctataccg gacattttca tcacgcctac tcccgttgtt 2520
acaatttcag aaaaagaaca agacatctta gatttaattg cagaacaagt cgtcactgat 2580
tataatatct taggaaacct cgggtattcca aagatcgct ataggggagt taaagattgc 2640
caagaagggt taataacaac cacaatgtta cagttatttt ccactttcga tagattaaat 2700
ggcaatgata cgatctccaa attctataac atgaagcagc cgtacgtttt tgtaaagaaa 2760
catcacgaac taatcaaagt caaacacgac tctcagccat ttattaagtt cctcaatttt 2820
cgccctccaa atggaataaa aaacttcaaa tccttattat taagttcatc tttcaaagaa 2880
gattgtctgt catttgcgcc aactctatct caaacatata ttaatcaaga gttagggttt 2940
tgtgagttgc ttaaactaac taatgaagac ccgcccggac tgatgtactt gaaggcattt 3000
gataaaaaca agttactgtt gttagctgcg cagattgttt catactgttc taataataag 3060
aactccatca aaaacgtgcc accaatatta ataattttac ccttggataa tgcaactctg 3120
actgaattag tagacaaggc gaatatTTTT caggtgatca agaacgaagt ttgtgccaag 3180
atgcctaaca ttgaactata tttgaaagtt attcctatgg atttcattag aaacgtactg 3240
gtgacagtgg atcagtagct caacgtagca atttctatat ataacatgct gccgccaaaa 3300
tctgtaaagt tcaccacat tgcgcatacg ctgccggaga aagtgaattt cagaaccatg 3360
cagcaacagc aaatgcaaca gcaacagcaa cagcaacagc agcagcagaa taacagtaca 3420
ggatcatctt ctataatata ttatgactcg tacatccacc tggcatactc gcgtagtgta 3480
gataaagagt ggggtttttgc agctctttca gatagctatg gacaaggcag catgacgaaa 3540
acgtggtacg tcgggaattc cagaggaaaa tttgacgacg catgtaatca aatatggaat 3600

atcgccctaa atttagcgtc taaaaaatc ggaaaaatat gtctaatttt aactagattg 3660
aatggcatac tgccggatga tgaattgatg aattggagga gactttcttg taggaatata 3720
catcttgctg tgggtgtgtg ggatgacaac tctaaaatct ccttcataga tgaggacaaa 3780
ttgtacccta gtttcaagcc gatctacaaa gacactaggt ttggaggacg catggatatg 3840
accagattat acgactatga aataagggat atagaccagg acatccatgg aatagtatgt 3900
cagcaccctg tccactggc acactcacag catcgctgtg ctattaggag tgggtgcttg 3960
atcaaattca aaaaatgcga cgggtgatac gtttgggaca aattcgcagt caacctttta 4020
aactgtccac attctgatag tacacaattg ctggaaacca tcttagaaga gtttcgcaac 4080
ctggctgctc taaacgtgtg gtacgggtctc tctgatggcg aagatggcca tattccatgg 4140
catatcctag ccgtgaaaaa aatgatgaac actcttgtgc acaccagagt aaaaattgct 4200
aatacttccg ccgctactgt gcataccgct acttcttcat caattattct ctcgataaa 4260
taa 4263

<210> 242
<211> 2073
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 242

atggaaggct tcaatccggc tgacatagaa catgcgtcac cgattaattc atctgacagc 60
cattcatcct cctttgtata tgctctaccc aaaagtgtga gtgaatatgt agtcaaccat 120
aatgaggggtc gtgcaagtgc aagtggaaat ccagccgcag tgccgtctcc cataatgaca 180
ctgaatctca aaagcacaca ttccctcaat attgatcagc atgttcatac ctcaacatcg 240
ccgacggaaa ctattgggca tattcatcat gtggaaaagc tgaatcaaaa caatttgatt 300
catctggatc cagtacccaa ctttgaagat aagtccgata ttaagccttg gttgcaaaag 360
atctttttatc ctcaaggaat agaacttgtg atagaaaggt cggacgcatt taaagttgtc 420
ttcaagtgtg aagctgctaa aaggggaagg aacgcgagaa ggaaaagaaa agataagccc 480
aaaggacagg accacgaaga cgagaaatcc aagatcaatg atgacgaatt agaatatgag 540
agtccttcta atgccacagt aaccaatggg cctcaaacat cgcccgatca aacatcctcc 600
ataaagccaa agaaaaaag atgtgtatcg aggtttaata actgtccggt tagagtacga 660

1000
 900
 800
 700
 600
 500
 400
 300
 200
 100
 0

gctacttatt cgtaaagag gaaaagatgg agcattgttg taatggacaa taaccattca 720
 catcagctaa agtttaaccc tgattccgaa gagtacaaaa aattcaaaga aaaattaaga 780
 aaggataatg acgtagatgc aatcaagaaa ttcgacgaat tggaatacag aactttggcc 840
 aatttgccca ttccaacagc tacaatcccc tgtgattgtg gtttaacaaa tgaaatacaa 900
 agtttcaatg tcgtattgcc cactaacagt aatgttactt catcagcatc ctcttcaact 960
 gtatcgtcca tatcccttga ttcacgaat gcatctaaaa ggccatgctt accctctgta 1020
 aataacaccg gtagtatcaa taccaataac gtaaggaaac cgaaaagcca gtgtaagaat 1080
 aaagacacac tcttaaaaag aaccaccatg cagaactttc tcacaactaa atcaaggctg 1140
 cgtaagaccg gtacgccaac atcttcgcaa cactcatcta cagcattttc aggatatatt 1200
 gatgatcctt tcaatttgaa tgaaatcttg ccactgccgg catccgattt caagctaaac 1260
 actgtaacaa atttgaacga aattgacttt acgaacattt ttaccaaate gccgcatcca 1320
 catagcgggt ctacccatcc aagacaagtc ttcgaccaat tggacgattg ttcctctata 1380
 ctcttctctc cattaactac aaacacgaat aatgaatttg aaggagagtc agatgatttt 1440
 gttcattctc catatttgaa ctcagaggca gatttcagcc aaattcttag tagtgctccc 1500
 ccagtccatc atgacccaaa tgaaacacat caggaaaacc aggatattat tgatagattt 1560
 gctaatagtt cccaagaaca taatgagtat attctacaat atttgacgca ctccgatgct 1620
 gctaaccaca ataacatcgg cgttccaaac aacaattcac attcgctaaa tactcagcat 1680
 aacgtttctg atctgggcaa ctcactttta agacaagaag ctttagttgg cagctcttca 1740
 acaaaaatct tcgacgaatt gaaatttgta caaaatggcc cacacggttc tcaacatcct 1800
 atagattttc aacatgttga ccatcgtcat ctcagctcta atgaacctca agtacgatca 1860
 catcaatatg gtccgcaaca gcagccaccg cagcaattgc aatatcacca aaatcagccc 1920
 cacgacggcc ataaccacga acagcaccaa acagtacaaa aggatatgca aacgcatgaa 1980
 tcgctagaaa taatgggaaa cacattattg gaagagttca aagacattaa aatggtgaac 2040
 ggcgagttga agtatgtgaa gccagaagat tag 2073

<210> 243
 <211> 1425
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 243

atgagtat ttt caaattggat caccactgcg tatttaatta catcaacatc ttttcaacct 60
ctttatgggt cattttctga tgcacttgggt cgaagaaact gccttttctt tgctaattggg 120
gcttttacca ttggatgtct agcctgtgggt ttctcgaaaa acatctacat gcttagtttt 180
atgagagcat tgacaggcat aggaggtgggt ggcttgatca cactttctac aatcgtaa at 240
tcagacgtta ttccaagttc gaaaagagga atttttcaag cgtttcagaa tttacttttg 300
ggatttgggt ccatatgtgg agcgtctttc ggtggcacia tagcgtcgag cattgggttg 360
agggtgggtt ttctcatcca agtaccata tctgtgatta gttccatatt aatgaattat 420
tatgtacct atcagaaaga atataatcgt caaaattcta gcatattcca aaatcccga 480
aaaatactca gggacataga tggtatgggc tcaattctta ttataactgg tctcacacta 540
cagcttcttt acctgagcct ggggtgttct acttctaaat tatcatggac cagcccttct 600
gtgctactgc tattagttgg gagtgtata atcctcttac tgttcatatt gcacgaaagg 660
aaaacaagt ctagagcgat tttcctatg gagctgggtca attcctccta cagtgtcgtt 720
gtactttcga taagtatact tggtgggttt gccagctacg cgtatctttt tactttacca 780
ttattctttc agattgtact tggagattcc actgcaaaaag caggattacg tcttacgatt 840
ccttcctat ttactccggt aggagctctc ataacaggat tttccatgag caagtacaac 900
tgtctaagat tattactcta cattggtatt tctttgatgt ttttgggtaa ctttttattc 960
ctgtttattg aaaaaacttc tccgaactgg ttgattgggtc ttttttgat acctgcaaat 1020
ctaggacaag gtatcacttt tctacgacc ttgtttactt tcatatttat gttctctaag 1080
agtaccaag ctactgagc atcaacttta tttttattcc gtagtattgg atctgtatgg 1140
ggtgttgcaa tttcagctgg cgtcattcaa ttatctttcg cagggtttatt gcgtagtaat 1200
ttgaaagggt tactggatga aaacaagata aagaaactta ttgttcagct tagtgcaaac 1260
tctcatata ttggatcttt acatggcgaa gttaaaaaa cagtcataaa gagttttgat 1320
gaggcaacaa agagggtc tctaattgtct acattactct cttcattggc cctgatactc 1380
tgcacctta aagacaatct ggcgaaacct aaaacaagaa gataa 1425

<210> 244

<211> 243

<212> DNA

<213> Saccharomyces cerevisiae

<400> 244

atgatcacta tgaagatggt cttgttttta aacgaggcat gcatctttat agattctgta 60
tgccaaggta ttgttttctg gggcctttgt ctattcgtat gcgccgaatg tgagaatgcc 120
agttataggg gtgccgaggt gccttataaa acccttttcc gttcctgtga tacttccatt 180
tttgggtgtag cagaatgtct gaatttagtt gctatagatc ctcgttcaga agcgtattgc 240
taa 243

<210> 245

<211> 483

<212> DNA

<213> Saccharomyces cerevisiae

<400> 245

atgtctatac ccattccgt attttcggca ctcttgggtct tcgtggcgct agctactaca 60
accttagcca gtacagaagc ttgcttacca acaaacaaaa gggaagatgg tatgaatatt 120
aatttttatg agtacacaat aggcgaccaa accacatact tggagcctga atatatgggc 180
tatgaatact ccaatacaaa gaagttaggt tccgttagcg gacagaccaa tctctccata 240
tactatagtc cgccttgtga gagcactcct acctgtgtga cttatgcagt tttgaagcgt 300
gatgaggatg gatatgatcc ttgcggacct ctttatgaaa ctaaaaaacg tgacactgaa 360
tactgtgacc caaatactgc ctattggagt tctgatcttt ttggtttcta tactactcca 420
actaatgtaa ctgtggaaat gacagggtag ttaatatgga gtatgggcaa cgcacgccgt 480
tga 483

<210> 246

<211> 2424

<212> DNA

<213> Saccharomyces cerevisiae

<400> 246

atgggttttg aagtgccttc aatcacacct ggtgaactgc atgatcttat gcgactacat 60
caggatgcag aatggcctga atgtaaaaaa atgttcccct gggtcatga tatttccctt 120
ggtcaaccac ccgattttcc tcattctctt gcaatagtca aatcgcaatc agatgctaac 180

aattctgcgc ttttgcgtaa ttctctcgaa gtgaatgata tcttccagtc ctggaaagtt 240
 cgcaacttctt ttcataagaga gggcgatacc tgtgaaactg gaaatgattc taatgggtttt 300
 caatatccca ataacacaaa ggaacttttg aacttgctaa agtttcagat acgacaattg 360
 gaattgcaag tggatgatgt tgctttggaa aacgctgcta cttattgtca caatcatagc 420
 attttaccat ttctgaaagt agatcctcgt ggactatcat tagaacttaa aaggtattct 480
 agaaacaagg ttgggtctaa taccacgcta aaacggagtg ggcaggacgt ctggggaagg 540
 agaggtctat tccgaagggt cgacctgcaa tgtgccaaga tgatagaaat ggttgataat 600
 atagtaattt attgttcgcg gactgggtggc agcactgata tgcaaacaga atcagcgcca 660
 gcgtgctcac acgagggaaa ttgcccgaat tgtacaaccc ttgcactact ttacagatc 720
 tgtttaatgt ttgttcaaaa gggttatgta gggagtggag gatcgcttta caagacgaat 780
 ctttttattt gcacttatca gaatttcaat acagatatac ctcaaacttt gattggtaca 840
 cttttattag acaacgaatt tttcaagaat aatactccct tgaatttatg ttcgtcacct 900
 agtgaaatag tgtgtttcaa taacgttgat aagaatatgg ttttgtgcga gaagttagag 960
 ttgaataagc tgacttcagc tacacgattg gaggaacag ggttgatttg cggtaacacc 1020
 actgattggc ataattatca aataattaaa aaaaacaata tatctctgac ccaccgtttc 1080
 gaagagaata caagcatagt aaatttaaag tctctaaatt atgatacgga caatccgaca 1140
 acctccattt ctcaactgta taacataccg aatacaaaaag aggtgtggaa attgatcata 1200
 aaatgtacgt caaactcgca aatgccgtcg ttaacgaaaa tccgaacata tctagatctt 1260
 ttattagacg atgatgcgtc aaaatcacia gagcatttgc atttgacttt ccctgcctca 1320
 ggtagtatag gtttggggaa cttaaacatt cagtctgtgg aaattctttt gaatgtttgt 1380
 tatttaatat ttcaagtatc ccaagttcaa gaattattga cgttcatgta ttgcgaagac 1440
 ggatatacag aaacgtcatt attattaaca gcttatatta tattccactt taatattccg 1500
 ttacaagacg ctcttttgag gatccatcca agaccatttt tcctttttcc atcagacttg 1560
 caaatttttag gccatttaca acctgtcctg cgggagttta gtccgcagaa tggaagtaat 1620
 ctaaaattat atgccaatgc attgaaattt agggataaaa gctttcaatt acacatttct 1680
 tcagagcttt ttagtagcat attttttatg aagattcctc ttgagtctaa tttcgttaat 1740
 ttgaagggcc cactgccatc ccggattcta cgtcacttgt atttgggatc cctggatcat 1800

gcacaaaatc ctgccttact taagtctcta ggaattacgc atatagtttc tgtcgggtgaa 1860
gttgtttcat ggacattgaa taaggataaa attgctcatc ctgtaaggcc acatcgtgca 1920
ataactatga cgaataccaa tgaagttgca ggtaatacta catgtaataa aagcagaaat 1980
agagctgata ctgtggtcag cgataagcaa gaaaatggca gcaacgtagt aataagtgaa 2040
aattctggat ttcaaatttg ccagatcgaa aatctagatg acaacggcaa agatccgctt 2100
ttccaccaa tagacaaagt tttggatttt attagcaatt ccgaagcaac aggagggaaa 2160
gttctggtgc attgtatggt cggagtctcc agatctgcaa cagtttgtat agctgaatgt 2220
atgagatatc tccagtgtga cctggcaagt gcgtatttgt ttgtgagggc acggaggctt 2280
aatgttatca ttcaaccaa cttgttcttc gtatatgagc tcttcaaag gtggaaaaag 2340
cattataatc gcgaaaaaga caaaactatg gattggcaca tcatctgtag gggtatcgct 2400
gaggttaata tgaagtacac atga 2424

<210> 247
<211> 1668
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 247

atgtcggatg tagataactg ggaacccgta tcagataatg aggacagtac tgattctgtg 60
aaacaattgg gtccccctt tgagcatgca agtaacaatg acaatgccgg cgatactgaa 120
gctgagtcac tgcaagaagt gccctaaat acagagacca acgacgtacg caagaattta 180
gtagtgatta caaaccaaag tgccgccgat gaacacccta cagagatcaa gcacgatcaa 240
tcaaggactt cttcgacgtc ctcgttcttc agtggaatga tctcttcgtt taagtcaaac 300
gtgccatccc cagtttctag atcaactacg ccaacttcgc cagtttcgca accaagcatt 360
atatcacata gaagggagcc ttccatgggg tccaaaagaa gatcaagccg ccgtatcagt 420
aatgccacaa ttgctgaaat aggctctccc ttgcaacagg tggaaaagcc tgatgaggtc 480
aagacaagac tactccttc ccaaagaaa gaagacaatt acgatcatag acgattcgtg 540
gaagaacgtt acatggacac accttatcac tatgctgtctg agcaaagaaa taaagacttt 600
catgagacat tcaagtccgt tcctaaagat gacagactac tggatgattt taattgtggg 660
ctgaatagag agctgcttta ccaggggaaa ctatacataa cagaaacgca tctctgcttc 720

aactccaatg ttcttggttg gattgctaaa gtactgattg cgttcgaaga tgtcacgttt 780
atggaaaaaa cttctgctgc tgggttggtc ccagcgcaa tatccatcga aacaaagatg 840
ggcaaaactc tctttaatgg ttttatatcc agggatgctg catttggtt aatgaaagaa 900
gtgtggtcaa gaaccttggt gcagaaggac atggccagcg aaaacatcaa tactaaagca 960
gaaaagtcag gaaatggcaa agagattgat gatgcaataa actccatcga tgaggaaaac 1020
aatgataaag acgctaataa taatgacact aatgaaaatg acgatgaaaa tatctctaca 1080
aatgagacta cccccaatag tacgagttcc tcgccggata aagaaaaaga gaaagcgtat 1140
aaactgcgtg ccgattcctc gtatcagtat gatggtccaa tatatcatca ttcaacaagc 1200
tttccggctg aacctatggc caataacgag ttgtttctca aggagttacc attcgattgt 1260
gcacctggta tactttttga gatcatgttc aactcagagc aaaacgaatt tcttctagat 1320
tttttacggg gtcaagaagg ttcacaaatt accactattc caaatttcac gagcattgac 1380
ggatcttcca tgactttgaa gcgtgagtat tcatacgaga aagcattgca ctttcctgcg 1440
gggccaagt ccacgacatg ttatgttgct gaggtaataa agagaaaaga tcctgatact 1500
tactatgagg ttatcagtag catacgact ccgaacgtgc ccagtgggtg tagtttctca 1560
actaagacaa ggtatctaata ccgttggaa gacggaaata acgtgtctgt tacgggtatc 1620
cttttgggtg gaatggactg gttccagttg gatcaaaggt atggttga 1668

<210> 248
<211> 1956
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 248
atggcaaaga agaataagaa ggataaagag gccaaaaagg cacgtgctga actgaagaat 60
cagaaaaacc aaaaaaagca ggagaaaaag tttcagaaga acaagaataa gtctttaaac 120
ggcgaagaag atgatgaaag tgatcaagat ctcgatgaaa ttctctctag ctttagcaaa 180
aagcaaattg aattagagca tgtagacatc acttctgtgg aaaaaccctc ttgtcgtact 240
catccgttga tgtttgcaaa tccgcaacac aataaacatg aattgttcat tttcgggtgt 300
gaatttacag atccagaaac caaactaaca catttctata atgatttgta ttcatactcc 360
ataaagaaca actcttggaa aaaatacgtc tcgcaaaatg cacctttgcc cagatccagt 420

<211> 2088
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 249

```

atgattgtaa gaatgatacg tctttgtaaa ggtccaaagt tgttgcaag tcaattcgca 60
tcagcaagtg cactatattc aaccaagtca ttgttcaaac ctcccatgta ccaaaaagcg 120
gaaattaatt tgattattcc acatagaaag cactttttgt tgcggtcgat tcgattacaa 180
tcagacattg cgcaaggaaa gaagtccacc aagcccactt taaagttgtc caatgcaaat 240
tcaaaatcct cgggggtttaa agacattaaa cggtattcg tcttatctaa accggaatcc 300
aagtacattg gtcttgccct ccttttaatc ctcatctcaa gttcagttag tatggctgta 360
ccttcggtta tcggtaaatt attagacttg gcttccgaaa gtgacggcga agatgaagag 420
ggctcaaaaa gcaataagtt atatggtttt acgaagaagc aatttttcac agcattagga 480
gcagtattta taattggagc agttgctaata gcaagcagaa tcatcatctt aaaggtcacc 540
ggtgagagac tggtcgcaag attaagaacg agaacaatga aagctgcatt agatcaagat 600
gccacatttt tagatactaa tcgtgtcggg gatttgatct caagattatc atctgatgca 660
tctatagtgg ccaaatcggg cacacaaaac gtctctgatg gaacaagggc aattattcaa 720
gggtttgtcg gttttggcat gatgagcttc ctctcgtgga aattgacttg cgtaatgatg 780
attttagccc ctcttttagg tgctatggca ctgatatatg gtaggaaaat acgaaaccta 840
tcaagacagt taaaaacctc agtaggtggg ttaacaaaag tggcagaaga gcaattaaat 900
gctactagga caattcaagc atatggtggt gaaaaaaacg aggttcgccg ctatgcaaaa 960
gaggttagaa atgtatttca tattggtctg aaggaagcgg ttacttcggg tttattcttc 1020
ggaagtactg ggctagttag caacactgca atgctgtcgt tattattggt tggaacaagc 1080
atgattcaaa gtggttcaat gactgtcggg gaattatcta gtttcatgat gtatgccgtg 1140
tataccggaa gttcattatt tggtttatcg agcttctatt cagaacttat gaaaggtgct 1200
ggtgcggctg ccagggtttt tgaattaaat gaccgtaagc cattgattcg tccgactatt 1260
ggaaaggatc ctgtgtcatt agcccaaaaa cccatcgttt tcaaaaacgt gtcattcact 1320
tatcccactc ggcccaaaca ccagattttc aaggatttga atattactat caagcctggg 1380
gaacacgttt gcgctgtcgg tccatcagga agcggcaaat caacaattgc gtctttgttg 1440

```


ctcagggtact acgatgtgaa ctcaggatcg atcgaatttg gtgatgaaga catcagaaat 1500
 ttcaacttga ggaagtatcg aagactaata ggatacgtgc aacaagaacc actacttttc 1560
 aatgggacta ttctggacaa tctcctctac tgcattccgc ctgaaattgc ggagcaggat 1620
 gatcgtatta gacgtgctat tggaaaagct aattgcacaa aatttttggc caattttcca 1680
 gatggattgc agactatggt tggtgctaga ggcgcgcaat tgtccggtgg tcaaaagcaa 1740
 agaattgcat tagctagagc gtttttacta gatcctgccg tccttatttt agatgaagca 1800
 accagtgcc ttgactctca aagtgaagaa atagttgccaaa aaatcttca gagacgtgtg 1860
 gaaagggggg tcaactactat atcaattgca cataggcttt cgacgatcaa acacagtact 1920
 aggggtgattg tgttaggaaa acatggctca gtgggtgaaa ccggttcatt ccgagatcta 1980
 atcgccattc ctaatagtga actaaatgcg ctgcttgccg aacagcagga cgaggaagga 2040
 aaaggggggag tgatagattt ggacaatagt gttgcccggg aagtataa 2088

<210> 250
 <211> 2709
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 250

atggagcaaa tcaattcgaa cagtagaaaa aagaagcaac aattggaagt attcaaatat 60
 tttgcaagtg tccttacaaa agaggacaag cctattagta tcagtaatgg tatgttagat 120
 atgccgacag tgaactccag taaactcaca gcaggaaatg ggaaacctga cacggagaag 180
 cttacaggag aactaatttt aacatacgac gatttcattg aactgatatc tagctcaaag 240
 actattttatt cgaagtttac ggaccattcg ttcaatttga accagatacc caagaacgtt 300
 ttcgggtgta ttttcttcgc tattgatgaa caaaacaagg gatatctgac gcttaatgat 360
 tggtttttatt ttaataattt attagaatat gataattatc atctcattat tctatatgag 420
 ttcttttagga aatttgatgt agagaatttg aaggcaaac aaaaaaaga gcttggtagt 480
 tcgtcgttta atttaaaggc tgcagatgat cgaattaagt caattaatta tggtaacaga 540
 tttctaagct ttgatgatct tcttttgaat ctgaaccaat tcaaagatac tatccgctg 600
 ttgcacgaat ctattgatga taattttggt aaagataaca aattactact tgattggaat 660
 gactttcgat ttctgaaatt ttacaaatgt tatcatgaaa atgaagagta tttgagttta 720

agcttttagaa gctttttcaa aggtggtgga gcccgtgtcc taagaagttc tccccaat 2400
 gggttcactc tggccgccta tgaattattc aagggtctta ttcctcccc cgataacaaa 2460
 ttaaaaagca gagagggtag gaagagattt tgtatcgatg acgacgcagg caatgaagag 2520
 acagtagttc atagtaacgg tgaactccca cagcaaaagt tttactctga tgatagaaaa 2580
 catgccaat attactataa aagctgtcaa attgcgaaaa cattcattga tttggacaat 2640
 aacttttcta ggtttgactc ttcagtttat aaaaactttc aagagcacct aagaagcatt 2700
 aacgggtga 2709

<210> 251
 <211> 396
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 251
 atgtttggcc cattcaaatt aacaagcccc gtcgctggtg gcctactatg gaaaattcca 60
 tggagaatgt ccacacatca aaaaacccgt caaagggaaa gattaagaaa cgttgatcaa 120
 gtcataaagc aattaacttt aggtctccac gtccaaagat gtcaggataa aggtcttact 180
 tatcaagaag ccatggagag caaaaagaaa tacaagccaa gaagtaaadc gttaagggtg 240
 ttaaacaaac catcagtctt tccaaaggag aatcaaagt cttctaaaga taaatattgg 300
 acttttgata aaaaagctgt tggttatagg aagggtattc ataagggtgcc caagtggacg 360
 aagatttcca ttagaaaggc cccaaaattc ttttga 396

<210> 252
 <211> 765
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 252
 atggttagag ttgtcataga gagtgaattg gtccgtacag aaaaggaatt accaaattcg 60
 cttaaattaa ggcagttcaa ggaccgattg taccatgtta ccggagtgga accagaggat 120
 atggaaatag ttgtgaaaag acagtacgac aacaaggaga tatatagtac taaaagggg 180
 ggtgcctatt caaatgagga tgaagatgcc aacttcctaa aaggagagga ggagcttatt 240
 gtgggtgtta cagactctaa tgcccaatca atctctaacc agctggccac gcaagcggaa 300

ggaatccccct caatggaagt aattagcgag gaggattatt tgcgaaggga tcaatccgta 360
ttacgatgga agatggctca cggctatggg aggtttaatg ctgcacagca gagccagcgc 420
gctgcgctgg caaagcagga cgaagcatat gcccagagac aattaacggc ggctatcggc 480
cgccactgtc gtgtcacagt agacgggagc gctccacgtg aggccatttt acggtacgta 540
ggaccactac cgttggacgt gatgggcaca tgggtgcggtg tggaattccc ggaagccgca 600
ggcaaaaacg atgggcgcat aaatggggta aactgtttg ggctgtggc gccgggtcac 660
ggatcgtttg tgcgtccgcg ggctgtggaa attctatcaa aagacgaaga atccgccgag 720
gtggaagacg tccatgatga cgtggagagc gatgatgaaa tttga 765

<210> 253
<211> 363
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 253
atgagatggc attgtatgga tgggggtaat agaattgtat ctatgtatct gacgaccctg 60
tattacacga aggaaatagt agatgaaaag acaagagagc aagaaaaagg aaaaacttcc 120
tttctaacag acgctttact taaccttata tatactttat ttttttcacg gagcgtgttc 180
aattggacaa ggtgccacct tttcgacact tcggttatta tgttacacag ttttcatgag 240
gatggcgcct tgactaactt aattagtcac ttgccaacca ccacagttcc ccaatatcga 300
cagcttcacg tgccatttgc cattttgcga tcatgtgacc tcaagagaaa aagcaaaaaa 360
taa 363

<210> 254
<211> 1845
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 254
atgaagggat tatcctcatt aataaacaga aaaaaagaca ggaacgactc acacttagat 60
gagatcgaga atggcgtgaa cgctaccgaa ttcaactcga tagagatgga ggagcaaggt 120
aagaaaagtg attttgatct ttcccatctt gagtacggtc caggttcact aataccaaac 180
gataataatg aagaagtccc cgaccttctc gatgaagcta tgcaggacgc caaagaggca 240

gatgaaagtg agaggggaat gccactcatg acagctttga agacatatcc aaaagctgct 300
gcttgggtcac tattagtttc cacaacattg attcaagagg gttatgacac agccattcta 360
ggagctttct atgccctgcc tgtttttcaa aaaaaatatg gttctttgaa tagcaataca 420
ggagattatg aaatttcagt ttcctggcaa atcgggtctat gtctatgcta catggcaggt 480
gagattgtcg gtttgcaa at gactgggcct tctgtagatt acatgggcaa ccgttacact 540
ctgatcatgg cgttggttct tttagcggct ttcattttca ttctgtattt ttgcaagagt 600
ttgggtatga ttgccgtggg acaggcattg tgtgggtatgc catgggggttg tttccaatgt 660
ttgaccgttt cttatgcttc tgaaatttgt cctttggccc taagatacta tttgacgact 720
tattctaatt tatgttgggc gttcgggtcaa cttttcgctg ctggtattat gaaaaattcc 780
cagaacaaat atgccaaactc agaactagga tataagctac cttttgcttt gcagtggatc 840
tggcccttc ctttggcggg aggtattttt tttgcaccag agtctccatg gtggctgggt 900
aaaaaaggaa ggattgatca agcaggaga tcacttgaaa gaacattaag tggtaaagga 960
cccagaaaag aattactagt gagtatggaa ctcgataaaa tcaaaactac tatagaaaag 1020
gagcagaaaa tgtctgatga aggaacttac tgggattgtg tgaaagatgg tattaacagg 1080
agaagaacga gaatagcttg tttatgttgg atcgggtcaat gctcctgtgg tgcattatta 1140
attggttatt caacttactt ttatgaaaaa gctgggtgta gcaactgatac ggcttttact 1200
ttcagtatta tccaatattg tcttgggtatt gctgcaacgt ttatatcctg gtgggcttca 1260
aaatattgtg gcagatttga cctttatgct tttgggctgg cttttcaggc tattatgttc 1320
ttcattatcg gtggtttagg atgttcagac actcatggcg ctaaaatggg tagtggtgct 1380
cttctaattg ttgtcgcgtt cttttacaac ctcggtattg cacctgttgt tttttgctta 1440
gtgtctgaaa taccgtcttc aaggctaaga accaaaacaa ttattttggc tcgtaatgct 1500
tacaatgtga tccaagttgt agttacagtt ttgatcatgt accaattgaa ctgagagaaa 1560
tggaattggg gtgctaaatc aggccttttc tggggaggat tttgtctggc cacttttagct 1620
tgggctgttg tcgatttacc agaaaccgct ggcaggactt ttattgagat aaatgaattg 1680
tttagacttg gtgttccagc aagaaagttc aagtcgacta aagtcgaccc ttttgagct 1740
gccaaagcag cagctgcaga aattaatgtt aaagatccga aggaagattt ggaaacttct 1800
gtggtagatg aagggcgaaa cacctcatct gttgtgaaca aatga 1845

<210> 255
 <211> 2580
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 255

```

atgtcttcgt gctctctgca tttggattcg tctgaaaagt tgaaattcga aattatcggc 60
ggtaacaacg gtgttatcag gtggcattta aaggggaacc accccatcga gacaaataga 120
tgggttttggg ccatccaggg cgccataaga tacgcaaagg acagagaaat tttgctgcac 180
aatggccctt attcgccttc tctggcctta agccatggct tgtcatccaa agtgtccaat 240
aaagaaaact tgcattgcaac ttcaaaacgg ttgaccaaga gcccgcatct gtccaaatcc 300
acactgacac aaaacgatca cgataatgac gatgacagca ctaacaacaa caacaacaaa 360
agtaataatg attatgacga taataataat aataataata atgacgatga tgattatgat 420
gatgatgatg aaagtagacc cctcatagaa ccattaccgt tgatttcatc cagaagccaa 480
agcttaagcg aaatcactcc cgggtccacat tctaggaagt ctacagtctc gtctacaagg 540
gcagccgata taccatcaga tgatgagggt tactctgagg acgattctga tgacgacggc 600
aactcctctt acacaatgga aaacggcggc gaaaacgatg gcgacgaaga tctaaatgcc 660
atztatgggc cctatattca aaaactacac atgctacaaa gatccatttc catcgagttg 720
gcatctttga acgaattgct gcaagataaa caacaacacg atgagtactg gaacaccgtc 780
aacacttcta ttgaaaccgt cagcgaattt ttcgacaaat taaatcggtt gacctctcaa 840
agggaaaaaa gaatgattgc ccaaatgacc aagcaacggg atgttaacaa tgtttggatt 900
caatcggtaa aagatctgga aatggaactg gttgataaag acgaaaaatt ggttgccctg 960
gataaagaac ggaaaaatct gaaaaaaatg cttcaaaaaa aattgaacaa tcaaccacag 1020
gttgaaactg aggctaata gaatccgat gatgcaaatt caatgataaa aggatcccaa 1080
gaatcaacaa atacccttga ggaaatcgta aaatttatcg aagcaacaaa ggaaagtgat 1140
gaggattctg acgccgacga atttttcgac gcagaagaag ctgcttccga caaaaaagcc 1200
aatgattcgg aagacttaac cacaacaag gagactccag ctaatgcaa accacaagaa 1260
gaagctcctg aagacgagag cttattgtg atcagttctc cacaggtgga aaagaagaac 1320
caactattaa aagagggatc attcgtcgga tatgaagacc cagtgagaac caaactggct 1380

```

ttagacgaag ataatcgctc caagattggt ctctggtctg ttttaaagtc tatggtcggt 1440
 caagacttaa ccaaactaac tctaccggtg tcgttcaatg agccaacatc cttactacag 1500
 agagtatctg aagatatgga gtattctcat attcttgacc aagctgccac ttttgaagac 1560
 tcctctttta gaatgctata tgtagctgcc tttactgcat caatgtacgc atctaccact 1620
 aacagagtgt ctaaaccatt caaccctta ctcggtgaaa cttttgaata tgccagaact 1680
 gatggtcagt accgattctt caccgaacaa gtctctcacc acccacctat ctctgctact 1740
 tggacagaat cgcccaaag ggatttttac ggtgaatgta atgttgattc gtcattcaat 1800
 gggcgacagt tcgccgtgca acatttagga ttatggtaca ttactatccg gcctgatcat 1860
 aatattagtg ttcccgagga aacttattcc tggaaaaaac caaataacac tgttatcggg 1920
 attttaatgg ggaaaccaca agtagacaac agtggggacg tcaaagtcac aaaccatacc 1980
 acaggcgact attgtatgct gcattacaaa gccatggct ggacctcagc cggtgcatat 2040
 gaagtcagag gtgaagtatt caacaaggac gataaaaaat tatgggttct tgggtgggcat 2100
 tggaatgatt ccatttacgg gaaaaaagta actgctagag gcggagaact gacattagac 2160
 agaataaaaa cggcaaattc tgccacggga ggacaaaac tagatgggtc taagtttctg 2220
 atatggaaag caaatgaaag gccttcagtg ccatttaatt taacgtcgtt tgcattgact 2280
 ttgaatgctt tgccacccca cttgatacca tatttagcac ccacagatag tcgtttaagg 2340
 cccgatcaaa gggctatgga aaatggtgaa tacgataaag ctgccgcgga aaagcatcgt 2400
 gttgaagtaa aacaaagggc agcaaaaaaa gaaagggaac aaaaaggaga agaatacaga 2460
 cctaagtggg ttgtccagga ggagacccc gttacaaaaa gtctatactg gaaatttaat 2520
 ggagagtatt ggaacaaaag aaaaaatcat gactttaaag attgtgctga tattttctaa 2580

<210> 256
 <211> 1710
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 256

atgaaactga aaactgtaag atctgcggtc ctttcgtcac tctttgcac gcaggttctc 60
 ggtaagataa taccagcagc aaacaagcgc gacgacgact cgaattccaa gttcgtcaag 120
 ttgccctttc ataagcttta cggggactcg ctagaaaatg tgggaagcga caaaaaaccg 180

<211> 3369
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 257

```

atgacgaaaa agaaagcagc tactaattat gctgaaaggc aaaatttagc cagtgaagat   60
tcttcaggtg attcggttca ttttaaggac tttattccct tacaagagtt actgaaagat  120
aaaaattatg ttccatcggt ggaaaatttg gagaagatct tatataatga aaccatgttt  180
aatgatcaga aaatatgctc taacctattg cttgaggctc tcataattac gttgttcaca  240
acaatttcag ggaagtcagc tttacgatta attcagactt cttctttgaa ggaaagaaaa  300
tcctggggccc agtcctttga aaataacagt tctagctatg cttccatagt actgagttgg  360
aaagataatg atatattact cctgaaattc ttaaggtttt tattagcaaa taaaacggcc  420
cctcttcaaa ttaatcggtc caatcttcca gaatacaaac tcccgttgag ctttttaatt  480
gtttcaaaaa ttactattcc gtccatatta ctcaatgaaa cgtataattt gttaaaggac  540
tatttgtatt cgataactgg ccgtatagag agtttgataa gctgcagctc cacatttgat  600
aagccagcac ttgtcgttag aaaaatttta aaagattaca atagaatgat agaatgccga  660
aatttttatt tctggtattc ctttaatgct gagaacagag taaatcttac ttttagtgat  720
aacattagcc tgttaatgga aaatgatgaa ggcaatgctg gaagtggcct tgacgatagc  780
cgttttgatc atcaaaaaca accgagagag gcgataatgg gccgaacaat aaatgaccag  840
gaacaaatat attcattcga actgaaccaa gatggaacgc ttgaaatacc caacgttatg  900
gagcattctt tactaagaca cgagcttctt tttaaaatat taaatctcac tacggtattg  960
acgccattat tggaactaca attttctacg ctatgtggct tagtagatcc attaatgcag 1020
cctactccca atgataagca tattatatcg atagactttc tttttcagct ttttttggga 1080
ttaatgtctc agtcgatcaa gacttctcaa gaacacaacg accattatga ctggaaattt 1140
tatatgtgtt ttaacatgca aaaaattatt gatgctacca tgttgaggct caactgcttt 1200
gattttgata tattaaactc ggtaaacaat acagataatg cagttcattg gaagacgcaa 1260
cttcacagat ggctaccgca tggcctgaat acacaagact tggaattact ctatatgatt 1320
gatatactgg cggtatatac catctacaag ttgtatgaaa aaatacctat acaactaaac 1380
ccatttttat tttcattaat atccttatgg aaaaacctct cctgtgttat acttttagcc 1440

```


actatgcagc atgagggcag gaagaactct gacatagaga agaagctaaa cgctaagcca 3120
gcttctgaac tgaatctgaa attgttaaac ctgtttccct caaagcctgc aaacaaagac 3180
gatagttccc ctattaacac gttgcgtagt tttatcgctg attactcctt cgacacccag 3240
gtgaaccctc caggaagaag ggtggtgttc tacgatggta agattttgcc attgccccaa 3300
gccgataagc ctatcccact tcatgaatat ataacactcg cagagctcga tgttggagac 3360
agtgagtga 3369

<210> 258
<211> 1689
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 258

atgcaaacac tagacgagac ttcaaacta ctccctccac ctgaggaagc tgaagcccct 60
cccttggaac aaaaatttca tgaatataat ttggccttac ctaagtttcc cattttgttt 120
tcgctatggt tgggtagttt tttgagttcc ttggatagca ctattgtcgc aaatataatg 180
aatagagttg ctgaggaatt ctctgaatca agtaaaaagc aatggattgc gacgagtttt 240
cttttgacaa atacggcttt ccaaccacta tatgggaagc tttctgatat aacagggcgg 300
aagtcagcat tattaaccgc tcaatttttt tttggccttg ggtgcttatt aacatgtttt 360
gccagaaacg tcacggaatt ctcaatagca agagccatat gtggtattgg tgcaggagga 420
ttgaatgcta ttagtagcat tgctgttagt gacatatgta cagcaagaga aaggggcgtt 480
taccagggat atgcgaatat tgttttcggg tttggtcaat tactaggtgc tccgttgggt 540
ggtgtattta tagaaacat tggatggagg gctctttttg gtatccaagt acccgtgata 600
atgttgtgct cggtattagc aatcaaaaac attaataatta agctattcca tgttcctcct 660
atgaaagaaa gatatacctt aaagaatctg tcacggatag atatatttgg ctcattaagc 720
ctggtggcga ccattagtgg agttttatct ttgtgctcta gccagttgaa caagttgtat 780
ttagcattgt ttaccattgg tagctttatt gtttttatcc tggttgaacg ttattacgcg 840
actgagaaaa ttttaccatt cgaactattg actcgctcat tctgtttgag ctcagcggta 900
acggttatat cttcatttgt tgtatttggg gaaatcttta ggtcaccaat ctatttacia 960
ttgcttcaaa atattagtgt aacaaagact ggcctctttt tgattttccc ctctatatca 1020

gttgcagtcg gatcattggt aacaggatgg gtattgcgga atacgaaaat taacctagca 1080
 cactgtgcat atcaaatcat ttttgggtgg atgataatgc agctattggg tttgggattg 1140
 ggctatttcc tactttcaca cttgaatcct gactacacca tatatgatat gcttgagtct 1200
 attacattca gatctaactc aatatgggtg aaattgatat atgtgtttgc atcagtcctt 1260
 gtgtcctttg gttacgcttg tctattagtg gccacgtag taagcatcgt attcacgctc 1320
 gaaaaatcac agcaaggaac catgactggg gttttctatt tgtggagatc cattggtaac 1380
 gttcttgggtg cctctttaac tttagtgtcc tatgagaata gcctgtcgtc catgttatgg 1440
 aattatatgt tcaaaaccaa gcgtgatgac gaatatcact tcaccaaaaa gcagtactac 1500
 tcccttatca atgattcgag ttacttgaga gggccaatt ttccaacgga tatatttggt 1560
 cgcattcttg atgtctacaa aaaggcattc ctgatttcct atattccaaa tatagccctg 1620
 gcagcagtgg gaattgtttt atcggttatat ctggtgaaac atacttacia acgtagttca 1680
 agttcttga 1689

<210> 259
 <211> 3234
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 259

atggaggaag gacctatcaa aaagaaactg aagtcagcag gtcaaggag tggaaagacc 60
 gatgccttta gaaattttga acaatttttt ttccgcctta atactcttta cacctttttg 120
 atttgcagaa agcatgttgt gcctacattt aaaacacttt gtggacctat agaaactgct 180
 ttgaaaagaa ctgtgacgaa agaagaccta gccatgggta tggcgcta at gccaagagaa 240
 tgtgttttca agtatattga tgagaaccaa atttatactg aaactaagat ttttgacttc 300
 aataatggcg gctttcagca gaaggaaaat gacatatttg aactgaagga cgttgatgac 360
 caaaatcaga ctcaaaaatc tactcagtta cttatatattg aatttataga cgggtacaatg 420
 caacgctcat ggtctgcaag tgatagattt tctcaaataa agataccaac atatactacg 480
 gaggaaatga aaaagatgat ttctaaaagg gaagctctct ttaaatccag actacgggaa 540
 tttatcctgg aaaaggaaaa ggctaacctt gaccatttt ctgagttaac aaatctagcg 600
 cagaaatata ttccaaggga gagagattat gaggatccta ttgaggcaat gatgaaggcg 660

gaaatagaag catccaggac tagttttact ttatatgatg gcggtatatt cattcaccaa 2340
ggctatccct accttgtgaa ggagtttaac cctgatgaaa gatatgctaa agtgcaaaga 2400
gtagatggtg actgggtaac caaccaaaga gactttacag atgtagatcc acaggaaatt 2460
gaacttatac gctctttaag gaatagtgat gttcctgttt actttggtaa gatcaagact 2520
acaattattg tatttggctt ttttaaagta gacaagtaca agaggatcat cgatgccatc 2580
gaaaccata accctcctgt aataatcaat tctaaaggat tatggataga tatgccaaaa 2640
tatgccttag aaatttgcca aaagaagcaa ttaaagttag caggagctat tcacggggcg 2700
caacatgcaa ttatgggtat gttaccgcga tttatagtgg cgggtgtgga tgaaatacaa 2760
actgaatgca aagctccgga aaaggaattt gcagaacgtc aaactaaacg aaagcgacca 2820
gctagattaa tattctatga ttccaagggc ggtaagtacg ggtctggctt gtgtgttaaa 2880
gcgtttgagc atattgatga tattatagag tctagtttaa gaagaataga agaatgcca 2940
tgcagcgatg gatgtcctga ctgtgtagcg gcttcttttt gtaaggaaaa cagcctggtc 3000
ctgtcgaaac ctggcgccca agtcgttttg cattgtattc taggtcactc ggaagatagt 3060
tttatagatc ttatcaaaga tgggccagag ccaaatatgc cagagataaa agtagagact 3120
gttattcctg tgtcagagca tgtcaacttt tcagatgatt ttaagattat tgacgttaga 3180
agagctacga aagacgatac tcatacaaat gaaatcatta aaaaagagat atga 3234

<210> 260
<211> 573
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 260

atgatcattg tggactttat tcccacgcat aaccgactac ggcaccacaa cgacgcacca 60
atgccatctg acgtagcatc gaggaccggg ctgccaaccc cgtggaccgt caggtatagt 120
aagtccaaga aaagagagta ttttttcaat ccagagacga agcactcgca atgggaggag 180
cctgagggca ccaacaagga ccagctacac aagcacttaa gagaccatcc agtgcggtgta 240
agatgcctgc acattctcat caagcacaag gattcaagaa gacccgcacg gcatagatcc 300
gagaacatta cgatatccaa gcaagacgct acggacgaac tgaaaacctt aatcacgagg 360
ttggatgacg actctaagac gaactccttc gaggccctgg ctaaagagag atcagattgc 420

tcttcataca agcgaggcgg cgacctcggc tggttcggga gaggcgagat gcagcctagc 480
 tttgaagacg ctgccttcca gctcaaggtc ggcgaggtaa gcgatatcgt tgaatcagga 540
 agcgggtgttc atgtgatcaa gcgggtaggt tag 573

<210> 261
 <211> 2580
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 261

atgatcaata acgaaccatt tccatctgcc gactcagcat cgattttaac tacgtctaca 60
 tcaaataact ccttaatgtc ttacaatcat cagcctcaac tatctattaa ctccgtccaa 120
 tcaactcttgg agcccgtgac ccctccgcct ttggggccaga tgaataacaa aagaaaccat 180
 caaaaggctc attcgttga tctctctggt tttaatcagt tcatatcatc gacacaatct 240
 cccttggctt tgatgaataa tacatcaaca tcgaattctg ctaactcttt ttccccgaat 300
 cctaattgctg ctagcaactc cactgggctt tcagcctcaa tggcaaatcc tccagccatt 360
 ctaccattaa tcaatgagtt tgatctggaa atggatggtc ccaggagaaa atcaagccac 420
 gatttcacgg ttgttgctcc ttcgaactct ggtgtcaata cctccagttt aattatggaa 480
 acaccatcct cttcagtgc tctgtctgca tctctcagaa attttagcaa tagtaataat 540
 gctgcttcca aatgtggagt ggataattcg tcatttggtt tgagtagctc aacgtcttca 600
 tctatggtcg aaatcagcgc actaccctt agagatctgg attatatcaa acttgccact 660
 gaccagtttg gctgccgttt tcttcaaaaa aaattagaaa cccccagtga atccaatatg 720
 gtgagagact tgatgtatga acaaattaag ccatttttct tggaccttat tttggatccg 780
 ttcggtaact atttggttca aaaactatgc gattatttaa ctgccgagca aaagacatta 840
 ttaatacaaa caatatatcc aaatgttttc caaatatcaa tcaatcagta cggaactcgt 900
 tccttacaga aaattataga cactgtcgat aacgaagttc aaatcgatct cattattaag 960
 ggattttccc aagaatttac ttcgattgag caagtgggta ctttgataaa cgatcttaat 1020
 ggtaaccatg tgattcaaaa gtgtattttc aaattctcgc catcaaaatt tggtttcatc 1080
 atagatgcta ttgtagaaca aaataatatc attaccattt ctaccataa acatggttgt 1140
 tgcgtactac aaaaattact aagcgtttgt actctacaac aaattttcaa aatttctgtg 1200

aaaattgtgc agttccttcc tggattaatc aacgatcagt tcggttaatta tatcatccaa 1260
 tttctgttag atatcaaaga attggacttt tacttattgg ctgagttatt taaccgttta 1320
 tccaatgaat tatgtcaact atcttgtttg aagttctcct caaatgttgt ggaaaaattc 1380
 attaaaaaat tattttagaat cattactgga tttattgtta ataacaatgg ggggtgcctcc 1440
 caaaggactg cagttgcttc tgatgacgtg attaatgctt ctatgaacat tcttttgact 1500
 accattgata tattcacagt caatttaaatt gtgctaataca gggataattt tggtaattat 1560
 gcgttacaaa cgctattaga cgtaaagaat tattctcctc tgcttgctta caacaaaaat 1620
 agtaacgcaa ttggggcaaaa cagctctagt acattgaatt acggtaactt ttgtaacgat 1680
 ttttcattga aaattggtaa cttgattgtc cttacaaaag aattacttcc aagtattaaa 1740
 actacatcct atgcaaagaa aattaagttg aaagttaaag cttatgcaga agccacaggt 1800
 ataccattca ctgacatata tcctcaagtc actgcaatga gtcataacaa tcttcaaacy 1860
 attaacaacy aaaataagaa cccccataac aaaaatagtc ataatacataa tcataatcat 1920
 aatcataacc atgctcacia taataataac aataataatc aaaagagtca taccggtcat 1980
 ttttctttac cagctaattg ttacataga agaagtaaca gctctgtaac caataatttc 2040
 tcaaaccaat atgcacaaga tcagaaaatt cactctccgc acaaattat gaacttcaac 2100
 caaaacgcat atccctcgat gggagcacct tctttcaatt ctcaaactaa cccaccattg 2160
 gtaagccata actcggtaca aaacttcgac aaccgccagt ttgcaaattt aatggcacat 2220
 cctaattctg ctgcaccaat ccattcggtc tcatcatcta acattaccaa tgtgaatcct 2280
 aatgtttcaa ggggatttaa gcagcctgga tttatgatga atgaaaccga caaaattaat 2340
 gctaatcact tctcgccata ctctaataca aatagtcaaa acttcaatga atcttttgtg 2400
 cctcgtatgc aatatcaaac ggaagggtgca aactgggatt caagtttgtc aatgaagtcg 2460
 cagcatattg gtcaaggccc atataatcaa gttaatatga gccgcaacgc tagtatttcc 2520
 aatatgcctg ccatgaatac cgctagaaca tctgatgaac ttcaattcac tttgccataa 2580

<210> 262
 <211> 1572
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 262

<210> 263
 <211> 2169
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 263

```

atgaagggaa actttaggaa aagagatagc tccaccaact caagaaaggg tggtaattct   60
gacagcaatt atacgaatgg aggcgtccct aatcaaaaca acagttcaat gttctatgag  120
aaccctgaaa ttacgagaaa ctttgatgac cgtcaagatt atttgttagc caatagtata  180
ggctctgatg taacagtaac tgttacttca ggtgtgaaat ataccggttt attagtatct  240
tgtaatttgg aatctactaa tggtatcgat gttgtattaa gatttcccag ggttgctgat  300
tcaggagtta gtgattctgt ggatgacttg gctaagactt tgggagaaac cttgctgatt  360
cacggtgaag atgtcgctga gttggaactg aagaatattg atttgtctct tgatgagaaa  420
tgggaaaatt ccaaagccca agaaacaacg cccgccagaa caaatattga aaaggaaagg  480
gtaaatggag aatcgaatga agttacgaaa ttcaggactg atgttgatat ttctggttct  540
ggtagagaaa ttaaggagcg taagttagaa aaatggacac ccgaagaagg cgcggaacat  600
tttgatatca acaagggtaa agctttggaa gacgattctg ccagttggga tcaatttgct  660
gtgaacgaga aaaagtttgg cgtaaagtca acttttgatg aacatttgta tacaacaaag  720
attaacaagg atgaccctaa ttacagtaag aggttgcaag aagccgaaag aatcgctaag  780
gaaattgaat cgcaaggaac ttccggtaat attcatattg cagaggacag aggtatcata  840
attgatgatt ctggtctaga tgaagaagac ttatactctg gtgttgatag aagaggagat  900
gagttgttgg cgcctttaa aagcaattct aagcctaatt ccaacaaggg gaatagggtat  960
gtcccaccta ctttaagaca gcaacctcat catatggatc cagcaattat ctcttcgagt 1020
aattctaaca aaaatgaaaa tgccgtttcc acggatacct ctactccgc agcagcaggt 1080
gcgccagagg gaaaaccccc acaaaagact tctaagaata agaaaagttt gagtagcaaa 1140
gaagcccaga ttgaagagtt gaagaaatth tccgagaaat ttaaagttcc atatgatatt 1200
ccaaaagaca tgctagaagt cttaaaaagg tcaagctcta cattaaaatc taattcttcg 1260
ttgcctccaa aaccgatcag caaaaccctc tcggccaaga ctgtttctcc tactacacag 1320
atttctgcag ggaaatcaga atctagaaga agtggcagca acatatctca aggccaatca 1380

```


caaatgctag cattaccaat agccagacgg cccttatttc cagggttcta caaggcgggt 600
 gtgatatcgg acgaaagagt tatgaaggca atcaaggaaa tgtagaccg ccagcaaccc 660
 tacattggcg ctttcatgtt gaagaactcg gaagaagata ctgatgtaat cacagataaa 720
 aatgatgtat acgatgttgg tgttctggct caaataacta gcgctttccc gagtaaagac 780
 gaaaagacgg gcactgaaac aatgactgct cttttatatc ctcacaggag aataaaaatt 840
 gatgaattat ttccacccaa cgaggaaaag gaaaaatcaa aagaacaagc aaaggatacg 900
 gatactgaaa cgaccgtcgt tgaagacgct aacaaccag aagaccaaga aagcaccagc 960
 cctgctacgc ctaagttgga ggatattgtg gtggagagga taccagactc agaattgcaa 1020
 catcataaga gagtagaagc cactgaagaa gagtctgaag aattagacga tattcaagaa 1080
 ggtgaggaca ttaacccac agaattctta aaaaattata atgtttccct tgtcaatgtg 1140
 ttgaatttag aagatgaacc gtttgataga aagtcacccg ttattaatgc gctaacatca 1200
 gaaatattga aggtatttaa agaaatttct caattgaaca cgatgttcag agaacaaatt 1260
 gcaacttttt ctgcttcaat tcaatctgcg accacgaaca tttttgagga accagctaga 1320
 ttggcagatt ttgccgctgc tgtttctgcc ggcaagaag acgaattaca agacatactg 1380
 tcatctttta acattgagca cagactagaa aagtcgctac tagtccttaa gaaagaattg 1440
 atgaatgccg aattacagaa caaatctcc aaagatgtag agacaaagat tcaaaagaga 1500
 caaagagaat actatttgat ggaacaatta aagggcatca aaagagaatt aggtattgac 1560
 gacggccgtg acaaattgat tgacacttat aaagaaagaa tcaagtcatt aaaattgcct 1620
 gatagcgttc aaaaaatttt cgatgatgag ataactaaat taagtacctt ggagacttct 1680
 atgtccgaat ttggcgttat cagaaactat ttggattggg taacatcgat cccatgggga 1740
 aaacattcca aagaacagta ttccattccg agagcaaaga aaattttaga tgaagatcat 1800
 tatggtatgg tagatgtcaa ggatcgtatc ttggagttaa ttgccgtcgg taaactattg 1860
 ggtaaagtcg atggtaaaat catatgtttc gtaggacccc caggtgttgg taaaacgtcc 1920
 ataggtaaat ctatcgctag agctcttaac aggaaattct tccgattttc tgtaggcggg 1980
 atgacggacg tggcagaaat aaaaggatcat aggagaacgt atattgggtgc cttacctggc 2040
 agagtagttc aagcattaaa gaagtgccaa actcaaaatc ctttgatttt gatagatgaa 2100
 atcgataaga ttggacacgg cggcatacac ggcgatccgt ccgcggcatt gttagaagta 2160

gataagccat caaagctttc agtccgacag gaattgaaaa acatcaaacg cgatctcaga 1800
aatgtcagaa tatga 1815

<210> 266
<211> 1725
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 266

atgtcaatta ggcctctcac gttaaacggt ttagatgagc cagaaacctc ttttgaagaa 60
ctgaatacaa ctctacctcg ctttcaatcc catgaaacat taactttgga agaaaacgtg 120
ccaccattga gtacatcaac ttatataccg cctccatcct cggtaggtac ttctgacact 180
ggcacggtat tttccaatag taccagcgcg ttttggctta ataagcaagc agacgatgat 240
caggacatgg aggtagacca ggatgatgaa tttctaaatg acttccagga attccaaaat 300
aaaaaggatg attttgacga tgctattaaa acaaattttc atttgagaaa tggatgtcga 360
actggccctt tcaaaaacga cattttcgca gaagagtttg atagaaaact gagtttgga 420
gataaaccaa ggctaaagca acctagatca atgatggaat tgaaaccaa aagaaaacta 480
tcaaatagcg tcacttcaag aaacttaagg tctggtaatt ctgtaagatt taagaaatct 540
atgcctaact tagctttagt taatccagct atcagagaag aagaagagga cgaagaacga 600
gaaagagaag atcaacgaga gtttaattac aagattgata acgatacgca ggacacaatt 660
ttggcgaaat tcagttcaga tgatgaaggt gactttctga caggatttga agaattagag 720
ggatgaagcaa ttgatgaaac gatttcttcg aacgataaag aaagtgccga ccatccgcgt 780
ttcttaaaga agtcatcctc atctttgcca ttaaaaatat cacctgcaca atatgatata 840
gtaaagcatg acgaattatt aactccaggt cttcataggc gacaacgaga ttggaatacc 900
cagcaggaac tggactcttt taaagaaaaa cgatcagtaa gacactgttc taatcaaaat 960
gtacaactca atgggtccagc taaaatcaaa acaataaaac agcaaattga tcataatact 1020
ccaatgaaga aaggttctat gatataaac ccgaaaacta tgaagtggga aggaaatgaa 1080
aacgtcttaa gcaaatttag tgatgtagac acggcaaaca ggaaagcttt attgataaaa 1140
aacaagctac aacgagatgc agattctaag aagcaaaaat attctgatct acagcatgca 1200
agagccactt cgagaaatca aaaggatcatc gggaacatga ttttagatga acaaaattta 1260

agatgggtta gtgtttcaga ggaagaagca gacccttttg caggcattcc tgagataaac 1320
 ttaccaccag ttggcaaaag tatgaaaaaa cgtagctcct caccattttt gcgttcctaaa 1380
 agccaagtta atacgccatt tggtttcaaat gacaatgatg gcgtttatca aagtacggct 1440
 gctcaagcaa gactccgtaa ataccattca atgaggacac ttaacggtac aacagaaact 1500
 ccagaaataa gctctacttt ccatttgagt tcaagagcat tggaaaaatt ttaccacgag 1560
 gagaacaggt ggtgtaaaaa gttagcctca tggtttatac cccgagatga gaccattatc 1620
 agtgttgatg aggaaacaat catggatgaa agtacggctca atagcaagag aaaatcctat 1680
 atgtatgaaa tcaggaacat ggtaatcaat tcgacaaaag attag 1725

<210> 267
 <211> 513
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 267

atgttttttaa cgtcaccatt tgaatcctgt attgtgctgt cttccttaat agcaggctta 60
 ttgttttcat tgtctaccgg gttcgtaggt atactaggag tgtttgcttc attgttcgaa 120
 acagaactct cggttttcgcc aaagagatta tcactatcct cattatcttg gccaaagacg 180
 ttctggggccc tgctttcttc tgtagaaggt gtttcctggg aatctagctt attcgcttgc 240
 atagtcggct gctgctttgc cgttaccgtt atcgctcac tttctgcac gcgtgtgttc 300
 ggaacagttg cttcatcctt cagagactca tcttggtgct gcgattcttc accagcagta 360
 tctgtattgg caaccctgc cacagctgca ttagcggtgc tatcactatt gttgtcattg 420
 ccatgttggt ccacgtccac ggaagcgttt accgtggacc cctcaccag tgtattctcc 480
 atgcttgcaa accgtatcac aattggtctc tga 513

<210> 268
 <211> 2358
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 268

atgcccacgc gtaaccaat caatacgaat gatatcaagt ccaaccgcat gcgccaggaa 60
 tcaaatatga gtgccgtgag caatagcgaa agtactattg gccagtcac ccaacagcag 120

cagcaacaac aacaatatct cggccagagc gttcaacctc tgatgcccgat atcctaccaa 180
tacgtagttc ctgaacagtg gccgtaccgc caatattatc agcagccgca atcccagtct 240
caacagcaac tgcaatccca gcctcagatg tatcaagttc aagaatcctt tcagagtagc 300
ggttctgact caaatgcttc caatccacct tccacgtctg taggtgttcc ttccaacgct 360
actgcaactg cgttaccgaa tggttctgca atcaccacca aaaaaagcaa taacagtact 420
aatatcagta acaatgtacc atactactat tattttcccc aaatgcaagc ccaacaatca 480
atggcatatt cgtatccaca agcgtattat tattatcctg caaacggcga tgggaaccact 540
aacggtgcaa caccatctgt aaccagtaat caagtccaaa accccaattt ggaaaaaacc 600
tactcaacct ttgaacaaca gcaacaacac cagcagcaac aacaattaca agctcaaacg 660
tatccggccc aaccaccaa gataggaat gcattttcaa agttcagtaa atctggacca 720
ccttctgatt cgtccagtgg ctctatgtct cccaattcta atcgactag tcgcaatagt 780
aatagtatct cgtccttagc tcagcagcct ccaatgtcaa actatccaca acctccacc 840
taccaatacc ccggttttca caagacttcg tcaattccaa actcgcatte tccaattcct 900
ccaagatcat taacaacgcc aactcaaggt ccaaccagcc aaaatggacc tttaagctac 960
aatcttccgc aagtgggttt gctaccgcct cagcaacaac aacaggtgag cccgttgat 1020
gatggaaatt ctataactcc accagttaaa ccctctactg atcaagaaac ttatttaact 1080
gcaaataggc acggagtgtc agatcaacag tatgactcaa tggctaaaac catgaattct 1140
ttccaaacaa ctaccataag gcacccgatg cccttaatcg ccactaccaa tgccacaggc 1200
agtaacacca gcggcacttc ggcaagtata ataaggccaa gagtaacaac aacaatgtgg 1260
gaggatgaaa aaacgctatg ttatcaggta gaagctaacy gtatttcagt ggtaagaaga 1320
gcagataatg atatgggtta tggtagcaaa cttctgaatg taactaagat gacaagaggt 1380
agaagagatg gtatttctaaa agcggaaaaa atcaggcatg tggtagaat tggttccatg 1440
catttgaagg gtgtctggat accgtttgag cgtgccctag caatagcaca aagagaaaaa 1500
attgctgact atctttatcc cttgttcac agggatattc agagcgtatt gaaacaaaat 1560
aatccaagca atgatagcag tagtagtagc agtagcactg gtattaaatc catcagtcgc 1620
cgtacctatt atcaacctat taacaactat caaaatccta atggtccttc aaatatatct 1680
gctgctcagc tgacatactc ctcaatgaat ttgaacaaca aaattatacc caataattct 1740

ataccagctg taagtacaat cgctgcgggt gaaaagccct tgaaaaaatg cacaatgcct 1800
 aactctaacc aactagaagg acatactata actaacctac agaccctttc ggcaacaatg 1860
 ccgatgaaac aacaactgat gggcaacata gcttcaccct tatcgtatcc acgcaacgcc 1920
 acaatgaatt cggcaagtac attagggcatt acacctgcag attcaaagcc tttgacacct 1980
 tctccaacta caacaaacac aaatcaatca tctgaatcaa atgtgggaag tatccataca 2040
 ggaatcaccc ttccaagagt ggaatctgaa tcggcatcac attccaaatg gtctaaggaa 2100
 gcagacagtg ggaatactgt accagataat caaacattaa aggagccacg atctagtcaa 2160
 ttaccaatct ccgcattgac ttcgacggat actgacaaaa taaaaacaag tacaagcgat 2220
 gaagcaacac aaccgaacga acctagttaa gcagaacctg tcaaggagtc agagtcaccc 2280
 aaatcacaag ttgatggagc tggcgatgtc tccaacgaag aaattgctgc tgatgataca 2340
 aaaaaacaag aaaaatag 2358

<210> 269
 <211> 2139
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 269

atgcatagaa cgcttctgtt tttaacgtgg ctgatatctt taacaaaggc ttttaatatata 60
 aaattaccac aactgaaaa aaaagaccat ttggaatcca acgctgtgct ggcacgcgca 120
 tcctatataa atactctgaa gtggtcattt gatagctccg tcgtaccggg tttctattct 180
 accatatgct cttattcacc agcgtttgat acttggtcac tttgtatctt caattcgctt 240
 acagaccaga ttattcccat ggacaacaca agtttcgaag aaagcttggg taacgtacga 300
 aaaacgtgct cgtttgtcga taaaaagttt agcaatatct cactggagca atactactca 360
 tctttaaata atgcttcttc tcacgctttg gaagactatg gttctattga aagtttatcg 420
 acatccattc gagtcgatcg tgagacaaga tctagatgga tacgagcttt tcatgcgcat 480
 gcctataatt tagatatcag cagtgtttat ggtgcatatt taacttacta cttcgtcata 540
 gtgggtatta tcgccgtctt cttccatatg agtcactata acggcctgaa tcgagcgcta 600
 tttgcaagcc ggttcgtcaa ttatattcgg gccattttg tgttgccctac gtttttagta 660
 gataagcacg ctaatcactt caagtttcta aacgtggaag tctttacggg actgatgccg 720

aattccttgg aggcattgat catttttggg tacacattgg cgaacatcat atttttgtcc 780
ataagttaca tcatagaccc atataacctc attttcaaca gtcacctgtc gcagtttaca 840
agactgttgg ctgatagatc tgggatactg gcgtttactc agttccctct cattatcatt 900
tttacggcaa ggaatagttt tctcgaattt ttaacaggag tcaagttcaa ttccttttatt 960
agttttcata aatggatcgg tagaatcatg gtcttaaacy caacgatata ttcgctttct 1020
tattcattat tcgcaattat caaccatgcc ttcaaaataa gcaacaaaca gctctattgg 1080
aagtttggta ttgcatccat aacagtgcct tgcgttctac tagttctatc gctcgggaata 1140
gtaaggaaaa gacattacga atttttcttg tacaccacata tcatactagc ccttttgttc 1200
ttttactgtt gttggcaaca cgtcaaaatt ttcaacggtt ggaaagaatg gatagtggta 1260
tccttgctca tttgggggct ggaaaagcct ttccagaatat ggaacatttt gcagttttaga 1320
tttccgaaag caacactaat caatttgaac accagcaaca acccgacga tgaaatgttt 1380
aaagtaatca tacccaaata taaccggaga tggcattcga aaccgggtca atattgtttc 1440
atttattttt tacatccatt ggtatttttg caatgccatc catttaccat tatcgacgaa 1500
ggtgagaagt gtgttttagt gatcaaacct aaaagtggtc tctactagatt catttataac 1560
catattttgc aatcttttaa tggtaaatta caactccgag tggccattga gggaccttat 1620
gggccagta atcttcacct cgataaattc gaccatttgc tgttactaag tggaggaaca 1680
ggcttgcttg gtccattaga tcatgccatt aagctgtcac gaaaccctga taaaccaag 1740
agtatagatt tgatcatggc gatcaaaaat ccttcttttc ttaacggcta taaatccgag 1800
atactagagc taaaaaatag ccgatccac gtcaacgtgc aggtttacct tacacagaaa 1860
acagctgtta caaaggcagc aaacgcacga gaccaattaa tacattttga tgatataatg 1920
accgaactga caagcttcgc ccacatcggc aatgcaagac ctaatttttag caatgtaatt 1980
gaaaacgcaa taaaaagtac gccgcctgga gattcattag cggtcgtgtg ctgcggccct 2040
cctgttcttg tggacgatgt tagaaacacc gtttctcaaa aactcctcgg ttaccagag 2100
agaattatag agtatttcga ggaatatcag tgttggtaa 2139

<210> 270
<211> 2400
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 270

atgagtagca tttatagggg gagcgactcg ttggagtcgg agccctcgcc aacgccaaca 60
accattccta tccagatcaa tatggaagag gaaaagaaag atgcttttcgt taagaatatt 120
gacgaggacg tcaataatct cactgcgact actgatgagg aggaccgca tccggaaagc 180
caaaaattcg acaggcattc catacaggag gaaggtctcg tttggaaggg cgaccctaca 240
tacttgccca attctccata tctgaagtg agatcggcgg tgtccatcga ggatgacccc 300
accatccgcc tcaaccactg gagaacgtgg ttcttgacca cgggtgtttgt ggtagttttc 360
gccggtgtta atcaattttt ttcctgaga tatccatcgc tagagatcaa cttccttggt 420
gcacaagttg tttgctaccc aattggtagg atactggctc tcttgcccga ctggaagtgt 480
tctaaagtgc catttttcga tttaaacccg ggcccattta ccaaaaagga acacgccgtg 540
gtcacaattg ccgtggcgct tacttctct actgcatacg ctatgtacat tttgaacgcc 600
cagggaagct tttacaacat gaaacttaat gtcggatc agttcttggt ggtttgga 660
tctcaaata ga ttggttatgg tgctgcaggt cttaccagaa gatgggtcgt caaccctgca 720
agctctatct ggcctcagac ttttaatttca gtgtccttgt ttgattcgtt gcactcgaga 780
aaagttgaaa agacagtcgc aaatgggttg acgatcccc gttacagggt cttcttaatc 840
gtccttatcg gatcggtcat ctgggtattg gtacctggat tcctctttac cgggtctgtcc 900
tatttcaacg ttatcctatg ggggtcgaag acaagacaca atttcatcgc taacacaatc 960
tttggtactc aaagtgggtc cgggtgcgtt ccaattacat ttgactacac ccagggtttcc 1020
caagccatgt ccgggtctgt tttcgccaca ccattctacg tctccgcaa cacctatgca 1080
tcagtgttga tattcttcgt catagtgtg ccatgtcttt attttacgaa tacctggtat 1140
gccaaataca tgcccgtcat ttcagggtct acttatgaca aactcaaaa caaatacaac 1200
gtaacaaaga ttcttaacga ggattattcc attaatcttg agaaatataa ggaatactca 1260
ccggtattcg ttccattttc ctatcttttg tcgtatgctt taaattttgc cgctgttatc 1320
gccgtttttg tccactgcat cttataccac ggtaaagata ttgtcgcaa gtttaaagac 1380
cgtaaaaatg gtggcactga cattcacatg agaatctact ccaagaacta taaggattgt 1440
cccgattggg ggtatttact tttgcagatt gtcgatcgc gtttaggatt tgtagcagtg 1500
tgctgtttcg atactaagtt ccagcttg gcatgtgtta ttgcaatatt aatttccctt 1560

gtaaatttca tcccgcgaagg tatcttggaa gcaatgacta accaacacgt aggtttgaat 1620
 attatcacag aattgatctg cggttatatg ctgcctttaa gaccaatggc aaacttatta 1680
 ttcaagctat acggatttat tgtcatgaga caaggcttga atttgagtag agatttgaat 1740
 ttagccatgt acatgaaggt tccccctcgt ttgatctttg ccgttcaaata ctatgccact 1800
 atcatatcag gcatgggttaa cgttgggtgct caggaatgga tgatgcataa tatcgatggc 1860
 ttatgtacca ccgatcaacc aaatggcttc acttgtgcta atggctgcac ggttttcaat 1920
 gcttccatta tctgggtcttt gccaaagtat cttttctcat cagggcgcat ttataatccg 1980
 ctgatgtggg tcttcttgat tggtttgcta ttcccactag ccgtttatgc tgttcaatgg 2040
 aaattcccta aatttaaatt tgctaagcac attcatactc ctgtatTTTT cacaggccca 2100
 ggtaatatcc caccaagcac accttataac tactcattat tttttgcaat gtcattctgc 2160
 ctaaacttga taagaaaaag atggagagct tggttcaata agtacaattt cgtcatgggg 2220
 gccggtgttg aagcaggtgt ggcaatctcc gtcgtcatca tcttcttggt tgtacagtac 2280
 ccaggtggta agctcagctg gtgggggaaac aacgtttgga aaagaacgta tgataatgat 2340
 tataaaaaat tttatacctt aaagaaaggt gagacatttg gttatgataa atgggtggtaa 2400

<210> 271
 <211> 2850
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 271

atgagtatca atcatgaaat atattatata cttgtatttg agcatcgctc agtagcaatc 60
 aagctcatca tcgtagtgat tgttctcctt cagttttttt tagcacgaag tcggcaaatt 120
 gataggacat gggcccatac taatagaaag gaacgggtca gagaaatgac agctatcggg 180
 aatactgatg atgcacttga tactagtaca gccgcaagta aagaaaatgg aaaaggtaga 240
 ctcagggttc aaaaagcttg tgaactttgc aagaagagaa aggttaaata cgacggtaac 300
 aatccttgct tgaactgctc taaacatcaa aaagaatgcc gttatgattt caaagctaca 360
 aaccgtaaaa gaagaagacg acaggtcgca tcagctgttc gggacgttag taagacatat 420
 gcagaaacca gtgagtcttt tcctagggac ttgttaagta aatcaaatat tatcataaat 480
 gccccctcag atgggtgtatc ttcgtctgct agcaactctc ccaatccaaa ttcacattat 540

catcatatat catccacttt acccttcatg agcggtaggc caaaccatac attccattcc 600
ggaagcaact taaatggaga aaataacaat aacagttttc cggaggatca catggctaaa 660
ttactttctgc aattgagttc aaaattgggg aatacgacca aggaatcgtc aattagaaca 720
actagaacca atgctagtga tgtgaatgca aacccgacag tggatcaacat gaaaaatagt 780
caggaagact gtgacacgaa tcacaggtct gcaatatgtg actctgcaga ggctcttcat 840
aataacaaca tcaattctaa agagaataag ataatacaact ctcaaataac taacactggt 900
aatgatcact ttgaatcacc ctggcagaca ttttcttttag ataagtatag gtttcaccga 960
cgctaccaa atattctgcc ctattacctt ggtgtatcta ttttaaagga tctatctccg 1020
cagacaatag agtacgcgaa gttgaaaagg ccaagagttc aaaactatgg ttggaacttg 1080
tcaggaggcc attacttaaa gtataagggg gacttttagaa gccaaagaaa aaatataagg 1140
catgagtcta aattttttcga ctttgatgac cctgttctact tctccttaat caataagtta 1200
ctaaggtatt attttgatga gatcaatcct gttttcagta tcattcacga agcgacattt 1260
tggcagcaat ataacaataa atttctacgg caaggtaaac aaaataattc atctgcgaat 1320
ctattcactt ccatgcttta tctaattttg tctactacac taagattcag agaagggcat 1380
ctagatgggc agaaagggca aggaacctac agtaacacat ccttaaatat cacattcgag 1440
gaaaaatcta ttttgatcaa aaaacctcc atagaggaaa atttattcaa atacgcttat 1500
ttaataatca acacgctgac ctttgagtgg gaatcattcg aactaataca atcgtggctt 1560
ttgataacct tctattttcag aacctgttac agacagacgg cgtgctggaa cgcgttaagt 1620
caagcgggta acatgtgtaa tgggatgagt ctatatttaa acaaatttcc tgagatccat 1680
tccacttatg atgaatcaaa agcatggcat tgtttctggg gttgttttat aatggataag 1740
ttgataagtt ttcaaatggg tcgattctac caactatcat taccgcgag cgagatgtgc 1800
gaacagatga atctagtga gtcaaagaaa tttttacaag aagaagatga ttggtttcac 1860
gaagagactt ttcaaatgct tgatttgtcc ataatagtga cacagttttt aaaaagagac 1920
gcacaggatt taaatttgaa cgagaccgtg caattgcgca gccaaacttg tcaatggat 1980
gacaccttta tagttggaag tcaaaccaat gcgtacgacg acaattatcg ttacttctat 2040
caagttcaac cattcatgac atacctggat ataaggctga ctttcgaagt aagacaatta 2100
ttttgtctaa tcgccccctc atctaccgca aataataaat ccctagaata tgtcgtcgat 2160

actgaattgt taattttctca ttgtcaaagt gctattgaaa atttggtgta aattacgaga 2220
 agtaatcttt tctttgttcc gtggtgggta aacctttctc aactattcac ggtaaattta 2280
 atatgtatta tctacctgca cgcagggtt gccgtaactc aaaataaagc tatcatgcaa 2340
 agctgccaag aaatatggcg aaccttagag tgctctaagc caaaaaatcg gccttcaatg 2400
 cttcctgagt gcttgtgggtg ttgaaaatg ctgaatcata tgttctgcat acgactgaga 2460
 gattctgctt tgcaattgga agctactctc ggaactgatc atggtgatga caccctaat 2520
 agaaataagt ttgagcagtt caagaaagt ggcgataatg atgcggatgt tgaagttgat 2580
 gctgggtgaaa gagaagaaaa tgctgatgaa agacaagaaa atccacataa caatagcaaa 2640
 agagtaccat tagctactag gtctcataat accactaact tcgacgggtc aatcgcaatt 2700
 tctccggaag gtgcagtagc aaatctaggt actgatactg gattgccctc agatgttctt 2760
 gatactgtca gtaaaatagg gaactctcct aatgtgtttg atgatgattt attttccaat 2820
 ttattatggt ttgacaaaaa ttttgcataa 2850

<210> 272
 <211> 1914
 <212> DNA
 <213> Saccharomyces cerevisiae
 <400> 272

atgatcgaag tcccagaaga caatcgttct agccaaacaa agcgtgaagaa tactgaaaaa 60
 aattgtaatg aactgatggt tgatgaaaag atggatgacg attcgtcgcc cagagatgaa 120
 atgaaagata aattaaaggg aacaaaatca ttgattattc gtaagtctga gctaattggct 180
 aaaaagtatg atacttggca attaaaagct atattcctgt tttctgcatt catttgcact 240
 ttcgcttatg gattagatag cagcataagg ggtacatata tgacctacgc aatgaactcg 300
 tactccgcac attctctcat ttctacagta agcgtcatag ttctaattgat atctgctgtt 360
 tcacagggtga tctttggagg gttatcagat atctttggaa ggctaacgtt gtttcttgta 420
 tccattgtac ttacattgt gggtacaata attcaatctc aagcatatga tgtccagagg 480
 tatgctgctg gagctgtctt ttattatgtg ggacttgtcg gtgttatgct acaggttgtt 540
 ttgatgttgt ctgataattc ttcatataaa tggaggctat ttacacatt gataccttca 600
 tggccctcga ttatcactac gtgggtctca ggtagttagt tggaggcagc aaaccgtta 660

tatgttaagg aagccactgg tgaaacggat gttcccgaag acgtttctga atttatttct 1800
 caaagaagac gttggttaaa tgggtgcaatg tttgccgcaa tttatgctca attgcatttc 1860
 taccaaattt ggaaaactaa acattctgtt gtacgcaagt tctttcttca tgttgaattc 1920
 ctttatcaat ttattcagat gcttttttcc tggttttcta ttgcaaattt cgttcttacc 1980
 ttttattatt tagcaggatc aatgaattta gttattaaac atgggtgaggc cttattcatt 2040
 ttttttaa atctgatctt ttgtgacttg gcaagtttat tcattatttc catgggta at 2100
 agaccccagg gcgcgaaaca tttattcatt acctccatgg ttatactgtc tatatgtgcc 2160
 acatattctc taatttgtgg gtttgttttt gctttcaagt cgttagcttc tggaacggaa 2220
 tcccacaaaa tatttgtcga catcggtatc tcattgtctt ccacctatgg cctatacttt 2280
 ttctcatcac tgatgtacct agatccttgg cacatgttta catcatccat acaatacttt 2340
 ttgacacttc ccgcctttac gtgtacttta cagatttttg ccttctgtaa tacacacgac 2400
 gtttcctggg gtactaaagg ttccacacag gagtccaagc aattgtccaa ggccattgtc 2460
 gttcaaggtc cagatgggaa acagattgtg gaaacagatt ggccctcagga agttgataag 2520
 aagtttttgg aaataaaaag tcgtttgaaa gaaccagaat ttgaagaatc aagcggcaat 2580
 gaaaaacaat ccaagaatga ttattataga gatataagaa ccagaattgt gatgatttgg 2640
 atgctatcaa atctaatact gatcatgtct ataattcaag tctttacacc acaagatact 2700
 gacaatgggt atttgatatt cattttatgg tctgtggccg ctttagctgc ctttaggggtg 2760
 gttggttcca tggccttttt gttcatgaaa tacttgcgta taatagttag ttacagaaat 2820
 aaagttgaag gtagcggctc atgggaagtc tctaaattag acttaccaa tgttttccac 2880
 aaaaagggt aa 2892

<210> 274
 <211> 1632
 <212> DNA
 <213> Saccharomyces cerevisiae
 <400> 274

atgatggact cgtcaagcaa aagcttaact cagtatatac cctcacccat gggatctcta 60
 tcaaggctaa agcagaaggg tgtggacaat tttcagaagg tgaaaaaatc cggtaaatcc 120
 atctataatt acaactactc aaaattcggt cctcatccat tttcaactat tgatgaaagt 180

gttaaact ctgaaagtgg gcggtatgat gatttggaga taattcgtcc aacaaaagaa 240
 aaggaagtaa caagtctctgt gtacaaaaga aacagtggca agtctctgaa tacagaatct 300
 cagttttcac tgggagattc agatgcagcc actttgggtga attcagtcgc tactttcaag 360
 cttaacaatg cttctacatc cacttctactg gtgtcttcat cttcaactgt atgttctcaa 420
 gcgaagtcct cgttacgttc cccaacaagt cgtctcaatg atacaaaaat caaagaggaa 480
 aacaattata tttccagcgt gaaagactat tgcggtccaa tgagaaaatc catggtaaag 540
 acggaaatcc tcattgaaga acctttgaat cctactaccg atatcaagtc tttataaac 600
 tcatacaacc atggcaaagc gtatagtcta ggtgaaactc aacatttaca ttattatcag 660
 ttgccattcc catggaggga aaacagatac ataatccatg gctatagggt ttacaatacc 720
 cattccaaat ctttgttgtc tatctttaac tggtagcggt ggcataatga aacttcaa 780
 atttgggtctc atttgttagg agccatttat ataatctact tggcaattta cgatttccct 840
 cagtctgaag tttggcggaa ttcccagggt ccaccacagg ctagatggat tgttttcatg 900
 tttttggcag ctgcgttgaa atgtatgcta agctccgtgt tttggcatac tttcaacgga 960
 acgtccttct tgaagctacg ttctaaattt gcgtgtgtcg actatagcgg tattacgatc 1020
 ttaattacag cttcgatatt gacaacggag tttgttacca tgtattcatg ttactgggcg 1080
 atgtacactt acatgagtat ttctctggcg ctgggtgtat ttgggtgtgt tatgaattgg 1140
 tcgcctcgct ttgatagacc tgaagcaagg ccattaagaa ttagattctt cattttgctg 1200
 gctactatgg gtgtattgtc gttttttacat ttgatatttt tgactgatct tcattatgct 1260
 gcaacgctat ttagccccgt cacatacaaa tctgttggtt ggtatttgggt tgggtgtggta 1320
 ttttacgggt cgttcattcc tgaacgggtc agatctgacg ttcaggttga taagaccatt 1380
 ccaacaaact acgaattatc tactgattta gaaatcatca caaagcaaag ggaaattcat 1440
 tttagagagg tgccaacagc ccattccaaa tgcagttcct gtccgtctca tgccaaatca 1500
 tttaaatctc tatggtgggt tgactatttt ggttggtcgc acactttttg gcatttcttc 1560
 gtagtggttg gtgtcatcgg ccattataga gctattttag atatgtttgc caagaggtgg 1620
 attttgtcat ga 1632

<210> 275
 <211> 3117
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 275

atgaagcaaa gaattagtgc cctagattta ctgctgttgg ctagagagct gaaacaggat 60
ttggaaggct accgattgag taatatatat aacattgccg attcctcaaa acaatttttg 120
ctgaaattta ataaaccaga ttctaaactc aatgttggtg tcgattgtgg cttaagaatt 180
tacttaactg aatttagtag gccaatacct ccaactcctt ccggctttgt tgtcaaacta 240
aggaagcatc ttaaagctaa acggttaaca gctttaaagc aagtagacca ggatagaatt 300
cttgttctac aatttgctga tggccacttc tatttagttt tggaattttt cagtgcaggg 360
aatgtcattc ttctagatga gaacagaaga attatggctt tgcaaagagt cgttctagag 420
catgaaaata aggtcggaca aatttatgaa atgtttgacg aatcactttt taccacaaat 480
aacgagtctg ctgatgaatc catagaaaaa aacagaaagg cagaatacac ctctgaacta 540
gtcaacgagt ggataaaagc agttcaagcc aagtatgaat cagacattac tgttattaag 600
caacttaaca ttcaagggaa ggagggcgct aaaaaaaaaa aagtgaaggt accttccatc 660
cataaactgc tgctttcgaa agtccctcat ttgtcttcag atttattatc aaagaacctt 720
aaggtattca atatcgaccc ttcagagtct tgtttaaatc ttttggagga aacagactca 780
ctcgccgaat tgctaaacag tactcagtta gaatataatc aacttttaac taccaccgat 840
agaaaggggt acattttggc caaaagaaat gaaaattata tctctgaaaa agatactgcc 900
gatttggaa ttatttatga tacattccat ccctttaagc catatataaa tgggggagac 960
actgactctt cttgtatcat tgaagttgaa ggtccttaca ataggacgct agacaaattt 1020
ttctcaacaa tagaatcctc taagtatgct ctacgtatac aaaatcagga atcgcaagcg 1080
caaaagaaaa tcgatgatgc tcgtgccgaa aatgatagaa aaatacaagc tttattagac 1140
gtccaagaac taaatgaaag gaaaggccat ctcataattg aaaatgcacc cttaatagag 1200
gaagttaagc ttgctgttca ggggtctaac gatcaacaaa tggactggaa cactattgag 1260
aaactaatta aaagtgaaca aaaaaaaggc aacagaattg ctgagctttt gaacttgcct 1320
ttgaacttga aacagaacaa aattagcgtc aagcttgatc tctctagcaa ggaactcaac 1380
acttcttcag acgaggacaa tgaatcagaa ggcaatacta ctgatagttc tagtgactca 1440
gactcagaag acatggagag ttcgaaggag aggagtacaa aaagtatgaa aagaaaatct 1500

aatgaaaaga taaacgttac aattgacctt ggtttatcag cttatgccaa tgccactgaa 1560
tatttcaata tcaaaaaaac aagtgtctaa aagcagaaaa aagtcgaaaa gaatgtcggc 1620
aaggctatga agaattattga agtcaaaatt gatcaacaat tgaaaaaaa gctaaaagat 1680
tctcacagtg tcttaaaaaa gatccgcact cttactttt ttgaaaaata tagttggttt 1740
atttcaagtg aaggattttt ggatcatgat ggtaaaagtc cggctgagac agatcaaata 1800
tattcaaaat atattgaaga tgatgatatt tatatgtcca atagttttta ctctcatgta 1860
tggaatcaaaa atccagaaaa aacagaagtt ccaccgaaca ctttgatgca agcgggtata 1920
ctatgcatgt cctcaagcga ggcttggtcg aagaagatat cttcttctcc atggtggtgc 1980
tttgcaaaga atgttagtaa attcgatggc tctgataact ccattctgcc agaaggtgcc 2040
tttcggttga aaaatgagaa tgatcaaaac catttacctt ctgctcaact tgtgatgggt 2100
tttggtttt tatggaaagt gaaaaccagt ggaaatgagg ataatggtga tgatgacgaa 2160
gaagaagaag aagaagaaga ggaagaagaa gaagaagaag aagaagaaga agaagaagaa 2220
gaagaagaaa aagaagaaga agaaaaagaa gaagagcaac agcaagatga agacgatagt 2280
aacgaggtca atgggttaga gaagggtgga gattcaaacg atagcacgaa aaacaacagt 2340
tttgaacacg ataattctga aaaagacatc gaaaagcatt gcaccatatt atccgatacc 2400
gactctgatt ctggaaatgc taaagccaaa aatgacaata gcagtacgca gcgtatcctt 2460
gatgaaccag gtgttccgat atctttaatc gaaaacataa acagtaacgt ccgtggtaaa 2520
agaggaaaat tgaagaaaat tcaaaagaaa tacgccgacc aggatgaaac tgaacgtctc 2580
ttgcgttttg aggccttggg tactttgaag ggtatcgaaa agcagcaaca aaggaagaaa 2640
gaagaaataa tgaagcgaga agttagagaa gatagaaaga ataaacgcga gaaacaaaga 2700
agactacagg ctttaaaatt caccaaaaaa gagaaagcaa gagtgaacta tgataaacac 2760
aagtccgaat taaaaccatc tctcgataag ggcatgttg ttgatgatat tataccagta 2820
tttgccccct ggcctgcgct ttgaaatat aaatacaaag tcaaaataca accgggaagt 2880
gcgaagaaaa ctaagacttt aactgaaatt ttacattatt tcaagagtag accactagac 2940
ggttcttcaa ctgacaacga aatggatttg cccaagaac atgaaatgat taaaggcttg 3000
aaggaacagg acttggttct tctgctctgt gtcgacaagt taaaagtaac aatcgctggg 3060
cagaaatcca ccaagaacgg tggttaactct tcgaagaagg gcaaaaaaaa acgctaa 3117

<210> 276
 <211> 2757
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 276

```

atgactgata catcatcctc ttcacatccc tcttcagcat cttctgtttc agctcatcag   60
ccaactcaag aaaagcctgc taagacttac gatgacgctg catctgaatc ttctgacgat  120
gacgatatcg atgctttaat cgaagaacta caatctaatc acggtgtcga cgacgaagac  180
agtgataacg atgggtccagt tgccgccggt gaagctagac cagttccaga agaataattta  240
caaactgacc catcttacgg ttttaacttc gatgaagttt tgaaaagaag aaagaagtac  300
ggtttgaatc aaatggctga cgaaaaagaa tctttagtcg ttaagttcgt tatgtttttc  360
gtcgggccaa ttcaattcgt tatggaagcc gctgctattt tggctgccgg tttgtccgat  420
tgggtcgatt tcggtgttat ctgtggtttg ttaatgttaa acgctggtgt tggtttcggt  480
caagaattcc aagctggttc tattgtcgat gaattgaaaa agactttggc taacactgct  540
gttgttatca gagacggtca attggttgaa attccagcca acgaagtcgt cccaggtgat  600
attttgcaat tggaagatgg tactgttata ccaactgatg gtcgtattgt cactgaagac  660
tgttttcttg aaatcgatca atctgctatt actggtgaat ctttggtgtg cgacaaacat  720
tacggtgacc aaactttctc ttcttcact gttaagagag gtgaaggttt catggttggt  780
accgctaccg gtgacaacac tttcgttggt agagctgctg ctttggttaa caaagccgct  840
gggtggtcaag gtcatttcac tgaagttttg aacggtattg gtattatctt attggttttg  900
gtcattgcca ctttgttgtt ggtctggact gcttgtttct acagaaccaa cgggtattgt  960
agaatcttga gatacactct aggtattact attattggtg tccagtcggt tttgccagct 1020
gtcgttacca ccactatggc cgtcgggtgt gcttacttgg ctaagaaaca agccattggt 1080
caaaagttgt ctgctattga atccttggtt ggtgtcgaaa tcttgtgttc cgacaaaacc 1140
gggtactttg ccaagaacaa gttgtccttg cacgaaccat aactgttga aggtgtttct 1200
ccagacgact tgatgttgac tgcttgtttg gctgcttcca gaaagaagaa gggtttggat 1260
gctattgata aggttttctt gaagtctttg aagcaatata caaaggctaa ggacgttttg 1320
accaagtaca aggttttggg attccatcca tttgaccctg tctccaagaa gggttactgcc 1380

```

gttgtcgaat ctccagaagg tgaaagaatt gtttgtgtta aggggtgctcc attattcgtc 1440
 ttgaagactg tcgaagaaga tcacccaatc ccagaagatg tccatgaaaa ctacgaaaac 1500
 aagggttgctg aattggcttc tagaggggttc cgtgcttttag gtgttgctag aaagagaggt 1560
 gaaggtcact gggaaatctt ggggtgttatg ccatgtatgg atccaccaag agacgatact 1620
 gctcaaactg ttagcgaagc tagacacttg ggtctaagag ttaagatggt aactgggtgat 1680
 gctgttggtg ttgctaagga aacttgtaga caattgggtt tgggtaccaa catttacaac 1740
 gctgaaagat taggtctagg tggcgggtggt gacatgccag gttctgaatt agctgatttt 1800
 gttgaaaatg ccgatgggtt cgtgaagtt tcccacaac ataaatacag agttgttgaa 1860
 atcttgcaaa acagaggtta cttgggttgct atgactgggtg atgggtgttaa cgatgctcca 1920
 tctttgaaga aggctgatac tgggtattgct gtcgaagggtg ctactgatgc tgccagatct 1980
 gctgctgata ttgttttctt ggctcctggt ctatctgcta ttattgatgc tttgaagacc 2040
 tccagacaaa tttttcacag aatgtactct tacgttggtt accgtattgc tttgtctcta 2100
 catttggaat tcttcttggg tctatggatt gctatttttg ataactcttt ggacattgat 2160
 ttgattgttt tcatcgctat tttcgtgat gttgctactt tggctattgc ttacgataat 2220
 gctccttact ctccaaagcc cgttaaattg aacctaccaa gattatgggg tatgtctatt 2280
 attttgggca tagtttttagc tatagggttct tggattacct tgactactat gttcttacca 2340
 aagggttggtt ttatccaaaa cttcgggtgct atgaacggta ttatgttctt gcaaatttcc 2400
 ttgactgaaa actgggtgat tttcattacc agagctgctg gtccattctg gtcttctatc 2460
 ccatcctggc aattggctgg tgcggtcttc gctgtcgaca tcatcgctac catgtttacc 2520
 ttattcgggtt ggtggtctga aaactggact gatattgtta ctgtcgtccg tgtctggatc 2580
 tgggtctatcg gtatcttctg tgttttgggt ggtttctact acgaaatgct cacttctgaa 2640
 gcctttgaca gattgatgaa cggtaaagca atgaaggaaa agaagtctac cagaagtgtc 2700
 gaagacttca tggctgctat gcaaagagtc tctactcaac acgaaaagga aacctaa 2757

<210> 277
 <211> 1404
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 277

atgggtccat ttaggcagga cagtattttg ataataacc ccagatctca aactactctc 60
 gttcaatttg gtttgaatga agaaacattc actgtacctg agctggaaat accaacacag 120
 atttatcgga ccacgagaca agatgggtcc tacacatatac attcaacgaa caaggataat 180
 aaagccgaat taatcaaacc aatccaaaat ggtgaaataa tagacataag cgcctttaca 240
 caattttctta gactaatatt tgtatctatt ttgtctgata gagctaataa aaatcaagat 300
 gcttttgaag ctgaattatc taatattcct cttctactga ttacgcacca ctcttggtcg 360
 caatcggatc tagagattat tactcaatat gtcttcgaaa gtcttgagat aaacaatcta 420
 atccaattgc cggtctcctt agcggccact tattctatga tttcgttgca gaattgttgt 480
 attattgatg ttggaacaca tcatacagat attattccta ttgttgacta tgcacaatta 540
 gaccatcttg tctcttcaat accaatgggc ggacagtcta ttaatgattc tctaaaaaaa 600
 ctactacctc aatgggacga tgatcagata gaatcattga aaaaatcacc aatttttgag 660
 gtgctcagtg acgacgcaa aaaactatca agtttcgatt ttggaaacga aaatgaggac 720
 gaggatgaag gaactttaaa cgttgccgag attattacaa gtggtcgtga tacacgtgaa 780
 gttttagagg aaagagaacg tggtaaaaa gtcaaaaatg ttaaaaatag cgacttgga 840
 ttcaatactt tttgggatga aaaaggtaac gaaattaaag ttggtaagca aagattccaa 900
 ggatgtaata acctgattaa gaatatttct aatcgtgtag gattgacgtt agataacata 960
 gatgatatta acaaagctaa agccgttttg gaaaatatta tcacgtcgg tggcactact 1020
 tcaatttcag gttttaaaga agctttactg ggtcaactac tgaaagacca ttttaattata 1080
 gagccagagg aagagaagtc aaaaagagaa gaggaagcga aatccgtatt accagctgca 1140
 acaaaaaaga aaagcaagtt tatgacaaat agcaccgcat ttgttccaac tatagaatac 1200
 gtacagtgtc ctacagtaat caaactggct aaatatccag attactttcc tgagtgggaag 1260
 aaaagtggat attcagagat tatattcttg ggtgcccaaa ttgtttctaa gcaaattttc 1320
 actcatccta aagatacatt ttatatcaca agagaaaagt ataatatgaa aggaccggct 1380
 gctctttggg acgtgcaatt ttaa 1404

<210> 278
 <211> 2052
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 278

atgacaatca aggaacataa agtagtttat gaagctcaca acgtaaaggc tcttaaggct 60
cctcaacatt tttaacaacag ccaacccggc aagggttacg ttactgatat gcaacattat 120
caagaaatgt atcaacaatc tatcaatgag ccagaaaaat tctttgataa gatgggctaag 180
gaatacttgc attgggatgc tccatacacc aaagtccaat ctgggttcatt gaacaatggc 240
gatgttgcat gggttttgaa cggtaaattg aatgcatcat acaattgtgt tgacagacat 300
gcctttgcta atcccgacaa gccagctttg atctatgaag ctgatgacga atccgacaac 360
aaaatcatca catttgggtga attactcaga aaagtttccc aaatcgctgg tgtcttaaaa 420
agctggggcg ttaagaaagg tgacacagtg gctatctatt tgccaatgat tccagaagcg 480
gtcattgcta tgttggctgt ggctcgtatt ggtgctattc actctgttgt ctttgctggg 540
ttctccgctg gttcgttgaa agatcgtgtc gttgacgcta attctaaagt ggtcatcact 600
tgtgatgaag gtaaaagagg tggttaagacc atcaacacta aaaaaattgt tgacgaaggt 660
ttgaacggag tcgatttggg ttcccgtatc ttggttttcc aaagaactgg tactgaaggt 720
attccaatga aggccggtag agattactgg tggcatgagg aggccgctaa gcagagaact 780
tacctacctc ctgtttcatg tgacgctgaa gatcctctat ttttattata cacttccggt 840
tccactgggt ctccaaaggg tgctggtcac actacagggtg gttatttatt aggtgccgct 900
ttaacaacta gatacgtttt tgatattcac ccagaagatg ttctcttcac tgccgggtgac 960
gtcggctgga tcacgggtca cacctatgct ctatatgggc cattaacctt gggtagccgc 1020
tcaataattt tcgaatccac tccctgectac ccagattatg gtagatattg gagaattatc 1080
caacgtcaca aggtaccca tttctatgtg gctccaactg ctttaagatt aatcaaacgt 1140
gtaggtgaag ccgaaattgc caaatatgac acttcctcat tacgtgtctt gggttccgct 1200
gggtgaaccaa tctctccaga cttatgggaa tggatcatg aaaaagtggg taacaaaaac 1260
tgtgtcattt gtgacactat gtggcaaaca gagtctgggt ctcatttaat tgctcctttg 1320
gcagggtgctg tcccaacaaa acctgggtct gctaccgtgc cattctttgg tattaacgct 1380
tgtatcattg accctgttac aggtgtggaa ttagaaggta atgatgtcga aggtgtcctt 1440
gccgttaa at caccatggcc atcaatggct agatctgttt ggaaccacca cgaccgttac 1500
atggatactt acttgaaacc ttatcctggg cactatttca caggatgatg tgctggtaga 1560

gatcatgatg gttactactg gatcaggggt agagttgacg acgttgtaaa tgtttccggt 1620
catagattat ccacatcaga aattgaagca tctatctcaa atcacgaaaa cgtctcggaa 1680
gctgctgttg tcggtattcc agatgaattg accggtcaaa ccgctcgttg atatgtttcc 1740
ctaaaagatg gttatctaca aaacaacgct actgaagggtg atgcagaaca catcacacca 1800
gataatttac gtagagaatt gatcttaciaa gttaggggtg agattgggtcc tttcgcctca 1860
ccaaaaacca ttattctagt tagagatcta ccaagaacaa ggtcaggaaa gattatgaga 1920
agagttctaa gaaagggttg ttctaacgaa gccgaacagc taggtgacct aactactttg 1980
gccaaccag aagttgtacc tgccatcatt tctgctgtag agaaccaatt tttctctcaa 2040
aaaaagaaat aa 2052

<210> 279
<211> 1752
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 279

atggatgaat ttgaatctac caaactttcg aagggttcagt tttccactag cgtgttaagt 60
acgccttcga atgaaggaaa taatctaata cacagattca agaactcttt caagcgaaat 120
gattcaccag cgatccaaga aggtttgctg tattcggagc tttcagagga agaaaaaata 180
caatgggact tagccaacca gccgtataaa aaggctcctag atcaaagaca cctgaccatg 240
atagccattg gaggtactct agggacgggt cttttcattg gtttagggga atcactagcg 300
tccggacctg cttctttgct aattggtttc ttgttggtcg gcgcacttat gctctgtgtt 360
gttcagtgtg gggccgaact ttcatgtcag taccctgttt ccggctccta tgcgctgcac 420
gccagtagat ttatagacct atcagtcggc ttcagtatag gaattaacta cttattgatg 480
tggctcatat cttaccctag cgagctggta ggatgttcgc ttaccatctc ttattgggca 540
ccatcgggtca atcctgctgc ctgggttgca atcgcgttcg ttttaagcat gctattgaat 600
ctttttgggg caagaggctt tgcagaatca gagttttata tgtcaatttt caaaattgtg 660
gctctattca tttttataat tattggtatt gttctcattg cagggtggtg gcttgattct 720
actggataca tcggcacgaa gtattggcac gatccaggct ccttcgctgt tctgttttc 780
aaaaacctct gcaatacttt tgtttcggca gcatactcct ttagtggtac agaaatgggt 840

gttttaacca gcaactgaagc aaggagtgtt tcctcagtct ctcgggcagc gaaaggtacg 900
 ttctggagaa ttatcatctt ttatattgtt acagtgatta taattgggtg cctggtcctt 960
 tataatgatc ctcgtctgat tagcggttca tccagtgagg atattactgc ttccccgttt 1020
 gttattgcct tgagcaatac tgggtgctatg ggaacaagag tgtctcattt tatgaatgcg 1080
 gtcattctga tagccgtatt ttctgtttgc aattcctgcg tttacgcac ccttagattg 1140
 attcaggggt tggcgacagc aggccaaactt ccaaagatct gcgcttacat ggacaggaat 1200
 ggtcggcctt tagttggcat ggctatatgt ggcgcttttg gattgttagg ctttttggtt 1260
 gtttccaaga accagggtac agttttcaca tggttgtttg cgttgtgttc catttcattt 1320
 ttcacaactt ggttctgtat ttgcttctgt caagtcagat ttaggatggc aatgaaagct 1380
 caaggaaggt caaaggatga cattatctat agatcgacat tagggatata cggaggaatt 1440
 ttcggctgta tcttaaagt tctattggta attggagaaa tatatgtatc ggctgcaccc 1500
 gtgggtagtc ccagttctgc tgctaatttc tttgaatatt gtatgagtat tcccataatg 1560
 attgctgtat atattggcca tagaatttac cgcagagact ggagacactg gtacatcaag 1620
 cggatggata ttgacctga tagcggacat tcgttagagg acttcgaagc caccaagctt 1680
 gagagggatg aggataagaa atacgtttcc tctaagccac ttactatag gatctatcgg 1740
 tttttctgtt aa 1752

<210> 280
 <211> 3396
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 280

atgagtgatc aaaataatcg atcgagaaat gaatatcact caaaccggaa gaatgaacct 60
 tcctatgaac tccaaaatgc acatagcggg ctatttcact cttctaataga agaattaaca 120
 aacaggaacc aaagatatat caatcaaaat gccagcatgg gttcattcac tccagtccaa 180
 tctttgcaat ttccagaaca atctcagcaa acaaatatgc tttataacgg tgacgatggc 240
 aataataata ctatcaatga taacgaacga gacatatatg gaggttttgt caaccacat 300
 cgccagcgtc ccccaccagc aactgcagaa tacaatgacg tttttaatac gaatagtcaa 360
 cagctaccgt cggaacatca atacaataac gtaccttcat atccacttcc ttcgataaat 420

gtgattcaaa ccactccaga actcatacat aacggctcac agactatggc cccccccatc 480
 gaaaggccct tctttaacga aaacgactac tattataata acaggaactc taggacgtca 540
 ccgagtattg cttctagtag cgatgggtat gcagatcagg aagctaggcc cattttggag 600
 caaccaaca ataacatgaa tagcggtaat attcctcaat accatgacca accttttggg 660
 tacaacaatg gttaccatgg cctacaggca aaagattact atgacgatcc ggaggggtgg 720
 tatattgatc agagaggaga tgactatcag attaattcat atttgggtag aaacggtgaa 780
 atggttgatc cttacgatta tgaaaacagt ttaagacata tgactcctat ggagcgtaga 840
 gaatatcttc atgatgatag cagacccgta aacgatggaa aagaagaatt agacagtgtg 900
 aaaagcgggtt actctcatag agacttgggg gaatatgaca aggatgattt ttcaagggat 960
 gacgagtacg atgatctcaa cactattgat aaattacagt ttcaagctaa tgggtgtacct 1020
 gcatcatcct cgggtgtcttc tatcggatct aaagaatccg acataatagt aagcaatgat 1080
 aacttaaccg caaatagagc actaaagaga agcgggtactg aaattaggaa attcaaactt 1140
 tggaatggta attttgtttt cgattctcca atcagtaaga cgctattgga ccaatacgtt 1200
 actacaacag aaaatgcaaa cactttacca aatgagttta agtttatgag atatcaagca 1260
 gttacttgcg aacctaatca acttgcagag aagaatttca cggtgaggca gttgaagtat 1320
 ttaactccaa gggaaacgga attgatgcta gtagtcacaa tgtataatga agaccatatt 1380
 ctgttaggaa gaactttgaa aggtattatg gacaatgtca aatatatggg gaaaaaaaaa 1440
 aattcaagca cttggggggc ggatgcatgg aaaaagattg tcgtttgtat catttcagat 1500
 ggtagatcca aaattaatga acgctcgcta gcattactaa gttcgttagg ttgttaccag 1560
 gacggggttg ctaaggatga aattaatgaa aaaaaagtgg caatgcatgt ctacgaacat 1620
 acgacaatga tcaacatcac aaatatttcg gaatcagagg tttcattaga atgcaatcaa 1680
 ggtaccgttc caatacaact tttgttttgt ttgaaagagc aaaatcagaa aaaaattaac 1740
 tcacatagat gggcatttga aggccttgca gaattactgc gtcccaatat cgttacattg 1800
 ttagatgctg gtaccatgcc aggtaaagat tctatttacc agttatggag agagttcagg 1860
 aatccaaatg ttggtggcgc atgtggtgaa ataagaactg atttgggtaa gagatttgta 1920
 aagcttttga atccttttagt tgcatacacag aatttcgaat acaaaatgtc caatatttta 1980
 gacaaaacaa ccgagtctaa ctttggattt attactgttc taccgggggc attctctgcg 2040

tataggtttg aagctgtgag aggccaacca ttacagaagt acttttatgg tgaaattatg 2100
 gaaaatgaag gttttcattt tttttcttcc aatatgtatc ttgctgaaga tcgtatttta 2160
 tgctttgaag tggtcacaaa aaaaaattgt aattggattt tgaaatactg cagaagttct 2220
 tatgcttcaa cagatgtacc ggagagggtc cctgaattta ttcttcagag gaggcgttgg 2280
 ttgaatgggt cattttttgc tagtgtatat tctttttgtc atttttacag agtctggagc 2340
 agtggtcata atattggtag aaaactcctt ttgacgggtg aattttttta ccttttcttc 2400
 aatacattga tttcatgggt ttcattgagt tcatttttcc tattcttttag aattctcact 2460
 gtttctattg cactggcata ccattcagca tttaatgtgt tgtccgtcat attcctgtgg 2520
 ctttatggga tttgtacctt atcaacattc atactgtcat tgggtaataa acctaaaagt 2580
 actgagaaat tttatgttct aacttgcgtc atttttgcgg tgatgatgat ttacatgata 2640
 ttctgcagta tattcatgag tgtcaaatcc ttccaaaata tattgaaaaa cgataccatc 2700
 agctttgagg gtttgattac cacagaagct ttcagggata ttgttatctc tctgggctcc 2760
 acttattgtt tgtacctaat cagttcaatt atctatttgc agccatggca tatgttgaca 2820
 agttttattc agtatatttt attgagtcct tcttacatca atgttttgaa tatctatgca 2880
 ttttgtaatg tccacgactt atcatggggt acaaagggtg caatggcaaa tccgctgggt 2940
 aagattaata ctacagaaga tggtagcttc aaaatggaag ttctgggtctc tagttcagag 3000
 attcaagcaa actacgataa atatttgaaa gttttaaatg acttcgatcc aaaatcagaa 3060
 tctcggccta ctgagccatc ttatgatgaa aaaaagactg gctattatgc aaacgttaga 3120
 tctctcgtga ttatcttttg ggtcatcaca aatttcatca tcgttgctgt tgtcttagaa 3180
 accggtggga ttgcagatta tattgctatg aaatccatat caactgatga cacttttaga 3240
 actgcaaaga agggggaaat tcccttaatg accagtaagg cctcaattta ttttaatgta 3300
 attttatggg tagttgcatt atcggcatta ataaggttca ttgggttgcct aatatacatg 3360
 atagtaaggg tttttaaaaa gggttacattt cgctaa 3396

<210> 281
 <211> 1674
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 281

atgaagggttg attacgagca attgtgcaaa ctctacgatg acacgtgccg cacaagaat 60
 gtgcagttca gttacggtac ggccggattc agaacgctgg ccaagaattt ggatacggtg 120
 atgttcagta ctggtatact ggcggttctc aggtcgctga agcttcaggg tcagtatgtg 180
 ggggtgatga tcacggcgtc gcacaaccca taccaggaca acgggggtcaa gatcgtggaa 240
 ccagacggat cgatgctttt ggccacatgg gagccatatg ccatgcagtt ggccaatgcg 300
 gcctcttttg ccactaattt tgaagaattt cgtgttgagt tggccaagct gattgaacac 360
 gaaaagattg atttgaatac aaccgtcgtg cctcacatcg tggttgggag agactctagg 420
 gaaagtagtc catacttgct gcgctgcttg acttcctcca tggccagcgt cttccacgcg 480
 caagtttttg acctaggctg tgtcactacg cctcaattgc attacattac tgatttgtcc 540
 aacaggcgga aactggaagg agacacagcg ccagttgccg cagaacagga ctactattcg 600
 ttctttatag gagccttcaa cgagctcttc gccacgtatc agctggagaa gaggctgtct 660
 gtcccaaaat tgttcataga cacagccaat ggtatcgggtg gtccacagtt gaaaaaacta 720
 ctggcctccg aagattggga cgtgccagcg gagcaagttg aggtaatcaa cgacaggctc 780
 gatgttccag aactgttgaa ttttgaatgc ggtgcggatt atgtgaagac taaccagaga 840
 ttaccaagg gtctttctcc atcctcgttt gattcgctat attgctcctt tgatggtgac 900
 gcagacaggg ttgtgttcta ctatgtcgac tcaggatcaa aatttcattt gttggatggg 960
 gacaaaattt ccactttggt tgcaaagttc ttgtctaaac aactagaatt ggcacaccta 1020
 gaacattctt tgaagattgg tgttggtgcaa actgcctatg caaacggcag ttccaccgct 1080
 tacataaaaa atacgttgca ctgtcccgtg tcttgacta agacagggtg taaacacttg 1140
 catcatgaag ctgccactca gtacgatatt ggcatttatt tcgaagcaaa tggacatggg 1200
 acgattatat tcagcgaaaa atttcatcga actatcaaat ctgaattatc caagtccaag 1260
 ttaaattggtg atacgttagc tttgagaact ttgaagtgtt tctctgaatt gattaatcag 1320
 accgtgggag atgctatttc agacatgctt gctgtccttg ctactttggc gattttgaaa 1380
 atgtcgccaa tggattggga tgaagagtat actgatttgc ccaacaagct ggttaagtgc 1440
 atcgttcctg ataggtcaat tttccaaacc acggaccagg aaagaaaatt gctcaatcca 1500
 gtgggggttc aagacaagat agatcttggt gtagccaagt atcccatggg aagaagcttt 1560
 gtcagagcca gtggtacgga ggatgcgggtg aggggtttatg cggaatgtaa ggactcctct 1620

aagttaggtc aattttgtga cgaagtgggtg gagcacgtta aggcatctgc ttga 1674

<210> 282
 <211> 1185
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 282

atgtggacaa acactttcaa atgggtgcagc aaaactgaga aggagaccac tactgcagac 60
 gccaagggtgt gtgctagcgt gcagggcctg aaggccctgc agcagcaaat tatggatagc 120
 accactgtgc gtgggtccgt taataacacg atgactccag gcgggattaa ccagtggcat 180
 ttccacaata agcgtgcgaa caaagtgtgc acgcctacag tactaatcca tggatacgct 240
 gcctcgtcga tggcgttcta caggacgttt gagaacctgt cagacaacat taaagatcta 300
 tatgccatcg acttgccagc caatgggtgcc tcagaggcgc cagcattgca agtgaacaaa 360
 accaagaaga tcaagtctct caggtttaag catatagaag atgacgtagt aatccctgtg 420
 atagagaagc gccccccagc agaggacatc aagtcacacc tggagcagta cgaaagctac 480
 ttcgtagaca ggatagagca atggcggaag gataacaagc ttcgcaaaat aaacgtgggtg 540
 ggccattcat tcggaggata tatttcattc aaatacgccc tcaagtaccc tgattccatt 600
 gagaaactgt gtctcatatc tcctcttgggt gtggaaaaca gtatacatgc tatcaccac 660
 aaatgggagc ccaacaccac ctatccactt acgtttaccg acccatcgtc ccgatattat 720
 acaagaaagc tgaacgtacc gcggtttatc tttgaaaacc agctaaacgt tttgaagtgg 780
 atgggacca taggctccaa attgtgctcg aactacatct ccaccgcata cgtaaaagtt 840
 ccggatcaga tatataagga ctatcttttg cactcatttg tcggaagaa ccagacggtg 900
 caaccacaga caatcaaggt gttcacccat ttgtttgaaa ggaatctgat cgctagagat 960
 ccgataataa acaacgttcg ttttttgaac ccagcaacgc ctgtcatggt catgtatggc 1020
 gagcacgatt ggatggataa atatgcgggc tacttgacta ctgaatcaat gctaaaaaac 1080
 aaggcaaagg ctagctacgt tgaagtccct gatgctggcc ataatctttt cctggacaac 1140
 ccgcagcact ttgcctcttc tttagtctcg ttctgtcaa agtaa 1185

<210> 283
 <211> 987
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 283

atggaaaaaa aacatgtcac tgtgcaaata caaagtgtct cccctccta tatcaaattg 60
gaagcaaattg aaaaattcgt atatattaca agtacaatga acggcttata ttatcaaatt 120
gctggctatag tttcataccc agaaaagaga aattcatcaa ctgcaaataa agaagatggg 180
aaattactgt gcaaggaaaa taaactagca ttgttactac acggaagtca atctcacaag 240
aacgctatct atcaaacttt actagcaaaa aggctggccg aattcggata ttgggtacta 300
agaatagatt ttaggggcca aggtgattcc tcagataact gcgaccctgg ccttggtagg 360
acgctcgtct aggatcttga agatttgagt acagtatacc aaacagtatc tgacagggtc 420
cttaggggtgc aattgtacaa aactagtaca atatcactgg acgtgggtgt ggcacattct 480
agaggatctc ttgcatgtt caaattctgt ctaaattac atgcagctga atctccatta 540
ccgtctcacc tgatcaattg cgctggaaga tatgatggga gaggacttat tgaacgctgc 600
acacgactgc acccgcatcg gcaagcagaa ggtgggtttt gggcgaatgg tccacgaaat 660
ggcgaataca aagacttttg gataccatta agtgagactt atagtatcgc tggcggttgc 720
gttcgggaat ttgccacgat accacaaact tgttcagtaa tgtcctgcta tggcatgtgt 780
gatcacatag tgccaattag cgcagcctca aattatgcaa ggcttttcga gggcagacat 840
tcattgaaac ttattgaaaa tgcggaccac aattattatg gcattgaagg tgatcccaac 900
gcgctaggct taccgataag gaggggtaga gtcaactact caccactagt agttgatcta 960
attatggaat acctgcaaga tacatag 987

<210> 284

<211> 1368

<212> DNA

<213> Saccharomyces cerevisiae

<400> 284

atgtcagaag aggataaagc gaaaaaatta gagaatttat tgaagttatt acagttgaat 60
aatgacgata cttcaaaatt cactcaagaa cagaaaaaag ctatgaaaga ccacaaattc 120
tgagaaacgc aaccgggtcaa agatttcgat gaaaagggtg tggaagaagg cccattgat 180
aagccaaaga caccggaaga tatatctgac aagccactac ctttattgtc tagcttcgaa 240

tgggtgtagta ttgatgtgga caacaaaaaa cagcttgaag atgttttcgt tctactaaat 300
 gaaaactacg tggaagaccg cgatgcagggc ttcagattta actataccaa agaattcttc 360
 aattgggctt taaagagtcc aggttgggaag aaggattggc atattggtgt tcgcgttaaa 420
 gaaacacaga aattagttgc ctttatctca gccataccag taacacttgg tgttagaggt 480
 aaacaagtgc ctagtgtaga aatcaatttc ttgtgcgttc acaaacagct aagatcgaag 540
 agattaacac ctgttctaata taaagaaatt acgagacgag tgaacaaatg tgacatctgg 600
 catgcattgt acacggcagg tattgttttg ccagcacctg tgagtacgtg tcgttatact 660
 catcgtccct tgaattggaa gaaactttat gaagtagatt tcacaggggt accagatggg 720
 cacacagagg aggatatgat tgctgagaat gcgttaccgg ccaaaacaaa gacagcggga 780
 ttgagaaaat taaagaagga agatattgac caagtttttg agttgttcaa aagatatcaa 840
 tccaggttcg aactaattca aattttcaca aaagaagaat tcgaacataa tttcattggt 900
 gaagaatcgt taccattgga taaacaagta attttctcat atgtagtcga acagcccgat 960
 ggaaaaatta cagacttctt ctcatcttac tcattgccat tcacaatcct aaataacaca 1020
 aaatataagg acctaggcat cgggtacttg tattattatg ccaccgatgc agatttccaa 1080
 ttcaaagaca ggtttgatcc aaaagctact aaggctttga aaacaagatt gtgtgaattg 1140
 atttatgacg cttgtatttt ggccaaaaac gctaatatgg atgtttttta cgcgttgact 1200
 tcgcaagata atacattggt cttggatgat ttgaagtgcg ggcccgggtga cgggttcttg 1260
 aacttctatt tatttaatta tagagcaaag ccgattaccg gtggcttgaa tcccgacaat 1320
 agtaacgaca ttaaaaggcg tagcaatgtc ggtgttggtta tgtttagt 1368

<210> 285
 <211> 1929
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 285

atgtcaaaag ctgtcggat tgatttaggt acaacatact cgtgtgttgc tcactttgct 60
 aatgatcgtg tggacattat tgccaacgat caaggtaaca gaaccactcc atcttttgtc 120
 gctttcactg aactgaaag attgattggt gatgctgcta agaatcaagc tgctatgaat 180
 ccttcgaata ccgttttcga cgctaagcgt ttgatcggta gaaacttcaa cgacccagaa 240

ggcgggtttcc caggtggtgc tcctccagct ccagaggctg aaggtccaac cgttgaagaa 1920
gttgattaa 1929

<210> 286
<211> 2067
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 286

atgggggaaa aaaggacaat aatcaaagcg ctgaaaaact ctgcagcgtc ccatttcac 60
aagaagttga ccgcagatac ttccctgtcg tccatacaag aggcaataaa cgtcgtgcag 120
cagtacaatg caacggatcc cgtgagatta aagcttttcc atacgcctcg gatggtttcg 180
cagggggctc attttgcatt ttgtttgcc actaagaaac cacattaca gccattactg 240
ctttcgcaaa acgcacttga tgagttaaat ttggtgcagg atcaggactt ggagaaaata 300
ctatccggtg agaaagtata ttattccgat agtatctttc cctatagtac agtgtactcc 360
ggatttcaat tcggctcatt tgctgcacag ctgggagacg gacgtgtggt aaacttgttt 420
gatcttaagg acaagtgtag cggacaatgg caaacgtttc agttgaaagg tgccggtatg 480
acgccatttt ctcggtttgc agatgggaaa gctgtgttaa gatcaagcat acgtgaattc 540
ataatgagcg aggcgttgca cagtattgga attccatcca caagagctat gcaattaact 600
ctgttaccgg ggacgaaggc gcaaaggcgc aatcaagaac cgtgcgctgt tgtatgccgt 660
tttgcgcca gctggatccg cttgggtaac ttcaacctat tcagatggcg gcacgacttg 720
aaaggggtga tccaactatc agattattgc attgaggaat tgtttgctgg ggggaccaa 780
tttgagggga aaccgactt taatatattc aaaagggatt tttttcctga cactgagacg 840
aagattgatg agcaggtgga aaaggatgaa actgaggtga gtacatgac cggagataac 900
atttccacat tgagcaaata tgatgagttt ttcagacatg tagttagctt gaatgcaaac 960
acagtggccc attggcaagc gtatgggttt gctaacggtg ttttgaatac ggataacacc 1020
tccattatgg gcctgacaat tgattatggc ccctttgcct tcctggacaa gtttgaacca 1080
agctttaccc cgaaccatga tgacacagcg aagagatatt cgtttgccaa ccagccaagc 1140
attatatggt ggaacttgca acagtttgcc aaggatctcg catgtctgct gggtcctgag 1200
gcccgtagcc ttgaattgtt acttaagggc gaactgaatt ctgttgatga cgccctagag 1260

aaaaccatga ttgaaagggg ccagaagttg gtagagctca gtgctaata gtacaagtat 1320
 gtgtttacga caaggtacgc gcagataatg tctcaaagac tcggtgtaga tctggatctg 1380
 gaaaagtgca tgtcttctac aaacctcaaa gatatcgaa atgcagccga gaaggctaaa 1440
 gagttctgcg atgttatcgt cgaaccattg ctagatattc tgcaggccac aaaagtcgac 1500
 tataacaatt tttttatcca tctacaaaat tacaaggggc ctttcttcat caaagataaa 1560
 agtgacaccg caacactttt tggagcattc gatgaagagt acttgggtat gttcttcaac 1620
 tccaagcaac tgcagcaa at ggagaaact gaagaggcct tcgaggctgg tgagaaggtc 1680
 tttgacgcta acggcgaatt gcgtttgctc aacgaaaaat tgcaagaaat acgcaattgg 1740
 acccaagact atttgacctt ggtcccaccc acggaaactg ctgcaagagc gtcgcttgcc 1800
 aagaaagcca acccgttggt tgtccccaga agttgggtac tggaggaagt agtcgacgat 1860
 ttaatgtaca gtcaaagga tggcctacaa gatcccagtt cggagctaga tacatctgcg 1920
 ttgaagaagc tataccta at gagcgtaa ac ccatacgacc gcacgaaatg ggatgtcact 1980
 ctgcggccag aactggagac aaaatggggt gacctttccc accaagatga cgctaagttt 2040
 atgatgcaag cttcctgcag tagctaa 2067

<210> 287
 <211> 2643
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 287

atggatgcgt tgactccag ggactcccc aagcgcgatg actcgatggc cacgagtgcg 60
 gccactgctg cttctgcaa gcctgatgct ctgacgatag gtaaagaagg cattgtccac 120
 gggcacatcc ataactacaa caacctgacc tatatccatg gtcaccttca ccacagcgcg 180
 cctgtgaacg acagtagtgc ttcggcaaca cctgcagccg cagctgttgc tgatgccgct 240
 acttccgcat ttgcatctgg agctagccat gatatgggtg gtgattgcca cgtcaatgag 300
 aaatgcaagg agtacaccga ctgccaacat ttcgagttct tgaattatca caataatccg 360
 tcattaacaa aatataatga tactgcaacg tataattcta ataattcttc ttttgcaaac 420
 aatttccatt cggtagcttc tgatccgaca agtcccaac agaattctaa aagcgaccta 480
 ccacgtagaa aagattcttg gtttaacgac gatctgatac tgctgccctc ttccaagaaa 540

aataaaccga acccaccacc tggatccgat gattgttatt gtacgccccaa gatttttgaa 600
 atatgttgtg acgaaactca tcccaaaagt gaggctaata taaaacaagg tgaatctgat 660
 caaccgacaa agaaagacat atctgagaac ggcaatgatg ttgcaatatt cacagatgta 720
 aagaacgatc acttgatgcc aaattttaac cttcatgatc agtactgtaa tagtaccaat 780
 caccgactctc acaatcacaa taatactgta ccagatagct tttctcagct gatgtctcac 840
 ttatcgagga ttgattgcca tttgacctgt gacaccccat gcacggctag caccgagcgcg 900
 actagtgggc acaagtttgt tcaagatcat caatcatcaa ataatgatga cgttttccat 960
 aaatactgca aatttttgtga ggagagcact gataatcaac cttgttctaa gcatatgcat 1020
 ttagagtcaa agccacctca actaccaccc aaatgttcat ctttacgaaa acctacaaac 1080
 actttgcaag gtacaaatca tgcttatcac gaacatatct taaatactga tatggatttg 1140
 aagatttttg aagatttatg caatatttct tctttgtatg aagtaccgtt tggaaaacac 1200
 attaaccacc acgaccacaa taatgccggt aacggctgcg atggttcgag cacaggaaat 1260
 aatgaaaacg gtaaccaaac aatgaatctt ctattatcaa gcattaatag atgcaaccct 1320
 aaaaataatc ttaatggaag caataacaat acggctggag caacttcaac tgatcatcaa 1380
 caccatcacc atagaatata gtttcattct cacaaccaa atagaaacaa tattgtgaac 1440
 aattcaggga ttagcgcggc gaacacaaca gccgatctaa ctaacaacga tttaaattgac 1500
 ttaatttcaa gagagtatag ttatgaaaga tttagaaatc aaagtgagcc cccttcgcta 1560
 cccaaagtca ctcatcagaa tcagaaaaat cgtagatctt ggctacaaa agatctagaa 1620
 tctactgatt tcagctcttt ggaagactca ttaccttcta gcatctctcc tcctatacag 1680
 acaacaagca ctataaattt caactgggtgt tttaaagaag agaaaaacaa tgacttaaaa 1740
 tgcaaatgga aagaatgtcc tgagtcttgt agctcactat ttgacctaca aagacatctt 1800
 ttgaaggatc atgtctctca agattttcaa caccctatgg aaccattagc ttgtaattgg 1860
 gaggactgtg atttccttgg agatgataca tgttccatag tgaaccatat taattgtcaa 1920
 catggtatca attttgatat tcaatttgcc aaccagact cttttttgcc tggtagtata 1980
 tcaaaggaaa aacatcactt actacattgc cccaaccac aaacacacga agttttctaaa 2040
 gcagatggag cacctgatat gacgtctgca aatgatgttt ccaatatacc gccaatcaag 2100
 cagccggaac aggtgatttg ccaatgggat ggttgcaata agtcattttc cagtgtctcag 2160

gaattaaacg accatttaga agcagtacat ttaacccggg gtaagtctga ataccaatgc 2220
 ttgtggcatg actgccatcg tacgttcccc caaagacaaa aattaatccg tcatttaaaa 2280
 gtgcattcga aatacaaacc ttataagtgc aagacatgta aaaggtgttt ttcaagcgaa 2340
 gaaacttttag ttcagcatac caggacacac tctggcgaaa aaccttaca atgtcacatt 2400
 tgtaataaaa aattcgcgat ttcaagttct ttgaagattc atataagaac ccatactggg 2460
 gaaaaacctt tacaatgcaa gatttgtggg aagagattca acgaatcgtc aaatttgagc 2520
 aaacatatta agacccatca gaaaaaatac aagtgtcttg actgttccaa aagctttgac 2580
 gatttgggaa aattgaactc acagaaagtg aaatgcgcgcat tggaaagaaa accatattta 2640
 taa 2643

<210> 288
 <211> 2748
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 288

atgctccaat tcaatacaga aaatgatact gtagctccag tgtttcccat ggagcaagat 60
 ataaatgcag cacctgatgc cgtcccaactg gtgcagacaa caacactaca agtctttgta 120
 aagcttgccg aacccatagt gtttttaaaa ggatttgaaa ctaacggact gtctgaaata 180
 gccccagta tcttacgagg atctcttatt gtcagggtgt tgaaaccgaa taaattaaaa 240
 agtatatcga taaccttcaa aggaatatcc agaacagagt ggccggaagg tataccaccg 300
 aagagagaag aattttcaga tgttgaaact gttgtcaatc acacatggcc attttatcag 360
 gcggatgacg gcatgaattc tttcacctta gaacatcaca gctcaaataa ttcgtccaat 420
 cgcccatcta tgagcgatga agattatcta cttgaaaaaa gcggtgcttc agtatatatt 480
 ccaccaaccg ctgaaccccc taaagataat agcaatctaa gtctggatgc ctatgagcgc 540
 aactcattgt catccgataa tttgagtaac aagccagtat caagtgatgt ttcccatgac 600
 gacagtaaac tgttggttat tcaaaagaca ccattaccat catctagtcg aagaggatcg 660
 gtaccggcaa attttcacgg taactctttg tcacctcata cttcatatc tgatttgttc 720
 acaaaaacat tcagtaatag tggcgctact ccaagtcctg agcaagagga taactatctt 780
 acaccatcca aagattctaa agaagttttt atttttcgac cgggcgatta tatttacact 840

tttgaacagc caatatcgca atcttatcca gaaagtataa aagccaatth tggttccgtg 900
 gagtataaac tgtcaataga catagagagg tttggcgcat tcaaatcaac tatacatact 960
 caattaccca tcaaagtcgt aaggcttcct tctgatggat ccgtagaaga gactgaagct 1020
 attgcaatth ccaaggactg gaaagatcct cttcattatg acgtggtaat tttctcgaaa 1080
 gagatcgtht tgaatgcatt ttaccatc gatttcatt tcgctcctct agataaagtt 1140
 actctgcac gtattagaat ttatctaaca gagtctatgg aatacacttg taatagtaat 1200
 ggaaatcacg agaaggctcg tagattagag ccaactaaaa agtttctgtt ggctgaacat 1260
 aacggtccta aactgcctca tataccagct ggttcgaatc ctttgaaggc taaaaataga 1320
 gggaacatcc tcttggatga aaaatccggc gatctagtta acaaagatth tcagttcgag 1380
 gtgtttgtcc caagcaagtt tacaacagc atacgggtac accctgatac aaattatgat 1440
 aaaatcaaag cccaccattg gataaaaatt tgccttcgtc tttccaagaa gtacggggac 1500
 aatagaaaac atttcgaaat aagtattgat tctccaatcc atattttaaa tcaactatgc 1560
 tcacacgcga atactttgct accgagctac gagagtcatt tccagtattg tgatgaagat 1620
 ggtaatttcg caccagcagc agatcaacaa aattacgcaa gtcacatga ttccaatatt 1680
 ttcttcccaa agaagttct ttcgtctccc gttctttcac ctaacgtgca gaagatgaac 1740
 attagaatac cgtctgatct tccagtatg cgtaatagag ctgaaagcgt aaagaaaagc 1800
 aagtcagata atacctcaa gaagaatgat caaagtagca atgtcttcgc atccaaacag 1860
 ctggtcgcaa acattttataa gcccaatcag attccaagag aattaacttc tctcaggcg 1920
 ttaccattat cgcctcac ctaccaatt ctcaattacc aaccattatc aaactccccg 1980
 cctccagatt ttgattttga tctagctaag cgcggcgag ccgattctca tgctattcct 2040
 gtggatcctc catcatatth tgatgtatta aaggccgatg ggattgaatt gccatactac 2100
 gatacaagtt catctaaaat tctgaacta aaactaaaca aatctagaga gacattggcc 2160
 agcattgagg aggactcatt caatggttgg tctcaaattg atgacttate cgacgaagat 2220
 gacaatgatg gcgatatagc atctggtttc aacttcaagc tgtcaaccag tgctccgagt 2280
 gagaacgtta attcacacac tctattttg cagtctttta acatgagtct tgatgggaga 2340
 aaaaaaatc gtgccagtct acacgcaaca tcagtgttac ctagtacaat aagacagaac 2400
 aatcagcatt tcaatgacat aaaccagatg ctaggcagta gtgacgaaga tgcctttccc 2460

aaaagccaat cattaatttt caataagaaa ctaccaatac ttaaaattaa tgataacgtc 2520
 atacaatcaa acagcaatag taataacaga gttgataatc cagaagatac agtggattct 2580
 tcagtcgata ttacagcatt ttatgatcca agaatgtcat cagattccaa atttgattgg 2640
 gaggtaagca agaaccatgt tgaccagca gcctactcgg ttaacgttgc tagtgaaaac 2700
 cgtgtactgg acgactttta gaaagcattt cgcgaaaaga gaaaataa 2748

<210> 289
 <211> 1854
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 289

atggcagact tgccacagaa ggtatctaata ttaagcatca acaacaaaga gaatggtggt 60
 ggtggcggca aatcatctta tgtcccaccg cacttgagaa gtagaggaaa accatcattc 120
 gaaagaagta ccccaaaaca ggaagataag gttacgggtg gtgatttttt cagacgtgct 180
 ggaaggcaaa ctgggaacaa tggcgggttt tttggctttt ctaaggaaag aaatggaggg 240
 acgagtgcga actataaccg cggaggcagc tcaaattaca aatcatctgg aaatagatgg 300
 gtaaattggca agcatatacc ggggcctaag aacgcgaaat tagaagccga actgtttggt 360
 gtacacgacg atcccgatta ccattcatct ggtataaagt ttgataatta cgataatatt 420
 cccgtagatg catctggaaa agatgttcct gaacctatac tagatttttag ttctccccct 480
 ctggatgagc tgttaatgga aaatatcaaa cttgctagtt tcaccaaacc tactccagta 540
 caaaaatatt ctattccaat agttacaaa ggtagggatt tgatggcatg cgcacaaacg 600
 ggctcaggta agacaggtgg gtttttgttt ccgctcttca cggagctatt caggtctggg 660
 ccctctccag taccagagaa agcacagagc ttttattcta gaaagggata tccatctgct 720
 ttagtacttg caccaactag agaattggct acccaaattt ttgaagaagc aagaaaattt 780
 acgtatagat cttgggttag gccatgcgtt gtttatggtg gcgcgccaat cggtaccag 840
 atgagggagg ttgaccgagg ctgtgactta ttggtggcta caccaggcg gctgaatgac 900
 ttattagaac gcggaaaagt ttctttggct aatatcaa atctgggtatt ggatgaggct 960
 gatagaatgc tagatatggg attcgaaccc caaatcgcc atatagttga agaattgat 1020
 atgccctctg tggaaaatag acagaccttg atgttttcg ccacattccc agtagatatc 1080

cagcatttgg cacgcgattt cttagataat tatatTTTTT tatcagtagg aagagtcggt 1140
tcacactcag aaaatatcac gcaaagaata ttatatgtcg atgacatgga caaaaagtct 1200
gcgttggttag atttactgtc tgcagagcat aagggtattga cattgatttt tgttgaaacg 1260
aaaagaatgg cggatcaact cacagatttt ttgatcatgc aaaatttcaa agctacagcc 1320
atacatggtg accgcacaca ggctgaacgt gaacgtgcct tatctgcttt caaagctaac 1380
gtagctgata tcctggctgc aacagctgta gcagcgagag gtttgatat accgaatgtc 1440
acacatgtca ttaattatga tttgccctcc gacatcgatg actacgttca cagaattggt 1500
agaacaggcc gtgctggtaa cacaggcgtg gctacttcat tcttcaatag taataatcag 1560
aatattgtga agggtttgat ggaaatttta aatgaagcga atcaagaagt tcccacgttt 1620
ttaagtgacc tgtcaagaca gaattcaaga ggtggaagaa ctaggggagg aggaggtttt 1680
ttcaatagtc gtaataacgg ttcaagagac taccgtaaac atggtggaaa tggctcattt 1740
gggagcacga ggccaaggaa tactggaaca tcaaattggg gttcgattgg aggtgggttt 1800
agaaatgata atgagaaaaa cggttacgga aatagcaacg cttcatggtg gtaa 1854

<210> 290
<211> 2667
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 290

atgtctacaa aaggtttgaa agaagaaatc gatgatgtac catcagtaga ccctgtcggt 60
tcagaaacag tcaattctgc tttagagcag ttgcaactag atgatccaga ggaaaacgcc 120
acctctaattg catttgcgaa taaagtctct caagattctc aattcgctaa tggccctccg 180
tcgcaaattgt ttccacatcc acaaatgatg ggtggaatgg gttcatgcc ctactctcaa 240
atgatgcagg ttctcataa tccttgtcca ttttttccgc ccctgattt taatgatcca 300
acagcaccat tgagtagctc gcccttgaat gcaggcggtc caccaatgtt attcaagaat 360
gactcacttc catttcaaatt gctgtcttcg ggtgctgcgg tagcaactca aggtggacaa 420
aatctaaacc cattgataaa tgacaattca atgaaggat tgccaatcgc atcggtgat 480
ccgttatgga ctattcaaaa cgtaccagga tcagcatctg tagccattga agaaaccacc 540
gctactctac aagaaagcct accatctaag ggcagggagt ctaataataa ggctagttcg 600

ttcagaagac aaacttttca tgctttatca ccaactgacc ttatcaatgc ggccaacaat 660
 gtaaccttgt caaaggactt ccaatctgac atgcagaatt tttctaaggc taagaaaccg 720
 tctgtaggag ctaacaatac tgcaaaaacc agaactcaat ccatactctt tgataatact 780
 ccctcctcaa cgtcatttat accccaacc aatagtgttt ctgagaaatt atccgatttc 840
 aaaatagaaa cctcgaagga ggatttgatt aataaaactg caccagctaa aaaagagagt 900
 cctacaactt atgggtgcagc atatccatat gggggacctt tacttcaacc aaatcctatt 960
 atgccaggcc acccacataa tatatcctcc cctatctatg gtattagatc accttttctt 1020
 aattcttatg aaatgggcgc gcaatttcaa cctttctctc cgatttttaa tcctacgagt 1080
 cattcactaa atgcaaattc tccaattcct ctaaccaat cgccaattca tcttgcacca 1140
 gttttaaac ctagttcaaa ttctgttgcc ttttcagata tgaagaatga tgggtggaag 1200
 cccaccaccg ataacgacaa ggcgggtcca aatgttagga tggatttaat aaatccta 1260
 cttgggcat caatgcaacc tttccacata ttacctccc agcaaaacac cccccctcct 1320
 ccctggcttt atagcactcc acctcccttc aacgcaatgg ttccgcctca tttgttggt 1380
 caaaatcata tgccgttaat gaatagcgcc aataataaac atcatggtcg taataacaat 1440
 agcatgtcaa gtcataatga caatgacaac attggtaatt ctaattacaa caataaagac 1500
 acaggtcgtt ctaacgttgg taaaatgaaa aatatgaaaa acagttatca tggctactat 1560
 aataacaata ataataataa taataataac aataataata ataacagtaa tgctaccaac 1620
 agcaacagcg cggaaaaaca acgtaaaatt gaggagtcgt cgagatttgc ggacgcagtt 1680
 ttagaccaat atatcggaag tattcactca ttgtgtaaag accaacaatg ttgtcgtttt 1740
 ctgcaaaagc agttggatat tctcggcagt aaggcggcgg acgcaatttt tgaagaaact 1800
 aaggattata cggttgaatt gatgactgat tcattcggtg attatttgat ccagaagcta 1860
 ttggaagagg ttaccacaga acaagaatc gtactcacia aaatatcttc ccctcatttt 1920
 gtcgaaattt ccttaaacc tcatggtact agggcattac aaaaactcat tgaatgcac 1980
 aaaacagatg aagaagcaca gattgttggt gattctttac gcccttatac tgtccagttg 2040
 agtaaggatt taaatggtaa tcatgttatt caaaaatgtt tgcaaagggt gaagcctgaa 2100
 aacttccagt ttatctttga cgcaatctct gatagctgta ttgatattgc tactcataga 2160
 cacgggtgtt gcgttttgca acgttgtcta gatcatggga ctacagaaca atgtgacaat 2220

ctgtgtgata agttgctagc ccttgttgat aaattaactt tggatccatt tggcaactat 2280
 gtgggtgcaat atataattac caaagaggct gagaagaaca aatatgatta tacgcataaa 2340
 attgtccacc tgttgaaacc aagagccatc gaactttcta tccataaatt tggatcaaatt 2400
 gtgattgaaa aaatcttgaa gacagctatt gtttcggagc caatgattct ggaaatttta 2460
 aataatggtg gcgagacggg tattcaatca ttgttgaatg atagctacgg aaattacgtt 2520
 ttacagacag cattagacat ttctcataag caaatgact atctctataa aagactatca 2580
 gagattgtgg cgcctttact ggtgggcccc ataagaaata cacctcatgg taaaagaatc 2640
 atcggaatgt tacatttaga ttcatag 2667

<210> 291
 <211> 705
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 291
 atgtcagatc ttcaaaagtt acagagggtc tcaacctgtg atatttcgga cggattgttg 60
 aatgtttata acattccaac ggggtggttat ttccctaatac taacagcaat ttctccaccg 120
 caaaatagct ccatagtagg cactgcatac acagtactgt ttgcacccat tgatgatcca 180
 agacctgccg tgaactatat agactctgtc cctcccaact caatactcgt cctcgcaactg 240
 gagccccatt tgcaaagtca gttccaccca ttattataaaa ttacgcaagc gatgtacggg 300
 gggctgatga gtaccagagc acaatatttg aaatcgaatg ggacagtagt ctttggacgc 360
 ataagagatg tggatgaaca ccggacttta aaccatcccg tttttgctta cgggtgttga 420
 tcttgcgctc caaaggctgt cgttaaagcc gtaggcacta acgtacagtt gaaaatctta 480
 acgagtgatg gcgtaaccca aacaatatgt cctgggtgatt atattgcagg tgacaataat 540
 ggaatagtac gcattcctgt tcaagagact gacatttcaa aattagttac ctatatcgaa 600
 aagtcaattg aagtggattt acttgtctct gaagatatta agaatggtat tcccgccaaa 660
 caagctcaaa atgatcgaag atcagtatta aagaaataca tttaa 705

<210> 292
 <211> 3486
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 292

atgggtaata taagcatcgt agcaggaatt gtagccttag ctactagtgc ggctgctatt 60
acagcgacca ctactttatc tccttacgat gaaagagtca accttattga attggctggt 120
tatgtttctg acatcagagc ccacatattt cagtactact ctttccggaa tcaccataag 180
actgaaacat atccttcgga aatcgcagca gccgtttttg actacggtga tttcactact 240
cgattgaccg gtatttcggg tgatgaagta actagaatga tcaactggtgt tccgtggtac 300
tctaccagat taaagccggc tatctcttca gcgctttcaa aggatggtat ttacacggct 360
atcccaacct ctactttctac aacgactaca aaatctagta cttcgactac tcctaccacc 420
actatcactt ctactacttc taccacatcg actactccta caacctctac tactttctacc 480
actcctacaa cttctaccac atcgactact cctacaacct ctactacttc taccactcct 540
acaacttcta ccacatcgac tactcctaca acctctacta cttctaccac tcctacaact 600
tctaccacat cgactactcc tacaacctct actacttcta ccaactcctac aacttctaca 660
acttctacca ctctacaac ttctaccact cctacaactt ctacaacctc caccacttct 720
caaacttcca ccaaactcgac tactcctact acttcaagca catcgactac tcctacaact 780
tctaccactc ctacaacttc tacaacctct accgctccta caacttctac aacttctaca 840
acctctacca cttctaccat ttctaccgct cccacgacct ctacaacttc aagcactttc 900
agtacttcta gtgcctctgc atcctctgtc atttctacca ctgctacaac ctctaccact 960
tttgccagtc ttactacacc tgccacatct acggcttcta ctgaccatac aacctctagt 1020
gtctcaacaa ctaacgcatt cactacttct gcaactacta ctactacgag cgatacatat 1080
atcagttcaa gtagtcccag ccaagtcact tcatccgctg agcctactac tgtcagtga 1140
gtcacctctt ctggtgaacc taccaggtct agtcaagtca cttcatccgc tgaacctact 1200
actgtcagtg aattcacctc ttctgttgaa cctaccaggt ctagtcaagt cacttcatcc 1260
gctgaacctc ctactgtcag tgaattcacc tcttctgttg aacctaccag gtctagtcaa 1320
gtcacttcat ccgctgaacc tactactgtc agtgaattca cctcttctgt tgaacctacc 1380
aggcttagtc aagtcacttc atccgctgaa cctactactg tcagtgaatt cacctcttct 1440
gttgaacctc ccaggtctag tcaagtcact tcatccgctg aacctactac tgtcagtga 1500
ttcacctctt ctggtgaacc tatcaggtct agtcaagtca cttcatccgc tgaacctact 1560

ggtgcctgta ccacctgac tactgtcgat gcagggatta gcatgtttac cagaaccgga 3240
 ttgtctatca ctcaaactac tgtgaccaac tgctcaggtg gaacctgtac catgttaact 3300
 gcaccaatcg cgaccgctac cagcaaagtc atctcaccaa ttccaaaagc ctctcggct 3360
 acttccattg ctcatcctc tgcttcttat actgtcagta tcaataccaa cgggtgcctat 3420
 aatttcgata aagataacat ttttgggtacc gctatcggtg ctgttgctgc tttattactg 3480
 ctatag 3486

<210> 293
 <211> 2433
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 293

atggatggtt ttcgtgtagc tgggtgcgtta gtagttggtg cgtaaacgc tgcattatta 60
 tattttggcg gaagggtttc gatagcgtg gtcattatag taggttatgg tattttattgc 120
 aatgaagcca gcggtggttag tcaagatagt caagagaagc tcgatttgaa caaacaacag 180
 aaaaagccat gttgcagtga taagaagatt gcggatggag gaaaaaaaaac tggcggatgt 240
 tgttctgata agaagaacgg tgggtggtaaa ggtggaggat gctgttcctc aaaaggtgga 300
 aagaaagggg ggtgttggtc atctaaaggt ggaaagaaag gaggatgttg ttcctctaaa 360
 aagaatattg gtgacaatga aaatactgcc actgaagttg agaaagccgt aaattaccct 420
 gttactgtgg attttacaga agtttttagg aagcccacta agaaaaggtc gagtaccccc 480
 aagggttttt cgaaaaatag ctctgctaac tctagagtag gtaaaaaatt aagtgtttca 540
 aagaagatag gtccagatgg attgatcaag agcgcgttga ctatttcgaa tgaaacgctt 600
 ttgagttcac agatctatgt gttatatagt tccctgcaag gtgcagcttc gaaagctgca 660
 aagagcgttt acgacaaact aaaggaattg gatgaattga ctaatgagcc aaaacttttg 720
 aaccttgacg atctatccga tttcgatgac tattttataa atgttcccgt tgaaaatgca 780
 ttgtatgtgc ttgttttacc gtcttatgat atcgattgcc ctctagatta tttcttacia 840
 actcttgaag agaatgcgaa tgattttaga gtagatagtt tcccattacg aaaattggtt 900
 ggctacacag ttttggggct tggtgattca gaatcatggc ctgaaaagtt ttgttatcaa 960
 gccaaaaggg ccgatcactg gatttctcgt ttaggtggca ggagaatttt ccccttaggc 1020

aaagtttgta tgaaaacagg aggtagtgcc aaaatcgatg agtggacatc attgttagca 1080
 gagactttga aagatgatga accaattatt tatgagtatg atgaaaacgc agactctgag 1140
 gaagatgaag aagaaggtaa tggtagtgat gaattaggcg atgtagaaga tattggtggt 1200
 aagggtagta atggaaagtt ttcaggcgca gatgaaatca aacaaatggt ggcgaaagac 1260
 agtccaacgt acaagaactt gacaaagcaa ggttacaaag ttattgggttc ccattcaggc 1320
 gttaagatct gccgatggac taagaatgaa ctacgtggta aagggtcttg ttataaaaaa 1380
 tcgctcttca atatcgcgtc cagtagatgc atggaattga ctcttctttt ggcatgttca 1440
 tccaaatgcg ttttctgttg gaggcattgg acaaatcccg tgtcaaaaaa ctggagatgg 1500
 gaagtagatg aaccagaata cattctagaa aatgctctga agggacacta ttccatgatc 1560
 aaacagatga gaggtgtgcc cgggtgttatt gcagaaagat ttgcgaaagc gtttgaagtt 1620
 cgtcattgtg ccttgtctct tgtcggcgag cctattcttt atcctcatat caataaattt 1680
 atccaattat tacaccaaaa gggcataact agtttccttg tgtgcaatgc ccaacatcca 1740
 gaggccttga gaaatattgt taaagtaaca caattatatg tttctattga cgcaccacc 1800
 aagacagagc tgaaaaaagt ggatagacct ttgtacaaag atttctggga gagaatggta 1860
 gaatgcttag agattttgaa aactgtacaa aaccatcaaa ggacagtttt caggttaact 1920
 ttagtgaaag gtttcaatat ggggtgatgtc agtgcataatg cagatctggt ccaacgtggt 1980
 ttaccagggt tcattgaagt taaaggcgcc acgttttagtg gctcatctga tgggaatggt 2040
 aatcctttga caatgcagaa tattccattt tacgaggaat gtgtaaaatt tgtgaaggcg 2100
 ttaccacgg aattacaaag acgtggatta cattacgact tggctgccga acatgcgcat 2160
 tccaactggt tattaattgc agacacgaaa ttcaaaatta atggagaatg gcatacacat 2220
 atcgattttg ataaattttt cgtattgcta aactcgggca aagacttcac gtacatggac 2280
 tatttagaaa agacaccoga atgggcattg tttggcaatg gtgggtttgc accagggaaat 2340
 acaagagtgt acagaaaaga taagaaaaag cagaataagg aaaatcaaga aactacaacg 2400
 agagagacgc ctctccctcc tattcctgct taa 2433

<210> 294
 <211> 1332
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 294

atgtctttat accctttaca aagatttgaa tcaaatgaca cggttttcag ttacactttg 60
aattctaaga ctgagctggt taacgaaagc cgcaataacg acaagcaaca ttttaccctt 120
caactcatalc caaatgccaa cgccaatgcc aaggaaattg acaataataa tgtagaaatt 180
atcaacgatc taacaggcaa tactattgtc gacaattgtg taactacagc tacttcatca 240
aatcagttgg agagaaggct ttcgatatcc gactatcgta ccgaaaacgg taactactac 300
gaatacagat tttttggtag gagggaaactt aacgaaccat tatttaataa cgacatcgta 360
gaaaatgatg atgacatcga tctaaataat gaaagtgatg tattgatggg tagcgacgac 420
gagttggagg taaatgaaag attttccttt ctcaagcaac agcctcttga cgggctgaac 480
aggatttcca gtactaataa cttgaaaaat ctggagatac atgaatttat aatagatcca 540
acggaaaaca ttgacgatga gcttgaagac tcttttacca ctgtgcccc aatctaaaaa 600
aaagttaggg actatttcaa attaaacata ttcggcagta gtagcagtag taataataac 660
agtaatagcc ttggttgtga acccattcag accgaaaact cttcctcgca gaaaatgttc 720
aaaaatagat tcttcagaag taggaaaagc actctaatac agtctcttcc tcttgagcaa 780
gaaaatgaag tgcttataaa ttcaggggtt gatgtttcct ctaatgaaga aagtgatgag 840
agtgaccacg cgataataaa tccgttaaag ctgggtgggaa ataacaagga tatctctact 900
caaagcattg ctaagacaac gaatccattt aagtctggca gtgattttaa gatgattgag 960
ccagtttcaa aattcagcaa tgattcgaga aaggacttat tggctgccat atcagaacca 1020
tctcttctc cttctcctc tgcaccatca cttcagtag aatcttctc tttctctcat 1080
ggcttagtgg tgaggaagaa gacaggaagc atgcagaaga cgcgcggaag gaagccctct 1140
ttaattccgg acgcttcaa gcaatttggt tgtgaatttt gcgatagaag atttaaaaga 1200
caagagcatt tgaagaggca tgcagatct ttacatatgt gcgaaaaacc atttacatgc 1260
catatctgta ataagaactt cagcagaagc gataatttga atcagcacgt taaaactcac 1320
gcttccttat ga 1332

<210> 295

<211> 3351

<212> DNA

<213> *Saccharomyces cerevisiae*

<400> 295

atgttaatga caggttccgt tggcgacggt agtgaattcg attgggaaga ccaaaaaact 60
ttcatctcta gagatggcgg tttaacgtgg agatttggtc ataattcttc tgggttatat 120
gctactgggtg acctgggaaa tattattgtg tatatcccat atgatccaga ggaagatggc 180
gattttcaat ctgaatttta ttattctttg gaccaaggta gaacatggaa tgaatatgag 240
ctgaccaatg ccataagttc tgtccatccc tacaaattga taaatccaac accagatgga 300
tctggctcaa aatttatattt taaaggaacg tttgccacta ccgattccga aaccaacagt 360
ataacttctt taaaagggtg cgagtatata attgattttt cagcagcatt cgactctaga 420
acgtgtgagg aggaagattt tgaagattgg gatttggcgg atgggaaatg tgttaatggc 480
gccaaataca agtatagaag gaggaaacaa gacgccaggt gtttggtaaa aaaagcattc 540
aaagatttga gtttagatga aacgccttgt aatagttgtg gtgaatccga ctacgaatgt 600
tcgtttgaat ttgttaggga cgcaaacggc ctgtgtatac cagattataa tctgattgcc 660
ttttccaaca tatgtgacaa atcgaaggat aaatctgtgt tagtagagcc attacaatta 720
atcaaagggtg atgaatgtaa aacacccatg aaaattgaac ccgttgatat tccgtgtgac 780
gaaattccag aggaggggtc gagtgacagg gaaatagtga ccaactgaaaa caaatttgac 840
ttcgaaatta aattttacca atacttcgat acagttgccg acgaatcttt ggtcatgctg 900
aattcgatag gagacgcta tatatccac gatggtggac aaacaataaa aaggtttgac 960
actaacggcg aaaaaattgt tgaagttgtg tttaacccat atttcaattc ttcagcatat 1020
ttgtttggct ctaaaggtaa catattctca acacacgata gaggacactc ttttatgata 1080
gctaaattac ctgaagccag gcaattaggt atgccactag attttagtgc taaagcacag 1140
gatactttta ttactatgg tggcaagaat tgtgaatcaa tcttaagtcc agaatgtcat 1200
gcagtagcat acctcacaa agatggaggt gaaactttta cagaaatgct tgataatgca 1260
attcattgtg agtttgacgg cacactcttt gaatatccgt caaatgagga gatggttatg 1320
tgccaagtaa aaaagaagtc ttcagaaaca agaagcttgg tttcttcgat agattttttc 1380
caagggtgata ataaaattat ctttgaaaac attatcggct acttgtccac tgggtggctat 1440
attattgttg ccgtacctca tgaagacaat gagttgaggg catatgtaac tattgatggg 1500
actgagtttg ccgaggcaaa attcccgat ggtcaagatg ttagtaagca agaggcattc 1560

acaagtcaag acagtaattt tgaaattgaa caagaagatg cttacagacc cgaacaagag 3240
cacacgtcac agatagacca gcctgccact agcaatattc cagacgcatt gccagcacgt 3300
agtgctattc acaagcctga ttcaactgct gtgcgcaacg aggacgagta a 3351

<210> 296
<211> 1803
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 296

atgattaacg ataaactagt acattttctg atccagaatt atgatgacat cctaagagca 60
ccgctttctg gacagctcaa agatgtgtat tcaactgtaca tcagtggcgg atacgatgat 120
gagatgcaga agttgagaaa cgataaagac gaggtcttac agtttgaaca gttttggaat 180
gatcttcagg atattatatt tgcaacgccg cagtccattc aatttgacca gaatctatta 240
gtggcagata ggccagaaaa aattgtttac ctggacgttt tttccttgaa aattctctat 300
aacaagttcc atgccttcta ctatacatta aaatcgcca gttcttcatg tgaagaaaaa 360
gtgtcgagtt taacaacaaa accggaagct gattcggaaa aagaccaact gctgggtaga 420
ctgcttgagg tcctgaactg ggacgttaac gtcagcaacc aggggttacc acgtgaacaa 480
ctgagcaatc gcttacaaaa ttatttgagg gaaaaaccat catcttttca gcttgctaaa 540
gaaagagcca aatacacgac cgaggtcatt gaatacatcc cgatatgtag tgactattcg 600
catgcatctc tattgtccac ctcggtgtac attgtcaata acaaaatcgt ttctttacaa 660
tggtccaaaa tatccgcatg tcaggaaaat caccaggat taattgagtg cattcaatca 720
aaaattcact ttatccctaa tatcaaacca caaactgata tttcgtagg agattgttcc 780
tatttgata cctgtcataa attaaatag tgtcgataca ttcattacct gcaatatatt 840
ccgtcatgct tgcaagagcg agctgatcgt gaaactgcga gtgaaaataa agaatacgg 900
tcaaacgttt ccattccatt ttatactctg ggcaattgct ccgcacattg tatcaaaaag 960
gctttacctg cacagtggat ccgttgcat gtgcggaaat ttgatttttag ggttcttgga 1020
aagttttcgg tagttattgc agatcctgca tggaatatcc atatgaacct accatacgg 1080
acttgcaacg atattgaact attaggtttg cctttgcacg aactacaaga tgaaggatt 1140
atttttcttt ggggtgacgg tagagctata gaattgggta aagagtcttt gaataactgg 1200

ggttacaacg tgataaatga agtttcatgg ataaagacaa accaactggg tagaacaatt 1260
 gttacaggtc gtacgggtca ttggttaaat cattctaagg agcatttatt ggtgggctta 1320
 aagggtaatc caaagtggat caacaaacat attgacgtcg atttgatcgt atcaatgacc 1380
 agagagacta gtagaaagcc tgatgaactg tatggtatag cagaacgggtt ggcaggcacc 1440
 catgccagaa aactagagat attcgggaagg gatcacaata cgcggcctgg ctggtttacc 1500
 atcggaaacc agttgacagg aaattgcatt tacgaaatgg atgtcgagag gaagtaccag 1560
 gagtttatga agagcaaaac tgggaaccagc cacactggta ctaaaaaaat cgacaaaaag 1620
 caaccttcaa aattacagca gcagcatcag cagcagtatt ggaataatat ggatatgggg 1680
 agtggtaagt attatgctga ggccaagcag aatcctatga atcaaaaaca tactcccttt 1740
 gaatccaaac agcaacaaaa acaacaattc caaacactaa ataacctata ttttgctcag 1800
 taa 1803

<210> 297
 <211> 3342
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 297

atgtttggag ttagccgtgg cgcattcccc agcgcaacaa cacagccatt tggctcaaca 60
 ggatcaacct ttggtggcca acagcaacaa caacaaccag tagcaaacac ttctgctttc 120
 ggccctcagtc agcaaacaaa tacaacacaa gcacctgcgt ttggtaactt tggtaaccaa 180
 acttctaatt ctcccttcgg aatgtcaggc tcgactacag caaatgggtac tccttttgggt 240
 caaagtcaat tgacgaacaa caatgcctct ggctcgatct tcggtggaat gggtaataac 300
 acagcacttt ctgctgggtc cgcttctggt gtgccaatt ctactgcagg tacaagcatt 360
 aaacctttta ctacattcga agagaaggat ccaaccacag gtgtcatcaa cgtcttccaa 420
 agtatcacct gtatgcctga atacagaaat ttttcttttg aagaattgag atttcaagat 480
 taccaagctg gtagaaaatt cggtaccagt caaatggca ctggtactac ttttaacaat 540
 cctcaaggaa ctaccaatac tggatttggg attatgggta ataataactc cactacttct 600
 gctacaacag gaggattatt tgggtcaaaag ccagcaacag gcatgttttg aaccggaact 660
 ggaagtgggtg gtggcttttg ctctggagcg accaactcta caggattggt tggaagctct 720

ttgacgaacg catacaaaat gattcctaaa actttatttta cagccaagct caagactaat 2400
 aattccgtca tggataaggc ccagatcaag gttgatccaa agttgtcgat ttccattgat 2460
 aaaaagaata atcagattgc gatttctaac cagcaggagg aaaatttgga cgaaagcata 2520
 ttaaaagctt ctgagttatt attcaatccc gataaaagggt cattcaagaa tctaattaat 2580
 aacaggaaaa tgttgatcgc atccgaggaa aagaataacg gatcacagaa caacgatatg 2640
 aatttttaaaa gtaaaagtga agaacaagaa acgatcttgg gaaagccaaa gatggatgaa 2700
 aaagaaactg ctaatggggg ggaaagaatg gttttgtcct caaagaacga tggggaagat 2760
 agcgcaacga aacatcattc ccggaatatg gacgaagaaa ataaagaaaa tgtcgccgat 2820
 ttacagaagc aagaatattc agaagatgat aaaaaggctg tttttgcgga cgttgcggaa 2880
 aaagatgcct ctttcattaa tgagaactac tataatctcac catccctgga cacattatcc 2940
 tcttattctc tcttgcaact gcgcaaagtt cctcatttag ttgtgggtca taaaagttat 3000
 ggtaaaattg aatttcttga acctgttgac ctgctggaa ttcctttgac ctcataggg 3060
 ggcgtaatca ttacttttga accaaaaacc tgtataatat atgcgaactt accaaacaga 3120
 ccgaagagag gggagggcat taatgttcgg gccaggatta cctgctttaa ctgttatcct 3180
 gtagacaaat ctaccagaaa acctataaag gatccaaatc atcaactggg taaaaggcat 3240
 atcgaacgct taaagaaaaa tccaaattct aagttcgaaa gctatgatgc agacagtggg 3300
 acatacgtgt ttatcgtaaa ccacgctgca gagcagacct ga 3342

<210> 298
 <211> 1548
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 298

atgtcgaaat tgggacaaga aaaaaatgaa gtaaattact ctgatgtaag agaggataga 60
 gttgtgacaa actccactgg taatccaatc aatgaaccat ttgtcacca acgtattggg 120
 gaacatggcc ctttgctttt gcaagattat aacttaattg attctttggc tcatttcaac 180
 agggaaaata ttcctcaaag gaatccacat gctcatgggt ctggtgcctt cggctatttt 240
 gaagtaaccg atgacattac tgatatctgc gggctgcta tgttttagtaa aattgggaaa 300
 agaacgaaat gtctaacaag attttcgact gtgggtgggtg ataaaggtag tgccgacacg 360

tggcttgaag aaggtcagaa aattaaattc ggtccattga agaagaagac ttttttgaca 1860
 cagctgaaaa aagatgtgga attgcttgct aaattgaata caatggacta ttccttggtta 1920
 attggcattc atgacatcaa taaagctaaa gaagacgact tacaattggc ggatacggca 1980
 tctattgagg agcaaccaca gactcaagga cccataagaa ccggtaccgg aacggtagta 2040
 cgacattttt ttagagagtt tgaaggtgga attcgagcat ctgatcaatt caacaatgat 2100
 gtggatttga tttattacgt ggggataatc gatttcttga ctaattactc agttatgaag 2160
 aaattagaaa cgttttggag aagtctacgc catgatacca agttgggtgag tgccatacct 2220
 ccaagagact acgccaatag gttttacgaa ttcatagaag attctgtaga tcctctgccc 2280
 cagaaaaaaaa ctcaatcgtc gtatagagac gaccctaacc agaaaaatta taaagactga 2340

<210> 300
 <211> 612
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 300
 atgttcaatc gttttaacaa attccaagct gctgtcgctt tggccctact ctctcgcggc 60
 gctctcggtg actcttacac caatagcacc tcctccgcag acttgagttc tatcacttcc 120
 gtctcgtcag ctagtgaag tgccaccgct tccgactcac tttcttccag tgacgggtacc 180
 gtttatttgc catccacaac aattagcggg gatctcacag ttactggtaa agtaattgca 240
 accgaggccg tggaagtcgc tgccgggtgg aagttgactt tacttgacgg tgaaaaatac 300
 gtcttctcat ctgatctaaa agttcacggg gatttggttg tcgaaaagtc tgaagcaagc 360
 tacgaaggta ccgccttcga cgtttctggg gagacttttg aagtttccgg taacttcagt 420
 gctgaagaaa ctggcgctgt ctccgcattc atctattcat tcacacctag ctcgttcaag 480
 agcagcgggtg acatttcttt gagtttgtca aaggccaaga aggttgaagt caccttttct 540
 ccatactcta acgctgggtac cttttctttg tcaaagtcta ttctcaacgg tggttctgtt 600
 tccggtttgt aa 612

<210> 301
 <211> 3135
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 301

atgtctgatt cccagcaatc cattaagggt ctagaagaac tattccagaa gttatctggt 60
gccactgctg acaacagaca cgaaatcgct tctgaagtcg cttctttctt gaatggtaac 120
atcattgaac atgatgttcc agaacacttc ttcggtgaat tggccaaggg tatcaaggac 180
aagaagaccg ctgctaacgc catgcaagct gttgctcaca ttgctaacca atctaacttg 240
tctccatctg ttgaaccata catcgtccaa ttggttccag ctatctgtac caacgcaggt 300
aacaaggaca aagaaattca atctgttgct tccgaaactt tgatttccat cgttaacgct 360
gttaaccag ttgccatcaa agctttgttg ccacatttga ctaacgctat tgtcgaaact 420
aacaaatggc aagaaaagat tgctattttg gcagctatct ctgctatggg cgatgctgct 480
aaggatcaag ttgccctaag aatgccagaa ttgattccag tcttgtctga aaccatgtgg 540
gacaccaaga aggaagtcaa ggctgctgct actgccgcca tgaccaaggc taccgaaact 600
gttgacaaca aggatattga acgtttcatt ccaagtttga ttcaatgtat tgctgacca 660
actgaagttc cagaaaccgt tcatttgta ggtgctacta ctttcgttgc tgaagttact 720
ccagctactt tgtccatcat ggtcccattg ttgtccagag gtttgaacga aagagaaacc 780
ggtatcaagc gtaagtctgc tgttattatt gacaacatgt gtaagttggg cgaagacca 840
caagttattg ctcttttctt gggtaaattg ttgccagggt tgaagagtaa ctttgctacc 900
attgctgacc cagaagccag agaagttact ttgagagctt tgaagacttt gagaagagtt 960
ggtaacgttg gtgaagacga tgctattcca gaagtttctc acgctgggtga cgtttctact 1020
actttgcaag tcgttaacga attgttgaag gacgaaaccg ttgctccaag atttaagatt 1080
gtcgtcgagt acattgccgc cattgggtgct gatttgatcg atgaaagaat cattgaccaa 1140
caagcttggg tcaccacat caccacatac atgactatct tcttgacga aaagaaggcc 1200
aaggacatct tggacgaatt cagaaagaga gctgtcgaca acattccagt tgggtccaaac 1260
ttcgacgacg aagaagacga aggtgaagac ttatgtaact gtgaattctc tttggcttat 1320
ggtgctaaaa tcttgttgaa caagacccaa ttaagattga agagagccag aagatatggg 1380
atctgtggtc caaacggttg tggtaaagtc actttaatga gagctattgc caacgggtcaa 1440
gttgatgggt tcccaacca agaagaatgt agaaccgtct acgtcgaaca cgacattgat 1500
ggtactcact ctgacacttc cgtcttggat ttcgttttcg aatctgggtg tggtactaaa 1560

gaagctatca aggacaaatt gattgaattc ggtttcaccg atgaaatgat tgctatgcca 1620
atctctgctt tgtctggtgg ttggaagatg aagttggctc tagctagagc tgtggtgaga 1680
aatgctgata tcttgttggt agatgaacca actaaccatt tggataccgt caacggtgct 1740
tggttagtta actacttgaa cacctgtggt atcacttcta tcactatttc tcacgactcc 1800
gttttcttag ataacgtctg tgaatatatt attaactacg aaggtttgaa gttgagaaag 1860
tacaagggtg actttaccga attcgtaag aagtgtccag ctgctaaggc ttacgaagaa 1920
ttatccaaca ctgatttgga attcaagttc ccagaaccag gttacttgga aggtgttaag 1980
actaagcaaa aggctattgt caaggttacc aacatggaat tccaatatcc aggtacctct 2040
aagccacaaa tcactgacat taacttccaa tgttctttgt cttccagaat tgctgtcatt 2100
gggtccaaatg gtgctggtaa gtctactttg attaacgtct tgactggtga actattacca 2160
acctctggtg aagtctacac ccacgaaaat tgtcgtatcg cttacattaa gcaacacgct 2220
tttgctcata tcgaatctca ttgggacaag actccatctg aatatatcca atggagattc 2280
caaaccggtg aagatagaga aaccatggac agagctaaca gacaaatcaa cgaaaacgat 2340
gctgaagcta tgaacaagat cttcaagatt gaaggtaacc ctagaagaat tgccggtatc 2400
cactccagaa gaaagttcaa gaacacttac gaatatgaat gttctttctt attgggtgaa 2460
aacattggta tgaaatctga aagatgggtt ccaatgatgt ccgtcgacaa cgcttggtgatt 2520
ccaagagggtg aattgggtga atctcactct aagatgggtg ctgaagttga tatgaaggaa 2580
gctttggctt ctggtcaatt ccgtccatta accagaaaag aaattgaaga acattgttcc 2640
atgttgggtt tggaccagaa aattgtttct cactccagaa ttagaggttt gtctggtggt 2700
caaaagggtta agttggtctt agctgccggt acatggcaaa gacctcactt gattgtctta 2760
gatgaacctt ccaactatct ggacagagat tctttgggtg ctttgtctaa ggctttgaag 2820
gaatttgaag gtggtgttat tatcattact cactctgctg aattcacaaa gaacttgact 2880
gaagaagtct gggccgtcaa ggacggtaga atgactccat ctggtcacia ctgggttagt 2940
gggtcaagggtg ctggtccaag aatcgaaaag aaggaagacg aagaagataa attcgatgct 3000
atgggtaaca agattgccgg tggttaagaag aagaagaagt tgtcttctgc ggaattgaga 3060
aagaagaaga aggaagaat gaagaagaag aaggaattgg gtgatgctta cgtttcttct 3120
gacgaagaat tctaa 3135

<210> 302
 <211> 1131
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 302

```

atgactgact tgttttaaacc tctacctgaa ccacctaccg aattgggacg tctcagggtt   60
ctttctaaaa ctgccggcat aagggtttca ccgctaattc tgggaggagc ttcaatcggc  120
gacgcatggc caggctttat gggctctatg aataaggaac aggcctttga acttcttgat  180
gctttttatg aagctggagg taattgtatt gatactgcaa acagttacca aaatgaagag  240
tcagagattt ggataggtga atggatggca tcaagaaaac tgcgtgacca gattgtaatt  300
gccaccaagt ttaccggaga ttataagaag tatgaagtag gtggtggtaa aagtgccaac  360
tactgtggta atcacaagcg tagtttacat gtgagtgtga gggattctct ccgcaaattg  420
caaactgatt ggattgatat actttacatt cactgggtggg attatatgag ttcaatcgaa  480
gaagttatgg atagtttgca tattttagtt cagcagggca aggtcctata tttaggagta  540
tctgatacac ctgcttgggt tgtttctgcg gcaaattact acgctacatc tcatggtaaa  600
actcctttta gcgtctatca aggtaaatgg aatgtattga acagggactt tgagcgtgat  660
attattccaa tggctaggca ttttggtatg gctctagccc catgggatgt catgggaggt  720
ggaagatttc agagtaaaaa agcaatggaa gaacggaaga agaatggaga gggctctgct  780
acttttgtgg gtggccccga acaaacagaa ttggaggtta aaatcagcga agcattgact  840
aaaattgctg aggaacatgg aacagagtct gttactgcta tcgctattgc ctatgttcgc  900
tctaaagcga aaaatgtttt ccatttgatt ggaggaagga aaattgaaca tctcaagcag  960
aacattgagg ctttgagtat taaattaaca ccggaacaaa tagaatacct ggaaagtatt 1020
gttccttttg atgttggctt tcccaaaagt ttaataggag atgaccagc ggtaaccaag 1080
aagctttcac ccctcacatc gatgtctgcc aggatagctt ttgacaatta g          1131

```

<210> 303
 <211> 3252
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 303

atgtctgact atttcacgtt tcctaagcag gagaatggcg gtatctcgaa gcagcctgcg 60
acaccagggt caactcggag ctcttctaga aatttggagt taccgaagaa ctatcggttca 120
tttggtggtg gtagcgatga actggcatct atgtattccg ccgactccca gtacttgatg 180
gatatgattc ctgattcatt gacgctgaaa aatgagccag catctggaaa tacgcaaattg 240
aacggggccag atggcaaaga gaataaggac ataaaacttg acgagtatat attaccaag 300
acagacccaa ggtcaccta ctatattaac atgcctatac ctaaaaaatt gccgaagagt 360
gaaggttaagg cgagggctaa acaaaagggt aacagggctg atccttctga tttagatgtg 420
gagaacattt acgaaacttc cggggagttt gttagagagt atccgacaga tattttgatt 480
gataggtttc acaaatggaa gaaaatcttg aaaagtttga tcgcttactt cagagaagct 540
gcctactctc aggaacaaat tgcaaggatc aactaccaga tgaaaaatgc cgtaaaattt 600
gcttttctta ctgatttggg agatgaaaca acaaaactgg ttgatccaag tataatctaag 660
ttgcctacta agaaacctca gcctgtccca ttggccgctc aaaaattgga cagcaagtac 720
gacacagatg tggaacagcc gcagtcaatc caatcagtac ctccggaaga ggtagcttca 780
gcttcttctg gcttcatgaa atttgggtca ggatccattc aagatattca agtgattttg 840
aagaagtacc atttatcttt gggtagtcaa caatataaga tctctaagga aatcttggca 900
tatattatac ccaaattgac cgacttgctg aaggatttga ccacaaagat gaaagaaatt 960
aaagaattaa atggagattt caagactaac ataggcgagc atatcaaaat aacaagcagg 1020
cttctgaata aatatattgc ttcagtgaag ttattagatg aagcatccac ttcgggcgat 1080
aagcaagggtg aaaaattaaa accaaaacac gatccatacc ttttgaaatt acaactagat 1140
ttgcagctga aaagacaatt actcgaagaa aactatcttc gagaagcttt tctgaattta 1200
caatcagcag cactacaact ggagaaaata gtatattcta aaattcaatc cgcattacag 1260
cgctactcag cgtaattga ttcagaagca cgattaatga tcaaaaattt gtgccatgaa 1320
ttgcagcaag gtattctatc tagaccaccg gctgtagagt gggataattt tgtctctcat 1380
catcctacct gtctgatgaa tttaaaatcg acagaccgc caccgcaacc cagaagatta 1440
tctgatattg tttatcctaa catgaaatcg ccgctggcca aatgcattag agtaggatat 1500
ctactgaaga aaacagagtc ttctaaaagt ttactaaag gttattttgt gttgactaca 1560
aattatcttc acgaattcaa aagcagcgat ttctttctag acagcaagtc tccccgttca 1620

aaaaataaac ctgttggtga acaatcagac attagccgtg tgaataagga tgggactaac 1680
 gctggcagtc acccatcgag caaagggaca caggatccga aactgacgaa gagaagaaag 1740
 ggtttgagtt cttcgaatct atatacctatc tctagtttgt ctttaaataga ttgctcatta 1800
 aaggatagta ctgactcaac ttttggttta caaggggatg ctagttatca ttcaccagag 1860
 gacacatgta caaaagaatc aagcacgacc tcagatttgg catgtccaac aaagacgctt 1920
 gcttcaaata agggcaaaca tcaacgtacg ccttcagctc tctcgatggg gtccgttccg 1980
 aaattttctaa agagttcttc cgtgcccag gaacaaaaaa aggctaaaga agaagctaac 2040
 atcaataaga agtcaatttg cgagaagcgc gttgaatgga cgtttaaaat attttccgca 2100
 agtcttgaac caactccaga ggaatcaaaa aatttcaaga aatgggttca ggacataaaa 2160
 gcgcttacia gtttcaattc tactcaggag aggtcgaact tcattgaaga aaagattctg 2220
 aaaagtagaa accataataa tggaaagagc tctcaaaggc caaaaaacag tacatatatc 2280
 actccagtag acagttttgt taacctttct gaaaaagtaa cgccatcttc ctctgttacc 2340
 acgttaaaca ctaggaagag ggcaaactgt cctcggtata tagacatccc aaaaagcgca 2400
 aatatgaatg caggcgctat gaattccgta tacagggtcaa aagtcaatac accagccatt 2460
 gatgaaaatg gtaatctggc catagtggga gaaacgaaaa acagtgtctc acaaatggg 2520
 atgagttaca caattagaac cccttgcaaa tcgccttatt caccttatac tggggaagg 2580
 atgctttaca accggtcagc agataactta atggcatcct cttcgcgaaa agcatcggct 2640
 cccggagagg tacctcaaata agctgttagt aatcatgggg atgaagccat tattccggca 2700
 agcgcgatatt cagatagtag tcataaatcg tctcgtgcct ccagtgttgc atccattcac 2760
 aaccaacggg ttgattttta tccttcgcca ttaatgaact taccaggtgt ttcacccagt 2820
 tgtctagcat tggatggtaa tgcaaacgga tattttggaa taccattgaa ttgcaattcg 2880
 gaagcaagac gagggtcaga tctttcacct tttagatgg agtctccatt gttcgaggaa 2940
 aacagaactc aaaactgcag tggctctcgc aaaagttcag cttgtcatat tccccatcaa 3000
 tgtggtccaa ggaaagaagg taatgactca cgattgatct acggcaatga gaagggcgcc 3060
 tcacaatcac gtctaacgtt gaaggaaccg cttacatcta aagggtgtga agctccttat 3120
 agcagtttga aaaagacata tagtgcgga aacgtccac taacatctac tgtatcgaat 3180
 gataagtctc ttcactcgcg caaggaggga agtactaata ctgtacctgc tacatccgcg 3240

tcaagtaagt ga

3252

<210> 304
<211> 591
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 304

atgctatgtg gtttaacaga tgtcatcttg cccggttaagg atgctatcac cactcaaatt 60
atagattttg acaaaaacat tggcttcaat gtcgaggaaa ctgagagtgc gcttacattg 120
aactaaaaag gcgctacgtg gggcgccaat tcttttgacg caaaactaga atttcagtgt 180
aatgacaata tgaaacaaga cgagctgact agtcacacat gggccgataa aagtatccaa 240
ttgaccctaa aagggccatc tggctgtttg aagagcaaag atgatgacaa aaaaaatggc 300
gacggcgata atggtaagga tggtgacagc gaggggaaaa agccagctaa gaaggcaggc 360
gggacttcgt ggttcacttg gttattccta tacgctctac tgtttacatt gatatacctg 420
atgggtgtat cattcttgaa taccagagga ggctcttttc aagatttccg tgctgagttc 480
attcaacggt ctactcaatt tctcatttcc ttacctgaat tctgcaagga agtggtttcg 540
agaatcttag gcagaagtac cgcccaaaga ggcggttata gcgccgttta a 591

<210> 305
<211> 771
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 305

atggaacaac ctgatctatc gtctgtggcc atcagtaagc cgctgctgaa gttgaaactt 60
ctcgacgccc ttcgccaggg aagtttcccc aacctacaag atctcctaaa gaaacaattc 120
cagccgctag acgacccaaa cgtccaacaa gtgctccatc tcatgctcca ctatgccgtg 180
caagtcgccc ccatggctgt cataaaggaa atcgtccatc attgggtctc aactacaaac 240
accacttttc taaacatcca tcttgatcta aacgaacggg actccaacgg caacacccca 300
ttgcacatcg ccgcctacca gtcccgcggt gatatcgtag ccttcctcct ggaccaacca 360
accatcaacg actgcgtgct caacaactcc cacttgcagg ccatcgaaat gtgcaagaac 420
ctaaacatcg cgcagatgat gcaggtgaaa cgctccacat acgttgcaga gaccgcccag 480

gaattcagaa cagcttttta caacaggac ttcggccacc tagaatctat cctctccagc 540
cctcgaaacg cagaactgct cgacatcaac ggtatggacc cggagactgg cgataccggt 600
ctgcacgaat tcgtcaagaa aagagacgtc atcatgtgcc gttggttgct tgaacacggt 660
gctgaccctt tcaagagaga ccgcaaggca aactgcccac cgagctcggt aggaaagtca 720
atgaaaacga caccgccacc agcaccaaga tcgccatcga catcgaactg a 771

<210> 306
<211> 390
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 306

atgtcttggt cgtttcatat atcaagtcct ttaggctctt cttcttcctt ggagggcttt 60
tcttcattga aggtgggtgg ttagcctgt caagctcttt cgagggacct ccttggtatt 120
gatcttggtc tcttactcct tttttggcgt ccagataagc accccattg ggcttccgcc 180
acctgtgttc tcagacagat ttttggcacg aagttgttgt tttccaatt ccaaattaaa 240
cagtcttctt tctacaacgt tgatgttgac tatgggagaa gtctaatag accttttggt 300
ctttcttgct ggagcaactt cggcgcacaa gctcttttcg gcattattat gtaccccgag 360
tggtatatag gagcagcttc tcctatttga 390

<210> 307
<211> 2067
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 307

atgatcagaa gatggctaac tataagtaag tctgggaaga agaaaaaggc tgtaaatgat 60
accattacag aagaagtaga aaaggttgac tttaagcctg taaaccacga tataaatgat 120
gaactctggt atagcgaatc atccgataat ccctctagct cattgtttgt ctctaatttg 180
gataccaagg aaactttttt gaatgaagac aataatttgc agatttcttc cggactagac 240
tattcttctg aaacgtgcaa tcaaggcagt aattacagcc aggatgggat attttatatt 300
tcaaacgcaa aggctataaa cgcatacgga ggcattatca cgcaagggcc cgaggcacc 360
atattagcta tgaaggtgtc cgactcaatg ccctatggag acggctccaa caaagttttt 420

tggcAAAaga acaagatgat aatatag

2067

<210> 308
<211> 2196
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 308

atgacagaat tttattctga cacaatcggc ctaccaaaga cagatccacg tctttggaga 60
ctgagaactg atgagctagg ccgagaaaagc tgggaatatt taaccctca gcaagccgca 120
aacgaccac catccacttt cacgcagtgg cttcttcaag atcccaaatt tcctcaacct 180
catccagaaa gaaataagca ttcaccagat ttttcagcct tcgatgcgtg tcataatggc 240
gcatcttttt tcaaactgct tcaagagcct gactcaggta tttttccgtg tcaatataaa 300
ggacccatgt tcatgacaat cggttacgta gccgtaaact atatcgccgg tattgaaatt 360
cctgagcatg agagaataga attaattaga tacatcgtca atacagcaca tccggttgat 420
ggtggctggg gtctacattc tgttgacaaa tccaccgtgt ttggtacagt attgaactat 480
gtaatcttac gtttattggg tctacccaag gaccaccggg tttgcgcaa ggcaagaagc 540
acattgttaa ggtaggcgg tgctattgga tcccctcact ggggaaaaat ttggctaagt 600
gcactaaact tgtataaatg ggaagggtgtg aaccctgcc ctcctgaaac ttggttactt 660
ccatattcac tgcccatgca tccggggaga tgggtgggttc atactagagg tgtttacatt 720
ccggtcagtt acctgtcatt ggtcaaattt tcttgcccaa tgactcctct tcttgaagaa 780
ctgaggaatg aaatttacac taaaccgttt gacaagatta acttctcaa gaacaggaat 840
accgtatgtg gagtagacct atattacccc cattctacta ctttgaatat tgcgaaacagc 900
cttgtagtat ttacgaaaa atacctaga aaccggttca ttactctct atccaagaag 960
aaggtttatg atctaataa aacggagtta cagaatactg attccttgtg tatagcacct 1020
gttaaccagg cgttttgcgc acttgtcact cttattgaag aaggggtaga ctcggaagcg 1080
ttccagcgtc tccaatatag gttcaaggat gcattgttcc atggtccaca gggtatgacc 1140
attatgggaa caaatggtgt gcaaacctgg gattgtgcgt ttgccattca atactttttc 1200
gtcgcaggcc tcgcagaaag acctgaattc tataacacaa ttgtctctgc ctataaattc 1260
ttgtgtcatg ctcaatttga caccgagtgc gttccaggta gttataggga taagagaaag 1320

cattttccct catttaagat gttgcaagcc cagcagcacc cagcccatcg ccattacaaa 540
 gacaacgaca agtacggtct taaatcacct tcccggctct tcgtgaagga caagaaaagg 600
 ttgggttcacc ggtttttgaa atccatggag ccttcttcgt ctgggcaatc taaggattcg 660
 tctgcactgg cgccggcttt cgatccaata ttgccaatg ttatatctaa gccttccaag 720
 cgacccacac atcattcgca ttcacagac gggagttcta gcacgcagac agatatatcg 780
 ttacagagct tgctttacca tgatcttgaa agctcaccaa agaaacatgt ttcgccctca 840
 agaccgccct ctgtagcttc cgaatcctct cctgccgttg ctaatcccat tgggctttcg 900
 ccaaaagacg cctgcaatgc atcgttttcg cagtcgtcct catcttcgtt gtcttcttct 960
 tcacgtctt catcatcgac gtcattctca cagtcagtgg ctgttgatcc tcttgaacct 1020
 cctggaaata tcacatatag tagttcgaat ctttcgctaa attcagatga attagactac 1080
 tatcagcgtc atatcggatt gcagttacag cagacagaag ctttactaaa gcacagttag 1140
 aaagatgagg ttctgaaaga tgaaaatgac cttgttaaaa acattgcaaa ttttgacaag 1200
 atcgttaaag agctaaggga cttaagatcc aggaccattg gatggaaaga gcttggtgaa 1260
 gaggattatt taatgaattt gaaacaggat ttgacaagg aaaaccccg aatcatttgag 1320
 gcacgtttga gtgatacaat aaatacaaac gtggcaaaat tacaagattt agagaaaaga 1380
 atggcttctt gcaaagacag gttggcctct aggaaggaag taatgaggaa aatggaaagt 1440
 ttattgtctt tggagaattc cttaatgata tccaaaaaaa atgtaacatt cgcactctaa 1500
 taccgcaacg aggcccttga tattgtcttt ttaattatca tcacgtcat atgctatacc 1560
 ttcaagcatc tagtatcgca taaataa 1587

<210> 310
 <211> 435
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 310

atgggcaaga aagcacacgg aggaaagatg aaacctgaga tcgacgaaaa tggtagtctg 60
 ctagtaccgc caccaaggac gattgcgaac caggaccatt tccatagatt aaactacctc 120
 taccaaatat ccgcttacca aacaagagca agacagaaag caagaacaga cgcacatacg 180
 cctttggcac gcaattatat caaatcaatg gacctaatta gtaagaaaac caagacatca 240

ctgcttccta cgataaagag aacaatttgt aaaaaatgcc atcggttgtt atggacccca 300
 aaaaaactgg aaatcacatc cgacggagcg ctttcggtaa tgtgtgggtg cggtaccgtt 360
 aaacgtttta atattggcgc cgatcctaata tacaggacct actcggagcg ggagggtaat 420
 ctactaaatt cttag 435

<210> 311
 <211> 3270
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 311

atgtctgctt taccggaaga agttaataga acattacttc agattgtcca ggcgtttgct 60
 tcccctgaca atcaaatacg ttctgtagct gagaaggctc ttagtgaaga atggattacc 120
 gaaaacaata ttgagtatct tttaactttt ttggctgaac aagccgcttt ctccaagat 180
 acaacagttg cagcattatc tgctgttctg tttagaaaat tagcattaaa agctccccct 240
 tcttcgaagc ttatgattat gtccaaaaat atcacacata ttaggaaaga agttcttgca 300
 caaatcgtt cttcattgtt aaaaggggtt ttgtcggaaa gagctgattc aattaggcac 360
 aaactatctg atgctattgc tgagtgtgtt caagacgact taccagcatg gccagaatta 420
 ctacaagctt taatagagtc tttaaaaagc ggtaacccaa attttagaga atccagtttt 480
 agaattttga cgactgtacc ttatttaatt accgctgttg acatcaacag tatcttacca 540
 atttttcaat caggctttac tgatgcaagt gataatgtca aaattgctgc agttaaggct 600
 ttcgtgggtt attttaagca actacaaaa tctgagtgtt ccaagttagg tattttatta 660
 ccaagtcttt tgaatagttt accaagattt ttagatgatg gtaaggacga tgcccttgca 720
 tcagtttttg aatcgtaaat tgagttgggtg gaattggcac caaaactatt caaggatatg 780
 ttgaccaaa taatacaatt cactgatatg gttataaaaa ataaggattt agaacctcca 840
 gcaagaacca cagcactcga actgctaacc gttttcagcg agaacgctcc ccaaagtgtg 900
 aaatcgaacc agaattacgg gcaaacttta gtgatgggtta ctttaatcat gatgacggag 960
 gtatccatag atgatgatga tgcagcagaa tggatagaat ctgacgatac cgatgatgaa 1020
 gaggaagtta catatgacca cgctcgtcaa gctcttgatc gtgttgcttt aaagctgggt 1080
 ggtgaatatt tggctgcacc attgttccaa tatttacagc aaatgatcac atcaaccgaa 1140

tcttatataa tccgtgtttg tgcccaatac gctccatcta catatgctga cgtttgcata 2820
 ccgacttttag atacacttgt tcagattgtc gattttccag gctccaaact ggaagaaaat 2880
 cgttcttcaa cagagaatgc cagtgcagcc atcgccaaaa ttctttatgc atacaattcc 2940
 aacattccta acgtagacac gtacacggct aattggttca aaacgttacc aacaataact 3000
 gacaaagaag ctgcctcatt caactatcaa tttttgagtc aattgattga aaataattcg 3060
 ccaattgtgt gtgctcaatc taatatctcc gctgtagttg attcagtcac acaagccttg 3120
 aatgagagaa gtttgaccga aagggaaggc caaacggtga taagtccagt taaaaagttg 3180
 ttgggatttt tgccttctag tgatgctatg gcaattttca atagatatcc agctgatatt 3240
 atggagaaag tacataaatg gtttgcataa 3270

<210> 312
 <211> 351
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 312

atgacgctac gagctatagg tgaatcttcg ccaccgcaa gatcagcatg taattcatca 60
 cagctaatat ttttagtagt aaatcttaaa gtacctgcag ttggattaga attattctta 120
 ttagtttggg agagttggtt gacatattca attaaggaat catcgcttaa cgtagataga 180
 aaagaccttg cattcaagcc gccggtcttt gctgttaaata gtgaatcatt gacactttgc 240
 tggctaaggc aattgttttt atcaggtggt tccctattta tagagtattc caaatcgctg 300
 tccaataaat ctacaagacc accatgttca cccatcgctg gatatgccta g 351

<210> 313
 <211> 1146
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 313

atgaattata ataactttga aaattcgaag ggtgatggac attctaggct tcccaaact 60
 acatactccg gaacgctatc agatggctat gatgaatcga aaattaaaag gcaaaaaaca 120
 gactctgctt ttaatgcagc ttactcacct catatgtatc cgaactctcc gtattatgaa 180
 ggttcatgga ataccgggta tactcctcaa cttcatcatg tagccctca taatcaatat 240

ttccatccaa tacaaccgtc cactcagtac aattatacga gtcttcccaa ttatacagaa 300
 aattacatac cgccagttca tcagaatata tcttatgcac cagcgcttaa tttacagaag 360
 tggccatcat catattgtga aaacactcaa gccttaaaga atgataaaga ttaccaaaca 420
 tcaattagtt atgaagatgt tgcaataccg accgtaaagg aaatacaatt gattgagaaa 480
 aacagagggga aagatacgtt tatgaatgaa ataagtccag taccatcaag caaggatcaa 540
 gcatctgcgg agcctacaga aatcccaaga aaggatcccg agctggcaaa ttctaagtc 600
 gaagatgatac ataataactt agggctagaa gatgatgatac gtgatgagca gttagaatca 660
 gaggggttgg gtaaggtggt tttggttcct ggaacctcca tagcattgat tactgatgaa 720
 gatgttaaaa agtggagaga agaaagaaaa aaaatgtggc tactgaaaat atccaataac 780
 aaacagaaac atatgcaaga aatgggcata aaggaagatg aactgaagag ccaacctagc 840
 attttcaaag agtcaaggaa agaaaagcaa tttatacaga gtattcaaaa tcaagtgcag 900
 agaggaaatc cgaagattga cttgaacttg aaattgatac agcgagaatt cgcaaacgaa 960
 aactcccaac ttttggactt tataagagaa ttgggagatg taggattact tgaatatgag 1020
 ctatctcaac aagaaaaaga tgtactttttt gggagctctg aagataataa taaaaatcat 1080
 tacaacccaa attacaaaaa caggaaacct aatctgagta gagccaactt tactagaaat 1140
 aagtaa 1146

<210> 314
 <211> 609
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 314

atgctaaatt ataaattgat tttattgttt tcctctttcc tacaattaat ctctttttct 60
 ggctttatga tatgttggtt aacttcacca ataattagaa actgggggct ggctcaagct 120
 gctggagttt catatggtac ctttggttac tgtaaaactt tgaattcttt ttctgtctct 180
 cgagtacgtt taatatataa cacctcgaaa gaaatattac ctggcccttc tcttgaacgt 240
 tgggtggctga gtcctaaggc aagacatata ataggaggac ttttgatttc gataccggtt 300
 gctacatgtt tgactttcat ttcttttgca cttcccttgg ttattatttt tctttttcag 360
 actggaggaa ctaatgtctc acttattact tccaacgcta tattacacat attgacactt 420

ttatcaacta tttttgcatg caccgtgatc ctgttacttt gcatgcaccg tgatcctggt 480
acaatttcat ccttatacga cttgggtgtgg ctggctaact gttccctggt ccctctgctc 540
gttattggcg tgcattttct cagttttagg tttgatacgt ctgcgagtc agacagaaaa 600
catagctaa 609

<210> 315
<211> 345
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 315

atgtatcctt tctataaata tatcttttct ttttggtttt tttttttggt cgaatatgtc 60
gtaacttttc gacttttttt atccttgaag tctggaaata tttttctaag taccacaacag 120
aggtttaaag atgctactaa gatgtgtttt caccaccaa tgctttcctc gagtgtcgaa 180
cctttcttct ctttgtatct caaccacgtt ccatatatgt ggtcgtgttt caactttttt 240
tcttcgtctc cttttcctcg ttgcaccaa aattctccag aaaaaaagaa attcaaacgt 300
gggctgccta ttagtagtaa atacacagac ggaagaagc gttga 345

<210> 316
<211> 675
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 316

atgtgggatt cgttaattgt aagcatcaac gatacgaca agttggggct ggaggattgt 60
ctcgccgttt ttggccacgt tccattacc aaggccgtca agcatgtcag actgacagag 120
atcgacacgc agacgtccac gtttacgctc aagttccttc acacagaaac gggtcagaac 180
atcgagaaga ttatctactt cattgacaat gacacgggca acgatacccg cactgctacc 240
ggaatcaagc aaatcttcaa caagatgttc cgcacgctg cggagaagag gaagctgtcg 300
ctcatccaga tcgacactgt tgagtacccc tgcactctag tagacttggt gatcctggta 360
ggcgtggcgc taccgccatt gtgctacctc tatcgtcctg cactgcacgc tatctttttc 420
ctggtcctta atcctgtggg ctccacctta gaggcgtggc tggatagtga tcttgtgctg 480
cgactcatca ttgttgccga gttcctgact cagccctcg agacgctcat tttcgtcgtc 540

cctagggtca agtactaccg tggtcctggc gagttcgtgc ccgagtggct tcttctaggt 600
 ctctcgaag gttacgggtcc tgcgagacgt ctagatacta aggctcgcac tcttggcgaa 660
 gggtcagtta attag 675

<210> 317
 <211> 1452
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 317

atggtaacac agaccaatcc ggtccctggt acatatccaa cggatgctta tatccccacg 60
 tatctgcccc atgataaggt ctccaatctg gcagatttga aaaaattgat agaaatggat 120
 tccagactag atttgtatct gacaagaagg aggctggata cgtccatcaa ttacctaca 180
 aacaccaaga ccaaggacca tcccccaat aaagagatgc tgaggattta cgtctacaac 240
 actacggaaa gcagccctcg cagcgattct ggcacccag cggactcagg caagactaca 300
 tggacactga gaatagaagg taagcttctg cacgagtccg caaacggaaa gcacccattt 360
 agtgagtttt tggaagggtg cgcggtcgac tttaaaagac tgaaaccgct gggcatgggc 420
 aagaagagga aacgcgattc gtcattgagc cttcctttga atctgcaaca acccgaatac 480
 aatgatcaag atagcaccat gggcgataac gacaacggcg aggatgagga cagtgcagag 540
 gcagaatcca gggaggaaat tgtagacgca ctggaatgga actacgatga aaacaacgtt 600
 gtggagtttg atggtatcga catcaagagg caaggcaagg ataatttgcg atgcagtata 660
 accatccagt tgaggggtgt cgacggtgga aaagtacagt actcgcccaa cttagctacc 720
 ttgataggta tgcaaacggg ctccgttaat gacgcggttt attcgatcta caagtacatt 780
 ttgatcaaca atctgtttgt tacggaacaa acagaggctc aagatgggtc caacgatgcc 840
 gaagacagca gtaacgagaa taacaataaa aacggtgctg gtgacgatga tggcgtcgag 900
 ggaagtactc caaaggataa gcccgaaatt ggtgaagtga agctagattc actcttaca 960
 aaggtatttg atacaaacgc cgcgacctc cccttgatga atgttggtgca aaccgtgaac 1020
 aaactggtat caccctacc gcccatcatc ctagattata caattgatct ttcaaagat 1080
 accacctatg gtgctaccac cttggatgta gatgtgtcgc acattctcca ccagcctcaa 1140
 cccagccaa atttacaaaa agaggaagaa acagatgctg aagacacagc aaaactacgt 1200

gaaatcacia agcttgccctt gcagttgaac tctagtgtc aaaaatacca gtttttccac 1260
gaactgtctt tgcattccaag agaaacgctg actcactact tatgggtcttc caagcaaaac 1320
gagcttgtgc tgcagggcga ccaatacttc aatgaagatg ctgcaagaac gagtgacata 1380
tacagtaaca acaacaatga caggtcacta atgggcaata tctcactact gtactcccaa 1440
ggaagactat aa 1452

<210> 318
<211> 2157
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 318

atgggatccg accggctcgtg tgttttgtct gtgtttcaga ccatcctcaa gctcgtcatc 60
ttcgtggcga tttttggggc tgccatatca tcacgtttgt ttgcagtcac caaatttgag 120
tctattatcc atgaattcga cccctgggtc aattataggg ctaccaaata tctcgtcaac 180
aattcgtttt acaagttttt gaactgggtt gacgaccgta cctgggtaccc cctcgggaagg 240
gttactggag ggactttata tcttgggttg atgacgacta gtgcgttcat ctggcacgcc 300
ctgcgcaact ggttgggctt gccattgac atcagaaacg tttgtgtgct atttgcgcca 360
ctattttctg gggtcaccgc ctgggcgact tacgaattta cgaaagagat taaagatgcc 420
agcgttgggc ttttggctgc tggttttata gccattgtcc ccggttatat atctagatca 480
gtggcggggg cctacgataa tgaggccatt gccattacac tattaatggg cactttcatg 540
ttttggatta aggcccaaaa gactggctct atcatgcacg caacgtgtgc agctttattc 600
tactttctaca tgggtgtcggc ttgggggtga tacgtgttca tcaccaactt gatccactc 660
catgtctttt tgctgatttt gatgggcaga tattcgtcca aactgtattc tgcctacacc 720
acttgggtacg ctattggaac tgttgcatcc atgcagatcc catttgctcg tttcctacct 780
atcaggtcta acgaccacat ggccgcattg ggtgttttcg gtttgattca gattgtcgcc 840
ttcggtgact tcgtgaaggg ccaaatcagc acagctaagt ttaaagtcac catgatgggt 900
tctctgtttt tgatcttggg ccttgggtgtg gtcggacttt ctgccttgac ctatatgggg 960
ttgattgccc cttggactgg tagattttat tcgttatggg ataccaacta cgcaaagatc 1020
cacattccta tcattgcctc cgtttccgaa catcaaccgc tttcgtggcc cgctttcttc 1080

```

tttgataccc actttttgat ctggctattc cccgccggtg tattcctact attcctcgac 1140
ttgaaagacg agcacgtttt tgtcatcgct tactccgttc tgtgttcgta ctttgccggt 1200
gttatggtta gattgatgtt gactttgaca ccagtcattc gtgtgtccgc cgccgtcgca 1260
ttgtccaaga tatttgacat ctacctggat ttcaagacaa gtgaccgcaa atacgccatc 1320
aaacctgcgg cactactggc caaattgatt gtttccggat cattcatctt ttatttgtat 1380
cttttcgtct tccattctac ttgggtaaca agaactgcat actcttctcc ttctgttggt 1440
ttgccatcac aaaccccaga tggtaaattg gcgttgatcg acgacttcag ggaagcgtac 1500
tattggttaa gaatgaactc tgatgaggac agtaagggtg cagcgtggtg ggattacggt 1560
taccaaattg gtggcatggc agacagaacc actttagtcg ataacaacac gtggaacaat 1620
actcacatcg ccatcgttgg taaagccatg gttcccttg aagagaaatc ttacgaaatt 1680
ctaaaagagc atgatgtcga ttatgtcttg gtcattcttg gtggtctaata tgggtttggt 1740
ggtgatgaca tcaacaaatt cttgtggatg atcagaatta gcgagggaat ctggccagaa 1800
gagataaaag agcgtgattt ctataccgca gagggagaat acagagtaga tgcaagggct 1860
tctgagacca tgaggaactc gctactttac aagatgtcct acaaagattt cccacaatta 1920
ttcaatggtg gccaaagccac tgacagagtg cgtcaacaaa tgatcacacc attagacgtc 1980
ccaccattag actacttcga cgaagttttt acttccgaaa actggatggt tagaatatat 2040
caattgaaga aggatgatgc ccaaggtaga actttgaggg acgttggtga gttaaccagg 2100
tcttctacga aaaccagaag gtccataaag agacctgaat taggcttgag agtctaa 2157

```

```

<210>      319
<211>      3660
<212>      DNA
<213>      Saccharomyces cerevisiae

```

```

<400>      319

atggctatct taaaaagagg agctagaaaa aaggtacatc aggagccagc taaacgctct   60
gcgaatatca agaaagctac ttttgattcc tcgaagaaga aagaagttgg tgtgtctgat  120
ctgacgcttc tttctaaaat ctccgacgaa gccataaatg aaaacttgaa gaagagattt  180
ttgaatgcta caatctacac ttatataggt catgtgttaa ttagtgtcaa tccattccga  240
gacctcgga tctatactga tgctgttatg aatgaatata aaggtaaaga tagattggaa  300

```


gcagcccaag caagtttggg tgatggtttg gcgaatgcgc ttgctgctag ggccaataaa 3600
atgagattag agagtgatga cgaggaggct aacgaagatg aagaggaaga tgattggtaa 3660

<210> 320
<211> 1746
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 320

atgtctaaac aatttagtca taccaccaac gacagaagat catcgattat ctactccacc 60
agtgtcggga aggcagggt tttcacgcct gcagactaca tcccacagga gtcagaagaa 120
aacttaattg agggcgaaga gcaagagggt agtgaagaag aaccttccta taccggcaat 180
gacgatgaga cggagaggga aggtgaatac cattcgttgt tagatgccaa caattcgcg 240
acattgcaac aagaagcgtg gcaacaaggt tatgactctc acgaccgtaa gcggttgctt 300
gacgaagaac gggacctgct aatagacaac aaactgctct ctcaacacgg caacgggtggg 360
ggagatatag aaagtcacgg acatggccaa gcaattggac cggacgagga agaaagacca 420
gctgagattg caaatacgtg ggagagcgcg atcgagagtg gtcagaaaat cagcacaact 480
tttaagagag aaacgcaagt gatcacgatg aatgcgttgc cgctaattctt cacctttatc 540
ttgcaaaatt cgttgtcact agcatctatt ttctccgtct cacatttagg gacgaaagag 600
ctaggtgggtg ttacactcgg ttctatgact gctaacatca cgggtcttgc tgctattcaa 660
ggctctgtgta catgtctgga cacactgtgt gcgcaggcat acggtgccaa aaactaccac 720
ttgggtgggtg tgctagtgca gagatgtgct gtgatcacca tcttggcggt cttgccaatg 780
atgtatgttt ggtttgtttg gtcgaaaaag atcctagcac taatgattcc ggagagagaa 840
ctatgcgcgc tagcggctaa ctatctacgt gtaaccgcat tcggtgtgcc aggattcatc 900
ctttttgaat gtggtaagag gttcctacaa tgtcaaggta tattccatgc atccacaatc 960
gtgctctttg tgtgcgcacc cttgaacgca ttgatgaact acttacttgt ttggaatgac 1020
aagattggga ttgggtacct tgggtgcgca ttatcggttg tgatcaacta ctggttgatg 1080
acgctcggat tactaatata cgcaatgacc accaagcaca aggagagacc actcaaatgc 1140
tggaatggta tcatccctaa ggaacaagca tttaagaact ggcgtaagat gattaaccta 1200
gctattcccc gcgtgggtgat ggtggaggca gagttcctcg gctttgaagt gttgacaatt 1260

ttcgcttccc atctgggcac cgatgccttg ggcgctcagt cgattgtggc tacgattgcg 1320
 tctcttgcat accaagtgcc tttctctatc tccgtttcta ccagtacacg tgtagccaat 1380
 tttatcggcg cgtcgctata cgacagctgc atgatcacgt gccgcgtgtc cttattgttg 1440
 tcctttgtgt gctcctcaat gaacatgttc gttatctgcc gttataagga acaaatcgca 1500
 agtctatddd ctactgagag cgctgtagtg aagatggtcg tggacacact acctcttctt 1560
 gcgttcatgc aattattcga tgcctttaat gcgtccaccg ccggatgcct acgtggtcaa 1620
 gggagacaaa aaaataggtg ggtacatcaa cctagtcgca ttctactgcc taggtgtgcc 1680
 catggcatat gtgttagcat tcctgtatca tctgggtgta ggcggcttat ggttgggtat 1740
 aactag 1746

<210> 321
 <211> 324
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 321

atgcatacta tttgccttag aagcccgatc gatgaatcct ctctcttccc atataaatca 60
 ataaggcaac ctctagaaaa cgccattccc tgccaagcgc tttgcagcct tatggccgta 120
 ctctgtgcat ccgctgctca tcggctctct gaaaccttcc ctatgcgttt ggtagtcgcg 180
 cgtgaatatg ctaattgggg cgctttccaa catgcgttta cgcggcgcgc tggagcttct 240
 gtggcggcga cttctgcatg gtttgatgca gttgcggctg gtactgaaaa tgcacatatg 300
 cagtcagctg aatcatgcaa ttaa 324

<210> 322
 <211> 2280
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 322

atgacagcgc cattgtggcc aaacaagaat gaaaaaacc acacagttaa aagagcgtta 60
 tcaacggata tgaccagcaa tatcttgagt agcacaaacg cgagctcaaa cgaagaaaat 120
 tctaggagtt cttctgcagc caatgtacgc tccggaacag gtgcaaatac acttactaat 180
 ggcggcagta ctagaaagag acttgctgct actaattgta gaaatagaag gaaaaaatgt 240

tttatagaag actctcaaga atccgaaacg gtagtcatag agatcatcga tgatttgaag 1920
 actttgctgg acaatttcgg gaaaaaattc ggaaactaca cgaagggaaa cctttaccaa 1980
 ctttactcat gcctgttggc catcaactgt ttgaagaagt tgaaagagat acgttccagt 2040
 gagcaagact catggaatgc acaattggat tttttcaatc acatcttcta cacacaacta 2100
 tatcccgcat atgatctgcc gaaaaagctg caggaggata cggagctgga aacagaacaa 2160
 gaaaaccaga tgttgaacca agttggaaat ataaactaca cgcacgattt ttcactctcc 2220
 cacgaaattg acgatcttat cagagaactg tttgggggtg gcacacctca aaaactctga 2280

<210> 323
 <211> 1023
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 323

atgattgac gtaccgagtt atcgaagttt ggtattacta cgcaactgtc tgttattgga 60
 cgtaatccag atgaacaaag tggctttgtt aatccacctt tgtataaggg gtcaaccatc 120
 attcttaaaa aacttagtga tttagaacaa aggaaaggaa gattttacgg gacagcaggt 180
 tctccaacta ttgacaattt agaaaatgcc tggacgcatt taaccggcgg tgctgggaca 240
 gtgctatcag cttctgggct tggttctatc tctttggcgc tattggccct ttcgaaagct 300
 ggtgatcata tcttgatgac tgatagtgtc tacgtgcaa cacgtatgct atgtgatggt 360
 ttattggcca agttcgggtg tgaaacggat tattatgacc catcaatagg gaaggatata 420
 gaaaaactag ttaagccaaa tacaaccgtc attttctctg aaagcccggg ttctgggacc 480
 atggaagtac aggatattcc agctttggtc tctgttgcca aaaagcatgg gataaagaca 540
 attctagaca acacatgggc aacgccactc ttttttgatg ctcatgcgca tggtatcgat 600
 atttcggtag aagctgggac aaaatatttg ggtggtcatt cagatcttct tattgggtctg 660
 gcctccgcaa atgaagaatg ttggccgcta ttacgggtcaa cttatgatgc aatggcaatg 720
 ttaccaggtg ccgaggactg tcaattagca ttgcgaggaa tgcgtacatt gcaactaaga 780
 ttgaaagagg tagaaagaaa agccctggat ttggctgctt ggctcggaaa tcgagatgag 840
 gttgaaaaag tgcttcaccc cgcctttgaa gattgtcccg gacatgaata ctgggttcgt 900
 gactacaaag gttcttcagg cttattttcc attgtcctta aaaatggggt cacaagagct 960

ggctctggaga aaatggtaga agggatgaaa gttttgcaat tgggattttc atgggggtggc 1020
tag 1023

<210> 324
<211> 336
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 324

atgtcaaaaa ccgatgtcaa aaaatctcgt gaggcctccg gaattttgac gctgcaagtc 60
aatctacggg aaagaagaaa ttttttaaac ttaatgcaaa ataagctttt ttcttggaag 120
ataagatttt cggaataaaa aggtaaatgc agccaaaaat caaaataactt cagaagaagt 180
cgtagcgagg actgctacgt ggaagcggat ttgaagatcc tttccagaac aagaaggagc 240
cgaaagctgc caggaactgt tcctgatttt ttaggaaaac aattaatagg tatctcgtct 300
agcgtagtat ctcgagtttc cagaagttgc agataa 336

<210> 325
<211> 2589
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 325

atgaacatgg caatccaaac aattaaatac attttttggc tactgccgat attagggcctt 60
acacaagcac ttctacaaaa ccagggggac gattttccat ttagcacagt aatagatatc 120
ctctcagaaa atgttgaatt ctcaactttt ttaaggatta ttcagaaaac tggtcacgta 180
cagtacttaa atgagctaca gaactttaca ctttttgctc cgattaattc agcattttatt 240
aaggggggacc aaaccacaga ccaatttgag gagcatttcc atattgaaga tttccttatt 300
catgataggg tattgcaagt gagagacctt gaaaacggta cctacctgga gaaaagagct 360
gcaaaagcac ctttattgct gagaaagcat gagcgccatt gctttgtcaa tgaaattgct 420
gttgctgaac ccgatttgct gcctagtttc cagaatgctt cattacaagg tattaacaat 480
cttttactaa ttcaacctca aataaatgag ttgctggtag aactagatga agaaacccaa 540
gatttaaaga tatttagtga ttttatcagc agtttttcaa actataatgc atatacaaac 600
tcatccacag ttttagtgcc cttagatggt aattttcgaa aattcttcaa tacaatcgaa 660

ataaactatc tacttgacaa atataataaa ttgggtaa at ctaatacaat ttctcaggcc 720
aaatgggccc cagatagaac ttcccttctt caagaactca ttattgatga cgtgtatggc 780
ggatattttac ccaaggaact aatttttagaa aataaaaaca atcgaaaact ttttatgaag 840
agtaattcag aaggtacatc agtaagtga aataattcag attactcacc catatcaaac 900
agaatttttg aaataggcgt cgtgcatgga ttttctgact tagacttttt acgaacgcat 960
atacagtttg atgctgaaaa gtacttgac gggttgaaact gctcagaatt cgtaaaggag 1020
ttatacttca gagacctga aaaattcatt caaaacggaa ggaaaatcac catatttgta 1080
ccacaagcct cttttaatga ggatcgtggg tacacaaaac catcacttct gtaccatttt 1140
gtagaaggta aaattgacct tgaacaggac ttttcctcat tgcgccgat tcaatacgca 1200
cctacccaaa tttatgactc cgccttttgc tcttcagcta aaagactagg tggacactgc 1260
caaaagttca aaatcacaag gtctaataaa gggtattaca tcaatggtcg cttcaagatt 1320
ttaaacacaa aaccttatga gattggtaat acgtccattt attctattga cgatgatctt 1380
caattaccgg gcgacttagt gttgtcatta gcaccagaaa accactgttc tatttcccta 1440
atgctcttga aggaacttaa ctttttgat ctaccatcaa atcataaggg gtacacgata 1500
cttcttccat gtatgaattc atgggacaat aatgatttga ctatagacta tttgaggcca 1560
aacaaaaccg ccctaaattt acttatgagg aacctaatct tcgaagacct tatttattcc 1620
aacaattata gtatttcgac tactgtcaag aattttatcg gaaattctgt atctattggc 1680
gtacaaaaaa ttgtgggaag ccaaaacctt acgaaaatct cagtgagtag tataaaggaa 1740
agtattatta ttgaggagag ttccgatata tttttcaacc agggagttat ccatcctata 1800
gaccaattgg attttccagt cgatttggag atatccctaa aagagctgat agaaactact 1860
ggaacaaaag aaatatttga cttttttaac ttgttttatg acctttcttc aatcatttgg 1920
aataacgaag agtactcgct tttagttcca acggcttctt ctattccatt aagtggcatc 1980
acggcgaact cgacaaactt aagaaaattc ctcgaactcc atttgattcc tgctaattga 2040
acgcaaaacc tactagactg caatggctcc attagcacta aactaggtac aaaactaaac 2100
tgcagaaaag atcatctgga caacgttttt gttagcatac agggcgactg gaccaaggaa 2160
gttagagttc ttaaaacagg atgcactact aatttgaaaa gttcatgcat atttctgac 2220
gacaaacca tacccttacc ttggctaaac agcgagaaat accatctgcg cttgccaggg 2280

atagcgggttg gatttgggggt tataataggt gttaccatag ccattttcttt attgttttgc 2340
 ataataatta ccaggggttg aaaagtaaaa gacaaaaatc aaagagggag aaatgatcga 2400
 gcaacaacac cactgattca acactctccg ataatccaca acccttctta ctcggaaca 2460
 gcgcatttat caccactttc tcaaccact tttgaagggt catattctgt gaacgctata 2520
 caaaccceca gagatatacg aagggtggga tcagatcaaa agggcggtcg cagtgtcagt 2580
 acctcataa 2589

<210> 326
 <211> 2250
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 326

atgaccagta tgtcaattat tgatgatgag aacgtgaaaa aaacttctaa tggggcagct 60
 gttgtcactg atgtggtca acacgctgta agtgattcgg acaataacaa agcgcaactt 120
 ctaggcgatg gatccaacac tgaatatgtg gttgatattt tcattgaagc cgctaaggat 180
 ggggatttaa aagtggtgaa ggacgtggtc gaaagtggag cagtggatat taataacgac 240
 cgcattgatg aattatccgg cttacactgg gcctgtataa acaatagggt ttctgtagca 300
 aagttcctat tacttagggg agcaaactct aaccaggcgg caggccccgg aggggctact 360
 gctttgcact gggccgcaag gtacggtaat atctacattg ttgacctgct tctcaaact 420
 ggcgctgatc cgacgtcaa agatgagcag ggtcttaaca tcatgcattt tagcgtttac 480
 agttctaaca ttttacttgt tgtttatgtt ctttattttg tcgtaaaca caatgacaac 540
 gtcgatatcg attcaaaaga taacaataac agaacacccc tactttgggc tgcttatcaa 600
 ggagattttc tactgtaga acttttattg aaatttggt ccacagttgc atggacggac 660
 aacagagggg tcaatgctct ccattgtgct ctagttggag gtgatcaaag ggtcatatgt 720
 gacttaatac ttagcgggtc aaatttctac gaaaggaata accagaagca agactgtttt 780
 gatctagccg aaggaatggg aaccaaata ctttttgaac aagcgttgca acatcatgga 840
 tatgacaggc ttggaaatca gaaagacaaa ctgttcaaga aaagctcgca tgcacaattc 900
 acaatttttt tgtcaccatt tttactcatg gtttacatat acttaatttc tctcgttctt 960
 tctccagtgc tagccattat gctttcccta ctgggtcactg ttgtcatggt caacacatta 1020

aagaagtttg tattaccatg ccttcccaga aaaaacactt acaaagtttc tttgactaga 1080
actccctttt tcagtggcct ctttctgtcc actttctggt ttttaataata tatatggacg 1140
aagaaactct atccatatag tgtatctgac tataccatga aaaacgtcca gtttttggtt 1200
acttcctttc tcacagttgt actatttctg agattagtac ggtcagatcc tggttgtctg 1260
aaaacggatg atagtttgac ttcgatacaa gaaacaataa aacaactgat tgacttaggg 1320
aagtttgata gggaaaactt ttgtgttgag acattagaaa ggaagccttt gaggagtaaa 1380
tattctttct ttagcggcgc cctgggtggc agatatgacc attattgtcc atggatttat 1440
aatgatgttg gcttaaaaaa tcacaaactt tttgtcttct ttgctgtgac ggtccaatat 1500
cacatgtttt tgttcatgtg gttatgtctg gcatatttta agaaaacgaa ctatatttac 1560
gaacaagttg aagaatatgc aagatgtgcc ctgctcaaga atgagacttt gtgtaagggt 1620
tctaattacg atccctctac ctttttttta ttcatttgga ttagcgtaaa cttcatctgg 1680
ctgggggcta tgttgattgt ccagttcttc cagatattaa aaggaatcac gactcctgaa 1740
ttgttcatct taatcaagga ggagcacaag gcaaaattta tcaatctgat acccttcgaa 1800
aactctatat ataccagtga aagtaaaggt gttgaagata gtgatatgat tcctgaaggt 1860
ccaagtgcga ccaccattac tcacacaatt tctattgatg gtttggaacc aagaaatagg 1920
cgccgcgcca ttcttagcgc ttgcttttca atgatgggta ttaatcaatg gctcgttact 1980
attaaggaaa tagtaggtat aaccacatt ttgcatggac aggttccaca acaacatcac 2040
agttcattgc ttcgaagttt cttagtgaca aatcactgga agacgaattt gacggatttt 2100
tggcttaata gtgatgtaac agcgcccttg tggcaacgat ttttctattc ttcggatact 2160
tcaaaagcta tgttgggtgg aactgaggtt gactactacg agctatacga atatccggcc 2220
cgagaaggag aagtattacg tccaaactaa 2250

<210> 327
<211> 375
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 327

atgaaataca acgccaccaa ggcaataagc atcgaccac ctacaatacc cacggtgaac 60
cccacaatca acgaggtttt ctcatgtgaa ttactggaac tagaactaga ggaggaggaa 120

gataaaactac tcagttgtga atcggactgt ttcgcacagt atgtggatgg gcacttgtca 180
catgttaatg aagtcataac acaatattct cctgaagcgc aaacagggca tgatgcagtt 240
gaatcgcaaa caacacatcc gtcgctgcct ctagttgcag aagttgaaga ggtggctgtg 300
cttgacaagg atgaacttgc agaagccttg gaggagctcg acattttttg tttgattttc 360
agaaaacgaa cgtaa 375

<210> 328
<211> 921
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 328

atgatgaaaa aaaaaccaaa gtgccaaatt gcaaggacca aaccatcggc cgaaaacgtc 60
ataccatata accaattcaa gaagacgcag ccgcgattca acggcaactt ttctgcactg 120
aataatgaag aatacataat actctttggc ggaggtcggg acctgatact aggctccctg 180
acaccttggt cgagctctca tttgtccaat caagccaacc cacaagacac cagtgagtat 240
ggcacagacc tgttttatact caacagctgc attatcattt ggttcaatgg cttgggatat 300
gggctggaaa ttccctacag cagcgttttg taccatgcat caagacggct accagatggc 360
aggggaagggc ttcaattaga aattttgctg actttggaaa gagacgaagt gttggacatg 420
ctctacaaa gcctcgcgcc acaggcctgc gaattcgacg gcgaagaagc acatgccttc 480
accgtgcgca gcgtggaatt gactatcagg cccaaatatt caatatacga tcgccattat 540
aacaacgaaa tcgaaaccct tttcaccttc gaaaacttcg gcgtgaacag gggcgatgac 600
ctggtaaaca attgtaacga agcactagcc gtatgcatgg acctgcacgg tgaggacgta 660
caagatcaag accaggaaca ataccaagat ccaagcatgg cgtttgaggg tgcgcaagat 720
ctcaacgcca cgtattctgg gcttgagac acccttcacg ggccgcccgt gtatcagaac 780
gacgggctgg cagacgatct ggatggcgac ctcgttatgg acaacgtggc ctctaggggt 840
gtccagaag caagtatgtc tatggagttc tacgcaaac aaaatcttgc tggcagaaag 900
aactccagag acaatgaatg a 921

<210> 329
<211> 1302
<212> DNA

<213> Saccharomyces cerevisiae

<400> 329

atgattgtgg ggttgacact ttatTTTgtA ttattccggt caatacagta tttactgggt 60
TTTTtgactc caattaggca gtttgataca tcaacatcac ttttattaaa cgaattatgt 120
tcttctccct ctgaaatcaa cagttattgg aacaagtatt tttggaataa gctactatca 180
tgggacagtg ttttttttat caagaacata acttccaaaa acggaaaacc tcaatttgag 240
catgaatacg cgTTTTctca gttgtggact ttttctgtta ggctgtttat taaaagtaat 300
aacgatagca tctaccatgc cttaagggtt ggagttgcaa tagaaaatgt tttattttac 360
ttgtcaggta ttgttttata ttttctaaca aaaaaaattt tcagccaaaa tataaggcaa 420
tcacagtttg ctagaactat cgctaaaaaa acatctctgt tgtttttctt aacgagtgcc 480
gctggatttt taacaagcat atattctgaa ccattatctt ttttttttgc atttgttgggt 540
atttggagtc gtgaatgcac catttccgtg cccgtattgg gtcaattcga tatttctgtg 600
agatattgggt ttccttactc ctttatcagc atggcttget ttaccttagc atccttgaat 660
cgttcaaact gtgttttgtt agggattttac tttatttttg accttattga actaacaag 720
aacaggaagt ttgtaaaagc aatatgtttc ccactattat caggatcatt aatgttttct 780
gctctactat atcaacaata ttacctacca tataagacat tttgtcctca aaggggtgaa 840
tggtgtaaat ctcaattgtt ttcaagcatt tttatcacga aaacttcttt atattcctac 900
attcagagtc attattgggg agttgggtta ttgaaatact ggaccccaaa caacatccca 960
aactttttgt ttgctgtccc aaatattatt attttaatct attcctccat atatttcagc 1020
aaaatttatc cctcctataa ctgaaggct ctcgtatgga tcaccagagc actggtcgtc 1080
atagtatgct tttttgcca tgtccaaatt ctgaatcgta tagcctcctt tttacccttg 1140
cacctttgggt atttggctga tagattgggt aaaacttctg atccaaaaaa aatggaaaat 1200
ccgaaagggtg acgataagat agtcaagttt tacatatact ggttggcatt ctggatacct 1260
ttacagacta tcctatttgc agctttttta ccaccagcct ga 1302

<210> 330

<211> 369

<212> DNA

<213> Saccharomyces cerevisiae

<400> 330

atgtattcga tggccttttt ggcttcctct ggcttagtgg caaattcttc agcaacagtc 60
tttaagttga acagagctct aaatctgttg gccaaaactg ttttgccgga cttgttgact 120
aagatgtccc ttagttgctc tagagtgcac tcatcgacgt tttcttgga atgtttttca 180
aagttagtag acatgttttt ttttttcttt cttgctgggt atgttagaag gactacagtt 240
tatactaacc taaacctaga gctaccgtca aatatacacg tgtattcact ggatttgcct 300
tatgtaattt atatgataaa aacttttcag ctcatcgaga aaaattttct ttctctccac 360
gcaggatag 369

<210> 331

<211> 2142

<212> DNA

<213> *Saccharomyces cerevisiae*

<400> 331

atgactgccg gcgttttcgaa tacgcagaat aagctgaatg agcttctcga tgccatcaga 60
caggagtttc tccaagtctc acaagaggca aatacctacc gtcttcaaaa ccaaaggat 120
tacgatttca aaatgaacca gcagctggct gagatgcagc agataagaaa caccgtctac 180
gaactggaac taactcacag gaaaatgaag gacgcgtacg aagaagagat caagcacttg 240
aaactagggc tggagcaaag agaccatcaa attgcatctt tgaccgtcca gcaacagcgg 300
caacagcaac agcagcaaca ggtccagcag catttacaac agcaacagca gcagctagcc 360
gctgcatctg catctgttcc agttgacgaa caaccaccgg ctactacttc ggccaccgcc 420
actccagcag caaacacaac tactggttcg ccatcggcct tcccagtaca agctagccgt 480
cctaattctgg ttggctcaca gttgcctacc accactttgc ctgtggtgtc ctcaaaccgc 540
caacaacaac taccacaaca gcaactgcaa cagcagcaac ttcaacaaca gcaaccacct 600
ccccaggttt ccgtggcacc attgagtaac acagccatca acggatctcc tacttctaaa 660
gagaccacta ctttaccctc tgtcaaggca cctgaatcta cgttgaaaga aactgaaccg 720
gaaaataata atacctcgaa gataaatgac accggatccg ccaccacggc caccactacc 780
accgcaactg aaactgaaat caaacctaag gaggaagacg ccaccccggc tagtttgcac 840
caggatcact acttagtccc ttataatcaa agagcaaacc actctaaacc tatccacact 900

ttccttttgg atctagatcc ccagtctgtt cccgatgctc tgaagaagca aacaaatgat 960
 tattatattt tatacaaccc ggcactacca agagaaattg acgttgagtt acacaaatct 1020
 ttggatcata cttcagttgt ttgttgctgt aagttcagta acgatgggtga atacttagcc 1080
 acaggctgca acaaaactac tcaagtgtat cgcgtttcag atggttctct ggtggcccg 1140
 ctatctgacg attctgctgc caataacccat cgaaattcga tcaactgaaaa taacaccacc 1200
 acgtccacgg ataacaatac aatgacaacc actactacca ccacaattac taccacagcg 1260
 atgacttcgg cagcagaatt ggcaaaagat gtggaaaacc tgaacacttc gtcttcccca 1320
 tcatccgact tgtatatccg ttcagtgtgt ttttctccag atgggaaatt tttggcaaca 1380
 ggtgctgaag acagactgat tagaatttgg gatattgaaa atagaaagat tggtatgatt 1440
 cttcaaggcc acgaacaaga tatttattca ttggactact ttccctcagg tgacaaatta 1500
 gtctccggtt ctggtgaccg taccgttcgt atttgggact tacgtacagg ccagtgttca 1560
 ttgactttat ccattgaaga tgggtgttacc accgtcgtctg taccaccagg tgatggtaaa 1620
 tacatcgctg ctggttctct agatcgtgct gtgagagttt gggattccga gaccggattc 1680
 ttggtggaaa gactagattc ggaaaacgaa tccggtacag gccacaagga ctctgtttat 1740
 agcgttgtct tcaactagaga tggacaaagc gttgtatccg gctcattaga tagatctgtt 1800
 aagctctgga atttgcagaa tgcaaacac aagagcgtt cgaaaactcc aaattccggc 1860
 acttgtgaag ttacgtatat cgggcataaa gactttgtat tgtccgtggc caccacacaa 1920
 aatgatgagt acatcttctc cgggtccaaa gatcgtggtg tcctgttttg ggataagaaa 1980
 tccggcaatc cgttattgat gttgcaaggt cataggaatt cagttatata tgtggctgtg 2040
 gcaaacgggt ctccgctggg tccagaatat aacgtttttg ctactggtag cggtgattgt 2100
 aaagcaagga tttggaagta taaaaaata gcgccaaatt aa 2142

<210> 332
 <211> 3108
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 332

atgccagttg agtttgctac caatcctttt ggcgaggcca aaaatgcaac ttactgcca 60
 aaatatggta caccgtaac tgccatttca tctgtgctgt tcaataacgt ggactccatt 120

tttgcttaca agtccttttc tcaacccgat ttgctacacc aagatctaaa aaaatggtct 180
 gaaaagcgtg gtaacgaatc acgtgggaag ccatttttcc aagagctgga tatcagatct 240
 ggcgctgggtt tggctccttt aggggttttct catggattga agaacactac agcaattggt 300
 gctccaggggt tttcgtgccc atacttcatt aactctttga aaaccgtctc tcatgatggg 360
 aagtttcttt tgaatggttg tgctttaaac tacgacaatg ctaccggctc tgtcaccaac 420
 gattatgtaa ccgcattgga tgctgcttcc aagctgaagt atgggtgtcgt gactccgatt 480
 tccgctaacg aggtacaaaag tgtcgcctta ctggcattgg cgattgccac tttcagtaat 540
 aactccggag ctatcaatth atttgacgga ttaaactact cgaaaaccgt cttgccgttg 600
 gtcgaatctg ttctgagggc atctatthtg gcaaaactat ccaaagttat tgcaccagat 660
 gctgcctthg atgatgtctt ggataagtht aatgaattga ctggattgag actacataat 720
 ttccaatact ttggtgctca ggatgctgaa actgtgttht tcaacttatgg gtctthtagaa 780
 tccgaattgt tcaactctgc gattagtggg aataattcca aaatcgggtt aatcaacgtc 840
 agagtgccat tacctththt cgttgctaag tttgtcactc acgttccatc cactaccaa 900
 caaattgthg ttataggcca aactthggat ggttcttctc cttctthctt gagatctcaa 960
 gthtcagccg ccttaththt ccacggccgc acctcaatta gcgtthctga gtacatctat 1020
 caaccagatt tcattthgtc cccaaaagct gtcaaatcaa ttgtatctgc attcatccct 1080
 gaattcactt acaatgccga ttcacttht cgcgaaggat tcattthattg ggcctctgat 1140
 aagagtatca atattgatgt tgcctccaaa cttgtgaaag ctctgtctth ggaagatggg 1200
 aaattthgtg cthtgagaac gaaattthgat aactthggct atgctgggtac cthccaagct 1260
 caattthgtg cctcgaaaga acagatacct gthtcaaaca tgcattctac gaaattatca 1320
 gtcgttgaag atgtcagtht attgaagcat ttagacgtag ctgctaccgt cgcagaacaa 1380
 ggttcaattg cgttggttht ccaaaaggca gthaaagatt tggattthaa ttctgtagaa 1440
 agttacgtca agaattthgg aattcctgaa tcattcctaa tatctattgc gaagaaaaac 1500
 atcaaattgt ttatcatcga tggtagagacc actaacgacg agtccaaatt gtcctthgtt 1560
 atccaagccg thttctggaa attggcctth ggtctagatg tgcgagaatg taccaaccgt 1620
 atctggaaaa gcattgattc aggtgcagac atthcagcag cctcgattth tgaattthct 1680
 actggtgcat tcaaaaactt cctcagtgag gthccgctag cgtgttacac taaattthct 1740

gaaataaaca ttgaaaagaa agaggatgag gaagagcctg cagctttacc aattttcgtt 1800
 aatgaaacat ctttcctccc aaataacagt accattgaag aaataccatt acctgagacc 1860
 tctgagatct ctgatattgc caagaagttg tccttcaaag aggcataatga agttgagaat 1920
 aaactaagac ccgatttacc cgtcaagaac ttcgtcgtga aagttaaaga aaatagacgt 1980
 gttacgcctg ctgattatga tagatatatt ttccatattg aattcgatat ttctgggtact 2040
 ggaatgactt atgacatcgg tgaagccctc ggtattcatg ccagaaacaa tgaatctttg 2100
 gtcaaagaat tcttaacctt ctatgggtcta aatgaatccg atgttgtctt agtccccaac 2160
 aaggacaacc accatttggt agaaacaaga accgtcttac aagcatttgt ggaaaatttg 2220
 gatatttttcg gtaaaccacc aaaaagattt tacgaatcat tgattccata tgcctctaac 2280
 gaagaggaga agaaaaaatt agaggatttg gttactcctg ccggtgcagt agatttgaag 2340
 agatttcaag atgtggagta ttatacatat gctgacattt ttgaattggt cccatctgtt 2400
 cgcccatctc ttgaggaact tgttactatc attgaaccat tgaagagaag agaataactca 2460
 attgcctcct ctcagaaagt tcatccaaat gaagttcatt tattgatcgt tgttggtgat 2520
 tgggtggata ataaaggaag aaaaaggtag ggtcaagctt ctaagtatat ctcagacctt 2580
 gctgtcgggt cagaattggg cgttagcggt aaaccatctg ttatgaaatt accaccatct 2640
 ccaaagcaac cagttattat gagtgggtta ggtactgggt tggcaccatt caaggccatt 2700
 gttgaagaga aattatggca aaagcagcaa gggtatgaga ttggtgaagt cttcctatat 2760
 ctaggttcaa gacacaaaag agaagaatat ttatatggtg agttatggga ggcttacaaa 2820
 gatgcaggta ttatcacaca catcggcgct gctttctcaa gagaccaacc tcaaaaaatt 2880
 tacattcaag atcgtatcaa agagaatttg gatgaattaa aaactgcaat gattgataat 2940
 aaaggttcat tttacttggt tggccctact tggccagttc cagatattac tcaagctttg 3000
 caagacattc tggctaaaga cgccgaggaa agaggcatca aagtcgactt ggatgccgca 3060
 attgaagaat taaaggaagc atcaagatac attttagaag tctactaa 3108

<210> 333
 <211> 1923
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 333

atgctatcgc taaaaaaatc agcgctctcc aagttgactt tgctcagaaa cacaagaaca 60
 ttacatcgt cagcttttggc gcgccaaacg cagggctctg taaacgggtc cgcgctccaga 120
 tctgcagacg ggaagtacca cataatagat cacgagtatg actgtgtggt aatcggtgcc 180
 ggtggtgccg gccttagagc ggcccttggc cttgccgagg cgggctacaa gactgcttgt 240
 atatccaagc ttttccccac cagatcccac actgttgctg ctcaggggtg tatcaatgcc 300
 gctctgggaa atatgcacaa ggataactgg aaatggcata tgtacgatac tgtgaaagga 360
 tctgattggc taggtgacca ggactccatc cattacatga ccaggaagc gcccaaactc 420
 atcattgaac tggaacacta tgggtgttct ttttcaagaa ctgaaaacgg taagatctac 480
 caaagagcct ttggtggtca gaccaaggag tacggtaagg gtgctcaggc ctatagaaca 540
 tgcgctgtcg cagacaggac aggacatgct cttttacaca cgctttatgg ccaagcttta 600
 agacatgaca cacatttctt tattgagtac tttgccctcg atctgttgac ccataatggc 660
 gaggtcggtg gtgtcatcgc ttataatcag gaagacggta ccatccacag attcagagca 720
 cacaagacca ttattgccac tgggtggctat ggtagagcat acttctcttg tacctctgct 780
 cacacatgta cgggtgacgg taatgccatg gtttcgctg ctggtttccc cttgcaagat 840
 ttagagtttg ttcaattcca tcttcagggt atatatgggt ctggttgctt aatcactgaa 900
 ggtgctcgtg gtgaagggtg ttttttgggt aattctgaag gtgaaagatt catggaacgt 960
 tacgctccta cggccaagga tctagcttgt agagatgtcg tttccagagc aatcaccatg 1020
 gagatcagag aaggcagagg tgttggttaag aaaaaggacc acatgtactt acaattgagc 1080
 catctacctc cggaagttct aaaggaaaga ttgccaggta tctctgaaac agcagccatt 1140
 tttgctgggtg tagacgtcac caaggaacct attcccatta ttcctaccgt ccactataac 1200
 atgggtggta ttcccacgaa gtggaatggt gaggcattaa ccattgatga agaaactggc 1260
 gaagacaagg ttattcccgg tttaatggct tgtggtgaag ccgcttgtgt ttctgtccat 1320
 ggtgccataa gattaggtgc caattccttg ttggatcttg ttgtctttgg tcgtgctggt 1380
 gcccatcagg ttgctgacac tttacagcct gggttgccac acaaaccact accttctgat 1440
 ttgggtaaag aatccatcgc aaacttggat aaactaagaa atgctaattg ttcaagatct 1500
 acggcagaaa ttagaatgaa tatgaaacaa actatgcaaa aggatgtttc cgtctttaga 1560
 acacaatcat ctttagatga aggtgttcgg aacattactg cagtagagaa gacctttgat 1620

gatgtgaaga cgaccgatag atcaatgatc tggaattctg acttggttga aactctggag 1680
ctacagaact tattaacctg tgcctcccaa acagctgttt ccgctgctaa tagaaaggaa 1740
tcccgtggtg ctcatgcaag agaggattat ccaaatagag atgacgaaca ttggatgaag 1800
catacattat cctggcaaaa ggacgtcgct gccccagtga ctttgaaata cagaagggtt 1860
atcgatcaca ctttggacga aaaggaatgt ctttccgtac ctccaactgt aagagcctac 1920
taa 1923

<210> 334
<211> 447
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 334

atgttcagcc tacaagacgt aataactaca accaagacca ccttggcagc aatgccaaaa 60
ggttacttac caaaatggtt acttttcatt tccattgtat cagtcttcaa ttctatccag 120
acttacgttt ctggttttaga attgacacgt aaagtctacg aaagaaaacc cactgaaaca 180
accattttga gtgcaagaac tttcgggtact tggaccttta tttcctgtgt tatcagattc 240
tatgggggcta tgtacttgaa tgaaccacac attttcgaat tgggtcttcat gtcttatatg 300
gttgccctat tccacttcgg ctctgaatta ttgatcttta gaacttgtaa gttgggaaag 360
ggattcatgg gtccattggt tgtctcaacc acctctttgg tttggatgta caaacaaga 420
gaatactaca ctggtgttgc ttggtaa 447

<210> 335
<211> 2667
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 335

atgtcaggag aagaagaagt agattatata acgttacccc tagaagagcg attaacgtac 60
aagttatgga aggcacgttt agaagcttat aaggagttaa accagctttt tagaaactcc 120
gttggcgaca tcagtaggga tgacaacata caaatttact ggaggggatcc tacattat 180
gcacaatata taactgattc taatgtggtc gctcaagaac aagccattgt tgccttgaat 240
agtttaatag atgcctttgc gtcacgtctt ttgaaaaatg cacataatat tactttaata 300

tcaacatgga caccattgct tgtggaaaag ggcttaacgt cctcaagggc tacaacgaag 360
acgcagtcga tgagctgtat actctcacta tgtggtcttg atacatctat tacgcaatcg 420
gtggaattgg taataccctt tttcgagaaa aaactgccaa aattaattgc tgcggcagcc 480
aattgtgttt atgagttgat ggctgcattc gggctcacta atgtgaacgt tcaaacgttt 540
ctaccagaat tattaaagca cgtacctcaa ctagccggtc atggtgatag aaacgttcga 600
tcacaaacga tgaatttgat tgtcgagatc tataaggtta cgggcaacaa tagcgacttg 660
ttagaggaga tactgtttta aaaattaaaa ccaattcaag tgaaagatct tcataaattg 720
tttgcaaaag ttggtgacga gccatcgtca tcgaaaatgt tattcgagtg ggagaaaaga 780
gaattggaaa agaaaagaag ccaagaggag gaagccagga aaagaaagtc catattatcg 840
aatgatgagg gggaatatca gatagataag gatggagata cattgatggg gatggaaacg 900
gatatgccac catcaaaaca gcaaagtgga gttcaaatac acaccttcag tatgctaccg 960
gaggagacga tcctcgataa actgcctaag gacttccagg aaaggataac gtcgtccaaa 1020
tggaagata gagtggaagc gctggaagaa ttttgggata gtgttctatc gcagactaag 1080
aagttaaaaa gcacctcgca aaattattcc aacttattgg ggatatatgg ccatattatc 1140
cagaaagatg caaacattca agctgttgca ctagccgctc aatcagtaga attaactctgc 1200
gacaaactaa aaacaccagg cttttccaag gattatgttt cactagtctt cactcccttg 1260
ttagacagga caaaggaaaa gaaaccttct gtgatagagg ccattaggaa ggcattatta 1320
accatctgca agtattacga tccattagcc tccagtggac gcaatgaaga tatgttgaaa 1380
gatatttttg agcatatgaa gcacaagaca cctcaaatca gaatggagtg tacgcaattg 1440
tttaatgcaa gcatgaaaga agaaaaagat ggatactcga ccctgcaaag atacttgaag 1500
gatgaagtgg taccaattgt gattcagatc gtcaacgaca cccaacctgc tataagaact 1560
attggatttg agagtttcgc cattctaatt aaaatatttg gcatgaatac ctttgtgaaa 1620
acattagagc acttggataa ttgaaaagg aaaaaattg aagaaacggt caaaactcta 1680
cctaatttca gtattgcaag tggtagtacc catagcacta ttgaaacgaa taaacaaact 1740
gggccaatgg agaataaatt tctcctgaaa aaaggttctg tacttccctc caagagagtg 1800
gcatcttcac cgctgagaaa tgataacaaa agtaaagtga acccaatagg gtcagtagcc 1860
tccgcatcaa aaccatcaat ggtagctgct aacaataaat cgagggtcct gttgacgtct 1920

ttgatgctca acaaaaagta cgactatggt gctactaaag ttcctcaatt ttcctttaca 2760
 aggttggctg gtgcagatcc tttcttaggg gttgaaatgg catcaactgg tgaagttgct 2820
 tcatttggtg gagatttaat tgaaagctat tggactgcta ttcaaagtac catgaacttc 2880
 catgtaccac tacctccaag tggatatatta tttggaggtg atacatctcg agaatacttg 2940
 ggccaagtgg cttccatagt ggccactatt ggttacagaa tatacacaac taatgagacc 3000
 actaaaacgt atctacagga acacatcaaa gaaaagaacg caaaggtttc tttgattaaa 3060
 tttccaaaga atgataagag aaaattgctg gaactatttc aagaatatga cataaaagct 3120
 gttttcaatt tagcctccaa gagagctgag agcactgacg atgttgacta tattatgaga 3180
 aggaatgcta ttgattttgc tatcccattg ttcaatgaac ctcaaacggc tttgttattt 3240
 gcaaagtgtt tgaaggcaaa aattgcagaa aagatcaaaa ttttggaatc tcatgacgtt 3300
 atagttccac cagaagtccg ttcctgggat gaattttattg gtttcaaagc atattga 3357

<210> 339
 <211> 2346
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 339

atgaatattg cagaagaacc atcagatgaa gtaatatcta gtggccccga ggatacagat 60
 atctgcagcc agcagacatc agcgagcgca gaagctggag accaatcaat aaaaattgaa 120
 aggaaaactt cactggtct tcaactggaa caattggcca acacaaattt attaaccata 180
 agaataaaat ggcagttaca agaagaagaa gatgatcact gcaactctag aataaccgat 240
 caaataatgg acacaatata gcactacaaa ggtatctccg ttaacaactc tgatacagaa 300
 acatatgaat ttcttccgga tacaaggagg ttacaggttc tgaacaaaa taaagacatc 360
 tatctttacg agcatggaag tcaagagtat gagaaatctt acaaagataa cgaagaggaa 420
 gatgattgga gatacgatac cgttttgcaa gcacaattca agtaccctaa gtcattagaa 480
 aatgcatgta cagatatctc ggaattactc aagagcgaac ctattggtca gcatattgat 540
 aaatggtcta tcggtgtgaa caagcatgca ctaacctatc ctggaaatat ttttgcggg 600
 ggaatagcaa agagcctttc tattggtgaa ctaagtttct tattttcaaa atatggacca 660
 attttatcaa tgaaattgat atatgataaa acgaaaggcg aacctaacgg atacgggttc 720

atctcctacc ccttgggttc tcaagcttca ctttgcatac aggaacttaa tggaaggacg 780
gtaaatggct ccacactatt tatcaactat cacgttgagc gaaaggagag agaaagaatc 840
cattgggacc atgtcaaaga aaacaacaat gatgataatt tcaggtgtct ctttataggc 900
aacttgcctt atcacaatcc tgaaaaagta gagactttga ttacacctaagaagaagtcata 960
gaagtaatca agaaggagtt atcaaaaaag tttccggact ttgatatcat ttcattattac 1020
tttccgaaga gaagtaatac aagaagcagt agttcagtaa gtttcaatga ggaggggtca 1080
gtagaatcaa acaaactctc caataatact aatggaaatg cccaagatga agatatgttg 1140
aagggttatg gtttcatcaa gcttatcaac catgaacaag cactagcagc catcgagacc 1200
ttcaatgggt tcatgtggca tggaaacagg ctctgttgta ataaggcggg tcaacataaa 1260
gtttacaaca accacaatag ccatgacagg cacccttcca tcagtaacca caatgatatg 1320
gaggttttgg aatttgcaaa taaccaatg tatgattaca ataattatac atatgataga 1380
tattacttca acaataataa aaacgggaac agcaacgata cctccaatgt acgggtatctt 1440
gattctgtaa gatcaacccc tgtggcagag aaaatggatc tgttctatcc tcaaagggaa 1500
tctttcagtg aaggctgtgg tcaacgtgtg cctagattca tgggcaacaa gtttgacatg 1560
taccagtacc catcaacttc ttacagctta cctataccaa tgagtaatca gcaagaatca 1620
aacctatatg tcaagcacat ccctctttct tggacagatg aagatttata tgatttctac 1680
aaatctttcg gtgaaataat cagcgttaag gtcattactg ttgggggtag taagaacaag 1740
tatcgtcaac aatcgaatga tagctcatca gataatgatc tgccagtggg atcatcaaga 1800
ggttatgggt ttgtttcttt tgaaagccca ttagatgctg ctaaggcaat tttgaataca 1860
gacgggtatc aagtgaacaa agatcaagtg ttatctgttt ctttcgctca gaaacgtggg 1920
aatttatctt caagtgatga tgatgatcaa tcccaaactg ataactcatc aaagttccaa 1980
aattttcagc cacataatga ttatcataag gcttatccaa caaagtataa taagaaattt 2040
atcaatgcct tgatgactca gaaccaatcg caacagcaag tctcgaggga aaattatttc 2100
ataccactgc agtaccctaa taccaacaca aagcccgtga acagttacaa cttaataagt 2160
gcaaaccaaa ataacgctaa ctggatgatg ccaatgttcc catcatttgg gtttattcca 2220
caggtgccgc cagtgcccta tataatacct ccgcagaatc ctgcagcaaa tcatattcct 2280
ataatggcaa acggtagtaa tgaagaggaa gaattttcta gtggtgatta ttctatggac 2340

tactag

2346

<210> 340
<211> 2193
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 340

atgaccattg atggcacggg gcaatctaag gaggcgctgc aagatgaacg gttaaatact 60
ggctctgata aggtttacca aaactatatg atgcctgctt tagaactcta cgatgccaaag 120
gtctccataa accattggca gttgcgggat tgtatcaaac caggctccat gaaccagagt 180
aaactgtatt atatttacga tcattcgata agagtactag atacggattc ttccgtattg 240
aggctctccag taaggcgaca taattctatt caaccgagta acagtggtaa aaactctact 300
gaaaaaacgt ctacaaaagg ttctaggaca acgggctcgt atatctccaa aaatttacat 360
gttccttccg agaaactggg agagttcaac ttttaagccga gatgtttcac ggaattaaat 420
gggttgactg tttgtggtgg tctaatecgt tctgatgata agggattccc ttctaattgg 480
aaccgtttag ctcaagatgc aaatatttcg ttgccgccac cttccaacc gattaatatt 540
tccaaaaata ttagtttccc tataaattca cattattcaa atcctaatat ctggaagggc 600
atcgtggagt ttataatca agaaacggac acaatgatga cttttacgtt gggccagttc 660
atcaataatt gtgtcacact ttatgacagg gccagtatgc agtttgatct ttttgcatgc 720
aacaatgatg gtcattctta ccaatgcgat gtaagtaata gagatgtaac actagtgaag 780
cgttatgcgg atttaaaatt tcctttgaat aacgcttctt tgtcacatga tgggtcaaacg 840
atggtagtgt ctggcgattc taataaattt gctgtttaca atcaaatga attaaccaac 900
caattctcct tacattacga taatcatcct tcctggggta gttctgtcaa tcgtgttaga 960
cggataccac ggtttgcggt acctgatgaa tcagaatata tcgaaaacat atatgaagct 1020
ccaaattcag accatggggt ttataactct ttttccgaaa acgacttgca atttgcgacg 1080
gtatttcaaa atgggtacttg cgcaatttat gatatcagaa acatgggtac tcccatggca 1140
gaaattagtt cgactagacc acattcccac aacgggtgcat ttagagtctg taggttcagt 1200
tatggcctag atgatttatt attcatttct gaacatcagg gcagagtaca cgttgtagat 1260
acaagaaact acgttaacca ccaagttatt gttattcctg ataaagttaa tatggaatat 1320

aaggatgctt tcttgaagga gctgggctta cagaactaa 2139

<210> 342
 <211> 2295
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 342

atggatgaac acgaggaagc agtcatcttc ggtatctgcc ttgtggactt tcatcacaaa 60
 agaggccctg aaatagaata ctggtatggc ttacctgagg gcacccaaag tgcagaacta 120
 tggccaaatt tacccttcca ggccttcct gatggttctc actcgtttga agaaacattt 180
 acttatttca cattactata tgatgaaaga agacaaagga gccctcccaa cggggcaact 240
 gatctgagtg atgatagcat caatgacaac acgactttgt ttgccatatc ttgctcgaga 300
 cagataaaga gtgatgaatt ggtcactaaa gataaggatg taacacgatc tactgtacag 360
 aaggcaattg tagtcatctc aaggcaacca atcttcggtc aaatcaagga caaacttagt 420
 attgtgacta atgctttttt cttgcagcat gattttgggg acaggaagat aatccagtct 480
 ttatacgaag acctgaagtc gatttacacg cctgcatcat tggtcagaaa tgccgaaaat 540
 cgtctttata ttgggttatg tctgagaaag atactacatg attttaagag aaacgcttta 600
 gtcttattga aagcaattat gcttgaaaaa aaaattatag tttacggcaa cgacgtggaa 660
 gctttgtgta atttacagtt cggctctgatc agcttaattc cggacttgat gtcaaatttg 720
 caggattctg gcagtcctca gttgtttcag gatatttcga aattaaatgt tgtggactcg 780
 tttaaatcaa gcaatcgaga atcagtgttg agattcttag gttttccatt accgattttc 840
 gaaaaagggtg gactattttc accctatact cactgcagc aaatgaatga catacgggtca 900
 gaacgtactt tgttttttat gattggaagt tccaacacat tgcttgctga acaaaaggag 960
 gaactgtgcc acatatttgt caatacagac aattccactg tagatattct ggacaagact 1020
 ttgaaccccg tctccaatt gtcaagtcac gataaaaaat ggattgaatc tatatctgga 1080
 attgtatcag acacatggaa cgaaaatgat gatgaaactc caaaaaactc tcaatttgaa 1140
 ggcagtgagg atttcattag gtggcaattc gaggactatt taacgggggtt actttccagt 1200
 gttaaattaa gtgattattt ggacctgcat aaagagaatg atcaagcttt gaagactata 1260
 cctgaggata tgctaaattc caatcccgtt catttattca atttgaattg ggttcagagt 1320

tggaaagaga ctcaaaatTT tctgatattc aactcaagaa cagatgatag attgttcgac 1380
 ttgtttcctc cgaagcatat atataacggt gccgacactc tgtctctatt acagcaacga 1440
 tttttggcca catttcataa tttaaaaaga agctctagca actcttcaag caataaaaaat 1500
 ggtcatcaaa gcgaggagga tatcaaagac caggaaagca tcgagtcaaa aaagtctgtt 1560
 tcccaaattt ctgtaaatcc tggaaagaat acagacaagc cagcagccaa cttatggaat 1620
 tcatggaagg aatatTTTcaa taaaccaaag aatactgcta atgaagatgt tactgaatcc 1680
 acagaagatc tcaaaaaacag aagtaaaaca tcgaacgcga tacagaaagc tatgatgggc 1740
 ttgggtttac attataaacc tgatgcggag acagatcaac aaagtgaaga ggtgggaaat 1800
 agtgaggaca atgaagatga tgatactgat gaggactctg aggatgatga tgatgatggt 1860
 ggtgatgacg atgatagtga ggacgatgac gatgacgatg acggtgaggg cgatgaaaat 1920
 ggcgatgacg gtgagggcga tgaaaatggc gatgacggtg agggcgatga aaatggcgat 1980
 aaggaagaca gtcaagattt tagcaatggt ttacagacg ttacgaacat taacactgat 2040
 catgataaag aaaatgaaca gaattttgag ggtaatgcag aaaattttaa tgaggacgaa 2100
 accgttgacg ataaagatat tgaagggtgt cctgagagca ataaaaattc cgacagtaaa 2160
 actgatattt atgaaaacga tagaaatggt gaagactcat ctaaaacgag aaatacagtt 2220
 aaaaaatcca atgaggaggg cggtgcgaat gacgctgcta taggtaattg tgtgcaggat 2280
 gaggaaaaat tatga 2295

<210> 343
 <211> 3165
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 343

atgccgccgc tattcaaggg actgaaacag atggcaaagc caattgccta tgtttcaaga 60
 ttttcggcga aacgaccaat tcatataata cttttttctc taatcatatc cgcattcgct 120
 tatctatccg tcattcagta ttacttcaat ggttggcaac tagattcaaa tagtgTTTTT 180
 gaaactgctc caaataaaga ctccaacact ctatttcaag aatgttccca ttactacaga 240
 gattcctctc tagatgggtg ggtatcaatc accgcgcgatg aagctagtga gttaccagcc 300
 ccacaccatt actatctatt aaacctgaac ttcaatagtc ctaatgaaac tgactccatt 360

gtattagcat ctgatcggtt accatataaa aattatgact acgaccgcgt atttggcgct 2040
 tgttgtgaaa atgttatagg ttacatgcct ttgcccggtg gtgttatagg ccccttggtt 2100
 atcgatggta catcttatca tataccaatg gcaactacag aggggttggtt ggtagcttct 2160
 gccatgcgtg gctgtaaggc aatcaatgct ggcgggtggtg caacaactgt tttaactaag 2220
 gatggtatga caagaggccc agtagtcctg ttcccaactt tgaaaagatc tggtgctgtg 2280
 aagatatggt tagactcaga agagggacaa aacgcaatta aaaaagcttt taactctaca 2340
 tcaagatttg cacgtctgca acatattcaa acttgtctag caggagattt actcttcatg 2400
 agatttagaa caactactgg tgacgcaatg ggtatgaata tgatttctaa aggtgtcgaa 2460
 tactcattaa agcaaatggt agaagagtat ggctgggaag atatggaggt tgtctccgtt 2520
 tctggtaact actgtaccga caaaaaacca gctgccatca actggatcga aggtcgtggt 2580
 aagagtgtcg tcgcagaagc tactattcct ggtgatgttg tcagaaaagt gtaaaaaagt 2640
 gatgtttccg cattgggtga gttgaacatt gctaagaatt tggttggatc tgcaatggct 2700
 ggggtctgtg gtggatttaa cgcacatgca gctaatttag tgacagctgt tttcttggca 2760
 ttaggacaag atcctgcaca aaatgttgaa agttccaact gtataacatt gatgaaagaa 2820
 gtggacgggtg atttgagaat ttccgtatcc atgccatcca tcgaagtagg taccatcggg 2880
 ggtggtactg ttctagaacc acaagggtgc atgttggact tattaggtgt aagaggcccc 2940
 catgctaccg ctcttggtac caacgcacgt caattagcaa gaatagttgc ctgtgccgtc 3000
 ttggcagggtg aattatcctt atgtgctgcc ctagcagccg gccatttggg tcaaagtcac 3060
 atgaccacac acaggaaacc tgctgaacca aaaaaaccta acaatttggg cgccactgat 3120
 ataaatcggt tgaaagatgg gtccgtcacc tgcattaaat cctaa 3165

<210> 344
 <211> 2343
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 344

atggctccta aatctagttc ttccggttcc aaaaagaaat catcggaag ttctaatagt 60
 gctgatgcaa aagcatccaa atttaaattg cctgctgaat ttattaccag accacatcct 120
 tctaaagatc atggcaagga aacatgcaca gcatatattc atcctaacgt attatcctcg 180

cttgagataa atccgggatc attttgtact gtcggtgaaga taggcgaaaa tgggtatttta 240
 gtaatagcta gagcgggtga tgaagaagta catcctgtta atgttatcac cttttccaca 300
 actatacgat ctgttgggaa ctttatcctt ggtgatcgtc tagaattaaa gaaagcccag 360
 gtgcaaccac cttatgccac taagggtacc gtggggtcct tacaaggata taatattttg 420
 gaatgtatgg aggaaaaagt aattcaaaag ctactggatg atagtggcgt tataatgcct 480
 ggaatgattt ttcaaaactt aaaaacaaaa gcagggtgatg aaagcattga tgtcgttaatt 540
 acagatgcga gcgatgatc gcttccccgac gtcagccaac tagatcttaa catggacgat 600
 atgtacggtg gattagataa cctgtttttat ctatctccac cttttatatt cagaaaaggc 660
 tccacacata taactttttc gaaagaaacc caggcaaacc gtaaatacaa tcttccggag 720
 cccttatcct atgcagcagt gggcggtta gacaaggaga ttgaatcact gaaaagtgcct 780
 attgaaatac ctcttcatca accgacgcta tttagtagct ttggtgtttc tccccctcga 840
 ggtatacttc ttcacggacc cccagggtact ggtaaaacta tgcttttgag agttgtagca 900
 aatacgtcca acgcacacgt cctaaccatt aatggcccct caatcgtctc caaatatctt 960
 ggtgaaacgg aagcggcatt aagagatatt tttaatgaag caaggaagta ccagccttcc 1020
 attattttca ttgacgaaat tgattcaata gcaccaaata gagcaaacga tgactccggt 1080
 gaagttgaga gcagagtcgt ggctacattg cttaccctaa tggatggcat gggcgctgca 1140
 ggtaaagtgg tggttaattgc tgctacaaac aggcctaatt ctgtcgaccc tgctctcagg 1200
 agacctggca ggtttgacca agaagtagaa attggtatac cagacgttga tgccagattt 1260
 gacattttta ctaagcaatt ctcaagaatg tcctcggatc gtcacgtatt agattctgaa 1320
 gcgatcaagt acattgcttc taaaacgcat ggctatgttg gtgctgattt aactgctctc 1380
 tgcagagaat cagttatgaa gacgatacaa cgaggactag gaacagacgc caatattgac 1440
 aagttttccc taaaagttac attgaaagat gtggagagcg ccatggttga tatcagaccc 1500
 agcgcaatga gagaaatctt cttagaaatg ccaaagttt attggtctga cattggcggc 1560
 caagaagagc ttaaaacaaa gatgaaagaa atgatacagt tgcctttgga ggcttcggag 1620
 acttttgcca ggctgggaat ttctgcacca aaaggtgtat tactttacgg gccgccagg 1680
 tgctccaaga cattaaccgc aaaagctctc gctacagaat cgggtatcaa cttcttagct 1740
 gtgaaagggc ctgaaatttt taacaagtat gtaggggaat ccgaaagagc tataagagaa 1800

attttccgca aagcacgctc tgcagctcca agtattatct tctttgatga aatcgatgca 1860
 ttatctcctg atagagacgg gagttccacc tctgcagcta atcacgtgct cacatcttta 1920
 ctcaatgaga ttgatgggtg tgaagagtta aaggggtgtag ttattgtagc ggcgacgaat 1980
 agacctgatg aaatagatgc tgctcttcta aggcctggta ggtagatag acacatttac 2040
 gttggccctc cagacgtaaa cgcccgttg gaaatcttaa agaagtgcac aaagaaattt 2100
 aatacagaag agtctggagt cgatcttcat gaattggcag accgtacaga aggttattcc 2160
 ggagctgaag ttgtgctgct ttgtcaagaa gcgggcttgg ctgccataat ggaagattta 2220
 gatgtcgcaa aagtggaatt acgtcatttt gagaaagctt ttaaaggaat tgctaggggc 2280
 attactccag aaatgctctc ttattatgaa gagtttgctc taagaagcgg ttcactctcg 2340
 taa 2343

<210> 345
 <211> 1050
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 345

atgagtgctt ccaaaatggc catgtccaac ctagagaaaa tattggaact ggttcctctt 60
 tcgcctacca gttttgtcac aaagtatctg cctgccgcgc ccgtagggtc taagggcact 120
 tttggtggaa cgctggtatc acaatcgtg ctggcgtcat tgcatactgt gccattgaac 180
 ttcttcccca catcgctaca ttcgtatttc atcaaggggtg gtgatccgcg gaccaagatc 240
 acgtaccatg tgcagaatct gagaaacggt agaaatttca tccataagca ggtagtgct 300
 tatcagcacg acaagttgat atttacgtcg atgatcttat ttgccgtgca acggtccaag 360
 gagcacgact ctttgacgca ctgggagacg attccaggcc tgcaaggtaa gcagccagac 420
 cctcatcggt atgaagaggc cacttcgctt ttccagaaag aagttctgga cccacagaaa 480
 ttgagcaggt atgcctcatt gtccgacagg ttccaagacg caacctcgat gagcaagtat 540
 gtggatgcgt ttcaatacgg agtcatggag taccaattcc ccaaggacat gttctactcg 600
 gcaagacaca ccgacgagct ggattatttc gtcaaagtga gacctcccat cactaccgtg 660
 gagcacgcgg gcgacgagtc ttctttacac aagcatcatc cgtacaggat cccgaagagc 720
 attactcctg agaacgacgc tcgctacaac tacgtggcct ttgcgtatct gtccgattcc 780

tacctcctac tcacgatccc gtacttccac aacctgcctt tgtactgcca cagtttcagt 840
gtctcgctcg accacacgat ttactttcac cagttgcctc atgtgaacaa ttggatctat 900
cttaagattt cgaatcccag gtcccactgg gacaagcacc tcgtacaggg caagtatttc 960
gacacacagt cgggacgcat catggcaagc gtctctcagg agggctacgt tgtctacggg 1020
tcagaacgag acattcgagc caagttctga 1050

<210> 346
<211> 2523
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 346

atgaaagtgg taaagtttcc atggttggct caccgtgaag aatcgcgaaa atatgaaata 60
tacacagtcg atgttagcca cgatgggaaa aggttggcca caggcggcct agatggcaag 120
attaggatat ggtccataga ttccattttg cgttgcatgg aactagaatc tctaactcct 180
gagatacctc ttccgcaaga cttgcagatg ccgttatgta gcatgagtag gcataccggc 240
tcgataacat gtgtcaaatt ctcaccggat ggaaagtacc ttgcaagtgg atccgatgat 300
cgaattttac tgatatgggc tcttgacgag gagcaaagct cacaaccgc ctttggttct 360
gagcatgaga gagagcattg gacagttcgt aaaagattgg ttgcacacga taacgacata 420
caagacattt gctgggccc agactccagc atactagtga cagttggttt agatagatct 480
gtcatagtct ggaacggttc tacatttgaa aaactgaaga gatttgacgt acatcaatca 540
cttgттаagg gcgttgtttt tgatcccgt aataagtatt ttgcgactac atctgatgat 600
agaaccatga agatatttag atatcacaag acgggggata tttcttttac aatagagcat 660
ataatcaccg agccattcaa agaatcacc ttgactactt attttagaag gccatcgtgg 720
tctcccgatg ggcaacatat tgcagttccg aacgccacta atgggcccgt aagttctatg 780
gcaattgtaa atagaggaac ttgggataca aatgttagtt taattgggtca tgatgcacct 840
acagaagtcg caaggtttaa tcctagattg tttgagagaa atgcgggtgt caagcaaaaa 900
aaagacgatg acccagaaaa tgctctagtg gggcaaaacg atgataaagt tcaccatttt 960
gataaaaaca tcgactctgt tgtggcaaca gctgggcaag ataaatcctt agcgggtctgg 1020
agtacaagta gaccaaggcc aatattagtt gctttcgata tcgcaaataa atcaattact 1080

gatatgtctt ggaatccaga cggctcttta ttatttggtg cgtcattaga ctcttcaatc 1140
 accttggtta aattcgaaaa taatgaacta ggcaagccaa ttcctttgga aaaaaatatg 1200
 gagcagttat ataggtacgg tgttgacaag gactcattag atttcctga aagtatgaac 1260
 caactgttac tcgaagatca gacaaaatca ttttaagcata caaaaatttc aacatcgaaa 1320
 ctaggtgaaa accacccgac acttgcaaca aattcagctt caaatcaaaa agataacaat 1380
 gatgcttctg tctctagaag tgaacatata aatatcttga ttccaaagag gaaaaaggat 1440
 gctatactga ataaagccgt aactcttaaa agcggtaaaa agcgtgtggc accgacattg 1500
 atatcgactt catcatcttc tcccttttct aatggaatca aaaagcctac attggatagt 1560
 aaaaggattg aaaataatgt aaaatcatcc accaagacca ttaacagtaa aaatacattg 1620
 ctaaagtgc cagaaggcgt tgaaaagaaa attagtatct catcgttccc attgccaagg 1680
 ttgggcatac attctttgat tatgggtaca aaagaaagga gtgcatggaa aatctcaa 1740
 tcagagctgg agaattgatga tgcagataat gcgggtggta agggttcaga tggtagcagc 1800
 aacagtattg acgacattgc agttctctca gaggaagaaa atgactttca taggatgact 1860
 ttgaacgcca agctaacca ggagaagatc tggagcgaag agccgacaac acgatgcctt 1920
 ctgcagtccg atgtcatacc agacacagat gttgtcgttc ttgagggggg tagtttagac 1980
 gatatagccg ttttagaaat aagaaacggt gttgagagat caatacaatt tgattctgaa 2040
 gcacttttag ataatcctac cagaatctta ggctatcaag gaggtaaaag aaccatcgag 2100
 acctttattc cagaagttat catttggtgca ataggatcaa aagattgtaa gtgctggtgc 2160
 ctagcttcag ctaatggctc tatttacata ctttcataca atggacagca gagaatccca 2220
 aaaatttgcc taggacataa agttattaaa atggtaacat caagcaaata cctccttggt 2280
 ctaactgaaa gaggtttatt ttttgcatgg gacttgctgg atttaaaatt agtactgcga 2340
 aatgtaccta tattaccaat tttgaacggt cagccaattc atggaaacaa ggtaagaatc 2400
 aacaagggtta ttaaatgctt tcgtttggat ggttctagtt gtgatttgct ttttagaggtt 2460
 ggcgatccta aaaatgtgta taaatggact aaggatctgg gttggttggtc gttatataaa 2520
 taa 2523

<210> 347
 <211> 3537
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 347

atgtcgcaaa gaaaattcgc cggcttgaga gataacttca atctcttggg tgaaaagaac 60
aaaatattgg tggctaatag aggagaaatt ccaatcagaa tttttcgtac cgctcatgaa 120
ctgtctatgc agacggtagc tatatattct catgaagatc gtctttcaac gcacaaacaa 180
aaggctgacg aagcatacgt cataggtgaa gtaggccaat atacccccgt cggcgcttat 240
ttggccattg acgaaatcat ttccattgcc caaaaacacc aggtagattt catccatcca 300
ggttatgggt tcttgtctga aaattcggaa tttgccgaca aagtagtgaa ggccgggtatc 360
acttggattg gccctccagc tgaagttatt gactccgtgg gtgataaggt ctcagctaga 420
aacctggcag caaaagctaa tgtgcccacc gttcctggta caccaggtcc tatagaaact 480
gtagaggaag cacttgactt cgtcaatgaa tacggctacc cggtgatcat taaggccgcc 540
tttgggtggtg gtggtagagg tatgagagtc gttagagaag gtgacgacgt ggcagatgcc 600
tttcaacgtg ctacctccga agccccgtact gccttcggta atgggtacctg ctttgtggaa 660
agattcttgg acaagccaaa gcatattgaa gttcaattgt tggccgataa ccacggaaac 720
gtggttcacg ttttcgaaag agactgttcc gtgcagagaa gacaccaaaa gggtgtcgaa 780
gtggccccag caaagacttt accccgtgaa gtccgtgacg ccattttgac agatgcagtt 840
aaattggcca aagagtgtgg ctacagaaat gcgggtactg ctgaattctt ggttgataac 900
caaaatagac actatttcat tgaaattaat ccaagaatcc aagtggaaca taccatcaca 960
gaagaaatta ccggtataga tattgtggcg gctcagatcc aaattgcggc aggtgcctct 1020
ctaccccagc tgggcctatt ccaggacaaa attacgactc gtggccttgc cattcagtgc 1080
cgtattacca cggaagaccc tgctaagaac ttccaaccag ataccggtag aatagaagtg 1140
taccgttctg cagggtggtaa tgggtgttaga ctggatggtg gtaacgccta tgcaggaaca 1200
ataatctcac ctcatcacga ctcaatgctg gtcaaatgct catgctccgg ttccacctac 1260
gaaatcgttc gtagaaaaat gattcgtgca ttaatcgagt tcagaattag aggtgtcaag 1320
accaacatte ccttcctatt gactcttttg accaatccag tattttattga gggtacatac 1380
tggacgactt ttattgacga cccccacaa ctgttccaaa tggtttcacg acaaaacaga 1440
gcccaaaaac ttttacatta cctcgccgac gtggcagtc atgggttcac tatcaagggt 1500

caaattggct tgccaaaatt aaaatcaaat ccaagtgtcc cccatttgca cgatgctcag 1560
 ggcaatgtca tcaacgttac aaagtctgca ccaccatccg gatggaggca agtgctacta 1620
 gaaaaggggc cagctgaatt tgccagacaa gttagacagt tcaatggtagc tttattgatg 1680
 gacaccacct ggagagacgc tcatcaatct ctacttgcaa caagagtcag aaccacgat 1740
 ttggctacaa tcgctccaac aaccgcacat gcccttgtagc gtcgtttcgc cttagaatgt 1800
 tggggtggtg ccacattcga tgttgcaatg agatttttgc atgaggatcc atgggaacgt 1860
 ttgagaaaat taagatctct ggtgcctaata attccattcc aaatgttatt gcgtggtgcc 1920
 aatggtgtgg cttattcttc attgcctgac aatgctattg accatttcgt caagcaagcc 1980
 aaggataatg gtgttgatat atttagagtc tttgatgcct taaatgactt ggaacaattg 2040
 aaggctcgtg tagatgctgt gaagaaggca ggtggtgttg tagaagccac tgtttgtttc 2100
 tctggggata tgcttcagcc aggcaagaaa tacaatttgg attactactt ggaaattgct 2160
 gaaaaaattg tccaaatggg cactcatatc ctgggtatca aagatatggc aggtaccatg 2220
 aagccagcag ctgccaaact actgattgga tctttgaggg ctaagtaccg tgatctccca 2280
 atacatgttc acactcacga ttctgcaggt actgctgttg catcaatgac tgcgtgtgct 2340
 ctggcgggcg ccgatgtcgt tgatgttgcc atcaactcaa tgtctgggtt aacttcacaa 2400
 ccatcaatca atgctctgtt ggcttcatta gaaggtaata ttgacactgg tattaacgtt 2460
 gagcatgtcc gtgaactaga tgcattattg gcagagatga gattgttata ctcttgtttc 2520
 gaggtgact tgaagggccc agatccagaa gtttatcaac atgaaatccc aggtggtcaa 2580
 ttgacaaact tgttgtttca agcccaacaa ttgggtcttg gagaacaatg ggccgaaaca 2640
 aaaagagctt acagagaagc caattattta ttgggtgata ttgtcaaagt taccaccaact 2700
 tcgaaggtcg ttggtgatct ggcacaattt atggtctcca ataaattaac ttccgatgat 2760
 gtgagacgcc tggctaattc tttggatttc cctgactctg ttatggattt cttcgaaggc 2820
 ttaatcggcc aaccatatgg tgggttccca gaaccattta gatcagacgt ttttaaggaa 2880
 aagagaagaa agttgacttg tcgtccaggc ctggaactag agccatttga tctcgaaaaa 2940
 attagagaag acttgcagaa tagatttggg gatgttgatg agtgcgacgt tgcttcttat 3000
 aacatgtacc caagagtta tgaagacttc caaaagatga gagaaacgta tgggtgattta 3060
 tctgtattgc caacaagaag ctttttgtct ccactagaga ctgacgaaga aattgaagtt 3120

gtaatcgaac aaggtaaaac gctaattatc aagctacagg ctgtgggtga tttgaacaaa 3180
aagaccggtg aaagagaagt ttactttgat ttgaatggtg aaatgagaaa aattcgtggt 3240
gctgacagat cacaaaaagt ggaaactggt actaaatcca aagcagacat gcatgatcca 3300
ttacacattg gtgcaccaat ggcaggtgtc attggtgaag ttaaagttca taaaggatca 3360
ctaataaaga agggccaacc tgtagccgta ttaagcgcca tgaaaatgga aatgattata 3420
tcttctccat ccgatggaca agttaagaa gtgtttgtct ctgatggtga aaatgtggac 3480
tcttctgatt tattagttct attagaagac caagttcctg ttgaaactaa ggcatga 3537

<210> 348
<211> 1020
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 348
atggcgggaa gtacatccag tttggtgatc tgtgcgattg gtatatatgc tacttttttg 60
acgtgggcat tagtacagga gcctttggct acaagaacct ggccaaactc catgggaaag 120
tttcaattcc ctaatgtaat atccctcata caagcttctg tggcaatgat gatgggctac 180
ctgtacttaa actggaagaa ggtggaatat ccgccagaa aaatgattaa agatcattgg 240
aaacaattga tgttgatatc atttacacag agtagttcag gcccgctggc tacaacttct 300
ttaaagcacg tggattatct cacttacatg ttagcaaagt catgcaagat gatccccgtg 360
ttgttggtgc atttgctttt gtataggacg cccatagcaa gccaaaaaaa agttgtagct 420
ctcttggtaa gtctcggtgt cactattttc actatagggtg gcaacgatgg taaaaagttg 480
aagagatcct ttaatgagag cggaaatgat aacaaattac aagggtttgg actacttttc 540
tctagtttat tccttgatgg attgaccaac gccaccaag ataagctact aaaggccaat 600
aaggccaaag aaaagggaaa acaaactttg ataacaggtg cacacttgat gtttacactg 660
aacctcttcg tgatattgtg gaatatattg tattttattg tgatcgactg caaacaatgg 720
gataatgccg tttctgtatt gacgatggac ccacaagtgt ggggctatct aatgctttat 780
tcgttctgtg gcgctatggg acaatgcttt attttctata ctctagaaca atttggctct 840
ttagttttga tcatgataac agtcaccagg aaaatggtct cgatgatttt gagtattatt 900
gtcttcggta agagtgtacg tttccagcaa tgggtgggga tgtttatagt atttgggtgga 960

atcacttggg aagcactcaa caagaagaag gctaataatc cgaaggcaaa atctgcgtag 1020

<210> 349
 <211> 1050
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 349

atgtcaaaga tagattcagt ttttaattatc ggtgggttctg gttttcttgg attgcactta 60
 attcagcaat tttttgatat taatcctaag ccagacatcc acatttttga tgtagagat 120
 ctccctgaaa aactttcaaa acagtttact tttaatgtag acgacataaa atttcataag 180
 ggtgatttaa catcacctga tgatatggaa aacgcaatta acgaaagtaa agcaaagtgt 240
 gttgttcatt gtgcttctcc aatgcatggt caaaatccag atatttatga catagtgaat 300
 gttaagggaa cccgtaacgt gatagatatg tgcaagaaat gtggcgtaa tatacttgta 360
 tatacttcct ctgctggtgt tatttttaat gggcaagatg tgcacaatgc agacgaaacc 420
 tggccaatcc cagaagttcc tatggatgcg tacaatgaga ctaaagctat cgccgaagat 480
 atggtcttga aggcgaaatga tccaagcagt gatttctata ctggtgctct tcgtccagct 540
 ggtatTTTTG gccaggtga taggcaatta gtacctgggtc taagacaggt tgcgaaattg 600
 gggcagtcga agttccaaat tgggtgataat aacaatctat ttgattggac ttatgctgga 660
 aatgttgctg acgcgcagt gttagctgca cagaaacttc tcgatccaaa aacaagaact 720
 gctgtctcgg gtgaaacttt tttcattacc aatgataccc ccacctattt ttgggccttg 780
 gcccgtagctg tgtggaaggc agatgggtcat attgataaac atgttattgt tttgaaaagg 840
 ccagttgcaa tttgtgcagg ttatctttca gaatgggtat ccaagatgct gggtaaagag 900
 ccaggtttga ctccattcag agtcaagatt gtgtgtgcat accgttatca caacattgct 960
 aaggccaaaa agttgctagg ctacacacca agagttggta ttgaagaagg aattaacaaa 1020
 acgttggcct ggatggacga aggtttgtaa 1050

<210> 350
 <211> 2553
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 350

gaaacgccgg ctgagaaaga ccacgaggat gttaccaa at tcaaagctaa aaaatctaaa 480
gccgcagcca agaagggccg tggtaagtac caattcgaaa tcatgttaca gcttggtatc 540
cctagagaag aaatcattaa gttcgccgac gccaaagtact ggttgaccta tttcccacct 600
tttgttgaaa gtgattgtac ttcacttggg gctcgtatcg attggagacg ttcttttgtc 660
accactgatg ccaatcctta ttacgatgcc tttattagat ggcaa atgaa caagttaaag 720
gctgctggta aaatcaaatt cgggtgaacgt tatactat ttt actctgaaaa agatgggtcaa 780
gcttggtatgg atcacgatag acaatccggg gaagggtgtta caccacaaga atatattggg 840
gtgaaaattg aagctttaga gttcgccgat gatgccgcaa aaatcattga ttcaagctca 900
gatcttgaca aatccaaaaa attctacttt gtcgctgcca cggtgagacc ggaaactatg 960
tatggacaaa catgttggtt tgtttctcca acaattgagt atgggtatatt tgacgctggg 1020
gattcttatt ttatcactac tgaacgtgca ttcaagaaca tgtcttacca aaagctaaca 1080
ccaaagagag gcttctacaa gccgatagtt actgtcccag gtaaggcatt tatcgggtacc 1140
aagattcatg cccacacaatc tgtatatcca gaactaagaa tattgcctat ggaaactgtc 1200
attgctacca aggggtactgg tgtcgtcacg tgtgtaccat ctaattcacc agatgactac 1260
attaccacca aggacttggt gcacaaacct gaatactacg gcattaaacc tgaatggatt 1320
gaccatgaaa ttgttccaat tatgcatacc gaaaagtatg gtgatttaac tgcaaaggct 1380
attgttgaag aaaaaaaaaa tcaatctcca aaggataaga acttgtttagc agaagccaag 1440
aaaattgctt acaaggaaga ttactacact ggtaccatga tatatgggtc ttataaagg 1500
gagaaggctg aacaagccaa aaacaagggt aaggctgata tgattgccgc cgggtgaagct 1560
ttcgtctaca acgaaccaga atctcagggt atgtcacgtt ctgggtgatga ctgtatcggt 1620
tctttggaag atcaatggta cggtgattac ggtgaagaaa gttggaagaa acaagcaatt 1680
gaatgtttgg aagggtatgca attatttgc cctgaggtaa aaaacgcatt tgaagggtgtt 1740
ttggattggg tgaaaaactg ggctgtttgc cgtacatacg ggtaggtac cagattgcct 1800
tgggatgaaa aatacttagt tgagtcttta tcagactcta ctatttatca atcattttat 1860
accattgctc acttactatt taaggattat tatggtaacg aaattggacc attaggcatt 1920
tcagctgatc aaatgacaga tgaggttttc gattacattt tccaacatca ggatgatgtc 1980
aagaacacca atattccttt gcctgcttta caaaagttga gaagggaatt tgagtatttc 2040

taccattag acgtctcaat ttccggaag gatttgatcc ctaaccattt aactttcttc 2100
 atttacacac atgttgcat attcccaaag aaattctggc ctaaaggat cagagctaac 2160
 ggtcatttga tgtaaaca ttctaaaatg tcgaaatcta caggtaattt tatgacttta 2220
 gaacaaacgg ttgaaaagtt cgggtgctgat gcagctcgta ttgcgtttgc cgatgcggga 2280
 gatactgttg aagatgcaaa ttttgacgaa tctaacgcta atgctgctat tctgagatta 2340
 ttcaatttga aggagtgggc agaagaaatt accaaggaat ctaacttgag aactggggaa 2400
 attacagatt tctttgatat cgcgtttgaa cacgaaatga atgctctgat tgaaaagact 2460
 tatgaacagt atgcattgac taattataag aatgccttga aatacggctt ttttgatttc 2520
 caagctgcta gggattacta tcgtgaagct agtgggtgtaa tgcataaaga ttttaattgca 2580
 cgttatattg aaacacaagc cttattgctg gctccaattg cgcctcattt cgctgagtat 2640
 atttaccgtg aagttctagg taaccaaacc tctgtacaaa atgccaaatt tccacgtgca 2700
 tccaaaccag tagataaggg tgttctggct gctttggatt acttgagaaa tctacagaga 2760
 agcataagag aaggcgaagg gcaagcacta aaaaagaaga agggcaagtc tgctgaaatc 2820
 gatgcatcca aacctgttaa gttgacttta ttgatctctg aatcatttcc agaatggcaa 2880
 tcacaatgctg tggaaatcgt ccgtaaacta ttcagcgaac agactttaga cgataacaaa 2940
 aaggtcagag agcatattga gcctaaagaa atgaagagag ctatgccatt catttctcta 3000
 ttgaaacaac gtttagctaa tgaaaagcca gaggatgtgt ttgaaagaga gttacaattc 3060
 agcgaaatcg atactgtcaa ggctgctgca aggaatgtta agaaggcagc acaagctttg 3120
 aaaattgctg aatttagcgc aatttctttc ccatatggcg ccaaaccgg taaggatatc 3180
 tttactggtg aagaagttga aattccacct gtaacaaaga ttgttgaaaa tgctgttcca 3240
 ggtaaccag gtgtgtctt ccaaataatt taa 3273

<210> 352
 <211> 1920
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 352

atgtctaaag ctgtcggtat tgatttaggt actacctact cctgtgttgc tcacttctct 60
 aatgatcgtg ttgacattat tgccaacgac caaggtaaca gaaccactcc atctttcgtt 120

actgctacca aggaagaatt cgatgaccaa ttgaaggaat tgcaagaggt tgccaacca 1800
atcatgtcta aattgtacca agctggtggt gctccagaag gcgcagctcc aggtgggttc 1860
ccaggtggtg ctctccagc tccagaagct gaagggtccaa ctgtcgaaga agttgattaa 1920

<210> 353
<211> 3834
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 353

atgacgcttg gtaacagtta tgacgctttt aatcatgata cttggatgga tgtggtggga 60
tttgaggatc caaatcaagt aacaaatcga gacatttcga ggatagtttt gtattcctac 120
atgtttctga ataccgcgaa gggctgtctg gttgaatacg caacttttcg gcagtacatg 180
agggaacttc cgaagaatgc acctcagaag ctgaattttc gggagatgag tcagggggtg 240
attgccctag gacggcactg cgtaggtagc agatttgaaa cagatttgta cgagtcggcg 300
acgagtgaac tcatggccaa tcattccgtt caaacagggc gaaatattta cgggtgtggat 360
tccttttcgt taactagtgt cagtgggacg accgccactt tattgcagga acgagcttcc 420
gagcgtgga ttcaatggtt aggccttgaa agcgactacc attgttcatt ctctagtact 480
cggaatgcgg aagacgtagt ggcaggtgag gcggcgagtt cagatcatca ccaaaaaatc 540
tcaagagtaa cgcgaaaaag gccccgagag cccaagagta caaacgatat cctcgttgca 600
ggccagaaac tctttggcag ctcttttgaa ttcagggact tgcatacatt gcgcttatgt 660
tatgaaatat acatggcaga cacaccctct gtggcagtag agggccacc gggctatggt 720
aagacggagt tatttcattt ccccttgata gcaactggct ctaagggcga cgtgaaatat 780
gtgtcgtttc tgtttgtacc gtacacagtg ttgcttgcta attgcatgat cagggtgggc 840
cgatgcgggt gcttgaatgt ggcccttgta agaaacttta ttgaagaagg ttacgatggc 900
gttactgatt tatacgtggg gatctacgat gatcttgcta gcactaattt cacagacagg 960
atagctgctg gggagaatat tggtgagtg accttttagga ccaacaacgt aaaattgggt 1020
tacctcattg tagatgagtt tcacaacttt gaaacggagg tctaccggca gtcgcaattt 1080
gggggcataa ctaaccttga ttttgacgct tttgagaaag caatcttttt gagcggcaca 1140
gcccctgagg ctgtagctga tgctgcgttg cagcgtattg ggcttacggg actggccaag 1200

aaatcgatgg acatcaacga gctcaaacgg tcggaagatc tcagcagagg tctatccagc 1260
 tatccaacac ggatgtttta tctaatacaag gagaaatccg aggtgccttt agggcatggt 1320
 cataaaattc ggaagaaagt ggaatcacag cccgaagaag cactgaagct tcttttagcc 1380
 ctctttgaaa gtgaaccaga gtcgaaggcc attgtagttg caagcacaac caacgaagtg 1440
 gaagaattgg cctgctcttg gagaaagtat ttaggggtgg tatggatata cgggaagctg 1500
 gatgctgcag aaaaggtgtc tcgcacaaag gagtttgtca cggacggtta catgcgagtt 1560
 ctcatcgga cgaattagt gactgaagga attgacatta agcaattgat gatggtgatc 1620
 atgcttgata atagacttaa tattattgag ctattcaag gcgtagggag actaagagat 1680
 gggggcctct gttatctatt atctagaaaa aacagttggg cggcaaggaa tcgtaagggt 1740
 gaattaccac caattaagga aggctgtata accgaacagg tacgcgagtt ctatggactt 1800
 gaatcaaaga aaggaaaaaa gggccagcat gttggatgct gtggctccag gacagacctg 1860
 tctgctgaca cagtggaaact gatagaaaga atggacagat tggctgaaaa acaggcgaca 1920
 gcttccatgt cgatcgttgc gttaccgtct aacttccagg agagcaatag cagtgcaggg 1980
 tacagaaagt attgcagcag tgatgaggac agcaacacgt gcattcatgg tagtgctaata 2040
 gccagtacta acgccagtac taatgcgatt accactgcta gtaccaacgt caggactaat 2100
 gcgactacca atgctagtac taatgcgact accaatgcca gtaccaatgc gactaccaac 2160
 tccagcacta atgctactac cactgccagc accaacgtca ggactagtgc tactaccact 2220
 gccagcatca acgtcaggac tagtgctact accactgaaa gtaccaactc cagcactaat 2280
 gcgactacca ctgccagcat caacgtcagg actagtgcta ctaccactaa aagtatcaac 2340
 tccagcacta atgctactat cactgaaagt accaactcca aactaatgc tactaccact 2400
 gaaagtacca actccaaaac tagtgctact accactgcta gcaccaactc caacactagt 2460
 gctactacca ccgaaagtac caactccaaa actagtgcta ctaccactgc tagcaccaac 2520
 tccaacacta gtgctactac caccgaaagt accaactcca aactagtgc tactaccact 2580
 gctagcacca actccagcac taatgctact accactgaaa gtaccaacgc tagtgccaag 2640
 gaggacgcca ataaagatgg caatgctgag gataatagat tccatccagt caccgacatt 2700
 aacaaagagt cgtataagcg gaaaggaggt caaatgggtt tgctagagag aaagaaactg 2760
 aaagcacaat ttccaatac ttccgagaat atgaatgtct tacagtttct tggatttcgg 2820

tctgacgaaa ttaaacaatct tttcctctat ggtattgaca tataacttctg cccagagggc 2880
 gtattcacac aatacggatt atgcaagggc tgtcaaaaga tgttcgagct ctgtgtctgt 2940
 tgggctggcc agaaagtatc gtataggagg atggcttggg aagcactagc tgtggagaga 3000
 atgctgcgaa atgacgagga atacaaagaa tacttggaag acatcgagcc atatcatggg 3060
 gaccctgtag gatatttgaa atatttttagc gtaaaaagga gagagatcta ctctcagata 3120
 cagagaaatt atgcttggta cctggccatt actagaagaa gagaaacaat tagtgtattg 3180
 gattcgacaa gaggcaagca agggagccaa gttttccgca tgtctggaag gcagatcaaa 3240
 gagttgtatt ataaagtatg gagcaacttg cgtgaatcga agacagaggt gctgcagtac 3300
 tttttgaact gggacgaaaa aaagtgccag gaagaatggg aggcaaaaga cgatacggtc 3360
 tttgtggaag cgctcgagaa agttggagtt tttcagcgtt tgcgttccat gacgagcgt 3420
 ggactgcagg gtccgcagta cgtcaagctg cagtttagca ggcacatcgc acagttgagg 3480
 agcagatatg aattaagcct aggaatgcac ttgcgagatc agattgcgct gggagttacc 3540
 ccatctaaag tgccgcattg gacggcattc ctctcgatgc tgatagggct gttctacaat 3600
 aaaacatttc ggagaaact ggagtatctt ttggagcaga tttcggaggt gtggttggtta 3660
 ccacattggc ttgatttggc aaacgttgaa gttctcgtg cagataacac gaaggtacca 3720
 ctgtacatgc tgatggtagc ggttcacaaa gagctggata gcgatgatgt tccagacgg 3780
 agatttgata taatattact atgtagagat tcgagcagag aagttggaga gtga 3834

<210> 354
 <211> 2880
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 354

atgactgtta ctactccttt tgtgaatggg acttcttatt gtaccgtcac tgcatattcc 60
 gttcaatctt ataaagctgc catagatttt tacaccaagt ttttgtcatt agaaaaccgc 120
 tcttctccag atgaaaactc cactttattg tctaacgatt ccatctcttt gaagatcctt 180
 ctacgtcctg atgaaaaaat caataaaaat gttgaggctc atttgaagga attgaacagt 240
 attaccaaga ctcaagactg gagatcacat gccaccaat ccttgggtatt taacacttcc 300
 gacatcttgg cagtcaagga cactctaaat gctatgaacg ctctcttca aggctacca 360

ccagaagaag cagatctagg tatgattgct tactatttcc aaaagtacga atttgatggc 2040
 ttgatcatcg ttggtgggtt cgaagctttt gaatctttac atcaattaga gagagcaaga 2100
 gaaagttatc cagctttcag aatcccaatg gtcttgatac cagctacttt gtctaacaat 2160
 gttccaggta ctgaatactc tttgggttct gataccgctt tgaatgctct aatggaatac 2220
 tgtgatgttg ttaaacaatc cgcttcttca accagaggta gagccttcgt tgtcgattgt 2280
 caagtggtga actcaggcta tttggccact tacgcttctt tggctgttgg tgctcaagtc 2340
 tcttatgtcc cagaagaagg tatttctttg gagcaattgt ccgaggatat tgaatactta 2400
 gctcaatctt ttgaaaaggc agaaggtaga ggtagatttg gtaaattgat tttgaagagt 2460
 acaaacgctt ctaaggcttt atcagccact aaattggctg aagttattac tgctgaagcc 2520
 gatggcagat ttgacgctaa gccagcttat ccaggctcatg tacaacaagg tggtttgcca 2580
 tctccaattg atagaacaag agccactaga atggccatta aagctgtcgg cttcatcaaa 2640
 gacaaccaag ctgccattgc tgaagctcgt gctgccgaag aaaacttcaa cgctgatgac 2700
 aagaccattt ctgacactgc tgctgtcgtt ggtgttaagg gttcacatgt cgtttacaac 2760
 tccattagac aattgtatga ctatgaaact gaagtttcca tgagaatgcc aaaggtcatt 2820
 cactggcaag ctaccagact cattgctgac catttggttg gaagaaagag agttgattaa 2880

<210> 355
 <211> 420
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 355

atggttcagt tgagcacata cttaccatca cctccctcga caaatatgtc ctgcacattc 60
 tcgagtgtga tgagtgtctg ctttatgacc atgtcggcaa ctgtgctgcc gatatgtggc 120
 aaagctgtaa catcccatct gogaagtaac tcttgcttaa cgcgtgtttc ctcattttta 180
 aacacatcga gaccacagct tgccactttt ccagattcaa gagcgtctag tagcacatct 240
 tcacttatgc atgtgcctct cccaacgtta actatcctga caccatcttt acaccaggcc 300
 aaacttttac gattgataat attgtttgta gaggccgtac tgggcaaggc caaaatgatc 360
 aaatccgcat tcttccaagt atttgatca tctagatcag aatggtactt agcgttgtaa 420

<210> 356

<211> 2382
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 356

```

atgcaagtac tagtgacgct ctggtgtcta atatgcacat gcctgggtact accagtggcc 60
gccaagaaaa ggacactgac agcgagttca ctggtcacgt gcatggagaa ctcacagctt 120
tcagccaata gtttcgatgt gtcgttttct ccagacgata gatcgctaca ttacgatctg 180
gatatgacca cgcagatcga ctcttacatc tacgcttatg tggacgtgta tgcctacggg 240
ttcaagatta ttacggagaa cttcgacgtg tgttcaatgg gttggaagca gttttgccct 300
gtgcacccag gtaacataca aatcgactcc attgaataca ttgcccagaa gtacgtgaaa 360
atgattccgg gaattgccta ccaagtggcc gatattgatg cgtacgtaag attgaacatt 420
tataacaacg taagtgaaaa tttggcttgt atccaggttt tcttttccaa tgggaaaact 480
gtatcacaaa ttgggggttaa atgggtgaca gctgttatcg ccggtattgg tttattaact 540
tccgctgtct tgtccacctt cgggaactcc acagcagcat ctcacatttc tgcaaacacc 600
atgtcactgt tcttatatct ccaatctgtc gctgtggtcg caatgcaaca tgtagacagt 660
gttccacca ttgctgctgc ctggtctgaa aaccttgctt ggtcgatggg cttgatccgt 720
attacattta tgcagaaaat cttccgttgg tatgtagagg cgactggagg ctccgcatct 780
ctatatattga ccgcgacaac aatgtcagtg ctactcaac gaggtctgga ttaccttaaa 840
aatacttcgg ttacaagag ggcggaaaat gtcttgtacg gtaactcaaa cactttaatc 900
tttcgaggaa ttaaaagaat gggataccgt atgaagattg aaaatacggc catcgtttgt 960
actgggttca cattctttgt gctgtgcggt tatttttttg ccgggtttat catggcctgc 1020
aaatacagta tcgagttatg tataagatgt ggttggatgc ggagtgatag gttttaccaa 1080
tttaggaaaa actggaggtc agttctgaaa ggatcgttgt taagatacat ctatattggg 1140
ttcacgcaac tgacaatctt aagtttttgg gagttcactg aacgggattc cgccggtgtt 1200
attgttattg catgcctatt cattgtattg tcatgctggg tgatggcgtg ggctgcgtac 1260
agaaccattt ttttcgcaag taaatctgtg gaaatgtaca ataaccagc tgctttattg 1320
tatggtgatg agtacgtctt aaacaagtac gggtttttct acaccatgtt caacgcaaaa 1380
cattattggg ggaatgctct ttaacgacg tatattcttg taaaagcttt atttgcgga 1440

```

ttgcacagg catcaggtaa aacgcaagca ttggctatct tcattattga cttggcgtat 1500
 tttgttgcca tcatccgtta taaaccatat ttggaccgtc caacgaatat tgtcaacatt 1560
 tttatttgca ctgtcacctt ggtcaactct ttccttttca tgtttttctc aaacttggtt 1620
 aacaaaaagt atgctgtctc tgccatcatg ggctgggtgt ttttcattat gaatgctgcg 1680
 ttttctttgc ttctactgtt gatgattctg gcctttacca caatcattct gttttctaag 1740
 aatcctgact ccaggttcaa gccagcaaag gatgacagag catctttcca aaagcatgct 1800
 attcctcatg aaggtgcctt gaataagtca gtggccaacg aattaatggc cctaggtaat 1860
 gtggcaaagg atcataccga aaattgggaa tacgaactga agagtcaaga aggtaaaagt 1920
 gaagataatc ttttcggagt tgaatacgat gacgagaaaa caggaactaa ttcagagaat 1980
 gctgaaagta gcagtaagga aaccacccgt ccaacctttt ctgaaaaggt tttacgttca 2040
 ttatcaatca aaaggaataa gagtaaaactg ggcagtttca agcgcagcgc tccggataag 2100
 ataacacaac aagaggtttc tctgaccgc gccagctctt cgcctaacag caagtcatac 2160
 cccggtgtct cgcacaccag gcaagaatct gaagcgaata atgggctaata caatgcatac 2220
 gaagatgagc aattcagtct gatggaacca agcactactg aagacgctgc tagttccacc 2280
 caaatgcatg ctatgccagc ccgagatttg agcttgagca gtgttgcaaa cgcccaagat 2340
 gttactaaaa aagcaaacat cctggatcct gattatttgt aa 2382

<210> 357
 <211> 4329
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 357
 atgactgctt ctgacctctt gacgctccca caattgttgg cgcaatattc ctctagtgtc 60
 ccccaaaaata aagtgttcta cactactagc acaaaaaata gtcattcatc cttcaaaggg 120
 ctagaatctg ttgccacaga tgctactcat ctattgaaca atcaagatcc attgaatacc 180
 atcaaagatc aactctctaa ggacatttta actaccgttt ttacagatga aactactttg 240
 gtcaaatcca tccaccatct atattctctt cctaataaac ttccattggt gattacagtg 300
 gatttgaatt tgcaagatta ttccgcaatt cctgcgttaa aggatctttc tttccccatc 360
 ttaatatctt ctgatttgca aactgcaatt tcaaacgcgg actcttctta taagattgct 420

acaagttctc tgaccccagt tttccatttt cttaacttgg agaaaattgg cagcagtaca 480
 gctattgaac aagacatcga ctttccctacc ttggagattg ctaacgaaga gactaaagta 540
 gcattatcag aagctactga ttcattgaca aattttgaac tggttaaagg taaagagtca 600
 attaccactg tcattgttaa cctgtcacca tatgacgcgg aattcagtag cgtattgcct 660
 tcaaacgtag gattgatcaa gattagagta tacagacat ggaatttttc caagttcttg 720
 gaaatactgc catcttctgt taccaaaatc gccgttttac aggggtgtctc taagaaatcg 780
 caatcaaacg aatttcaacc atttcttttg gacttctttg gcaattttta tgaattagtt 840
 tctaggaaca tcgagcaggt agtggtgact aatattggta atgtgaatga ttatggcaac 900
 gttatcaaca ccgtcatatc gaatattaac aagaaggaac cagataataa cttattttta 960
 ggtgaatcca atgaaaaggc tgaggaacaa gctgaagta ctcaacttat ttcttctgtc 1020
 aaaaaagttg tgaacttaga agacgcctat atcaaagtgc taaaacagtt attttcatca 1080
 aatctacaaa ttttgaatca attttccagt gagacaattg aaccaagtaa tccagaatth 1140
 ggttttggac gcttttttaa acaagaagcc cagcgtgaag aattgatcag cttagcaaaa 1200
 acctctcttg atccaagtct ttacttgtcc gaggatgcaa ataaaattgt tcaactatta 1260
 tctaaatggt tgtcattcaa tggacgcgat cttgacgaag ctcaattaca agaggccaat 1320
 gcgacagggt tggaaatatt tcagttatta caatctaate aagattcctc tactgtctta 1380
 aaattcttaa agatagctcc aacaagcgat tcttttattt tcaaatcaag ctggctaatt 1440
 ggctccgatg cctgggtctta tgatttgggt cactcaggta ttcaacagggt tttatcctcc 1500
 cgtaaaaaca ttaatgtttt attgattgat tcagagccat atgaccatag aaagcaaac 1560
 caggatagaa agaaagatgt tggtttgtac gccatgaatt attacagtgc ctatgttgcc 1620
 tctgtagcag tatatgcttc ttacacccaa ctattgactg caataataga ggcatctaaa 1680
 tacaatggtc cttctattgt cttggcttat ttgccgtata attccgaaaa tgatactcca 1740
 ttagaagtct taaaggaaac caaaaacgcc gttgaatctg gttactggcc attgtatagg 1800
 tttaatcctg tttatgacga tccatcaaca gataaggagg catttagctt ggattcttcg 1860
 gttatcagaa aacaattaca ggacttctta gaccgtgaga ataagcttac cctattaacc 1920
 agaaaagatc catctttgtc aagaaatcta aagcaatctg ctggtgatgc gttgacaagg 1980
 aaacaagaaa aaagaagcaa ggctgccttc gatcagttat tggagggttt gtccggccca 2040

gcattttattg aaaatggtag ggttgaagat acaccagatt tgcctcaaaa gacaggtatt 3720
 agaaagggtg ctgaatacat gcttaagact aattctggtc atttcagatt gactggtaat 3780
 caacatttgg ttatctctaa tattacagat gaacatgttg ctggaataaa atctatttta 3840
 aagacctata aattggataa caccgatttc agcggtttga gattatcttc atcttctgt 3900
 gttgggttgc caacatgtgg tttagcgttt gccgaatctg aacgtttcct acctgacatt 3960
 attactcagt tggaagattg tttagaagag tatggtttac gccatgattc cattattatg 4020
 agaatgactg gttgccctaa cggttgttct cgtccatggc taggtgaatt agctcttgtt 4080
 ggtaaagctc cacatactta taacttgatg cttgggtggg gttacctcgg ccaaaggcta 4140
 aacaaattgt ataaggccaa tgtgaaggat gaggaattg tcgactacat caaaccattg 4200
 tttaaaagggt atgctttaga aagagaagaa ggggaacact ttgggtgattt ctgtataaga 4260
 gtaggtatca ttaaaccaac caccgagggt aaatacttcc atgaagatgt gtctgaagat 4320
 gcctattaa 4329

<210> 358
 <211> 1026
 <212> DNA
 <213> Saccharomyces cerevisiae
 <400> 358

atgcaataca aaaaatcatt agttgcctcc gccttagttg ctacatcttt agctgcctat 60
 gctccaaagg acccgtggtc cactttaact ccatcagcta cttacaaggg tgggtataact 120
 gattactctt ctactttcgg tattgctgtt gaaccaattg ccactactgc ttctccaag 180
 gctaagagag ccgctgctat ctctcaaatt ggtgacggtc aaatccaagc cactaccaa 240
 accactgctg ctgctgtttc tcaaattggg gacgggtcaaa tccaagccac tactaaaacc 300
 aaagctgctg ctgtctctca aattgggtgac ggccaaatcc aagccaccac caagactacc 360
 tcagctaaga ctaccgctgc agccgtctcc caaattgggt acgggtcaa tcaagccact 420
 actaaaacca aagctgctgc tgtctctcaa attgggtgac gtcaaatacca agccactacc 480
 aaaacaactg ctgcagctgt ctctcaaatt ggtgacggtc aaatccaagc cactactaaa 540
 accactgctg ctgctgtttc tcaaattggg gacgggtcaaa tccaagccac caccaatact 600
 actgttgctc cagtctccca aatcactgat ggccaaatcc aagccacaac tttaacttct 660

gcaaccatta taccatctcc agctccagct ccaattacta atggcactga cccagtaact 720
gctgaaacat gtaaaagcag tggcacttta gaaatgaact taaaggggtgg tatectgact 780
gacggtaaag gtagaattgg ttctatcggt gccaacagac aattccaatt cgatgggtcct 840
ccaccacaag ctgggtgctat ctatgctgct gggttggtcca tcaccccaga aggtaacttg 900
gccatcggtg accaggatac tttttaccaa tgtttgtcag gaaacttcta caacttatac 960
gatgagcaca ttggaactca atgtaatgca gtccacctac aagctatcga tttgctcaac 1020
tggttaa 1026

<210> 359
<211> 1401
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 359

atgaagatct tttgggatcc tagatcggtg atagaacatc aggattactc tggacctgct 60
aacgtgtttc atcttctttt cacttctctg cccacgatgt ctgctgaaac cgccgccgca 120
aacactgcta ctgccccagt cccagaagtg caagaacaag agagctccaa gagcaagcaa 180
gtcaacttga cgccggcacc attgcccaca tcttccccat ggaaacttgc tcctactgag 240
atccctgttt ctactatctc aatagaagac ttggatgcca caagaaagaa gaagaacaga 300
acacccactc cgaaatcatc gactgctacc aagtgggttc ccatcaaggc ctccattacc 360
gtctctggca ccaaaagatc cggttccaag aatggtgcaa gtaatggcaa cagcaacaag 420
agcaaaaaca acaaaactgc agcatcgtcg acatcgtcga gtaatgctaa caggaaaaag 480
aagcatcacc aacataatgc taagaagcaa caacaaatga agaaagatgg ctttgaatcg 540
gcagtaggtg aggaagattc aaaagacgct acctctcaag aaaatgggtc atctacacaa 600
cagcaacaac cacctacca ccgtaatcat caccacagtc atcaccataa cagcaatggg 660
cctcaaagga gaaagttcca caacagtaat aacgccggtg tgcttcagaa ccaaggcttc 720
ccaccacagt ttaaacttta ccaaggacgc aacgctcgta ataacaacaa caaccgtctc 780
aaataccaca accacttcca tcacaaccaa caacatctc aacaacctat ggtcaaatta 840
cagcaacagt tttatccagt ccaaccagtg ttaatggcca tcaacaacat tgctagacaa 900
attgaatact atttcagcga agaaaacttg accgtcgaca attacttaag gtccaaactc 960

tccaaggatg gttttgctcc attgtcttta atctctaagt ttacagagt tgtaacatg 1020
tccttcggag gtgacactaa cctgatttta gccgcattga gagaaattgt cgtaacgaa 1080
gccgctaccg tcaatgttgc agaaggtact ttggccgcca aggaaggtga taacgttacc 1140
ggtgaagcca aagaaccatc tccattggat aagtacttcg ttcgttccaa gagctgggtca 1200
aactggttac cagaaacttt tgaaactgaa attaataattg aaaaagaact ggtcggcgat 1260
gcattggacc aattcatgat atccctacca cctgttcctc aacaagaaga ggaatcatcc 1320
actgaactcg cttctcaaga acaagaaacc aaagaagact ctgcgccggt tgctgccggt 1380
gaatccgagt cttccttata a 1401

<210> 360
<211> 3090
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 360
atgactttag attacgagat ttacaaagaa ggaggtatth tgaataatcg atatcaaaaa 60
atagaggata tcagtgaagg ttcatatggt tatgtatcat tggctaaaga tgtagagag 120
aaaagattgg ttgcagtcaa atacattttc aaattagaag atgacggcca gtacgatggg 180
cctcaggacg acgaaaatga ttgtgatagt agcgattgtg atgatgatga agacacgaaa 240
gttgatacgg atcgccatga aatgaaaat ggtaatgcct ccagtaataa cgggtcaagt 300
agagagaaga aacacaatct ctacaaacac aaaaagtccc taatttcttc gaaagttaaa 360
tcaagactat ctaataacat ttgtctcgaa gccatgtatg aagttgatat tcaaacaaaa 420
attggtagac accaaaatat tgctgctcta ttagatttct tcgactctta catcatcatg 480
gaatattgct ctggcgggtga cctatatgag gcgatcaaag ccgatgctgt gcctaagaaa 540
accaaatega tcaatcatat tatcacacaa atcatggatg caattgaata tgttcataac 600
aagggcattt atcatcgtga tataaaacct gagaacattt taatttcttg aattgattgg 660
acaattaagc ttacagattg gggattggct actacagata agacgtctat ggatagaaat 720
gtcggtagtg aaagatatat gtcccctgaa ctttttgata gtaatttgga tatcaaggaa 780
agaaaggaac cttatgactg tgccaaagtg gatttatggg ctatgggaat tgtgtttctt 840
aatattgttt tccataagaa tccttttagt attgccaatc aatccgacaa gtcattctgt 900

tat t t t t g c t g c t a a t a g a g a a g c g t t g t t t g a t g t a t t t t c g a c a a t g g c t t a t g a t t t c 960
t t t c a a g t a t t a a g g t a t a g t t t a a c c a t c g a t c c g g c t a a t a g a g a c t t g a a a t g a t g 1020
a g a a c t g a a c t a c a g a a c t t a t c t g a g t a t a c a t t a g a c g a t g a a t a c t a t a a t a a c t t g 1080
g a t g a a g g a t a t g a a g a a a c t a t g a t t g a c g g t t t g c c a c c t c a g c c t g t t c c t c c a t c t 1140
t c a g c a c c g g t a t c a t t a c c t a c t c c t a t t t c a t c t a g t a a c a a c a a c a t a t g c c t g a a 1200
t t t a a a a g g a t t t c a a t t t c a a t a a t g t g a a t g a a g g a a a c g g t c a g a t g t c t c t c a a 1260
a a t c a a a a t g t t g c a a g c g g c t t c t t t a a a a a a c c g t c t a c a c a a c a g a a t t t t t c 1320
a a c c a g g g t t a t a a t a c a a c a c t a t c t a c t c a t g a a a g g g c t a a a t c t g c t c c t a a g t t c 1380
a a a t t t a a g a a g c g c a a t a a g t a c g g a a g a a c t g a t a a t c a a t t t t c c a a a c c a g t c a a t 1440
a t c g a a g a t a g a a g a a a g t a a a a t t t t g a a a a a t c a a g g a a g c c t c t t g g c a t a c c a 1500
a c g c c t a a t a c a c a t g a a t a a t t t t t c c a c g a t t a c a a a g c a a g g g a t g a a t t c a a c 1560
a c c a g a g a t t t t t c a c t c c t c c a a g t g t c c a g c a c a g g t a t a t g g a g g g g t t t t c c a a c 1620
a a c a c a a t a a a c a g t a c a g a c a g a a t c g t a a t t a c a a a t a a t a a c a a c a a c a c a g c a a t 1680
a a c a a t c a t g g a a g t a a t t a a t t t t a a c a a t g g t a a t a g c t a t a t a a a g g g g t t g g 1740
a a c a a a a a c t t t a a c a a a t a c a g a a g a c c a a g t t c c t c c a g t t a t a c c g g t a a g t c a c c a 1800
c t t t c a a g g t a c a a c a t g a g c t a t a a t c a t a a c a c a a t a g t t c t a t a a a t g g t t a t g c a 1860
a g g c g t g g t t c t a c g a c t a c a g t t c a a c a t t c a c c a g g c g c t t a t a t t c c a c c a a a t g c c 1920
a g g a a c c a t c a c g t a a g c c c a a c g a a t c a g t t t t a a g a g t t c c g c a a t c a a t g c t c c t 1980
g a t a t c t c t a c c g t t t t a g g t g g g a a g c c t c a t a c c a g g a a c a c t a c a c t c a g g a t a g t 2040
a t g g a t t c t g a g g g c g a t c a c g a t t c a g a c g a c g t t t t a t t c a c t c t t g a a g a a g g t g a t 2100
c a t g a t t t c g t c a a t g g t a t g g a c a a c t t a t c t a t a a a t g a t c a c t t a c c g c a t a c a a c g 2160
g t a g g t a g c c a t a a t g a a g t a t t t g t t c a c g c a a g c a c t a t c a c a a t a a c a a t g g c a a c 2220
a a c a a c c a t a t c g a c a c c a a t a g t a c c a c t a a t c a a t a t c a t a g a c a a t a t a t t c c a c c t 2280
c c t t t g a c a a c a t c a t t g c a t a c a a a t a a c a a t a a t g a a t c t a a t g a a c t a c c a g a t 2340
t t a c t a a a a t c a c c a g c a t c a t c t g a a g c a c a t t t a a a t t a t c t t c t g g a c c a a t t g a t 2400
c c a a t t t t a a c a g g t a a t a t t g g c a a t c g a t a t t c a c a c t c a t c t g a c t c t a a g g a g c t a 2460
g a g c a g g a g c g t a g a c t c a g t a t g g a a c a a a a a t t t a a a a a t g g g g t t t a t g t t c c a c c t 2520

catcatagga agagtttcaa cttgggaaca caggtagctc ctatgaatat gaagacaagt 2580
aacgaggcca cgttgtcagt ttcgcataat tctgttaatt ttggtggatc ttacaattcc 2640
aggcgttcca gtgctaata gaatcaacca ctgcatatga ataaagcact cgagaagttg 2700
tcctcttcac caggagctaa aagctccttc gttggcttcc ctaaaccctt attacctcgt 2760
aatcattcaa gcactacgat tgcgttgcaa aatgaagacg tattcgaga ctctaacaat 2820
gacgccataa ttttcgaaga cgaagaatac gaaggagaaa gtgacaagat ggcacatggc 2880
aaaatggaag gtggtgacaa cgaatcctcg tcaacctccc cggatgaaag gcaaattttc 2940
ggtccttatg aaatttatgc tcaaactttc gctggctcca ctcacgataa aaaattagga 3000
gctggcagga agacaagtat tcaggatgaa atggtcggat cgtagaaca atacaagaat 3060
aattgggtaa ttttacagca acaagactaa 3090

<210> 361
<211> 2043
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 361

atgactcaat tcaactgacat tgataagcta gccgtctcca ccataagaat tttggctgtg 60
gacaccgtat ccaaggccaa ctcaggtcac ccagggtgctc cattgggtat ggcaccagct 120
gcacacgttc tatggagtca aatgcgcattg aacccaacca acccagactg gatcaacaga 180
gatagatttg tcttgtctaa cggtcacgcg gtcgctttgt tgtattctat gctacatttg 240
actggttacg atctgtctat tgaagacttg aaacagttca gacagttggg ttccagaaca 300
ccaggtcatt ctgaatttga gttgccaggt gttgaagtta ctaccggtcc attaggtcaa 360
ggatatctca acgctgttgg tatggccatg gctcaagcta acctggctgc cacttacaac 420
aagccgggct ttaccttgct tgacaactac acctatgttt tcttgggtga cggttggttg 480
caagaaggta tttcttcaga agcttcctcc ttggctggctc atttgaaatt gggtaacttg 540
attgccatct acgatgacaa caagatcact atcgatggtg ctaccagtat ctattcgat 600
gaagatgttg ctaagagata cgaagcctac ggttggggaag ttttgtacgt agaaaatggt 660
aacgaagatc tagccggtat tgccaaggct attgctcaag ctaagttatc caaggacaaa 720
ccaactttga tcaaaatgac cacaaccatt gggtacgggt ccttgcatgc cggctctcac 780

tctgtgcacg gtgccccatt gaaagcagat gatgttaaac aactaaagag caaatcgggt 840
 ttcaaccag acaagtcctt tgttgttcca caagaagttt acgaccacta ccaaagaca 900
 attttaagc caggtgtcga agccaacaac aagtgaaca agttgttcag cgaataccaa 960
 aagaaattcc cagaattagg tgctgaattg gctagaagat tgagcggcca actacccgca 1020
 aattgggaat ctaagttgcc aacttacacc gccaggact ctgccgtggc cactagaaaa 1080
 ttatcagaaa ctgttcttga ggatgtttac aatcaattgc cagagttgat tgggtggttct 1140
 gccgatttaa caccttctaa cttgaccaga tggaaggaag cccttgactt ccaacctcct 1200
 tcttccggtt caggtaaacta ctctggtaga tacattaggt acggtattag agaacacgct 1260
 atgggtgcc taatgaacgg tatctcagct ttcggtgcca actacaaacc atacggtgggt 1320
 actttcttga acttcgtttc ttatgtctgct ggtgccgtta gattgtccgc tttgtctggc 1380
 caccagtta tttgggttgc tacacatgac tctatcggtg tcggtgaaga tggccaaca 1440
 catcaaccta ttgaaacttt agcacacttc agatccctac caaacattca agtttggaga 1500
 ccagctgatg gtaacgaagt ttctgccgcc tacaagaact ctttagaatc caagcatact 1560
 ccaagtatca ttgctttgtc cagacaaaac ttgccacaat tggaaggtag ctctattgaa 1620
 agcgcttcta aggggtggta cgtactacaa gatgttgcta acccagatat tatttttagtg 1680
 gctactgggt ccgaagtgtc tttgagtgtt gaagctgcta agactttggc cgcaaagaac 1740
 atcaaggctc gtgttgtttc tctaccagat ttcttcactt ttgacaaaca acccctagaa 1800
 tacagactat cagtcttacc agacaacgtt ccaatcatgt ctgttgaagt tttggctacc 1860
 acatgttggg gcaaatacgc tcatcaatcc ttcggtattg acagatttgg tgcctccggt 1920
 aaggcaccag aagtcttcaa gttcttcggt ttcaccccag aagggtgttg tgaaagagct 1980
 caaagacca ttgcattcta taagggtgac aagctaattt ctcttttgaa aaaagctttc 2040
 taa 2043

<210> 362
 <211> 1572
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 362

atgtacaaa ataatgtatt gaatgctatt ttggcttctg aaaaatcaaa ctttcaatac 60

gatagtggaa caatattaag aaaccacaaa agaccaataa taacatttaa taacaacata 120
 gagcacacag tatccgaacc taataatfff acaggctatg aggaaaagga agatttggat 180
 ataatggata tttgtcctta ttacccaaaa gcaagaatgc tggcggatgc cattcaacat 240
 gccaaaacga gcgcaagtga aaacaaaatg gaactatcaa tgaaaactat cccatgtctc 300
 aagaaggaaa acgtccatgt tgagaaaggg cacgattggt ctcaactcag tacgagcaga 360
 atttgtaaaa ttttagaaga catagcagat aaaaaaata aaactagaag gcaatctgcc 420
 ccattacaaa agacgaagta tttcccaaca aatgagaatc aaaataccga tatagaaaat 480
 cagaattggt cccaaatccc caatgaagac atatgtgcac ttatagagaa gattgctagc 540
 agacgcaata aaaatcgcaa acggaaaaat ctttcatggt ctaaagtcca agaaattcag 600
 ggaaatattg atttacccaa aaaagacgta caagagggag atatttcaga ttcgtctcta 660
 tttgcagcag taagaggaac caaaaaagtt tccggatatg attacaattc agaagataag 720
 atacctaata cgatacgtct tccttactgt aagcaaatac tacgattatt ctcaacttta 780
 caaatgaaga gaaatgactt aatagtcacc tctgaaaatt gtaatagcgg agttttcttc 840
 agcaatttta attatcaact tcaagttaaa tcgaattgta ttgcaaatac ttcttctaca 900
 ctgagttttc taccocatca tgaaataacc gtatacacat cttttattct ctatccaaac 960
 gttgtcgata atatttggga atgcacacga tacgctattc aacttttgaa gtccgaagca 1020
 gcacagttta cgctactgcg tgatatatat agtggcttca caattatact ttcaaatcat 1080
 cgatatcatc ctaagggttt tagcgctgat tactgttaca gtgcaaatac attgacatta 1140
 tttctttttg ttattcgaac agggcaaaaa aaagtacttt atcgatctat tcctcacaac 1200
 acagcagcaa ttgaaaaaga cagttctttt gatacagaaa atagaaagag aaggtccgag 1260
 gaagagggtg ttcttaaatg taggaagtgt tctaataatt cattggcatt aaaagaaatc 1320
 agcacctatc gtttggatag cgcagaaggt tttgagaagt ctgagcctct aaaagatgaa 1380
 gcaaagctca gtgatatgaa ttatgtacaa ggtagtatca gctataacag gactattctt 1440
 accggcttat ggaaattatt tcacagattg tgctgcaaag atcgttatag gaaaaccaat 1500
 ctgtcagaaa cattgttcta tgacgattca acggaaagat gggttagaat gggagagtta 1560
 atgcactatt ga 1572

<210> 363

<211> 1770
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 363

```

atgactat tttctgcaca tccagaaaca gaacccaagt ggtggaaaga ggccacaatc 60
tatcaaattt atccccgaag tttcaaagac tccaacaacg atgggtgggg tgatatgaag 120
ggtattgcct ccaagttgga gtatatcaaa gagcttggtg ccgatgccat ttggatctca 180
ccattctacg actcgccaca agatgatatg ggttacgata ttgccaaacta cgaaaaggtc 240
tggccaacct acggtacgaa cgaggactgc tttgccttga tcgaaaagac acataagctt 300
ggtatgaaat ttatcaccga cttagtcatc aaccattgct cgagcgaaca tgaatggttc 360
aaagagagca gatcctcaaa aaccaatcca aaacgtgact ggttcttctg gagacctcct 420
aagggttatg acgccgaagg caagccaatt cctccaaaca attggaggtc ttacttcggt 480
ggttctgcat ggacgttcga tgaaaagaca caagagtttt acttgcgttt gttttgctcc 540
acccaacctg atttgaattg ggagaatgag gactgtagaa aggcaatcta cgaaagtgcc 600
gttggatact ggtagacca tgggtgtagac ggcttttagaa ttgatgtggg aagcttgtac 660
tccaaggttg ctggtctacc agacgctcct gtgattgacg aaaactcaaa gtggcaaccc 720
agtgatcctt tcacaatgaa cggaccacgt atccatgagt ttcacaaaga aatgaacaag 780
ttcatcagaa acagagtga ggaaggcaga gaaattatga cagttggtga aatgcaacat 840
gctactgatg aaaccaagag gttgtatata agtgcacaa gacacgaact tagtgagtta 900
ttcaactttt cccacactga tgtcgggact tcgccaagt tccgtcaaaa tttgatccca 960
tatgaactaa aggattggaa ggttgccctt gctgaacttt tcagatacgt taacggaact 1020
gattgttggt caacaattta tctggaaaat cagaccaac ctcgttcaat taccagattt 1080
ggtgacgatt ctctaagaa ccgtgttatt tctggtaagt tgtgtctgt gttgttggtg 1140
tactgagcg gtactctata tgtgtaccaa ggacaggaac tgggtgaaat caatttcaag 1200
aactggccta tcgaaaaata cgaggatgac gaagttagaa ataactatga tgcgatcaag 1260
gaagagcatg gagaaaactc gaaggagatg aagaggtttt tggaagcaat tgcccttatt 1320
tccagagacc atgctagaac acctatgcaa tggctctctg aggagccaaa tgctggtttt 1380
tctggtccta atgctaaacc atgggttttac ttgaacgagt ctttcaggga aggaattaac 1440

```

gctgaagacg aatccaagga tcccaactcg gttttgaact tctggaagga ggccttgaga 1500
 tttagaaagg cacacaagga tattactgta tatggatatg attttgagtt tattgatttg 1560
 gacaataaga aactgttcag cttcacaaag aaatacgaca acaaaacatt gtttgctgct 1620
 ttgaacttca gctctgattc gattgacttc acgattccaa acaatagctc gtcgtttaag 1680
 ttggaattcg gaaactaccc aagaagcgaa gttgatgcgt cttccagaac attgaagcca 1740
 tgggagggca gaatttacat atctgaatga 1770

<210> 364
 <211> 1179
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 364

atggcagaca caccctctgt ggccgtacag gccccaccgg gctatggtaa gacggagtta 60
 tttcatctcc ccttgatagc actggcgctc aagggcgacg tgaaatatgt gtcgtttctg 120
 tttgtaccgt acacagtgtt gcttgctaata tgcattgatc ggttggggccg acgcgggttg 180
 ttgaatgtgg cccctgtaag aaactttatt gaagaagggt acgatggcgt tactgattta 240
 tacgtgggga tctacgatga tcttgctagc actaatttca cagacaggat agctgcgtgg 300
 gagaatattg ttgagtgcac ctttaggacc aacaacgtaa aattgggtta cctcattgta 360
 gatgagtttc acaactttga aacggagggt taccggcagt cgcaatttgg gggcataact 420
 aaccttgatt ttgacgcttt tgagaaagca atctttttga gcggcacagc ccctgaggct 480
 gtagctgatg ctgcgttgca gcgtattggg cttacgggac tggccaagaa gtcgatggac 540
 atcaacgagc tcaaacggtc ggaagatctc agcagaggtc tatccagcta tccaacacgg 600
 atgtttaatc taatcaagga gaaatccgag gtgcctttag ggcattgttc taaaatttgg 660
 aagaaagtgg aatcacagcc cgaagaagca ctgaagcttc ttttagccct ctttgaaatt 720
 gaaccagagt cgaaggccat tgtagttgca agcacaacca acgaagtgga agaattggcc 780
 tgctcttgga gaaagtattt taggggtgga tggatacacg ggaagctggg tgctgcagaa 840
 aaggtgtctc gcacaaagga gtttgtcact gacggtagca tgcaagttct catcggaacg 900
 aaattagtga ctgaaggaat tgacattaag caattgatga tggatgatcat gcttgataat 960
 agacttaata ttattgagct cattcaaggt gtagggagac taagagatgg gggcctctgt 1020

tatctattat ctagaaaaaa cagttgggcg gcaaggaatc gtaagggtga attaccacca 1080
 attaaggaag gctgtataac cgaacaggta cgcgagttct atggacttga atcaaagaaa 1140
 ggaaaaaagg gccagcatgt tggatgctgt gtctgctga 1179

<210> 365
 <211> 2250
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 365

atgacttcga aaccatccac cagtgcggc agggctcact cgatttccca tgtacctggc 60
 acgcacatga gaggaacatc ggcacacac agccccagac cgtttaggcc atgtgcggat 120
 tgtacgtgtt ctccaggctt actgtctagg caaggctcgt gagcctctct atttttaaga 180
 cagttagaaa attcaaggag gtccctccagc atgcttctca acgagttgaa gggcgctggc 240
 ggaggtagca gtgctggaaa tgggtctgtt tactcatgtg actctctatg cgctgttaac 300
 agggaagtta acactactga tagattgttg aagttgcgtc aggagatgaa gaaacacgat 360
 ttgtgttggt atattgtgcc cagttgtgac gaacatcagt ccgaatatgt atcattgcga 420
 gatcaaaggc gcgccttcat ttcagggttt tccggatcgg ccggtgtagc ctgtatcacc 480
 agagacttgt taaatttcaa cgatgaccat ccggatggga aatccatttt gagtactgat 540
 ggaagatatt tcaatcaagc tagacaagaa ctagattata attggacact tttgaggcaa 600
 aacgaagacc caatcacttg gcaagaatgg tgtgtcagag aagctttgga aatggccaag 660
 ggacttggca ataaagaggg aatggtgttg aagataggta ttgacccaaa acttatcact 720
 ttcaacgact atgtttcttt tagaaaaatg attgacacta aatatgacgc aaagggtaaa 780
 gtggagctgg tccccgtgga ggaaaactta gttgacagta tttggcctga ttttgaaact 840
 ctacctgaaa ggccttgtaa cgatttacta ctgttaaaat acgagtttca tggatgaagaa 900
 ttcaaagaca agaaggaaaa gttactgaaa aagctgaatg ataaggcttc ctctgcgacg 960
 accggtagga atactttcat agtagttgcg ttggatgaaa tttgttggtt gttgaacttg 1020
 cgtggatccg acattgacta taatccagtt tttttctcct acgtggctat taacgaagac 1080
 gaaaccattc ttttcaccaa taacccttc aatgatgaca tatcggaata ttttaagata 1140
 aacggtattg aagtcagacc ttacgaacag atatgggaac atttaacaaa gataacttcg 1200

ttattgttca ctactttcaa gatgaataag accaaattgg aaaaatttaa gcctattaag 1980
 acgaaattca cagttaagca gtattatatac attactgtca ctgtggccac tattttgttg 2040
 tgggtgtgtg aaagccagat tgaagggtgct tttgggtcat cagggtcaa at tgcaatcatt 2100
 cccatcgttt tgtttttttg taccggatta ctatcaacac aagatttaaa tgcctttccg 2160
 tgggtcaatcg ttatttttggc aatgggaggt attgcttttg ggaaggccgt ctcacccctg 2220
 gggttgctat caaccattgc aaaagcatta caaaagaaaa ttgagaatga tgggtgtttt 2280
 gccattctat gtattttcgg taccctgatg ttggttgttg gtactttcgt ctcgcataca 2340
 gtatccgcta ttatcatcat tcccttgggtg caagaagttg gtgacaagct tggcaacccc 2400
 aaagctgctc ctatccttgt tttcgggttg gcattattgt catcctgtgg tatgggacta 2460
 gcttcttcgg ggttcccaa tgtcactgcc atctctaaag tagatagaaa gggcgatcgc 2520
 tatttaagtg tcatgacttt cttaacgaga ggtgttccag cttctatttt ggctttccta 2580
 tgtgtcatta ctctagggtta tgggtatcatg gcatctgttg tcaagggtaa cgcaacctct 2640
 gcgtaa 2646

<210> 367
 <211> 1149
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 367

atgaataata acagcagaaa caacgaaaat cgaagcacta ttaacagaaa taaaaggcaa 60
 ctacaacaag caaaagaaaa aaatgaaaat attcatatcc ccaggtatat tagaaatcaa 120
 ccatgggtact ataaggatac ccccaaagaa caagaaggga agaagcccgg caatgatgat 180
 acgagcactg cagaaggagg agaaaaaagc gactacttgg tgcacatag gcaaaaagca 240
 aaaggggggtg ctttagatat tgacaataat tcagaaccaa aaattggtat ggggtataaag 300
 gatgagttca aactaatcag accccagaag atgtccgtcc gagattctca ttcgctgtca 360
 tttttagga attgtgggga agcagggcat aaggagaaag actgcatgga aaaacctcgt 420
 aagatgcaga agcttgttcc cgatttaaat tcacaaaaaa ataatggcac agtttttagta 480
 cgagctactg atgatgactg ggactccaga aaagatagat ggtacgggta ctcagggaaa 540
 gaatacaatg aactgataag taagtgggag cgtgataaaa gaaataaaat aaaaggaaaa 600

gacaaatccc aaactgatga aacactatgg gatacagatg aagagataga actaatgaag 660
ttagaactttt acaaggattc cgtagggttca ttgaagaaag atgatgctga taattctcag 720
ttgtatagga catcaacgag attgagagaa gataaggctg cttacttgaa cgacataaat 780
tcaacggaga gtaattatga tcctaaatca agattgtaca aaactgaaac actgggcgca 840
gttgatgaaa aatcaaaaat gttccgcaga catttgacag gtgaaggcct aaaattaaac 900
gaattgaacc agtttgctag atctcacgct aaggaaatgg gtatacgtga tgaaattgag 960
gataaggaaa aagtacaaca tgttttagtc gccaatccta ctaaataatga atatctgaag 1020
aaaaaacggg aacaagaaga aaccaagcag cccaagattg tcagcattgg agatctggaa 1080
gctaggaaaag tagatggtac aaagcaatct gaggaacaac ggaaccactt aaaagattta 1140
tatggttaa 1149

<210> 368
<211> 3147
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 368
atggatatta cagaattggt acagtgcttt gcctgtactt tggaccataa cgctgccgta 60
agaactaatg cagaaacaca tcttaaaaat gcaagtaaag taccgggatt cttaggcgca 120
tgcttgata tcattgctgc tgatgaagta ccagaaaaca tcaaattatc agcttcctta 180
tatttcaaga ataagattac atacggatgg tctgctggtg caagacaggg ttcaaatgaa 240
ttattagatt cacatgttga tccggatgaa aaaccagtag taaaagatat gttaattaaa 300
acaatggtca gtgtgtccaa gacctccccg cgttgtatca gagtgtctaaa atctgccctt 360
actgtaatta tttcagaaga ttaccctagc aaaaaatggg gcaatttggt accaaattcc 420
ttagaattac tcgcaaata agacatcaca gtaacatatg tcggacttct gtgtcttgct 480
gagatTTTTT ggacctatag gtggaagaat aatgatgaaa gacaggactt agaagagttg 540
attttaaatt atttccttgc tttattaaac tatggcgcaa atgtcctttt ccaagatggg 600
aatatatga ataacgagca aattggcgaa ttggtaaaat taatcattaa aatttataag 660
ttcgtttcat accatgacct accatttaca ttacaacgct cagaatcggt taccctatgg 720
gcatgttttt ttgtcagcat cattcagcag ccattgcctc aggaagtttt gtctatatca 780

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

caatacagag agcgccctact ggcggatggt gtcggctcta ttctaacgca aaagaatgaa 2460
 ttgaaaacta atgttgtatt tagtgtgact gcttttaatg tcgtaatctc aaatatgata 2520
 acagagcctt tgatcacgct tcagtacctg aaacagcaag gttgtcttga aatcttcttt 2580
 caaacgtgga ttacagacta tattccgaat tataaaaggt gctatgatat caaattatca 2640
 gttcttgctg tattaaaaat tatactgaag ttagaaagca acgattattc agtggtgaac 2700
 ttagaaaatt tggttccgca attagggagt attgttacgc agttagcttc gaggctacca 2760
 acggcggtta ggcaattagc taaccaacgc aaggaattct catcatccgg ttttgaagag 2820
 gatactaagt gggatgaaaa ttttcttgac gttggagacg atgatgaaaa tgatgacgag 2880
 ggagacctta ctgagaaata tctggaactg ataaaaata gagccgattc cttggacttc 2940
 gtagatggtt atgacgcaaa ggaaactttc gatgacctag aagaggacc attaacgggg 3000
 tcgatcctgg acacagttga cgtatacaag gttttcaagg agtccattgc gaacttaca 3060
 catgttgaca gcaatagata tcaggaatc ttgagacatc tgaccccggc tgatcaagaa 3120
 ctattcatgg gaattatgaa tgccataa 3147

<210> 369
 <211> 2205
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 369

atgagtgcta gtgaagcagg tgtcactgag caagtcaaaa agctgtctgt caaggatagt 60
 agtaatgatg ccgtaaaacc aaataagaaa gaaaacaaaa aatccaagca acagtccttg 120
 tacttggatc ctgaaccaac tttcatcgag gaaagaattg aaatgtttga cagattaca 180
 aaggaataca atgataaagt tgcttctatg ccacgtgttc cattgaagat tgtcttgaag 240
 gatggagccg ttaaggaagc cacttcttgg gaaaccactc cgatggatat tgccaaagga 300
 atttctaaat ctttagcaga caggttatgt atttctaagg ttaatgggtca attatgggac 360
 ttagatagac catttgaagg cgaagccaac gaagaaatca aattagaact gctagatttc 420
 gaatctgacg aaggtaagaa ggtcttttgg cattcgtctg cccacgtctt gggatgaatc 480
 tgtgagtgcc acctaggtgc ccatatttgt ttaggtcctc caactgatga tgggttcttt 540
 tatgaaatgg ctgttagaga tagtatgaaa gatatatctg aatctccaga aagaaccgtc 600

<210> 370
 <211> 2007
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 370

```

atggaaacat gggaaatcat agcatcggta aaagaagcaa caaaaggcct tgacttgagc 60
ttagatcatc cacttattat taaatccgag gacgtgccca gtaacattct ccaattactg 120
caacagaaga atcgacgtca attgaaacac atctgcatga aatcaagaaa agagtatttt 180
ctactagagg aatatgggcc aggattttgg gttaagtggc cgtacaatta tttcaatggc 240
tacagcttac cagaaaggcg tacggaagtt gtaacgacag ttgaaagaga aagagctaag 300
cgtgaaacgt taaaaacatg ggacgaattg aaattttaaag agcttcttca tttatgggtc 360
gaagaacca agggctcgtg taagcttgag aaggacaaag accttaaact ggatatgaat 420
ccccagata tgaaaggcga atcaaaaatt aatgactact attcagaccc taaagagtac 480
atagaaagta agtattatga tgctcttttt tccatacata cgcctctcgc atatttcgtc 540
aagtcaaatt tagtaaggct caaaaatacc tgccgaacca agtacggaag tgacagttac 600
aaaatagcct atcaagccat gctgcaaaaa tttcttctct caattgtaca attcaaagat 660
agacatgata acaggctttt attagagccc ttttctagtc ccatagcaga tgaaaaaagg 720
aagaactgtc tcacaaaatt tgttatccaa gatgaaaaca aaaacagctc aaccattgct 780
gatttatgtg ttgtattaaa atcccgcgaa ataaagctac aaatattatt gctattagag 840
ataataggat tgaacgattt agattggaat tttagagatt ttgagaaaaa gtataaatta 900
aaattgaaga aaagatcact taatttgaca aaaaagggat tagttcgtcg aagatcgaag 960
aaaaaaacca gcgaaaaaga caaaggaatc gagagaataa caacatcttt ggattattgt 1020
gaacagttag acttgactt agatagagca tgcattcttg acattctact atcaagtga 1080
acgccaacc cagatgccat agaagcatca aatggaacaa tacaagagca taaaaaaaaat 1140
atcctagaca aaagcaaaga agcctcattg gttgggttca taaattatgt tcttattcca 1200
tatttcaaca aaaaggtacc acacgccgtt gaatttataa ttcaaaagct caagggacca 1260
agcatgagac caaagagagc cctgaaaaag gtcaacgata gcacaaatgt atcgtcacct 1320
aatactgtag aaacgtataa caggttatcc acgagtcaac gtgcctctcg ctcttcaatc 1380

```


gaaagctata atgggcaagc tagccagaat agcacaaatg tgaatcgaac cgatacagca 2400
 caggagtttt tcaaataattt gggtcattca tcaagatttg cggattcaga ctcaagaagat 2460
 gagtcccaat ttttcaacca aggcccatca aaatacaaca cagaaacaga aggcaataaa 2520
 accagcggta acaaaaatag taatggtggt aacggtgctt tttcgctttt caagagcaaa 2580
 agtaagcaaa aggaaaataa tgtggtttcc cctggagtct caagtcctaa tcatactacc 2640
 accgatcctg ccattacaag taaaaagggtg gacaagaaat tcagcggggtt atctttaaga 2700
 gctgccagtg aagctgaacc tgcaaaaaat tcaaaccctt cgatgaccaa taggttacgc 2760
 ttctctagta atccagagaa cggcgaaagc aggctccac aagcacagga agtcagcgtt 2820
 aaaaagaaa agaagggtag tttcggcaaa aaactgaaaa aaatctttgg tagaaagaaa 2880
 tag 2883

<210> 372
 <211> 2733
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 372
 atggaccaag aaggccagcc attgctttca aaagattttc agcagggtttt actgggtact 60
 gcatccggaa acaattcatc gtggacagaa agggctgttc tcaacaatga aagtacagat 120
 gcagtgaaac acgaacctgc gctgggcaa aatgatgtgt ttgatttaga tcctttatcc 180
 tttgataagt gggtagcttt tttaagaagg gctcttgata aaaatcaatt ggaccccgta 240
 attgatgaat tggaaaattc aattgaggat aactttcaag gtctggaatt gcaattatta 300
 caagattccc aaatgaatga taagctggaa acatctatag acgaaattgc aaacatccaa 360
 ggtatggtgc aagacacttt atccagtga atttccaaat ttcaaataag attgagtga 420
 tcagctaattg aactaattgt caagaaacaa atgtatgtta ataacaaaaa aatttacta 480
 aaaatttcag aagcaacaat tttaatcact aagggtgtta gaatcttgga attatccagc 540
 aaatgtcaag aattgatcac cgaaagaaag tttttcaaag ttttcaaaa cttggatagt 600
 ctggagaaat tgtatctaca agaatttaag aattataatt tccaattttt aattgaaatt 660
 tacaattcta taccattttt acagaaagtc accaaggatg agtgtataaa tttgataagg 720
 aattctctaa atttaaatat agggaagaac ttgataaaag tggggcaaga attcgtggca 780

[illegible]

aatgccaacg gtgttgacgc accaacatta ttgaaaata atatcaaadc gctagaagct 2460
acatttatgg agttgaagca gtgtatagag ttattaaaga ctcagggaaa agattataat 2520
gaaccagaaa taagattaag aaaatattca agaattagac aggaagatgc ggctcttttg 2580
ttgagcaaga ttcagcactt cgtctcatct gtagaaggag ctaacggcga tgacactagc 2640
gtaatggata gtagcagcat attcaactct gaatcagcga gtgtcattga ctctaatacg 2700
agtaggatag ccaaattttt taatagacgt taa 2733

<210> 373
<211> 2058
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 373

atgtctctga caccaactaa tgaaatattg tttcattaca agtcttcagt gaaggttggt 60
gaacttgaga gatatgtaat tacttatcat ctttatgacg gtgaggaaat tccaccagat 120
ttgaatttaa attccttggtg gttaaagggtg agaaatatga atccgttatc gtatagagct 180
gcgtacctaa tgggtccatt catgctttat tgcatgttaa aaactgcccc atatcatcat 240
tccccaaaaa tagttgcttc agttgattac cccaaatttg aaccgaatgt gcaaactcaa 300
caagatttcg tggctgaact ttcagtacat aacatacgac agaaatacgt atggattgct 360
gatgtgatga gtcaaataatt gttcactaca aatacgaacg tcacttacga agtcactatt 420
ggaactagta aagagtcagt agaaaatccg catgatctgc catctcatct aggttcttat 480
agccctaaac ttacagtga cagggttaact accttggatt tgtggaatct tcccgttcag 540
attaccacac cacagaaaaa gaaacatctt gtagttttga cacatgggtt acattctaata 600
gtgtcgaccg atctagtgtg tattatggaa cagatataca aagcacaaaa gaattatccc 660
cacgaacaaa ttgttgtgaa aggttatagg ggaaatgtct gtcaaactga gaaggaggtt 720
aagtatttag gtactcgttt ggccgaatat attatccagg atttgtacga tgaatccatc 780
cgcaagattt cttttgtagg tcattcattg ggtggcctaa tccaggcttt cgcaatagcg 840
tacatttatg aagtctaccc ttggtttttt aaaaagggtga atccaataaa ttttattact 900
ttagcttcac cgcttttagg tatagtcaca gataatcccg cctatattaa agtactactt 960
tcattcgggg ttattggaaa aacagggtcaa gacttgggtt tggaatatga tgttgaagta 1020

<210> 375
 <211> 2289
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 375

```

atgtctgtgc ccaaaaaacg taaccatggg aagttaccac cttccactaa ggacgtagac   60
gatccttcgt tgaagtacac gaaggccgcg cctaaatgtg aacaagttgc tgaacattgg  120
ctcttgccgc cactaccgga accggaatca cgttatagct tttgggtaac aattggtacc  180
ttattagcgt ttgctgctag attttataag atctggtatc caaaagaagt tgtttttgat  240
gagggtacatt tcgggaaatt tgcacgtat tacttagaaa ggtcttattt ctttgacggt  300
catccccctt ttgctaagat gatgattgcc ttcattgggt ggttatgtgg ctatgatggg  360
tcctttaagt ttgatgagat tgggtattct tatgaaactc atccagctcc atatatcgcg  420
taccgttctt tcaacgcgat attgggcaca ttgactgtac caattatggt caacactttg  480
aaggaaactga atttcagggc tattacatgt gcgtttgcat ctctcttggt tgcaatcgat  540
actgcgcatg ttacagaaac taggctgatt ttactggatg ccatcttgat tatttctatt  600
gctgctacta tgtattgtta cgttcgtttc tacaagtgcc aattgcgtca accttttaca  660
tggagttggt atatttggtt acacgctact ggtttgtctt tacccttcgt gatttccaca  720
aaatatgttg gtgttatgac atattccgct attgggtttg ctgctgtggg caacttatgg  780
caattactgg acatcaaggc gggtttgtcc ttgaggcagt tcatgagaca ttttagtaaa  840
aggctgaatg gtttagtttt gattccattt gtgatttact tgttttggtt ctgggttcat  900
ttcacggtt tgaatacttc aggtcctggc gacgcattta tgtctgctga atttcaagaa  960
acacttaagg actctccctt aagtgttgac tctaaaaccg tcaattattt tgatattatc 1020
actatcaaac atcaagatac tgacgcattc ttacattctc acttggcacg ttaccacaaa 1080
cgggtatgaag atggtcgtat ctcatccgct ggtcaacaag ttactgggta cacgcaccc 1140
gacttcaaca atcaatggga agtggtacca ccccatggca gtgatgtcgg taaaggacaa 1200
gctgttctat tgaaccagca tataagattg agacatgtag ccaccgatac ctacttggtta 1260
gccccatgat tcgcctcccc attttaccct accaatgaag aaatcactac agtaacttta 1320
gaagaagggt atggggaatt atatcctgaa acactttttg cattccaacc actgaaaaaa 1380

```

tcagatgaag gtcacgtttt aaagagtaaa acggtttctt tccgtctttt ccacgttgat 1440
 acctccgtag ctttgtggac tcacaacgac gagttgttac cggattgggg gttccaacaa 1500
 caagaaatta atggttaacaa aaaagttatt gatccttcaa ataactgggt tgttgatgaa 1560
 attgttaacc tggacgaggt tcggaaggta tatattccga aggttggtta gccattacca 1620
 ttcttgaaga aatggattga aactcaaaaa tctatgttcg aacataacaa taaactatca 1680
 tcagagcatc catttgctc tgaaccttac agttggcccg gtagtttaag tggtgtttcg 1740
 ttctggacca acggtgacga aaagaagcaa atatatttca ttggtaacat cattgggtgg 1800
 tggttccaag tcatatcatt ggctgttttt gttggcatta tcgtggccga ttttaattact 1860
 agacatcgtg gctattatgc cctaaacaag atgaccagag aaaagctgta tggcccattg 1920
 atgtttttct tcgtctcctg gtgctgtcat tattttccat tctttttaat ggcgcgtcaa 1980
 aagtttttgc atcattactt accagctcat ttaatcgcgt gcttattctc aggagcacta 2040
 tgggaagtaa ttttcagtga ttgcaaatca ttggatttgg agaaagacga ggatatttca 2100
 ggtgcatcat atgaacggaa ccctaaggct tacgttaaac cctataccgt cttcttgggtg 2160
 tgtgtctcct gtgctgttgc gtggtttttt gtatactttt caccactagt gtatggagat 2220
 gtcagcttgt caccatcgga agttgtttct agagagtggg ttgacataga attaaatttc 2280
 tccaagtaa 2289

<210> 376
 <211> 2718
 <212> DNA
 <213> *Saccharomyces cerevisiae*

 <400> 376

atgaataatc agccgcaggg taccaacagc gttccaaata gtattggaaa tatatttagc 60
 aacattggaa ctccatcttt taacatggcg caaattccgc aacagctgta tcagagcctc 120
 acaccacaac aattgcagat gattcagcaa cgacaccaac agttactgag gagtcgtcta 180
 caacaacaac aacaacaaca acaaaaact tcaccgccac cgcaaacgca tcaatctcca 240
 cccctcctc cgcaacaatc tcaaccatt gctaataat cagcgacttc taccctcct 300
 cctcctccag caccacacaa cttacatccc caaattggct aagtgccctt agctccagcg 360
 cctattaatt tgctccaca aattgctcag ttaccttgg ctacacagca acaagttttg 420

aatagacgtg gtatgctcgc attgtccggc acatctgcaa gtaatacatc tatgaacggc 2100
gttcacaaca cagtagcagc aggaaatgct tcacgttgcc caccaggaga gattttactg 2160
ccagatattg cagatattcc aagaactttc aggactccag tacctagcac tttaatgcct 2220
ggtggtgttg acgtaggccc ttctgtggaa tcgtacgaat tgagaaacac aaccacttat 2280
aaaagcaggc cagatagacc taagccagtt tcacctcctt gttatattat tgaccatatt 2340
ccgggtcatt cgctactact ttctattaaa ctgcctggga aagttaatac aaaagaagag 2400
ttcgcagcag cgcccaatga cacaagtagt ggaccaatg caatgcttcc gagtccagaa 2460
tcgctgaaaa ctaagctgaa tagtaacatt cgcgctggtg tgacgatacc ttcaatccca 2520
aaccgattg ccaatcacac tgttactaat tcaccaatc ccacactgca gccagtaatc 2580
ccagggtggg cagctagtaa atcgggtacct acacctagtc ttcctatagc acctccagta 2640
gcaccacatg atagcgaagc gacattgttg actaatagca ataatggtag cagtaacaat 2700
aacacacaga atacatag 2718

<210> 377
<211> 1476
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 377
atgagtgtc tactgtccga gtctgaccta aacgatttta tcagtccgc ccttgcggtc 60
gtcaaacctc cccagggtgag cgggggcaag aaggataacg ttaacatgaa cggagaatac 120
gagggtgagc cggaaccaga ccaactggag aagggtctta ttaccctatc agactgcctc 180
gcgtgtttctg gttgtataac gtctagttaa gaaatcttgt tgagtagcca aagtcactcg 240
gttttctctga aaaactgggg gaagctttcg cagcagcaag acaaattcct cgttgtgagt 300
gtctcgccac aatgcagact atctcttgcg cagtactacg gcttaacatt ggaggcggcc 360
gatttggtgt tgatgaattt ttccaaaag catttccagt gcaagtatat ggttgaacg 420
gagatgggca gaatcatatc gattagcaaa accgtagaga agatcattgc gcataagaaa 480
caaaaagaaa ataccggtgc ggaccgcaag cctctattat ctgctgtgtg tccgggattt 540
cttatataca cggaaaagac caaacgcag ttggtgccta tgctgctcaa tgtcaagtcg 600
cctcagcaaa ttacgggctc gttgatcaga gctacgttcg agagtctcg tatcgcgcgt 660

gagtcctttt accatctgtc gctgatgcc a tgttttgaca agaaactaga agcgtcaagg 720
 ccagaatcgc ttgacgatgg gattgactgt gtcattacgc cacgtgaaat agtgacaatg 780
 ttacaagagt tgaattttaga cttcaagtcg tttcttactg aggacacaag tttatatggg 840
 cggctatcac cgccgggatg ggacccgcga gtccactggg cgtcgaatct gggaggcact 900
 tgtggtggct atgcctacca gtacgtaacg gctgtccaac gactacaccc aggaagtcag 960
 atgatagttc tggagggtag aaacagcgac attgtcgagt accgattgct gcacgatgat 1020
 cgcataatag ccgccgccag cgagctttcc gggtttagaa acatccaaaa tctggtgcgt 1080
 aaactgacct cgggctccgg gtcagagcgc aagaggaaca tcaccgctct gcggaagaga 1140
 cgaacaggtc caaaggcgaa ctcacgcgag atggcggccg ccacggccgc cacggccgat 1200
 ccctaccact cggactacat cgaggtaaac gcgtgtccgg gtgcatgcat gaacggtggt 1260
 ggcctactca atggcgagca aaacagtctc aagcggaagc agttggttca gacactgaat 1320
 aagcgtcacg gagaggagct agcaatggta gatcctctaa ccctgggacc caagctagaa 1380
 gaggcggcag cccgcccgtt ttcgctagag tacgtcttcg cgcccgtcaa gcaggccgtc 1440
 gaaaaggatc tcgtctctgt tgggagcacc tggtaa 1476

<210> 378
 <211> 1755
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 378

atgccagtag tcaatcatga ggatagtga tttcaccttt cgcacacaga agaggacaag 60
 ttaa atgagt tccaggatcat cacgaatttc ccccagaag acttgccaga tgtggtgaga 120
 ctggtgagga accatggttg gcagtttaga ccagcattga gccgatattt cgatggagag 180
 tggaaaggcg aaccagacca gatgggagag cccactcaaa cgtctacacc catggctgag 240
 accttggttc ctcccgcgtt gggacctaga ccgttggttat ttacagcctc actgcccgtg 300
 gtcagaccat tgccagcgaa cttccgcaat gatttcagaa caattgggct aaatggacgc 360
 tctaactctg tgtggtccat gtttgaatct tttagttatg atggtaaccc ctttcttttt 420
 attttactgt tgatccctcg gataatcaat aggttatctg ccacaatatt cacgttcttt 480
 tgcactctat tgtccctgca ttcgataagt ggtggcggtta attcaggaaa acccaagatc 540

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400

tccaagggttc caaaggcacc aaccagagaa acccatatcc cacttgcaga aatactgggt 600
 gacacgaagg acaaggatgc attttgcgaa ctaaaaagct ttaaaccaga catttccttc 660
 aatgaggcct tgcgtattgc aaaagaagag tttaagttta tgttgctcat cctagtgggc 720
 gacacctacg ataccgatac tgataccgta gatgttaatt ctaaactact attggaaaag 780
 attttggtta acaagaagac ttacagtac ttgcgcaaga ttgataacga cctgattatc 840
 tatttgaaat gcgtacacga gttggaacct tggctgggtg ctgcceaact aggtgtcaga 900
 aacaccccg agatattcct cattgccaac gtggctaata aggcttccca ttcagaaact 960
 ttgccctcac aaagactctc cattctcggc aagctaaagg tcaattcact gaacagattc 1020
 ttgcagtcgt taacaaacgt ggtggaaaag tacactccag aattagttgt taataaaaact 1080
 gaaatgcacg agctacgcat gtcaagagaa ataaaaaac tgcaggagga tgcgtacaaa 1140
 aagtcgctag aaatggacag aatcaaagct atagaaaagg aaaagagctt gaaacacgct 1200
 caggatttga aattaaactc aactgctcgg caattaaaat ggtaaaggc ttgcatcgat 1260
 gagatacagc cgttcgagac aacggggaag caagctactc tgcaatttag gacttctagt 1320
 ggcaaaagat tcgtcaagaa gttcccctcc atgactacac ttaccaaact ctaccaatcc 1380
 attgggtgtc acatatacct cgcggtatat tctagtgacc ccgcagaatg gtctaacgcc 1440
 ctccaggaca aaatcaggca attatctgca gacgacgata tgctctgctt taaagaagga 1500
 caactcgaac ctgctactgc taccactatc gaagagctcg gccacatcat caacaacgag 1560
 cttacctcat ttgatctcga acgtggtaaa cttgaattcg actttgaatt ggtatcgccc 1620
 ttccctaagt atactgtgca tcctaacgag cacatgtcgg tggaccaagt gccccagcta 1680
 tggccaaatg gcagtcttct agtggaagca ctggatgaag aagatgaaga agatgaggaa 1740
 aatgaagaac aatga 1755

<210> 379
 <211> 2205
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 379

atgatggact caaaaacatt gacagcatca atggtaatgc aggaggagaa gaagcggcaa 60
 caacctgtga caagaagagt aaggtcattt tctgagtcct ttaaaaacct tttcaggccg 120

ttttatccgc atggtctatt gaaaatatgt gacttcggta caagttctgt atttcaaacc 1800
 gcttgggaaa ggaggggttca tgctcaaaag ggtataattg gatcagagcc ttacgtagct 1860
 ccagaagagt ttgttgatgg ggagtattac gatccaagac tgattgactg ttggagttgt 1920
 ggcgttgttt atataacaat gatattgggg cattatcttt ggaaagtagc ttcgagagaa 1980
 aaagatatgt cttatgatga attttacaag gaaatgcagc gtaaaaacca gtttagggta 2040
 ttcgaagaat taaagcacgt aaactcagag ttggccacaa atagaaaaat cgcattatat 2100
 cgcactcttc aatgggaacc aagaaaaagg atttctgttg gcaaactttt agatatgcag 2160
 tggatgaaaa gtacgaattg ctgcctaata tatgattcca cataa 2205

<210> 380
 <211> 3399
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 380
 atggaaaaag aatcagtata caacttagca ctaaatgtg ctgagcggca attgacctcc 60
 atggaatttt cgaaccttta caaggaattc tttaatgaaa agttcccgtc tttgattcaa 120
 gaggaagaag aagatacaac aacaactgca aatataaatg aggtcaagaa agcgtccgat 180
 ttggtggata caccagcaa caacacggct gctactgcag atactacaca cttacacgag 240
 gctctagata ttgtttgctc cgattttgtt aaaatattaa acctggagaa gcctcttatt 300
 ttggcagatt atatcgttga ggtattgctt gtgaactaca actcagatat gataaaatgc 360
 tttctgccta aattgaattc cgtaggaac tccttgctat tggcccattt tttctccaaa 420
 tcttgttcat tctttgcaa attatcagat actttgataa ttgatcaagt acgcaaggat 480
 ttgggcaacg tcatagtacc gaatatctta agtctagaca tgaatagtat gaataaagaa 540
 ttgattgcca tagtatcaaa gcttttgcaa acaactttta aactctctcc ttcaccaatt 600
 cttttaactt ctgccggctg taaaaatggg tcttttacgc tactaaatca gttgtctcaa 660
 accaacaagt tactttttta aagggtttct cagacttttg aagcaaaatt acatttcaaa 720
 gataccaagc cattttttaa caagattcc actaacgaat tcgtaggttc tccttcatta 780
 acctcccctc aatatatccc aagtccactt tcttcaacaa aacctccagg atcagtcaat 840
 tctgctgcca aatacaaaga catgaagctt ctctgttact ataaaaacat ttggctgaac 900

[illegible]

470

ttattgaatc tagctattaa ttatgccgtt attttgaatt cgaaaaatga actcttttga 540
cccagttttc ccaataaaaac aaccgttgaa ataatagatg acacaacaaa aaacttggtt 600
tcattcccat catctgccat tttcaatgac acctcaagat tgaataaatc gaactcggga 660
atgaaaaggc caagtctggt atcacaaaga tccaggtttt cattcagcga tccattttcc 720
aatgattctc ctttaagcca acagcaatct caacagcagc agcaacagcc acaacagcca 780
caacaacact ctacgcaaaa acattcacca caacaatgta atcaacaaca agtgaattct 840
tcaataccgt tatctttctca aggccagggtt attgggttac attctaacca ttcacatcaa 900
gatttgcttg tggaatcaac aattcaaaca tctgatattg gcaaattctt ctttttgaga 960
gataacactg aaattaatga aaagatatgg ggcacaagcg gtataccttc cagcatcaac 1020
ggttacatga gcaactccca accttctacg ccaactttag aatggggaaa tacttctgca 1080
tcccaacatg gttcttcggt ctttttacc cctgcagcat cgacagccat tgcacctacg 1140
aatagcaaca ccagtgccaa tgcaaagcgc agctccaaca atggagccag caataatggt 1200
gctaaccagg cactctctgc cagctcgcaa caaccaatga tgcaaattgg taacacgatt 1260
aacacttccc taacctcttc aaattcattg cctccatagc gtttaattgtc ttctcaatcg 1320
cagcacattt caaatatggt aaacacctct gatatgaaca ttacacctca aaaacagaac 1380
agatttatgc aacaacccca accagagcat atgtatcctg tgaatcaaag taacactcct 1440
caaaaagtac cgcccgaag attaagttca agtagaaatt cacacaagaa taactctact 1500
acctcattat cctcaaatat tactggatct gctcgattt ctcaggctga tttgtcacta 1560
ctagccagaa ttccacctcc tgccaacctt gctgatcaaa atccaccttg taataccctt 1620
tatgtaggga atttaccctc cgacgctact gagcaagaac taagacagct attttctggt 1680
caagaaggct tcagaagact atcattcagg aataagaata ccacatctaa tgggtcatagt 1740
cacggaccga tgtgcttcgt tgaattcgat gatgtcagtt ttgcaaccag agcgtttagct 1800
gaattgtatg gtagacagtt acctcgctcc actgtgagca gtaagggagg tatcagatta 1860
agcttttcaa aaaaccact ggggtgtagg ggcccaaaca gcagaagagg aggcagtggg 1920
aacccaaate ctaatgtaaa tatgctttcc agttacaatt ctaatgttgg tcatataaaa 1980
aactaa 1986

<210> 382

<211> 2163
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 382

```

atgaattcga atgaagatat acatgaagaa cgcattgaag ttccacgaac tccccatcaa 60
accagccag agaaagactc tgatcgcacg gctctcaggg atgaaatata agtaccagaa 120
ggcgaatgaaa aagcatattc ggatgagaaa gtagaaatgg caaccacaaa tgcattccagt 180
aactttggct caaatgaaag tgcaaaagac ggcaaatcaa tcggcgccctt ttcaaattccc 240
catgaggctc tgatgcagtc aaaattgaga gaagaatccc agagtataaac catactacca 300
tccgatgacc tcagccagca attagaaacc gaagaatcca aagttgaaga ggctctaaaa 360
agaataacct cccccatt accaccgagg gctgactgca tagaagaatc tgcattctgct 420
cttaaatcct cattgcctcc agtgctagca ggaaataaaa atgatcaagc ccccttgac 480
cgaccacagt tacctccgag gcaggtagtt aatgcggaaa ctcttcattt gaaggcgccc 540
catggtaatg cgactccctc caaatcacca acgagtgtcg taggtaattc ttcttcacgc 600
accctccaa ccttaccacc acgccgtata gaagatcctt tagacttggc tgctcaaaaa 660
catttcctag cgagtacatt taagagaaat atgctctttt ataaaagtga agataactct 720
atcaaattgtg atttggataa aaatatacta aatttaaaag aagattcaaa aaaaattaac 780
aacaatgaaa ttcctgaaga ggtagttca ttttggttaa aggttatcgg cgactatcaa 840
aatatcttaa taaacgatat cgaaacctta catttccaac tatctcgagg tataccagcc 900
gcttatcgat tggtagtctg gcagttagta agttatgcaa aatcgaaatc ctttgaccct 960
atatatgaaa cgtatctaac ggaaatggca ccttttgacg tccaggaatt tgaaaatcag 1020
ctaaaaatga tggacgaagt tccctctgaa tacgtaaaac gcataagtaa tgtgttaaag 1080
gcttatttac tttttgacct agagtgtgag ttttctaccg acattgctta tattatcaat 1140
atgattcttg acgtttgcga ggaggaggca aatgcatttg gtctacttgt acgcctaatt 1200
aaagtttacg gtttaagact cttgttctta ccaagtgtt ctgagatcga tattctttgc 1260
tataaatttg atagacttgt agaagaattt taccctgaaa ttcacaacca catggttgaa 1320
aaaggcgtcc gttcttccat gtttttgccc ggtttcttca cgacactgtt tcaaaagaaa 1380
cttcccactg aaattcaacc acgtatcggg gatatgggat ttttagaagg tattgactct 1440

```

attatgagaa ttttagccac acttttatct aattcccgag accatctgtt aaaaatgggt 1500
 tttgatgata tgctggagct attgaaatca ggtctgttag atgcttatat taagcagaat 1560
 gatggtacac gcggtgacac tcttctctca aatgaatgta tggataaatt actacaagac 1620
 tctatgatga aagtagcaat aaccccaaag actatgaaga aatattcttc tgaatatgag 1680
 gaaattcaca gattggacaa tgaaaaagaa gtgcaatata agtctatcac ggaaaaaat 1740
 ttacatttac aaaagcatgt tcgtaaatta gaaaacgact acacatcttt aaatagagag 1800
 catgtgacaa ttgcgaacga gttagtgaat aatcggttta atatcgagtc tgtattaaat 1860
 gaaaataatg gttacaaact tcaaatttta gatttgaaga aaaagttgga ttcagaaaaa 1920
 aagaagcaag ttttaggtgt atatgtgccc aatgatttaa agaaagattt ggaagagaca 1980
 atgaaaaaga atacccaagt aatggacgaa aatttgaaat tgcaggatag gatttcagaa 2040
 ctagaaaggc ttattgaaga aataaaaact gcaaacaaaa atggtacgtt attcgaatat 2100
 tctaattcta aaaataatcc tttgggagcc ggctggtcag gatttaaaaa ggtttttaaa 2160
 tag 2163

<210> 383
 <211> 1503
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 383

atgtctagat tagaaagatt gacctatta aacgttggtg ctggttctga cttgagaaga 60
 acctccatca ttggtaccat cgggtccaaag accaacaacc cagaaacctt ggttgctttg 120
 agaaaggctg gtttgaacat tgtccgtatg aacttctctc acggttctta cgaataccac 180
 aagtctgtca ttgacaacgc cagaaagtcc gaagaattgt acccaggtag accattggcc 240
 attgcttttg acaccaaggg tccagaaatc agaactggta ccaccaccaa cgatgttgac 300
 taccaatcc caccaaacca cgaaatgac ttcaccaccg atgacaagta cgctaaggct 360
 tgtgacgaca agatcatgta cgttgactac aagaacatca ccaaggatcat ctccgctggt 420
 agaatcatct acgttgatga tgggtgttttg tctttccaag ttttggagat cgttgacgac 480
 aagactttga aggtcaaggc tttgaacgcc ggtaagatct gttcccacaa ggggtgtcaac 540
 ttaccaggta ccgatgtcga tttgccagct ttgtctgaaa aggacaagga agatttgaga 600

```

ttcgggtgtca agaacggtgt ccacatgggc ttcgcttctt tcatcagaac cgccaacgat 660
gttttgacca tcagagaagt cttgggtgaa caaggtaagg acgtcaagat cattgtcaag 720
attgaaaacc aacaagggtgt taacaacttc gacgaaatct tgaagggtcac tgacgggtgtt 780
atgggttgcca gaggtgactt ggggtattgaa atcccagccc cagaagtctt ggctgtccaa 840
aagaaattga ttgctaagtc taacttggct ggtaagccag ttatctgtgc taccctaatg 900
ttggaatcca tgacttacaa cccaagacca accagagctg aagtttccga tgtcggtaac 960
gctatcttgg atgggtgctga ctgtgttatg ttgtctgggtg aaaccgcca gggtaactac 1020
ccaatcaacg ccgttaccac tatggctgaa accgctgtca ttgctgaaca agctatcgct 1080
tacttgccaa actacgatga catgagaaac tgtactccaa agccaacctc caccaccgaa 1140
accgtcgctg cctccgctgt cgctgctgtt ttcgaacaaa aggccaaggc tatcattgtc 1200
ttgtccactt ccggtaccac cccaagattg gtttccaagt acagaccaa ctgtccaatc 1260
atcttggtta ccagatgccc aagagctgct agattctctc acttgtagag aggtgtcttc 1320
ccattcgttt tcgaaaagga acctgtctct gactggactg atgatgttga agcccgatc 1380
aacttcggta ttgaaaaggc taaggaattc ggtatcttga agaagggtga cacttacgtt 1440
tccatccaag gtttcaaggc cggtgctggt cactccaaca ctttgcaagt ctctaccgtt 1500
taa 1503

```

```

<210>      384
<211>      369
<212>      DNA
<213>      Saccharomyces cerevisiae

<400>      384

```

```

atgaaagttt ccgataggcg taagtttgaa aaagcaaact ttgacgagtt tgagtcggct 60
ctaaataaca aaaacgactt ggtacattgt cctcaataa ctttatttga atcgatcccc 120
acggaagtgc ggtcattcta cgaagacgaa aagtctggcc taatcaaagt ggtaaaattc 180
agaactgggtg caatggatag gaaaaggctt tttgaaaaag ttgtcatttc cgtcatggtc 240
gggaaaaatg taaaaaagtt cctgacgttt gttgaagacg aaccagattt ccaggcgcca 300
ccaatccctt caaacaacc acgtgatggt ctacacgttg tttcaagtgc atactttgaa 360
attcaatag 369

```

<210> 385
 <211> 1875
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 385

```

atggacttga atcaaagaaa ggaaaaaaag ggccagcatg ttggatgctg tggctccagg  60
acagacctgt ctgctgacac agtggaaactg atagaaagaa tggacagatt ggctgaaaat 120
caggcgacag cttccatgtc gatcgttgcg ttaccgtcta gcttccagga gagcaatagc 180
agtgacaggt gcagaaagta ttgcagcagt gatgaggaca gcgacacgtg cattcatggt 240
agtgctaattg ccagtaccaa tgcgactacc aactccagca ctaatgctac taccactgcc 300
agcatcaacg tcaggactag tgcgactacc actgccagca tcaacgtcag gactagtgcg 360
actaccactg aaagtaccaa ctccaacact aatgctacta cactgaaag taccaactcc 420
agcactaatg ctactaccac tgccagcatc aacgtcagga ctagtgcgac taccactgaa 480
agtaccaact ccaacactag tgctactacc accgaaagta ccgactccaa cactagtgtc 540
actaccaccg aaagtaccga ctccaacact agtgctacta cactgctag caccaactcc 600
agcactaatg ccactaccac tgctagcacc aactccagca ctaatgccac taccactgaa 660
agtaccaacg ctagtgccaa ggaggacgcc aataaagatg gcaatgctga ggataataga 720
ttccatccag tcaccgacat taacaaagag tcgtataagc ggaaaggag tcaaattggt 780
ttgctagaga gaaagaaact gaaagcacia tttcccaata cttccgagaa tatgaatgtc 840
ttacagtttc ttggatttcg gtctgacgaa attaaacatc ttttcctcta tggatttgac 900
atatacttct gcccagaggg agtattcaca caatacggat tatgcaaggg ctgtcaaaag 960
atgttcgagc tctgtgtctg ttgggctggc cagaaagtat cgtatcggag gatggcttgg 1020
gaagcactag ctgtggagag aatgctgcga aatgacgagg aatacaaaga atacttggaa 1080
gacatcgagc catatcatgg ggacctgta gggatattga aattttttag cgtaaaaagg 1140
ggagagatct actctcagat acagagaaat tatgcttggg acctggccat tactagaaga 1200
agagaaacaa ttagtgtatt ggattcgaca agaggcaagc aaggagacca agttttccgc 1260
atgtctggaa ggcagatcaa agagttgtat tataaagtat ggagcaactt gcgtgaatcg 1320
aagacagagg tgctgcagta ctttttgaac tgggacgaaa aaaagtgccg ggaagaatgg 1380

```

gaggcaaaag acgatacggg ctttgtggaa gcgctcgaga aagttggagt ttttcagcgt 1440
 ttgcgttcca tgacgagcgc tggactgcag ggtccgcagt acgtcaagct gcagtttagc 1500
 aggcacatc gacagttgag gagcagatat gaattaagtc taggaatgca cttgcgagat 1560
 cagcttgccg tgggagttac cccatctaaa gtgccgcatt ggacggcatt cctgtcgatg 1620
 ctgatagggc tgttctacaa taaaacattt cggcagaaac tggaatatct tttggagcag 1680
 atttcggagg tgtggttgtt accacattgg gttgatttgg caaacgttga agttctcgct 1740
 gcagataaca cgagggtacc gctgtacatg ctgatggtag cggttcacia agagctggat 1800
 agcgatgatg ttccagacgg tagatttgat ataattattac tatgtagaga ttcgagcaga 1860
 gaagttggag agtga 1875

<210> 386
 <211> 1785
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 386

atgacaatgg caacaaccgc aatgaatggt agcgtacctc caccagatga agaagaacag 60
 ttactagcca aatttgtatt cggtgatata acagatttac aagaaaatct cgctaaattt 120
 aatgccgatt tcattttcaa tgaacaagaa atggatgttg aagaccagga ggatgagggg 180
 tctgaatcag ataacagtga agaagatgaa ggcgagaacg gtgaattaga ccatgttaac 240
 aacgatcagt tattttttgt ggacgatggt ggtaacgaag atagtcaaga taagaatgaa 300
 gataccatgg acgtggatga cgaagatgac tcttcaagcg atgattattc tgaggactct 360
 gaagaagctg cttggataga ttcggatgat gaaaaatta aagtgcctat tcttgttacc 420
 aataagacaa agaaattaag aacctcttat aacgagtcca aaatcaacgg tgttcattac 480
 atcaacagat tgagatctca gtttgaaaag atatatccaa ggcccaaagt ggtggacgat 540
 gaatctgatt ctgaattaga tgacgaagaa gacgatgaag aagaaggctc taataatgtt 600
 attaattggag atattaatgc tctaacgaag atcctgtcta ctacttacia ttataaagac 660
 actttatcga attccaaact attacccctt aagaaacttg acattgtgcg tcttaaagat 720
 gcaaatgcat cacaccgcgc tcattccgcc atacaatctc tttcattcca tccttctaag 780
 cctctactgt taacgggtgg gtatgataag accttaagaa tatatcatat tgacgggaaa 840

acgaaccatc tagtgacaag tttgcacctg gttgggtctc caatacaaac atgtactttc 900
 tatactttctc tatcaaacca aaatcaacaa aatatattca ccgccggtag aagaagatat 960
 atgcattcct gggactttatc cttagaaaat ttaactcatt cacagactgc caaaatcgaa 1020
 aaatttttcca gattgtatgg acatgagtc actcaaagat catttgagaa tttcaaagtt 1080
 gcacatttgc agaattcaca aacaaattct gtccatggaa ttgtcctttt acagggtaat 1140
 aatggttgga ttaacatttt acattccact tccggactat ggttaatggg ctgcaagata 1200
 gaagggtgta taacggattt ctgtatcgat tatcaaccta tttcacgtgg taagtttagg 1260
 accattttta ttgctgtaaa cgcgtatggt gaagtgtggg aatttgactt gaataagaat 1320
 ggccatgtta taagaagatg gaaagaccaa ggtggcgtgg gtataacaaa aatccaagtt 1380
 ggtggtggga caacaactac ttgtccggct cttcaaataa gtaagataaa gcaaaatagg 1440
 tggcttgccg taggtagtga gagtggattt gttaatcttt acgatagaaa taatgctatg 1500
 acctcgctga cccctacacc tgtcgccgcc ttggaccagc taacaactac catttctaata 1560
 ctacaatttt cccctgatgg tcaaatactg tgcatggcat cccgtgcagt caaggatgct 1620
 ttgagactag ttcattctgcc ttcttgtagc gtgttcagca actggcctac cagcgggacg 1680
 cctttgggta aagttaccag tgtcgcatth tgcctatctg gtgggctact ggccgtgggt 1740
 aacgaacaag gtaaagtga gctctggaaa ttaaaccact actaa 1785

<210> 387
 <211> 411
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 387
 atgggagaaa ttttagaact aactaataag aatttcatga gccacttgaa aaaggacata 60
 acttcgcaag aatccttgaa aagtagaatt gaggataaaa atggtgatgt cgctagcccg 120
 aaagaggata actatcctct attgaatgaa acagcggcat ggccagatgg ggtgattacc 180
 tctgaagaag gatgttcac ttcagggtgag aaagagaatt caggcttatg ttcagaagaa 240
 agttcagaag aagatccaga agaagctgaa gaggaatctg caagggcttt tggagagtta 300
 gttgcagtct tgcgggacaa agacatacca ctgaatgtat tggacgaacc tcagatgaaa 360
 gattggcttg aaaaatacac cggtgtttat agaagctctt ggcattggtg a 411

<210> 388
 <211> 2433
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 388

```

atggacaatc aggctacaca gaggcttaac gacctttctc tagaaccagc tccttcacac   60
gatgaacaag atggttcagg actagtcatt gacatagatc aaagaaagat tggatgatgaa  120
caagctggtg tcgtagtgga tgatgagaca ccccccttag agcagcaaga ttcacacgaa  180
agtttagctg ctgattctcg gaatgctaatt ttctcgtatc acgagaatca gcagttgttg  240
gaaaatggca ccaaacagtt ggccttagat gagcatgatt ctactctgc catcttggag  300
caaccatcgc attctaccaa ttgtagctct tccaacatag cagcgatgaa taagggccat  360
gactcggcag accatgcac tcaaaattcc gggggtaaac cgaggacctt gtctgctagt  420
gctcagcata tcttgccaga gacgctcaag tcatttgccg gcgctccggt agtgaataag  480
caggtacgta cctctgctc ctataaaatg ggaatgttgg ctgatgatgc ttcacagcag  540
tttcttgatg atccctcttc cgagttgatt gacttgtatt ccaaagtggc agagtgtaga  600
aatctgagag ccaaatatca gaccatatct gtgcaaacg atgatcaaaa ccaaaaaaat  660
aagccaggct gggtagtcta tccaccacca cctaaacctt catacaactc agacactaag  720
actgttgatc cagtaacaaa caagccggat gcggaagttt tcgattttac gaaatgtgaa  780
attcctggtg aggatccaga ttgggaattt accctcaacg atgacgactc gtacgtggta  840
cacagatcag gtaagacgga tgagttaatt gctcaaattc ctacccttcg tgactactat  900
ctggatctag aaaaaatgat ttccatctca tcagacggtc ccgctaaatc atttgcttat  960
agaaggctgc aatacctaga agcacgctgg aatctttact atctcttgaa cgaatatcaa 1020
gaaactagcg tttccaaaag aaaccacac agggattttt ataatgtag gaaagtggac 1080
actcacgttc accattctgc ttgtatgaac caaaagcact tattacgttt cattaaacac 1140
aaattgagac attccaaaga tgaaaagggt attttcaggg acgggaaact actaacttta 1200
gacgaagtat tccgttcttt gcatttgact ggatatgatt tatccatcga tacttttagat 1260
atgcatgcac ataaggatac attccacaga ttcgataaat tcaacttaaa atataaccct 1320
atcggatgaat ctcgtctcag agaaatTTTT ttgaagacaa acaactacat caagggtacc 1380

```

tacttggctg acattaccaa acaagtcata ttcgatttag agaattcaaa ataccaaac 1440
 tgtgagtata gaatttctgt ttatggcagg tctctcgatg aatgggataa actagctagc 1500
 tgggtgattg acaacaaagt tatttcccat aatgttcgtt ggtagtcca aattccgagg 1560
 ttatatgata ttacaagaa aactggcatt gttcaaagct tccaggacat ctgtaagaat 1620
 ctgtttcagc cactatttga agtgaccaa aatcctcagt ctcatccaaa attgcatgta 1680
 tttttacaga gagtaattgg gtttgattct gtcgatgatg aatccaaggt tgatcgccgc 1740
 tttcatagga aatatcccaa gccatcactc tgggaggctc ctcaaaaccc tccttattcc 1800
 tattacctgt actatttga ttcaaagtc gcgtcttga atcaatggag ggctaagaga 1860
 gggtttaaca ctttggtttt gagaccacat tgtggtgaag ccggtgaccc cgagcatctc 1920
 gtttcagcat atctattggc acatgggtata tcacatggta ttttattgag gaaagttcca 1980
 tttgttcaat acttatacta tttagatcag gttggtatcg caatgtcacc cttttcta 2040
 aacgcattat ttttgaccta tgataaaaac ccatttccga gatactttaa aagaggtttg 2100
 aatgtctcac tatccacaga tgatccttta caattctcat ataccagaga accattaatc 2160
 gaagaatact cagttgcagc acaaatttat aaattgtcta atgtagatat gtgtgaattg 2220
 gcaagaaatt ccgtgttgca aagtgggtgg gaagcacaaa tcaaaaaaca ttggataggg 2280
 aaagattttg acaagagtgg tgttgaaggt aacgatgtgg ttagaacaaa tgttctgat 2340
 attagaatta actacagata cgatacatta tcaactgaac tggaattagt taatcatttt 2400
 gccaatcca agagaacat tgaagaaaag tga 2433

<210> 389
 <211> 2589
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 389

atgcagtacg taggcagagc tcttgggtct gtgtctaaaa catggtcttc tatcaatccg 60
 gctacgctat caggtgctat agatgtcatt gtagtggagc atccagacgg aaggctatca 120
 tgttctccct ttcattgtgag gttcggcaaa tttcaaattc taaagccatc tcaaaagaaa 180
 gtccaagtgt ttataaatga gaaactgagt aatatgcaa tgaaactgag tgattctgga 240
 gaagcctatt tcgttttcga gatgggtgac caggtcactg atgtccctga cgaattgctt 300

ttagtcgaca tcgacaactt atcggatatt agcaatgatg attctgataa catcgatgaa 1980
 gatactgacg tatcacaaca aagcaacatt agtagaaata gggcaaattc agtcaaaacc 2040
 gccaaaggtca ctaaagcccc gcaaagaaat gtgagcggca gcacaaataa caacgaagtt 2100
 ttagccgctt cgtctgatgt agaaaatgcg tctgacctgg tgagttccca tagtagctca 2160
 ggatccacgc ccaataaatc tacaatgtcc aaaggggaca ttggaaaaca aatatatttg 2220
 gagctagggt ctccacttgc atcgccaaaa ctaagatatt tagacgatat ggatgatgaa 2280
 gactccaatt acaatagaac taaatcaagg agagcatctt ctgcagccgc gactagtatc 2340
 gataaagagt tcaaaaagct ctctgtgtca aaggccggcg ctccaacaag aattgtttca 2400
 aagatcaacg tttcaaatga cgtacattca cttgggaatt cagataccga atcacgaagg 2460
 gagcaaagtg ttaatgaaac agggcgcaat cagctacccc acaactcaat ggacgataaa 2520
 gatttggatt caagagtaag cgatgaattc gatgacgatg aattcgacga agatgaattc 2580
 gaagattaa 2589

<210> 390
 <211> 3141
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 390

atgaatatga acgagtccat ttccaaagat ggtcaaggcg aagaagaaca aaataatttt 60
 tcgtttggtg gtaagcccgg ttctatgat tccaattcag attctgctca acgcaaaaag 120
 tctttcagta ctacaaagcc gaccgaatat aacttaccaa aagaacagcc cgaatcaacg 180
 tccaagaatt tggaaaccaa ggctaaaaac attctgttac cttggaggaa gaagcataat 240
 aaagactcgg aaactccaca cgaagacact gaggcggacg ctaaccgccg tgccaacgta 300
 acttctgatg tgaaccctgt ttctgccgac accaagtcaa gttctggccc taatgctact 360
 attactacc atggatactc ttatgtcaaa acaacgacac ccgctgctac aagtgagcaa 420
 tccaaagtga aaacgtcacc tcccactagc catgaacatt caaatataaa ggcgcccccc 480
 actgcgcata gacattccaa aggtgatgca gggcatccaa gtattgcaac cactcataac 540
 cacagcactt ccaaagctgc cacttctcct gttactcaca cgcatggtca ttccagtgtc 600
 accacttccc ctgtcactca cacacatggt catgccagtg tgaaaaccac atctcctacc 660

ggtgcaaaat ccaagacctt cagctcgaac ccttttgatg atagtaaaaa tacagacact 2340
 catctcgaaa acgctaattg tgctgccttt gataattcca gatctggaga cactacatac 2400
 tccaaatcag gggatgctga aacagctgct tacgataata ttaaaaatgc ggaccctaca 2460
 tatgccaaat cacaagatat tactggaatg actcacgatc aggaaccatc atcagaacaa 2520
 aaggccagtt acggttcttg cggcaattcc caaaatcaag aatattctag cgacgataat 2580
 attgatgtca ataagaatgc gaaagtttta gaggaagacg caccgggcta caagcgtgaa 2640
 gtagatttga agaacaaacg tagaaccgac cttggtggtg cgcacgcctc aaacgcttat 2700
 gctgccgaag ttggtaatth ccctagtttg attgaccac atgtcccaac atacggattt 2760
 aaagacacca acacctctag ttctcaaaag ccatctgagg gcacctacc agaaaccact 2820
 tcctattcaa ttcataatga aacaacttct cagggaagga aagtgtcggg gggttcaatg 2880
 ggttccggaa aatcaaaaca tcatcacaat catcacgctc acagcagaca gaattcttca 2940
 aaagggctct actacgacta taataattct actcattcag ccgagcacac tccaagacat 3000
 catcagtacg gttccgatga ggggtgagcaa gattaccatg acgacgagca aggtgaggaa 3060
 caggctggta aacaaagttt catgggtaga gtgagaaaaa gtatttcttg cggctactttt 3120
 ggatttagga gtgaaattta a 3141

<210> 391
 <211> 2958
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 391

atggctatct gggagcaact agaagtctca aaggcgcacg ttgcttatgc atgtgttggg 60
 gtcttttcat ctatcttctc tttagtgtca ctttatgtca aggagaagct ttatattggg 120
 gagtccaccg tagcagggtat atttgggcta attgtgggtc ctgtttgctt gaactggttt 180
 aatcctctga aatgggggaa ttcagacagt ataacattag agataacgag aatagtatta 240
 tgtttgcaaa tttttgccgt tgccgtggaa ctgccacgga aatatatggt gaagcattgg 300
 gtatctgtga cgatgctatt attgccagtg atgacagctg gatggcttat tattggcttc 360
 ttcgtttgga ttcttatacc tggttgaat ttttctgcta gtttgttgat atctgcgtgc 420
 attaccgcaa cagatcctat tctggcgcag tcggctgtct ccggttaagt tgcccaaaga 480

gtacctgggtc acttaagaaa tctactgtct gcagagtcag gctgcaatga tggatatggcc 540
 tttccttttt tatttctttc tatgaattta atcctacatc ccggtaatgg aagagaaatt 600
 gtcaaagatt ggatttgctg tactatcctg tatgagtgtt tgtttgatg cttgctaggt 660
 tgcttcattg gttatgtagg cagaatcacc atcaggtttg ccgaaaagaa aaacattatc 720
 gatcgtgagt cgttcttagc attttacgtt gtcctggcgt tcatgtgtgc tgggttcggc 780
 tccatttttg gtgtggatga cctattggta tcatttgcag ccggtgacac tttcgcttgg 840
 gatgggtggt tttctcaaaa gacacaagaa agtaatgttt ctaccgtgat tgatttgcta 900
 ctaaactatg cgtattttat ctattttggt gccattatac cttggagtca attcaacaac 960
 ggtgaaattg gcacaaacgt ctggcgttta attatacttt cgatagtggg catcttttta 1020
 cgtaggatcc ctgcagtcac gatattaaga cctcttatac ctgatataaa atcgtggcgt 1080
 gaggcacttt ttgtgggcca ttttggctct attggtgtag gtgcaatttt tgccgctata 1140
 ctagctcgtg gagaattaga gtctaccttt agtgacgaac ccactccttt aaatgttgta 1200
 ccatcaaaag aggaaagtaa acattggcag ctgatagcct gtatatggcc aataacttgt 1260
 tttttcattg ttacttctat catagtccat ggttcttcag ttgcaatcat aactctaggt 1320
 cgtcatttga acacgataac gttaaccaaa acattcacta cacacaccac caatggtgat 1380
 aatgggaaaa gttcatggat gcaaagggtg ccatcggttg ataaagctgg acgatcattt 1440
 tcattgcac gtatggatac tcaaatgact ttatcagggg atgaagggtga agcagaagaa 1500
 ggaggagggtc gtaagggtg agcaggaggt gaagatgaag aaggattaaa caatgatcaa 1560
 attggtagcg tcgcaacgag cggaattcct gcaagaccgc ctggtggtat gccaaaggagg 1620
 aggaaattgt caagaaaaga gaaaagattg aacagaagac agaaactgag aaacaaagg 1680
 agagaaatat tttcatcaag atctaaaaat gaaatgtatg atgacgatga gttgaatgat 1740
 ctgggacgag aaagggttga aaaagaaaag gaagcacgcg ccgccacatt tgcattgagc 1800
 acagccgtca atacacaacg taatgaggag attggaatgg gtggagatga agaagaagat 1860
 gagtacacac cggaagagga atatagcgat aattacaata acacaccaag ttttgagtcg 1920
 tctgaaagat cttcatctct ccgaggaaga acttacgtac caagaaaccg ttacgatgga 1980
 gaagagacag aaagcgagat tgaaagcgaa gacgagatgg aaaatgaaag tgaaagatca 2040
 atggccagta gtgaagagag gagaattcga aaaatgaaag aggaagaaat gaaacctggg 2100

actgcttatt tagatggtaa tagaatgatt attgaaaata agcaagggtga aatcttgaat 2160
 caagtagata tcgaggatcg caatgaggcg agagatgacg aagttagtgt tgatagtaca 2220
 gccattcaa gtttaactac cacaatgacc aatctatcca gtagtagtgg gggaagggtta 2280
 aagagaatTT taactccac atcttttagga aagatacatt cattgggtga taaaggaaag 2340
 gataaaaaata aaaacagcaa gtatcatgca tttaaaatag acaatctgtt aatcatcgag 2400
 aatgaggacg gtgatgttat aaaaagatac aagataaatc ctcataaatc tgatgatgat 2460
 aaaagtaaaa accgccaag aaacgatagt gttgtatcaa gagctttaac agcagtagga 2520
 ctaaagagca aagcgaacag cggcgtaccg cctccagtag atgaagaaaa agccatcgaa 2580
 ggacctcca ggaagggccc agggatgtta aagaaaagga cattaacacc tgcgccaccg 2640
 agaggagttc aagattcctt agatctggaa gatgaacctt catctgagga ggatttaggt 2700
 gatagttata acatggacga tagtgaagat tacgacgata atgcatatga atcagaaact 2760
 gaattcgaaa gacaaagaag gttaaatgcg ttaggtgaga tgacggcacc agcggatcaa 2820
 gatgacgaag agttgccgcc cttacctgtg gaggcacaaa caggaaacga tgggtccaggt 2880
 acagcggaag gaaaaaaaaa gcaaaagagt gctgctgtta agtcggcgct atcaaaaacg 2940
 cttggtctca ataagtaa 2958

<210> 392
 <211> 168
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 392

atggtcaaat taacttcaat cgctgccggt gtcgccgcca ttgctgctgg tgcctccgcc 60
 gcagcaacca ctacattatc tcaatctgac gaaagagtta atttggttga attaggtggt 120
 tatgtttccg atatcagagc tcatttggct gaatactact ctttctaa 168

<210> 393
 <211> 2454
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 393

atggcaggtg ctccagctcc tcctcctcca ccgcctccac cagcattagg tggtagtgct 60

cctaaaccgg caaaatctgt gatgcagggc cgtgacgccc tgtaggtga cattagaaag 120
ggaatgaaac taaagaaagc tgagaccaat gatagaagtg cccaatcgt gggaggtggt 180
gtcgtttcat cggcctcagg aagttctggt accgtcagta gtaaaggacc ctctatgtca 240
gctcctccaa tccctgggat gggcgctccg cagttgggcg atatttttagc tggaggtata 300
ccgaagttaa aacatatcaa taacaatgca agcactaaac cctctccatc ggcgagcgca 360
ccgccaattc cgggcgcggt gccatctggt ggggctcccc ccattcctaa tgcaccatta 420
tcaccagcac ccgctgttcc tagtattccc tegtcttctg cacctccaat tcctgatatt 480
ccatcttctg cggccccctc tattcccatt gtaccatcat ctccagcacc accgcttcca 540
ttatcaggtg cctctgctcc aaaggtaccg caaaatagac cgcataatgcc ttcagtaagg 600
ccagcacaca gaagccacca aagaaaaagc tctaataattt ctcttcctag tgtgtcagca 660
ccccctttgc cttcagcgtc tctgccaaca catgttagca accctccaca agctccaccc 720
cctcccccac ctccaacaat tggcctggac tcaaaaaaca ttaaacctac agataacgca 780
gtctcaccac catcttctga agttcctgca ggcgggttgc cttttttggc agaaattaat 840
gccaggaggt ctgaacgagg agccgtcgag ggcgtttctt ccacaaagat tcaaaccgaa 900
aatcataaat ctcttcaca accaccactt ccatcatctg ctccgcccac tcctacatca 960
catgctccgc cattaccgcc tactgcacca cctccaccat cgttaccaaa tgtgacctct 1020
gcacctaaaa aagcaacttc agctccagct ccgcctccac caccactacc agcagccatg 1080
agctctgctg cgactaacag cgtaaaaagca accccgggtc cccaacttt agcaccaccg 1140
ttaccaata ctacatcagt tcctcctaac aaagcatcgt caatgcccgc gccaccacct 1200
cctcctcccc caccacctgg tgctttttca acatcctctg ccttgctcagc atcatctatt 1260
ccttttagcac cactaccacc tcctcctcct ccttcgggtg caacgtcagt accatcggct 1320
cctcctcctc ctccaacact cagcacaac aaacctcag cgtccagtaa gcaatccaaa 1380
atatcttcat ccagttcttc ctcgcccgta acacctgggg gaccttacc atttcttgct 1440
gagatccaaa agaagagaga tgatagattc gtggttggtg gtgatactgg atacactacc 1500
caagataaac aagaggatgt aataggttca tctaaggatg ataacgtaag accttctcct 1560
atttctccat ctataaaccc gcctaaacag agtagccaaa atggtatgtc gtttctggat 1620
gaaattgaat ccaaattaca taagcaaaca tcatcgaatg cttttaacgc accaccccc 1680

catacggatg ctatggcgcc tcctttgcct cctagtgcac ctctcctcc tataacatcg 1740
 ctaccgactc caactgcac aggtgatgac cacaccaatg ataagagtga gactgtgtta 1800
 gggatgaaaa aagcaaaggc ccctgcactg cctggacacg ttccacctcc accagttcca 1860
 ccagttttat cagatgatag caagaataat gtccccgcg cttctttatt acacgatgtt 1920
 cttccctcct cgaatctcga aaaacctcct tctcctcctg ttgcagctgc tccgccattg 1980
 ccaacattta gtgcaccaag tctgcctcag caatccgtgt ctacatcaat accatcacct 2040
 cctcctgttg cgcctacact ttccgttcgt accgaaactg aatcaatttc gaagaacccc 2100
 actaagtcgc cccccccacc accaagtcca tctacgatgg ataccggtac ctctaatagc 2160
 cccagtaaaa accttaaaca acggttattt tctacaggtg gatcgacgct gcaacacaag 2220
 cataatacgc atacaaatca accagatgtt gatgtaggta ggtatacgat aggggggatcg 2280
 aattctatcg ttggggccaa atctggaaat gaaagaattg ttatagatga ttcaagattt 2340
 aaatggacta atgtgtcaca aatgcctaag ccacgtccct ttcaaaataa aacaaaactg 2400
 tatccaagtg gaaagggtag tagtgtgcca ttggacttaa cattatttac gtga 2454

<210> 394
 <211> 1788
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 394

atgcctaccg tctccgtgaa caagcagcaa ttatttgatc ttctaggcaa aaactacact 60
 tcccaagagt tcgatgaatt atgttttgaa ttcggtatgg aaatggacga agacaccaca 120
 gaggaggcct tgaaaaccgg ggaggagccg gaattgaagc ttgatatcag tgccaatcgt 180
 tacgatttgc tttgtatcga aggtatttca cagtcgctga acgaatactt ggaacgtaaa 240
 gaaagacctg actataaatt aagcaagcca accactaagt tgatcatcga caaatcaacg 300
 gagcaaatta gaccttttgc taccgctgct gtattgagaa atatcaagct taacgaaaaa 360
 tcttacgctt cttttattgc cttgcaagat aaattacatg ccaatctatg tagaaacaga 420
 agcttggttg ccatgggtac tcacgattta gattcaattg aagggtccatt ccattacaga 480
 gctctaccac caaaggacat caagttcgta ccattgaatc aaaccaaga gtttactggt 540
 gacaaattga tcgagtttta taaatctcca gaacagaaaa acaacatagg gagatacggt 600

cacattattg aggatttctc agtcttccca gttattatgg acagcaaaga tcgtgtttgc 660
 tccctgccac cattaatcaa tagtgaacat tcgaagatct ctgtgaacac ccgtaacatt 720
 ttgattgata taaccgccac cgataagacc aaagccgaga tcgttttgaa catattaact 780
 acaatgttct caggttattg tgacgaacca ttcacggttg agcctgtaga aattgtctct 840
 gaacacaatg gccaatcccg tttggcgcca aacttcaacg atagaattat ggatgtctcc 900
 attaagtaca tcaactcctg tcttggccta gatcaatccg ctgatgaaat tgctcattgt 960
 ctaaagaaga tgtcgttgca tgccgttcaa tcaaaggaag acaaggacat cttgcacggt 1020
 gacattccgg taactagacc tgatattttg cacgcttggt atataatgga agatgccgct 1080
 gtcggttatg gtttcaataa tttgccaaag ggtgagaaat tatccaatgc caacttcatt 1140
 gccaaaccat taccaatcaa caaggtttct gatattttca gagttgcac cttcgaagcc 1200
 acgtgggttg aggttttacc attgacctta tgttcgcaag atgaaaactt taaatttcta 1260
 agacaatccg acaatggtga tttagctgtc aaattggcca acccaaagac tttggaatac 1320
 caagttgta gaaccacttt attgcctggt atcttaaaga cagtcaagga aaacagaaaa 1380
 cattccttgc caatcaaagt ctttgaaacc ggtgacgttg tatttaaaga cgacaaacta 1440
 gaaaggaagg cgtacaatga acgtcactgg gctgccatct acgtgggtaa gaattctggg 1500
 tttgaaatca ttcaagggtt attgggtaaa atcatgcaaa cttttagaac agagtggatt 1560
 gcagactacg gtgctgctgc ttctggcaga gggtactgga ttgaagaaga cgattctgtg 1620
 aaaacctact tcccaggtag aggtgccaag gtcatgttca gatccaaaga aggcgctgag 1680
 ccaaagcaaa tcggccactt ggggtgtctg catcctgaag tcatgatgaa tttcgacggt 1740
 ccattcgctg catcctttgt agaggttaat gccgaagtct tcctataa 1788

<210> 395
 <211> 2640
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 395

atggaaatga acatggatat ggatatggat atggaactcg catccatagt ttcttcttta 60
 agcgccctgt cccatagtaa caacaacggc ggtcaggccg ccgcggccgg cattgtgaac 120
 ggcggtgctg ctggatcaca gcaaattggc ggcttcagaa ggctcgagttt caccacggca 180

bioRxiv preprint doi: <https://doi.org/10.1101/151111>; this version posted May 11, 2017. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

aatgaagtag attcagagat cttgctgctt cacggttcca gtgaatcttc accgatcttc 240
aagaaaaccg ccctatcagt tgggtactgct ccgccattct ccacgaactc gaaaaagttt 300
tttggttaacg gcggcaatta ttaccagtac agatcaaccg aactgcctc cctgtcatcc 360
gcatcgtaaca ataactatca tactcatcat actgctggcta atctcgggaa aaacaacaag 420
gtcaaccatc ttctggggcca gtattcagct tccattgctg gtcccgttta ctacaatggc 480
aatgacaaca acaactctgg tggggaaggg ttttttgaga agttcggaaa atctttgatt 540
gacggtacaa gggaactgga atctcaagat agacccgacg ctgtcaatac tcagtcccaa 600
ttcatatcaa aaagcgtctc taacgccagc ttagacacac agaatacttt cgagcaaaat 660
gtcgagtctg acaaaaactt caacaaattg aataggaaca ctactaacag tggttcgctt 720
taccactcca gttcaaattc aggtcatctt gcgtctttag agtccgaaaa tgctcattac 780
cccaagagaa atatctggaa cgtagccaac acaccagtat ttagacctag taacaatcca 840
gccgctgttg gggccacaaa tgtcgcgctt cctaaccaac aagatggggc tgcaaataac 900
aatttcccc cctacatgaa cggttccca ccaatcagt ttcacaggg ccctcattac 960
caaaacttcc ccaactactt gatcggtatc cttcaaatt tcatctccca gatgatttca 1020
gtacagattc cagcaaatga agacaccgaa gactcaaatg gtaagaaaaa gaagaaggca 1080
aacagacctt cttctgtttc ttcacctcg tccctccaa acaattctcc gttcccgttt 1140
gcctaccca acccaatgat gtttatgcca cctccaccac tctctgctcc ccagcaacaa 1200
cagcaacagc aacaacaaca acaacaagaa gaccaacaac agcaacagca acaggagaat 1260
ccttatattt actaccctac tccaaatcct atacctgtca aaatgcccaa ggacgaaaaa 1320
accttcaaga aaagaaataa caagaatcat cctgcaaata actccaacaa cgccaacaaa 1380
caggcaaatc cttatctaga aaattctata ccacaaaga atacctctaa aaagaatgct 1440
tcttccaaat ctaatgagtc aacggccaac aaccataaat ctactctca ttctcatcct 1500
cattctcaaa gtctacagca acagcagcaa acgtatcatc gatcgccgtt gttagagcaa 1560
ctaagaaaca gtagttctga caaaaattca aactcgaaca tgctactaaa agacatcttt 1620
ggccattcct tagagttttg caaagatcaa catgggtcac ggttcattca gcgcgagttg 1680
gccacctcac cagcctcaga aaaggaggtc atattcaatg aaattcgaga tgacgccatt 1740
gagctttcga acgatgtatt tggtaattac gtcattcaga agttttttga atttggtagc 1800

aaaattcaaa aaaatacttt ggttgatcaa tttaaaggta acatgaaaca gttatctcta 1860
 caaatgtacg catgtcgtgt aattcaaaag gcgttagaat atattgattc caatcaaaga 1920
 attgagttag tcttggaatt atctgactcc gttttgcaa tgatcaaaga tcagaacggt 1980
 aatcacgtaa ttcaaaaggc catcgaaaca attcctatcg aaaaattacc ttttatctta 2040
 agttcttta ctggccacat ttaccatcta tctaccact cctacggctg tagggtcatt 2100
 caaagattgt tagaatttgg ttcgagcgaa gatcaggaaa gcattttaaa cgaattgaaa 2160
 gatttcatac catatcta tcaagaccaa tatggtaact atgtcattca atatgttttg 2220
 caacaagatc agttcaccaa taaggaaatg gtcgatatca aacaggaaat catagaaact 2280
 gtggccaata atgttgctga atactctaaa cataaatttg cctccaacgt ggtcgaaaaa 2340
 tctattcttt atggctctaa aaatcagaag gatttaataa tttctaagat tttaccaaga 2400
 gacaaaaatc atgctttgaa tctggaagac gattctccaa tgattttaat gatcaaggat 2460
 caatttgcca actatgtgat tcaaaaatta gttaatgtct ctgaggggtga gggtaagaaa 2520
 ttgatcgtca ttgccattag agcatatttg gataaactaa acaaacttaa ctccctagga 2580
 aatagacatt tagccagtgt tgagaaactt gcagcattgg ttgaaaatgc ggaggtgtga 2640

<210> 396
 <211> 2040
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 396

atgccatcgg aagttacgcc aaaagtacct gagaggccct caaggaggaa gacatctgag 60
 ctgtttccgt tatccggctc tgaatcagga gatattaaag ctaatagcga gccaccaaca 120
 ccagcaggaa cgccaatgt accaacacgt agaccatac ttaaagcaaa gacgatgact 180
 tcgtttgaga gtggtatgga tcaagagagt ttgccaagg taccattgca gaggccagtt 240
 agacgtcca ctactgaaga actaaataat gtaatgaata acaccagtaa ggagttagag 300
 gagattgaaa gtttgatttc aaagcacaat atacacaatg tttccaggaa aaaaagtcca 360
 acttctgtgg aagagggaaa ggtggccgcc attcatcaaa acgggcaaag aagtgcacga 420
 gataacaaaa cttctacaaa tccctcccca ctcgaaaaaa atgagcacga ggggtgctgag 480
 ggcaatgagt ctgctatttc accttcta ttagttaaca agtctaataa tgaagtgaca 540

gagcatagtg actccgaaga ccttactgaa aagcaaaagg tacatgctgc cctagataat 600
gaggcagggg atagaagcca ttttgaagaa aagctcattc ctggagatat gaaagtacag 660
gtagatgtta gtaaggacgt agaagaaggc agcctcaatg ctctgcctcc atctggaatc 720
acagaatcag acgacaaagc tgaaaagttc actaaacatc ctgaatctag tttagaagag 780
ctacagaagc atcaagaaca acaggaagaa aaaattttcc aaaatccaac cgatgaagaa 840
agtactacct ctttgaatga gaaacaagaa ggcaaggaca acatggaagt gaattctcag 900
ccgcaaggac cttctgatac tgaaacagtt atagcagcaa ctagctcaaa cgttccttca 960
caaattgcaa gtgaagagga aaatgacgtt ccagtgattc caaggagtag gcctaagaag 1020
gattttgaag cacacgtaca aaaagaggag ttgcctaaca cacaagagaa gcgagtatca 1080
gaagagtgtg attcgacctt aattagtacc gaagaggaaa gtaaaatccc aaaaattccc 1140
tctgaaagac caaagagacg tgccccacct ccggttccca aaaaaccttc ttcaagaatt 1200
gcggcctttc aagaaatggt acaaaaacaa cagcaacaag atctgcataa taatggtaat 1260
tcttcagcta ctaccgcttc agcagatatt gctaaaaaac acacagattc ttctattact 1320
agcgatacca cgaaggcaga ttttacgagc aaattgaatg gactgtttgc gctacctggt 1380
atggtgaacc ctggacagct tccaccttcc ttggagaaga agttgtcctc cccggatact 1440
gaatctaagc taggacccca ggaccaatca caggcaaaaa cgggacctct gggcggaact 1500
agaagaggta gaggacctcg tgggcgtaaa ttaccttcta aagtagctag cgtagagaag 1560
attgaagaag atgacaacac taataaaata gaaatattta acaattggaa tgtttcctct 1620
tccttctcta aggaaaaagt cttaatagat actactcctg gtgagcaagc agaaagggcc 1680
ttggatgaaa agtcaaagag cattcccgag gaacaacgag aacaatctcc aaataagatg 1740
gaggctgctc tttgtccttt tgagctggac gaaaaggaaa agttacctgc taatgctgag 1800
tcggatcctc tttctcagtt gccacagacg aacgccgtag gtaatagaaa agccataagt 1860
gaggaatctc tgtccccatc ggaggccatc gccaacagag atcaaaacga tacgacagaa 1920
atacaggaac agcagatgga ggaccaaag gaggttgata tggaaagaga actctcaggt 1980
ggctacgaag acgttgattc tgccttacat tcagaagaag cgtcttttca ctcccttttag 2040

<210> 397
<211> 2841
<212> DNA

<213> Saccharomyces cerevisiae

<400> 397

atgtctgata atttgttata tttagagaat cgggtggtgc ctagtcacta tgagttgcgt 60
ctagaaattg accctaagca gtcgtcgccc aatttcaaag gatccgcat aatccatttg 120
aaattcaatc cgaactccac caccttagct tctatcgaag acagttttac ccagttcaag 180
ttacattcca aggatttgat tgtgttgtct gcacatgcca ccatagggtc tactaagttt 240
gatctaaaaa tttctcagga cactggaaag catttgctga ttttcaactc tgaatctcct 300
attcaattgt ccaacgattg ccctctgatt ttgtccgtgc aatacgtggg taaaattcgt 360
gacataaaaa cacatcatga taagactttt ggtattttca aaaccaattt tatggatcgt 420
aaaaccggta ctgccataa tcacgtcggt gctactcact gccaacgtt ttccgctagc 480
aatattttcc catgtattga cgagccttca aacaagtcca cttttcaatt gaacattgca 540
acggatgcac aatataaagc cgtttccaat actcctgtag agatggtcga agctttggat 600
agttctcaaa aacatttggt gaaatttgcc aagacacctt tgatgactac ttccgtattt 660
ggtttttcta ttggtgattt agaatttttg aaaacggaaa tcaagttgga aggtgatagg 720
actattcccg tttcaattta tgcaccttgg gatattgcta atgcagcttt cacttttagat 780
acagtccaga aatatctacc tttgttgga tctattttta aatgtccata ccctctgcca 840
aagttagatt tcgtcctact accatattta agtgacatgg caatggagaa ctttggtatg 900
atcaccatcc aactaaacca cctgctcata ccaccaaag ccttggccaa tgaaaccgtc 960
agagagcaag cacagcaact cattgtccac gaactcgttc atcaatggat gggcaactac 1020
atatcttttg actcgtggga atctctttgg tttaatgagt ctttcgctac ttggttagct 1080
tgccacatac tagaacagaa tggtgaccta tcccattatt ggacctcgga accttattta 1140
ctacagcaag tggagccgac catgtgcaga gatgcagctg acgttaatgg aagaagcata 1200
tttcagattg cgcaacggaa cactggcata gattctcaaa cctccgatat ttttgatcct 1260
gaggcataca caaagggtat tatcatgctg aggtccctgc aattggctac aggcgaatct 1320
catctacaaa agggcctgga aagtgtattt gaagatacta aaacatttca tgcgagaagc 1380
gtcaaaccaa tggatatatg gaatcatatc ggaaaatttt tgaagtctca aaatattaca 1440
aactttgttt catcttgga aagaacgcca ggcttacctg tcgttaaggt cgaagtagaa 1500

atgccaggcc agataatcag cattccgttt ttgtcgcaga acgaggacat ggataaatac 60
 ttgttggagt accgcagttt gaagctcctt catcagtcga gtaattcctt ccagtctcac 120
 aatgcgccct cccaccagtc gaactaccac cccattaca atcacatgaa atacaacaac 180
 actggtagct attactatta caacaacaac aataacagca gtgtaaaccc acataaccaa 240
 gctgggtctac aatccattaa cagatctatt ccatcggccc cgtacggggc ttacaaccag 300
 aacagagcta atgacgtacc atatatgaat acccaaaaga aacaccacag atttagcgct 360
 aacaataatt tgaaccagca aaaatacaag caatatcccc agtatacgtc caatccaatg 420
 gttactgcac atctgaagca aacgtaccct caactgtact acaatagcaa cgtcaatgct 480
 cacaacaaca acaacaacag caacaacaac aacaacaaca acaacaacag caacaacaac 540
 aacaatcttt acaaccagac gcagttctcc acgagggtact tcaactcgaa ctctctcccc 600
 tcgttgactt ctccacttc taactcatcc tctccatata accaaagcac ctctgaatac 660
 attttgccgt caacttcggc agcttcacaa aatttatcgt cgtcatcatc aaacaactct 720
 atgcacacca acccaaccac tgcaacatcg acatccgccg atttaatcaa tgatttacct 780
 gtgggcccc cgtccagttc gcttatctcg gatctacatt ctccaccaac tgtatctttc 840
 ctaccagcaa gccaaaccct gctcatgtcc tccaccacat ctagctctat tggcaccaac 900
 ataaaccac cgcaacattc accatcccc tgcgaaaggg aggatttttc gacggcacca 960
 gtgaacatgt ctctgtccgc atcactcttg atgaatgatt ctcttttagg atgggggtct 1020
 aaccacatga acgtatcttc atcctctcaa ccagcatcat caagaccctt tggcatttgg 1080
 aatactgaca tgagcgtttg gagttga 1107

<210> 399
 <211> 1875
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 399

atgggtggtgc agaaaaaact tagggctatc ttgaccgatg aaggtgtatt gatcaaactg 60
 caatcacacc atatgttcaa taagcatggt caactcagaa gcggagattc tttatccttg 120
 ttgagctgct tgtcctgtct ggatgatgga actttgagct ctgatggagg ttcttttgat 180
 gaggatgatt ccctggaact gttgcctctt aatactacca ttccgttcaa cagaattttg 240

tttgaatcca tgtag

1875

<210> 400
<211> 858
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 400

atgtcctccg atttagctgc tgagtttagga ttcgaccctg cactaaagaa gaaaaagaag 60
actaagaagg tgatcccaga tgattttgat gctgccgtaa acggcaaaga aaatggttca 120
ggagatgatt tatttgccgg attaaaaaag aaaaagaaga agtccaagag cgtttctgcc 180
gatgctgaag ctgaaaaaga gcctactgac gacatagcag aagccttggg tgaactatcc 240
ttgaagaaga aaaagaaaaa gacaaaggac agcagtgtag acgcgtttga gaaagaacta 300
gctaaagctg gtctagataa tgtggatgct gaaagcaaag aaggcactcc aagtgctaata 360
tccagcattc aacaagaagt tggcctacct tattcagagt tattatctag atttttcaat 420
attctaagaa ctaacaatcc agaacttgct ggtgatagaa gtggtccaaa gttcagaatt 480
cctcctcctg tttgtttgcg tgatggtaag aagactatct tctcgaatat ccaagatatc 540
gccgaaaaat tgcataagtc tccggaacat ttgattcaat atctcttcgc agaattaggt 600
acgtccgggt ctgttgacgg tcagaaaaga ttagtcatta agggtaagtt tcaatccaaa 660
caaatggaga atgtcttaag aagatacatt ttggagtatg tcaattgtaa aacttgtaag 720
agtattaaca ccgaattgaa gagagaacag tcaaacagac tggtctttat ggtctgtaaa 780
agttgtgggt ctaccagatc cgtctcttct attaaaaccg gtttccaagc taccgttggt 840
aagagaagga gaatgtga 858

<210> 401
<211> 951
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 401

atggcattta gtgattttgc tgccatatgc tcaaagaccc cgttgccatt atgttcggta 60
ataaagtcta aaacccatct aatactttcg aactcaacaa ttatacatga ttttgatcct 120
ttaaatttga atgtcgggtg actgccacgc tgttatgctc ggtcgattga tcttgccaat 180

acagtcacatct ttgatgtcgg gaacgcattc ataaatattg gtgctctagg tgtcatttta 240
atcatactttt ataacataag acagaagtat actgctattg gcaggctctga atatctctac 300
tttttccaac taacattgct attgataata ttacaccttg tggttagactg tgggtgtatct 360
ccccccggct ctgggtcata tccatacttc gtggctatac aaataggact ggcgggtgca 420
tgttgctggg ccttattgat aatcgggttt ttaggtttca atttatggga agatgggact 480
acaaagtcca tgctgttggc ccgtggaacg tccatgctag gattcatagc caatttttta 540
gcctctattt taaccttcaa agcatggatc accgaccata aagtagcaac aatgaacgct 600
tcagggatga ttgtcgtcgt ttacataata aacgccattt tcttattcgt tttcgttatt 660
tgtcaattac tggatatccct attggtagtt cgaaacttat gggtcacagg agctatcttt 720
ttggggctat ttttctttgt agcaggccag gtattgggtt atgccttctc tacacaaatt 780
tgtgaagggt tcaagcacta cttagatggc ctcttttttg gaagcatctg taatgtgttc 840
acattaatga tggtttacia gacttgggat atgactaccg acgacgactt ggaatttggt 900
gtaagtgtta gcaaggacgg tgacgtggtg tatgataatg gatttatgtg a 951

<210> 402
<211> 1722
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 402
atgggtgttt ctgcggtggt gaaaagagct aggaatttac tagcaacgtt catagtctgc 60
tgttttatgg cagtagtgct tgttctggcg ctggcacacc attttataaa tgagcacaga 120
gacactagga gttcatcgac ccaaatcgaa gttgatgacg aaagtaaaag aaacgtacac 180
catgaccatg ttctcactag aaccaatgca tacgcgacgc catacctcga tctggaacat 240
gacaagaaaa acggtatcgt ctacgatcat acaagaacgg ttgtccgtaa aaagaaccac 300
gaagtggggc cctcgtcact gcataaaaac ctttttcaca aatttttgac aaagcttatt 360
tttaggttta tcgagaagga aaaagttacc gaaggcgtaa cgcaaggaaa gttcaataat 420
agtagcaatg aaattgcaa tcatgaaccg gtttttgaaa aaattcctgt acagtgcgac 480
aatccattac agaattctaat cttatcgga gacttgacat tagttgcgga tcttaattat 540
tattttaacc agtacaatat tcaaatagag gaatttagat tggagaccga agatgggttt 600

gttatagatt tgtggcactt gataccaaaa tatagaacga cagattctga caagaagaag 660
 aggccaccca ttttgatgct acatggcctt ttgcaaagca gtggttcgtt cgcacccaat 720
 ggtagaaaat ctctggcata ttttctgtat caatccggtt acgacatatg gttagggaat 780
 aacagatgcg ggttttaggcc ggaatggaac gaagcgaaag taccgacact agcttccagg 840
 tgggactggg accttcgcga gatggttaag tacgatctga cccttttgat tgataccgtg 900
 ttagctaaga cgcagtttga aaagcttact ttgatctcgc attctcaggg cactacacag 960
 gggtttatgg gcttgggtcaa cgaagataag tttttccctc ccggttcggg atctaaagaa 1020
 tcttttttca cttctaagat cgcaaactat attgccttgg ccccgagcgt gtatcctggt 1080
 cccttactta acgagaaatt gtttgtaag cttatgacaa aggaaatcga aaatccctgg 1140
 ttctttgggtg aaacgagctt ttttgagata atgatgattg taagaaactt gtgcgttggt 1200
 gagagcttgt tctccttgt ttgttacacc atcttcaatt acctgtttga ttggaacgat 1260
 accctttggg ataccgcatt aagagatcgc catttcctgt tttcgccagt ccatgtttca 1320
 gtgaagttga tgcaatgggtg gctgtcacc gacccaaca aggtaagttt taaatttggt 1380
 tcccataaga tgttccccga caatgttaag tggttttcag acgcatcaaa ggccccaaat 1440
 atctacttgt ttgttccaaa gcaagataga ttgggtggacg gagaaagact aatcaatcat 1500
 ttcgtcaatg tggagtgcga tgtcaactac aagatctggt acattgatga gtatgccccat 1560
 attgatgtcc tatgggcaca tgatgtcata gagagaattg gtaaaccaat ttacagaat 1620
 ttgaacaact attactcaa gaagccatcc agcgctttg aaagtgattg ttcggacaca 1680
 gaggtggaaa cgagctgga aatggttgct gagaaggctt ga 1722

<210> 403
 <211> 1008
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 403

atgcactcac accattcaca ctccggtgac tatagtgcc acggtacgga ccctttggat 60
 tccgtgggtcg atcaagtgg caacctaac tttcacacgt actgtttgac agagcacata 120
 ccaagaattg aggccaaagt tatatacccc gaagagcagt cattgggcaa gaatcctgag 180
 gaagtcataa ccaagctaga aacatcggtc aagaatttca tgagtcatgc gcaagaaatc 240

aagactcgtt atgctgatag acccgatgtg cggactaaat tcattatagg aatggagatc 300
gaaagttgtg acatggctca tatcgaatat gcaaagcgac tcatgaagga gaataatgat 360
atthttgaagt tttgtgtggg ttcggtccat cacgtcaacg ggatccctat tgatttcgac 420
caacaacaat ggtacaattc attgcattcc ttcaatgata atttgaaaca ttttctcctg 480
tcttacttcc aatcacagta cgaaatgctg atcaatatta aaccgttggc cgtgggtcac 540
ttcgaccttt acaaattatt tttgccaat gacatgctag taaaccagaa atcgggcaac 600
tgcaacgaag aaaccggagt tcctgtagct tctactggacg tcatcagtga atggccagaa 660
atatacgatg cagttgtaag aaatttacia tttatagact cctatggcgg cgcaattgaa 720
atcaatacgt ccgcattaag aaagcgctc gaggagccgt accccagcaa aaccttatgt 780
aatctgggtca agaagcactg tggatccaga tttgttctaa gtgatgacgc acacggcgtg 840
gcgcaagtgg gtgtgtgcta tgacaaggta aagaaatata tagtagacgt gctacaatta 900
gagtatattt gctaccttga ggaaagccaa tcaccagaga atctgttaac tgtaaagaga 960
ttaccatttt cgcaattcgt taatgatccc ttttgggcca atatataa 1008

<210> 404
<211> 2964
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 404

atgcaatctc aagattcatg ctacggtgtt gcattcagat ctatcatcac aaatgatgaa 60
gctttattca agaagaccat tctttttat cacactctag gatttgcaac tgtgaaagat 120
ttcaacaaat tcaaacatgg tgaaaatagc ttactatctt cagggacttc ccaagattcc 180
ttgagagaag tttggttaga atctttcaag ttgagtgagg ttgatgcttc tgggttccgt 240
ataccacaac aagaagctac taacaaggct caaagtcaag gtgctctatt aaagattcgt 300
ttagtgatgt ctgctccaat cgatgaaact ttcgacacca acgaaaccgc cacaatcact 360
tatttctcta ctgatttgaa caagattgtc gagaaattcc caaaacaagc cgaaaaattg 420
tccgatacct tagtggtttt gaaagatcca atgggcaaca acatcacctt ctcaggctta 480
gctaattgcaa ccgattccgc tccaacttcc aaagatgctt tcttagaagc tacctccgaa 540
gacgaaatca tctctagagc ttcttccgat gcttctgact tactaagaca aacattgggc 600

tcttctcaaa agaagaagaa gattgctgtc atgacttctg gtggtgattc tccaggtatg 660
aatgccgctg ttcgtgccgt tgttcgtaca ggtatacatt tcggctgtga tgtttttgc 720
gtttacgaag gttacgaagg ttactaaga ggcggtaaat atttaaagaa aatggcttgg 780
gaagatgtca gaggttggtt aagtgaaggt ggtactttga ttggtactgc tcgttctatg 840
gaattcagaa agcgtgaggg tcgtagacaa gctgcaggca atttaatttc gcaaggtatt 900
gacgctttgg ttgtttgtgg tggatgatgg tctttaaccg gtgctgatct tttcagacac 960
gaatggccat ctttggttga tgaattggtt gcagaaggta gattcactaa agaagaagtc 1020
gccccataca agaatttgc cattgttggt cttgtcgggt ccatcgataa tgatatgtct 1080
ggtactgact ctaccattgg tgcttattct gctttggaaa gaatctgtga aatggttgac 1140
tacattgatg ccaccgctaa atcccactcc cgtgcctttg ttgttgaagt tatgggtaga 1200
cattgtggtt ggttggcctt gatggctggt attgctaccg gtgccgatta catttttatt 1260
ccagaaagag ctgttcctca cggaaaatgg caggacgaat tgaaggaagt gtgccaaaga 1320
cacagaagta aggtagaag aaataacaca attattgtcg ctgaagggtgc tttagatgat 1380
caattaaacc ctgttactgc caatgacgtc aaagatgctt tgattgaatt ggggtctagac 1440
accaaggtaa ccattctagg tcacgttcaa agagggtgta cagctgttgc tcatgacaga 1500
tggttagcta ctctacaagg tgctgatgct gttaaggccg ttctggaatt taccctgaa 1560
actccttctc cattaattgg tattttagaa aacaagataa ttagaatgcc attggttgaa 1620
tctgtgaagt tgactaaatc tgttgccact gccattgaaa acaaagattt cgataaggca 1680
atttctttaa gagacacaga atttattgaa ctttacgaaa acttcttatt cactaccgtt 1740
aaagatgatg gttccgaatt attgccagta tctgacagac taaacattgg tattgtccat 1800
gttggtgccc catctgctgc tttgaacgct gccaccctg cgcgaactct atactgtttg 1860
tctcacggcc ataaaccata cgctatcatg aatggtttca gtggattgat tcaaaccggt 1920
gaagtgaagg aactatcatg gattgatgtc gaaaactggc ataacttggg tggttccgaa 1980
atcggtagca acagatctgt tgcttcagaa gatttgggta ccattgctta ctacttccaa 2040
aagaacaagc tagacgggtt gattattctt ggtggttttg aaggtttcag gtccttgaag 2100
caattgcgtg acggtagaac ccaacacca atctttaaca ttccaatgtg tttgattcca 2160
gccactgttt ctaacaacgt tccaggtact gaatactcac ttggtgttga tacctgtttg 2220

aacgcattag tcaattacac tgatgacatc aaacagagtg cttctgcgac aagaagaaga 2280
 gtcttcgtct gtgaagtcca aggtgggtcac tctgggttaca tcgcttcttt cactgggttta 2340
 atcactgggtg ctgtttcagt gtacactcca gaaaagaaga tcgacttagc ttctatcaga 2400
 gaagatataa ctctattaaa agagaacttt cgtcacgaca aaggtgaaaa cagaaacggt 2460
 aagctattgg ttagaaacga acaagcttct agcgtatata gcactcaatt gttgggtgac 2520
 atcatctctg aagcaagcaa gggtaagttt ggtggttagaa ctgctatccc aggccatggt 2580
 caacaagggtg gtgttccatc ttctaaagac cgtgtcaccg cttccagatt tgctgtcaaa 2640
 tgtatcaagt ttatcgaaca atggaacaag aaaaatgaag cttctccaaa cactgacgct 2700
 aagggtttga gattcaagtt cgatactcac ggtgaaaagg taccaactgt tgagcacgaa 2760
 gatgactctg ctgctgttat ctgtgttaat ggttctcacg tttccttcaa gccaattgct 2820
 aacctttggg aaaacgaaac caacgttgaa ttaagaaagg gttttgaagt tcactgggct 2880
 gaatacaaca agattgggtga catcctgtcc ggtagattaa agttgagagc tgaggtagcc 2940
 gcttttagccg ctgaaaacaa atga 2964

<210> 405
 <211> 1371
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 405

atgtcatttc gtaaaagagg tgaaatactg aacgatagag gtagcgggct aagaggtcca 60
 ctgttaagag gtcctccacg aacttctca acgccattga ggacaggcaa cagaagagcc 120
 cctggaaatg tgcccttgtc tgacactaca gcgagattaa agaagttgaa tattgcggac 180
 gaatccaaga caaaaatggg gctggatagc tcccatgtgg gcgttagacc ttctcctgca 240
 acctctcagc cgacgacatc aactgggagt gctgacctgg acagtatact aggccatatg 300
 gggctgccgc tgggaaactc tgtactagta gaggagcaga gcacgacaga atttcactct 360
 attctcggta aactgtttgc cgcacagggt atcgttcata atagaatttc agatagcagt 420
 gctgataaaa ctagaaacgg cgacactcat gtcattgtct tgtcattgaa ccaaagtgtt 480
 gcaaaggagc tacctggtat ctacaaggga tcacgtaaac aatgaagaa aaacctaadc 540
 tctgaagaag aatcaaaagt tactgttcaa aatttgaacg agaccagag atcgacgcct 600

tccaggtaca aagacctgaa aattgcatgg aaatataaac tggcagatga aaagagattg 660
 ggttctccgg atcgagatga catccaacaa aattctgagt acaaggacta caatcatcag 720
 tttgatatta caacgcgtct gatgcccgt cccatagcat ctgaactgac atttatcgcc 780
 ccaactcaac ctgtctccac tattttgagc caaatagaac agactattaa aaggaatgac 840
 aagaaactga taagaattgt tattccttcc cttctacatc cggcaatgta tccgccccaa 900
 atgtttgaat catctgaaat aataggttta atgcacggtg tgaggagtct tgtcaagaaa 960
 tactatgagc gggttgtact gtttgcttcc atatccatag acattatcac tccccatta 1020
 ctggatttgc tgagaaacat gttcgattct gttatcaatc tagaaccctt taaccaggag 1080
 atgactgagt tcttagaacg tgtttataaa tcgcaaccgg ggaagattca acatgggcta 1140
 gtccacatat tgaaattacc agttttcacg gaccgtggag agatgagagt tttaaagtct 1200
 gaatgggcat ttaagaatgg cagaaaaaag tttgaaatag aacaatgggg catacccggtg 1260
 gatgatgctg aaggttcagc tgccctcgaa cagtcacatt cacactcgca ctcggatgaa 1320
 atctcacata atatacctgc aaagaagacc aagatatctt tagactatta a 1371

<210> 406
 <211> 3024
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 406

atggcatcaa ctgctcccaa tgaacaattt ccatcctgcg tacgatgcaa agaatttatt 60
 accacggggc atgcatatga gttgggttgt gatagatggc acacacattg tttcgcttgt 120
 taaaaatgtg agaaaccatt aagctgcgaa tctgattttt tagtccttgg aacaggtgct 180
 ttgatctgct ttgattgttc cgattcttgt aaaaattgcg gtaaaaagat tgatgatttg 240
 gccataatac tgtcctcttc aaatgaggcc tattgttcag attgttttaa atgctgtaaa 300
 tgtggtgaaa atattgctga cctacggtac gcgaaaacca agcgaggttt attctgttta 360
 agctgtcacg aaaagctatt agccaaacga aaatactacg aagagaagaa aaggcgactc 420
 aaaaagaatt taccaagttt acccacacct gtgattgata atggccatac tgatgaggtc 480
 tcagcttctg cagtcctccc agaaaaaaca ttagcagac ctgcatcact agttaatgag 540
 attccttcag gttctgaacc ttccaaggac atagaacca attcgagtga tattgttccg 600

agtaattccg gccgtttaga aatttcacca cctgtgctac aaaatcctaa tgaatttagt 2280
 gacgttagat tagtacctat cgagaacgat gcaaatatgg gacaaagtaa agatggagaa 2340
 gaatatttgg atggaagcaa tttgtatggt tcaagtctcg ttgctaggtg caattatgaa 2400
 aacaatgaaa taccgatgat actatctgtc tgcatagatt ttattgaatc agacgaagaa 2460
 aatatgagat cggagggcat ttatagaaaa tcagggtccc agctagtcac agaagaaata 2520
 gaaaagcaat tttctgcatg gaaagtacaa caaaataccg aaacgcaaaa tattttaacg 2580
 gaacaagatc tcaacgttgt tactgggtgtg ttgaagcgat acttaagaaa gctccccaac 2640
 cctatcttta cttttcaa atacgagccg ttgatgaggt tagttaaatc taaaaaaatg 2700
 atggaaaact tgccatttgt tggaggaaag ttgtccttag aagcaaagaa ttcggacact 2760
 tatatgtcga gcaagagcgc tttaaaaaac atattggaag accttccaag ggaacattat 2820
 aggggtgttaa gagtactgag tgaacatata gaaaagggtta cacggtacag tcaactggaat 2880
 cgaatgacgc tttataatgt ggcttttagtt tttgctccag gtttgattcg tgatttcagt 2940
 ggagaaaagg atattattga tatgaaagaa agaaactata ttgtcgcatt tatatttggg 3000
 aactacaaag atatcctgac gtag 3024

<210> 407
 <211> 777
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 407

atgttagaag caaaatttga agaagcatcc cttttcaaga gaataattga tggtttcaaa 60
 gattgtgtcc agttgggtcaa tttccaatgt aaagaagatg gtatcattgc acaagctgtc 120
 gatgactcaa gagttctatt ggtctccttg gaaataggtg tcgaagcctt ccaagaatat 180
 agatgtgacc atcctgttac gttaggtatg gatctaacct cactaagtaa aatcctacgt 240
 tgtggtaaca acaccgatac attaacacta attgctgaca acacaccgga ttccatcatc 300
 ttattatttg aggataccaa gaaagaccgt atagccgaat actctctgaa attgatggat 360
 atcgatgctg atttcttaaa gattgaagaa ttacagtacg actccaccct gtcattgcca 420
 tcttccgaat tctctaaaat tgttcgtgac ttgtcccaat tgagtgattc tattaatatc 480
 atgatcacca aagaaacaat aaagtttgta gctgacggtg atatcggatc aggttcagtc 540

ataataaaaac cattcgtgga tatggaacat cctgaaacaa gcatcaaact tgaaatggat 600
 caacctgtcg acttgacgtt cggagctaaa tattttattgg acatcattaa gggctcctcc 660
 ctttctgata gagttggtat caggctctcc agcgaagctc ctgctttatt ccaatttgat 720
 ttgaagagtg ggttcctaca gtttttcttg gctcctaaat ttaatgacga agaataa 777

<210> 408
 <211> 3651
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 408

atgaagccgg aaaaactctt ctccggttta ggtaccagcg atggcgagta tggagtggta 60
 aatagcgaga acatatcaat agatgctatg caagataata gaggcgagtg tcatcgtaga 120
 tccatagaaa tgcattgctaa tgacaatctg ggattgggtct cccagcgaga ctgtaccaat 180
 cggcccaaaa ttactcctca ggaatgtttg agtgagactg agcagatatg ccatcatggc 240
 gagaatagga ctaaggctgg gttagatgta gacgatgctg aaaccggtgg tgatcacacc 300
 aatgaatccc gtgtagatga atgttgtgct gagaaagtga acgacactga gactggcttg 360
 gatgtggaca gctgttgccg cgatgctcaa acaggtggtg accacaccaa tgaatcctgt 420
 gttgatggat gctgcgttag agattcttca gtgatggctg aggaagttac aggcagctgc 480
 gaagctgtat cttctaaaga acaattgctg accagctttg aagttgttcc aagcaaattc 540
 gaaggtctgc aatctattca tgatattaga gagacaactc gctgcaatac caattccaac 600
 caacacacag ggaagggtag gctttgcatc gaatcaagtg actctacact caagaaaaga 660
 agttgtaaag ttagcagaca gaaaattgag gtttccagta agcctgagtg ctgcaacatt 720
 tcatgtgttg agcggattgc atctcgtagc tgtgaaaaga ggacttttaa aggtagcacc 780
 aatgttggaa tttctgggag tagctctacc gacagtttaa gcgagaagtt cttcagcgaa 840
 cagtactcta gaatgtacaa tcgttactcc tcaattttga aaaatttagg ttgtatctgt 900
 aactatttgc gtactttggg aaaagaatct tgttgtctcc caaaggtgcg tttttgtagc 960
 ggggaggggtg cttctaaaaa gacaaaatac tcctaccgca acagttcttg atgtttaaca 1020
 aagaaaaaga cccatggaga caaagaaagg ttgagcaatg acaatggcca tgctgatttt 1080
 gtttgttcta aaagtgtgtg cactaaaatg aaggattgtg ctgttacctc aactatttct 1140

aggggtgatc gtcataattc tcaatctttg ttgcttgat taactgaagg aataaaacac 2820
 ccagtttcca tggcaatagc atcctatctc aaagaaaaag gtgtttctgc tcaaaatgtt 2880
 tctaatacaa aagctgtgac tggtaagcgg gtagaaggaa catcactc tggtttgaag 2940
 ttacaaggag ggaactgtcg ttggcttggc cataacaatg atcctgacgt tcgaaaagcc 3000
 cttgaacaag gatattctgt attctgtttt agtggttaatg gttcagtcac tgcagtttat 3060
 gcattagagg actctttacg ggcagatgct gtctccacta ttaacttgtt acgcaaaga 3120
 gggatttcac tacacatttt atcaggggat gacgatggag ccgttcgttc tatggcagcc 3180
 cgtcttgga ttgaaagctc caatattcgt tctcacgcaa cgctgcaga aaagagtga 3240
 tatattaagg atattgtcga aggaagaaat tgcgatagtt cttcgcagtc aaaaagaccg 3300
 gttgttgttt ttgcggtga cggaacaaac gacgcaattg gtttgactca agcaacgatt 3360
 ggagttcata tcaatgaggg aagtgaggtt gccaaagctag ctgctgatgt agttatgtta 3420
 aagccaaagc tcaacaatat ttgactatg ataactgtaa gtcaaaaggc catgtttagg 3480
 gtcaaattga atttcttatg gagttttact tacaacttat ttgctatcct ttggtggcgt 3540
 ggtgcctttg ttgactttca tattccacca gagtatgcgg gtttagggga actagttagt 3600
 atcctccctg taatttttgt agctatactt ctgcgttatg caaagattta g 3651

<210> 409
 <211> 1254
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 409

atggctgtat ttactcctcc atcaggtaat agcaattcca ccgaccatac tcacacacaa 60
 gatgaccacg acaaagatga taatgatatc aagaaattct acataaggcc aagtttaggc 120
 ttaaaactgt ggggtccgct cgtaccgct cctgataacc taccgggact atacactcta 180
 atcactatcc aatctgcagt gggtttcttt gccctttgga gactgagaag gctctacaaa 240
 ctaccgccac cgcgcgcgat tgccactggc actcactcgg atttatcctt tggcgaacta 300
 cccagtgaat tgattgtcaa tggcaagact aaaatcaaaa aggatattgc tgactttcca 360
 actttgaacc gttctctcac caccatggg gacattgtgc tcgcccctcc tcccatcata 420
 cctcgccaat ctcgattcgt cagcgtcaga aagctcttat gggggttgtt tggctctttg 480

ctactttctc agtcactgtt ggagcttact cgcctgaact ttcttaaata cgacccctgg 540
 tgcgacgaaa tgaaatccgt acgtgacaag aagtttttca acaatattgt caaatattat 600
 cacgagggca tagaccccac caaaataaaa gtcaaggatg ctatgaacgg tactcctctc 660
 tcgacaaata tccctgaggt caaacaagc gtcgctctcg ctagagcgca agttgaggcg 720
 cagaatccca ttattaaatg gttcggaccc ttggaatata agcccatgtc tttcaacgag 780
 tacctcaatc gcatggaatt tcaattggac atgttcgagt tttttcaaaa taaaagaaac 840
 attagagaaa attccattga actcatcaat tccatatccc acaatccgca gtcttcttct 900
 actggccttg aaggtctttc cgagtccaaa aaactccatc tacaaaatgt ggaaaaaaga 960
 ctgcatttct tagcatcttc gggagattcc atttccgcac cagtaaagaa gagatccagc 1020
 accacactct cccgaggtgt cattttgccc catgacacga aaggcccgca agatattgat 1080
 ctcgatacaa taagatcgct ttatgatcca tggatgactt tggccttaga aacttcgcta 1140
 agcatcaaat tcataccaac taccatgccc tcccatacca agacacccac tagcacggac 1200
 cagccgttac cagggcctac cccaaggtct ctactaatg aaaagacaca ttag 1254

<210> 410
 <211> 1350
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 410

atgttttttg aaattcctcg gtgggttactt gccttaataa tattatacct ttccataccg 60
 ttagtggttt attatgttat accctacttg ttttatggca acaagtcgac caaaaaaagg 120
 atcatcatat ttgtgctggg tgatgtagga cactctccaa ggatattgcta tcacgctata 180
 agtttcagta agttagggtg gcaagtcgag ctatgcggtt atgtggagga cactctaccc 240
 aaaattatct ccagtgatcc aaatatcacc gtccatcata tgtcaaactt gaaaagaaag 300
 ggaggcggaa catcagttat atttatggta aagaagggtgc tttttcaagt tttaagtatt 360
 ttcaaattac tttgggaatt gagaggaagc gattacatac tagttcaaaa tccaccgagc 420
 ataccatttc ttccgattgc tgtgctatac aagttgaccg gttgtaaact aattattgat 480
 tggcacaatc tagcatattc gatattgcaa ctaaaattta aaggaaactt ttaccatcct 540
 ttagtggtga tatcttacat ggtagagatg atattcagca aatttgctga ttataacttg 600

actgttactg aagcaatgag gaaatatttta attcaaagct ttcacttgaa tccaaagaga 660
 tgtgctgttc tctacgaccg cccggcttcc caatttcaac ctttggcagg tgacatttct 720
 cgtcaaaaag ccctaactac caaagccttt ataaagaatt atattcgca tgattttgat 780
 acagaaaaag gcgataaaat tattgtgact tcaacatcat tcaccctga tgaagatatt 840
 ggtattttat taggtgccct aaagatttac gaaaactctt atgtcaaatt tgattcaagt 900
 ttgcctaaga tcttgtgttt tataacgggt aaaggaccac taaaggagaa atatatgaag 960
 caagtagaag aatatgactg gaagcgctgt caaatcgaat ttgtgtggtt gtcagcagag 1020
 gattaccaa agttattaca attatgcgat tacggagttt cctgcatac ttcaagttca 1080
 gggttggacc tgccaatgaa aatttttagat atgtttggct caggtcttcc tgttattgca 1140
 atgaactatc cagtgttga cgaattagta caacacaatg taaatgggtt aaaatttggt 1200
 gatagaaggg agcttcatga atctctgatt tttgctatga aagatgctga tttataccaa 1260
 aaattgaaga aaaatgtaac gcaggaagct gagaacagat ggcaatcaaa ttgggaacga 1320
 acaatgagag atttgaagct aattcattga 1350

<210> 411
 <211> 1491
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 411

atgtctgctg ttaacgttgc acctgaattg attaatgccg acaacacaat tacctacgat 60
 gcgattgtca tcggtgctgg tgttatcggg ccatgtgttg ctactggtct agcaagaaag 120
 ggtaagaaag ttcttatcgt agaacgtgac tgggctatgc ctgatagaat tgttggtgaa 180
 ttgatgcaac caggtggtgt tagagcattg agaagtctgg gtatgattca atctatcaac 240
 aacatcgaag catatcctgt taccggttat accgtctttt tcaacggcga acaagttgat 300
 attccatacc cttacaaggc cgatatccct aaagttgaaa aattgaagga cttggtcaaa 360
 gatggtaatg acaaggctctt ggaagacagc actattcaca tcaaggatta cgaagatgat 420
 gaaagagaaa ggggtgttgc ttttgttcat ggtagattct tgaacaactt gagaaacatt 480
 actgctcaag agccaaatgt tactagagtg caaggtaact gtattgagat attgaaggat 540
 gaaaagaatg aggttgttgg tgccaagggt gacattgatg gccgtggcaa ggtggaattc 600

gatgtcaatt ttgttgggtt attattaggt cctcgtggac gtacgttaag aaagctgcaa 540
gaagattcga attgtaagat tgcaattaga ggaagagggt cagtcaaaga aggtaagaat 600
gcaagtgact tacctccagg cgccatgaac tttgaggacc ccttgccactg tttaattatc 660
gcagactcgg aagacaagat ccaaaaaggt ataaaagttt gtcaaaacat tgttatcaaa 720
gcggtgacat ctccggaagg ccagaatgac ttgaaacgag gacaactgag agaattggcg 780
gaacttaatg gtactttaag agaagataac aggccctgtc caatctgtgg tttaaaagat 840
cataaaaaggt acgattgtcc aaacagaaaa atcccaaata tacagggcat tgtttgcaaa 900
atatgtggac aaactggaca tttcagtaga gactgtaact catcgtctca aagaatgagc 960
cgttttgaca gaaacgccac ggtaaataat tctgcgcaa tacagagcaa tgacgtacac 1020
tataatagca atactcatcc aattcaagca ccaaaaagat ctggttatga caataactcg 1080
acggaacctc ctttaaaatt tccggcttct tcacgttatg caccatcacc ttcacctcct 1140
gcgtcacata tttcgaggca agctcaaaac gtgacgccta cccccctcc cggcctaaca 1200
tcaagtagct ttagttccgg agttccagga atcgccctc cccattaca aagccctcca 1260
gagtcggaac aaccgaaatt ttcgctacct ccacctccg gtatgactac ggtacaatcc 1320
tcaattgcac ctctcctgg cctaagcggc cctccagggt tttctaataa catgggcaat 1380
gacattaaca aacctacacc tccgggactg caagggcctc ccggtattata a 1431

<210> 413
<211> 1290
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 413

atgttgcata aaagcccttc aagaaagaga tttgcttctc ctttgcattc aggatgcatt 60
ctaacgctta cagtgtctct ccttattgct tactactttg ctttaaccgga ttatttatcg 120
gtagggaaga gctcatccag gggtgccatg gatcaaaaat ctgatggaac ctttagactt 180
aagtctatct acaggcatgg cgctggagca aaccatcggc tacaccagag gctggaggctc 240
actccagaag ttattttctgc cgctggaatg ctgtatcaag aaaccacaac tcaaggacag 300
gatttcgaag accaagaacc cctatggact actaatgccg aatatgccac cactaaccac 360
ttcgattttg agtttgagct acgaaggatg ccgctattga tgaagcggat gaaggaaaga 420

gatcctgaat tcatagagtc gtacatttac ggagaaacat acatgacgga ggaggaagaa 480
cacgccatgt ggatagatga tgacattgtg gcaccaata tcacagatag aggtacagta 540
gtgtcgttag cattaatgtc gtctaattgct tacgtgagaa taccgcaaac gggagactgg 600
cgtaacgtca cggagccgtg gaatgaaaca gagccggaag attttggttg ggatggtgat 660
ggatatacgtg gtcacgtctt ttacaatgaa gtggagaata tcgtggtact ctcgataaag 720
ggaaccagcg ctcagggttt gccagggtct ggcgaagatg agacaactgg aaacgacaag 780
atcaacgata atttgttatt ttctgtgtgt tgtgcaagag tgagctacct gtggactacc 840
gtgtgcgatt gctatgtgaa gtcgtatata tgcgatgagt cttgcctgga aaaggaactg 900
agacgtaagg atagatttta ctctgcagtc gttgacatat acaaaggcgt cctcaaagaa 960
taccgatgc ggccatatgg gtcacaggcc actcactggg aggcgcattg gccagtttac 1020
tgggccgcac ttttggtattg cctgcggtcg cattcgagtc ccctggagag ctactacctt 1080
caaaaagact tcacttacca ttcccaccgg gacttcctc atacatggag ggtatctggc 1140
acttcggtca caacgcagac ccaatcttca tgggtacatg caacggagct agttcaagtt 1200
gctcactggt gggctacgct atggaaaccg cgtgccacac tggtagagtc tgtgtctacg 1260
atgtggtcaa cgacaagggc tggagtgtaa 1290

<210> 414
<211> 1023
<212> DNA
<213> Saccharomyces cerevisiae
<400> 414

atgaccgcac cattggtagt attgggtaac ccacttttag atttccaagc cgacgtcacg 60
gctgaatacc tggccaagta ttctctaaag gaaaacgacg caattttggt cgatgccaaa 120
tcaggcgatg ctaagatggc tatttttgac gagctcttac agatgccaga aacaaagctt 180
gttgccaggtg gtgctgctca aaacactgct agagggggcag catacgtttt gggcgccggc 240
cagggtggtgt acttcggttc cgtcggttaag gacaagttca gcgagagatt gcttaacgaa 300
aacgaaaaag ctggtgtcaa gtctatgtac caagttcaaa atgatattgg taccggtaag 360
tgtgccgcat taatcactgg ccataaccgg tccttggtca ctgacttggg tgctgccaat 420
ttctttactc cagaccactt ggacaagcat tgggacttgg tcgaagcagc taagctcttc 480

tacatcggtg gtttccactt gaccgtgtct ccagacgcta tcgttaagtt gggccaacat 540
gctaaagaga acagcaaacc tttcgtgttg aacttttagtg ctcctttcat tcctcatgtc 600
ttcaaagacg cattggccag agttttgcct tatgctaccg tcatcatcgc taacgaatcg 660
gaggccgaag ccttttgoga cgcttccaa ttagactgtg ccaacactga tttggaagct 720
attgctcaaa gaattgtcaa ggactctcca gttgaaaaga ctgtcatctt caccacggt 780
gtcgaaccaa cagtggctgt gtcctccaag ggtaccagca catatccagt caaacctttg 840
gactcttcta agatcgtcga caccaacggt gctggtgacg ccttcgctgg tggctttatg 900
gctgggttga ctaaagggtga agatttgga acctctattg acatgggtca atggctagct 960
gctttgtcta ttcaagaagt tgggccctct tacccttccg aaaaaatc ttactctaaa 1020
tag 1023

<210> 415
<211> 2535
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 415
atgaccagta aaaccccaaa tcgtgaaatt cttcctgata atgtcgttcc ttacactac 60
gatttaaccg tggaacctga tttcaaaaca ttcaaatttg aaggctcagt caaaattgag 120
ctaaaaatta ataatcctgc aattgatacg gtaacattga acaccgtcga taccgacatc 180
cattctgcaa aaatcgggtga tgtcacatct tccgagatta tctctgaaga ggagcaacaa 240
gtcaccacat ttgcgtttcc taaagggacc atgtcttctt tcaagggtaa tgcatttttg 300
gatataaaat ttactggtat tttaaagat aatatggctg gcttttacag agccaaatat 360
gaggacaagt taacagggtga gacaaaatac atggctacta ctcatgga acctactgat 420
gctagaaggg ccttcccatg ttttgatgag cctaacttga aagcctctt tgctattact 480
ttagtttcag acccatcttt gacacaccta tccaatatgg acgtcaagaa cgaatacgt 540
aaggatggaa aaaagggtcac tttgttcaat acgacccta aaatgtcaac ttaccttggt 600
gcttttattg ttgctgaatt gaagtacgtt gaatccaaga actttcgtat tcctgtcaga 660
gtttacgcca cccaggtaa cgaaaaacat ggtcagtttg ccgcggattt gactgccaag 720
actttggcat tttttgaaaa aacttttggc atccaatatc ctctaccta aatggacaat 780

ggtacctctg gctttacatc aatgcaaaaa atagatgaga ttaagaaatt ctttgccact 2460
 aaatccacga aaggtttcga tcaaagtttg gctcaatcac tggacactat tacttcgaaa 2520
 gcgcagtggg gttaa 2535

<210> 416
 <211> 2259
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 416

atggcaagca tcggttcgca agtgagaaaa gctgcttcta gtattgaccc tategtcacg 60
 gattacgcag tgggctactt taaccacttg tccggaataa cttttgatgc tgttcaaagt 120
 aagcaggtag atttgtccac tgaagtgcaa tttgtgtccg atttattgat tgatgcgggt 180
 gcgtcaaagg ctaaagttaa agaactatcg gaaagtatth tgaagcaatt gactactcaa 240
 ctaaaggaga acgaagccaa attggaattg accggtgata cgtccaagag attacttgat 300
 attaatgtct taaagagtca taacagtaaa tccgatatca acgtctcatt aagcatgctg 360
 ggtgtgaacg gtgacatcga acatactggt agaaagatgg aaacaagagt tgatttgaaa 420
 aaactggcca aggctgaaca aaagatcgca aagaaagtcg ccaagagaaa taacaaatth 480
 gttaaatacg aggcttctaa attgatcaat gaccaaaagg aggaggatta cgattctthc 540
 tttttgcaaa tcaaccctth agaattcggg tcatccgctg gtaaattcaa ggatatccat 600
 attgacactt tcgacttgta cgttgggtgac ggtcaaagaa ttttgtcaa cgcccaattg 660
 actctaagth ttggtcacag atatggtctt gtgggcaaaa atggtattgg taaatctact 720
 ttgttaaggg ctctatctag aagagagctg aacgtcccca aacatgthtc gattttacac 780
 gtggaacaag agttaagagg tgatgatata aaggctthac aaagtgtgct ggatgcagac 840
 gtttgagaaa aacaactatt aagtgaagaa gccaagatca atgaaagatt aaaggaaatg 900
 gatgtattaa gacaggaatt cgaagaagac agtttagaag ttaaaaaatt ggacaatgaa 960
 agagaagact tggataacca ttgatacag atthctgaca aattagtcga tatggaatct 1020
 gacaaggctg aagctagggc agcatcaatc ttatatggtt tgggggttcag tacggaggca 1080
 cagcaacaac cactaattc cthttccggg ggttgagaaa tgagattgtc cttggcaaga 1140
 gccttattct gtcaaccaga tctthtggtt ttagatgaac cthccaatat gttggatgtg 1200

gaaaaaattg tagaacagag ttttgacaaa cgggatttga ttctatttag tgcattgggt 1980
tctctatacg ataatgacat aattgaggag gatgtcattt ataatgggtg ggataatgtt 2040
tctactgacc ctcgctatga tgaagtcaag aaattaactg taaagtgggt tgagtgggta 2100
cagaatgctg acgaagaatc ttcctcagaa gaggaataa 2139

<210> 418
<211> 336
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 418

atgtcaaaaa ccatgtcaa aaaatctcgt gaggcctccg gaattttgac gctgcaagtc 60
aatctacggg aaagaagaaa ttttttaaac ttaatgcaaa ataagctttt ttcttggaag 120
ataagatttt cggcaataaa aggtaaatgc agccaaaaat caaaatactt cagaagaagt 180
cgtagcgagg actgctacgt ggaagcggat ttgaagatcc tttccagaac aagaaggagc 240
cgaaagctgc caggaactgt tcctgatttt ttaggaaaac aattaatagg tatctcgtct 300
agcgtagtat ctcgagtttc cagaagttgc agataa 336

<210> 419
<211> 2460
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 419

atgagttctt tggacgagga tgaagaggac ttcgaaatgc tggacacgga gaacctccag 60
tttatgggga agaagatggt tggcaaacag gccggcgaag acgagagtga tgattttgct 120
atagggggta gcaccccgac caataaactg aaattttatc catattcgaa caacaaattg 180
acaagaagta cggggacctt gaacctgtca ttaagtaata cagctttgtc agaggctaac 240
tccaaatttc ttgggaaaat tgaagaagag gaagaagagg aggaagaagg caaggatgag 300
gaaagcgtgg attctcgtat taaaagggtg tctccgttcc atgaaaatga aagtgttact 360
actcctatta caaaaagatc tgcggaaaaa acgaacagtc ctatttctct caaacaatgg 420
aaccagcgat ggtttccgaa aaatgatgct cgcactgaaa atacatcctc atcctcttca 480
tatagcgtcg ctaaacctaa ccaatcagcc tttacgtctt cgggcctcgt atctaaaatg 540

atcaacaacc ctaatatgaa taatggcaac gataataata atgtcaatac tgccgctacc 2220
aagaatcgtc ttatttttgca taaaagttct aaaattccccg catgggtacc gaaattttctt 2280
attgatggtg aatcacttga gagaatagta cgatggatga tagagcccaa ttatgagaga 2340
aggcccacgg caaatcaaact cttacaaact gaggaatgcc tgtatgtaga aatgacacgc 2400
aatgcaggtg ctattatcca ggaagacgac tttggaccta agccaaaatt ttttatatga 2460

<210> 420
<211> 1668
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 420

atgtctacag atgaaagtga agacgtttat tctgatctgt attccattat ctcccaggta 60
acatccaata ctgccaatga catcgagcaa ctcccatatg ctttaacggt caaaacgctcg 120
ttaatcttcg ttggtgctac cattggtggg cttttattcg gctatgatac tgggtgttata 180
tcaggtgttc tgctttcttt aaagcccgaa gatctatctt tggtagtttt aacggatggt 240
cagaaggagc tgataacttc cagtacaagc gtcggatcat tttttggctc tattctggca 300
tttccttttag cagataggta tggaagaaga attactctcg caatctgctg ttcaattttt 360
atcctagctg caattggaat ggctatagca agaacattga cgtttttgat ttgtggggaga 420
ttgctgggtg ggatcgctgt tggagtgtct gcccagtgcg tccctctatt tctgagtga 480
atttcacett ccagaatcag gggttttatg ttgacattga acattattgc catcactgga 540
ggatcaattgg tttcctatgt gattgcgtcc cttatgaaag agattgataa ttcatggaga 600
tatttggtcg cactttctgc tattccagct attctgttcc tttcaatact ggattttatc 660
cctgaatcgc cacgatggtc catttccaag ggagacattc tatataccag ggattctcta 720
agaatgctat atcctactgc atctacatat catgtgaata gtaaaattaa gcagctgata 780
attgaactcg ataagttacg actatacgaa gatgcaagtg aacctttact agtacagtcc 840
caatcgggta ttcgatacat ggatagttca acctcaggaa ctcttagccc acctaacatt 900
aaaagacttt cctcgaacac agaaagaact agcaacacaa tgcctcctc atcagcatat 960
ctatcggcgt tgcgaggccc agctccaaac ggtgccctgg catctaaca aaagaaaaga 1020
cacagaatgg agccacgcac aataagagcg ttaatagtag gttgcatggt aatgtttttc 1080

cagcaaatca ctggccttaa tgcttttatg tactatgcgg caataatatt ttccaaattt 1140
 aatataaaaa accctctact gcctccaatt ttgattgcct caacgaactt catattcact 1200
 tttttcgcca tgtacaccat ggactctttg ggaagaagag ccattctttt gagaacaatt 1260
 ttgattatga ctggtgggtt acttctttgc agtgtaggtt tcggtcatga ccaagtcaat 1320
 ttacttttaa tttctgttgt aatttatgtt gcagcatatg cttctgcgat gggcagcgtt 1380
 ccatggacct gtgtggaatt tctccccttg aacaggagat catttggggc atcatgtata 1440
 gcctgcacaa attggttgac caatgcattt gtttcaatga catatctgag cactattaac 1500
 accattggtg atgaaaatac aatgctcatt tttgcttttt tcacagtttg tgcttggttt 1560
 ttcgtatatt tttggtatcc agaagtcaaa ggtttgtcac tggaagaggt tggaaggggt 1620
 tttgataatg gaattgatgt tcattatgtc tttcgtacct accattga 1668

<210> 421
 <211> 2493
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 421
 atgacatctg cattaagggt tttggtatgc ggagatcacc caaatctcat tctgtacaca 60
 tccaggtttc aacatgccaa aaatatagaa ttttatcttg tgaacaactc aaaaaatgcc 120
 aactacgagg ttagttcact attttatggg acggaacggt ttcagattca aaaccatttc 180
 caatcgctcc tagatttagt agaccttaat aatgaaaatg gtggcttggt attcgacttg 240
 ataataatga gtgcgtcttc actgcaagaa atcccgcagg tattgagaga tataaaacct 300
 atgatgaata agacaacaaa gatactatct gaaagtagcg ggtttatata tttggagcca 360
 ttcacatagg cttcagttga tctttcgctg tcaaataatt tcagcatttt caccgattat 420
 gacataagac ggttggaaca tggctcatat aaacagttca cgactgcaaa tgccaaatcc 480
 ttttctgttt cgatcgggtc aacgacatcc gttcacgaaa acagctattc aagtgatatt 540
 attcctatct tgaatacatt tcagaaattg ttccaaaaac tgtttcctag ggacgttgtg 600
 actctttacg atcattctcc ctccgctttc ttggcaaaag aatgggaact agctttgcct 660
 caaatatgtt tcgatccatt attaataata ttagaagaga agaatccatc aaccttggat 720
 gaccacgttt tggccaaacc tcttatttca ggtttactag gcgagagctt attaataata 780

aaaaaatgg gtatagccat gaacaatcca aattttcaaa atgaacagac tatattgaaa 840
cattggaaga ataagtgcga agacttacct gatgggccgg cacttttata taatttcac 900
cataaggctt catctttgaa tattgactta ttgttattac agccgatatt attagcagat 960
gactttggcg tgaagacacc atatttagaa tgtttgttta caatgatgac tcaatatcaa 1020
ttgttaaata aaggtgattc tgaatggttt attagaaagg atgagaacac agcgttaact 1080
cgcggtgatg atttacaaaa cagtatcgca cttaaagatg gaaaaatcat gcagctgcaa 1140
aattcggaat caaccctgaa aaatgagata aaagaacttc aaagtcaagt tttgagctta 1200
aaacaagaag tgtcctcaag taaagcaaat aatggacaag agttggaaat tttaaagaag 1260
aaagtgcaaa tgggagacaa ttcattatct gatcgcccaa atagtaatac taatgggtata 1320
tctccctctg ataacattgt tgatgttgat ttaaattacg aaaggagtga ccaaggtaat 1380
aatagtagtg gtaatgatag cagaagacaa tcttttttca actccacatc tgatacaaca 1440
ttatccagag atgaaacctc gttgaaagag cgtgagttag aagtacgaat gaaggaatta 1500
gaacttcaag agcgtgagtt agagttacag agaaaagccc tccagcaaca acaacaatat 1560
caacagagac cgcctaagca agtatactcc ggtccttctg gtacaccaac cagcggcaat 1620
aacaataata aaagttacaa tccaaataga aaatcttctt atagtcagcc tcaacatgtg 1680
gctatgatga ccagcagagg tctacatggt cctagcgctg caagctctag ccctgtcatt 1740
tctgccaaca attttgttga tccagtttct tctgggacgc catatagcag caatagttct 1800
cgatttagtc agcaaatcc atcgagcaa tacatgcata ctgttaagcc aacgagtaga 1860
aaaaacagaa gtagtgtcat gcctaataata ggttacgtcc caggggtaac caataacgag 1920
tatggtagaa agtttaacgg taatgggtatg aatgggtacc aaagccgtct gaattcactt 1980
tcaaaccaa gtacgttttag atctcaacag ggtccaccga taacacagca aaaatcgttt 2040
caaaataacg gtggtagcat gaggacaaat cgcataccat ctgcaaatta caatatttca 2100
aatcagcaat cgggttttgt taactctatt tcaagtccaa atctaagcaa tttggagaat 2160
agaaacacag tacaaaacag tagaaatgcg gattctgctc cgtgcgttaa tcaattgaac 2220
agtgactctc cgccccaatt acagtctcta tctcaaaacg gtacctcaaa agttcctcag 2280
atcaatatta cgcaaccatc accaattcag accaactttg ctacgagtga taaccctgct 2340
gctgtaataa aactagggac accttctgaa gatacagttt cagctgcggc aacagccaat 2400

aatataagta caatgggaga tgaaagccgc aaagaggacg ttaaggaaaa aaagaagaaa 2460
aagttcagtt tctttggaaa aaggaaaaag taa 2493

<210> 422
<211> 1731
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 422

atgatcgctt taccagtaga gaaggccctt agaaagtccc tatggcaaag gcacagagcc 60
tttattagtg gaatagttgc cttattatc atcggcacct tcttcctcac ttcggtctc 120
caccagcac cacctcatga ggcaaagcgt ccacaccatg gaaaaggctc catgcactca 180
cccaaatttg agaagattga accattaagt ccatcattca aacattccgt cgacacaatt 240
cttcatgacc ctgccttttag aaacagctcc attgagaaac tgtccaatgc tgttagaatc 300
cccactgtag tccaagacaa aaacccaac cccgcagatg atccggattt ctataagcat 360
ttttatgaac tacacgacta ttttgagaag actttcccta atattcacia gcatttgaaa 420
ttggagaaag tcaatgagct ggggtcttcta tacacatggg aaggttctga tcttgatcta 480
aaaccattat tgttaatggc ccatcaagat gttgtacctg taaacaacga aactttatca 540
tcttggaagt tccctccatt ttctggtcac tatgatccag aaacagattt tgtttggggg 600
cgtggttcta acgattgtaa gaacttgtaa attgccgagt ttgaagctat cgaacaactg 660
ttgatagatg gattcaagcc caacagaact attgttatgt cgcttggttt tgatgaagaa 720
gcaagcggca cctcgggtgc tgccagctta gcctcatttc ttcacgaaag atatggtgat 780
gatggtatct acagtatcat tgacgagggg gaaggtatca tggaagtcga caaggatgtc 840
ttgtttgcca ctccaatcaa cgctgaaaaa ggctatgtcg acttcgaagt cagtattcta 900
ggccatgggtg gtcattcctc tgtcccacct gatcatacca caatcgggtat cgcttcagaa 960
ctgattactg aatttgaagc caacccattt gactacgaat ttgagtttga caatccaatc 1020
tatggattgt tgacatgtgc tgctgaacat tctaaatctt taagtaagga tgtgaagaag 1080
acaatttttg gcgcaccatt ctgtcctaga aggaaggaca agcttggttg gtacatttcc 1140
aaccaatcac atttgccgag cttaataaga acaacacaag ctgttgatat catcaatggg 1200
gggtgttaaag ctaatgctct gcccgaaact accagattct tgatcaatca cagaattaat 1260

ttacattctt ctgtggctga agtctttgaa agaaacatag aatatgcaa aaagattgct 1320
 gagaagtatg gctatgggtt atctaagaac ggtgacgatt acattatccc tgaaaccgag 1380
 ttaggtcaca ttgacattac tctcttgaga gaattggaac cagcaccact ttcgccaagt 1440
 tcaggccctg tttgggacat tttggcaggt actattcaag atgtttttga aaacggtggt 1500
 ctacaaaaca acgaagagtt ctatgtgact actggtttat tctctggtaa caccgatact 1560
 aaatactact ggaatttgtc caagaacatt tataggtttg ttggctctat cattgatatt 1620
 gatttactga agacattgca ttcggttaat gaacacgtgg atgtcccagg tcatttatct 1680
 gccattgcct ttgtttacga gtatatcgtt aatgttaacg aatacgtta a 1731

<210> 423
 <211> 2199
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 423
 atgaccacac aaataaggtc tccccaggc ttgccgtatc cgattcagat cgataaactc 60
 attccaagcg taggttcgta cttcatgag ggtgataggt tgcttgtcta taagttctgg 120
 tatttggtgg aaagggcctc agacactggt gacgatgata acgagcacga tgtttcccc 180
 ggcggcagcg ccggaagtaa tgggtgtctc ccgccaacca aacaactgcg tgaatccata 240
 gaattcttcg aaagtcccta cgagggggac ttgattagtt ggaatgtaga ctaggagat 300
 gaagtagcca ctgctaacca agtgatttgc gaaataaaaa ggccatgtaa ccatgacatc 360
 gtgtatggcg ggctatgtac tcaatgcggg aaagaagttt ctgcagatgc cttcgatggt 420
 gtaccactag acgttgtcgg ggacgtggat ttacagatta gcgagacaga agccattaga 480
 acaggcaagg cattgaagga gcatttgcga cgggataaga aacttatctt agtgggtggat 540
 ttagatcaaa ccatcatcca ttgtggcgtg gaccctacga ttgcagagtg gaagaacgac 600
 cccaataatc cgaattttga aacattaaga gacgtcaaga gctttacgtt ggatgaggag 660
 ttagtactcc cacttatgta catgaatgac gatggttcta tgctgagacc gcctcccgt 720
 agaaaatggt ggtactacgt gaaggtaagg cccggtttaa aggaattttt cgctaaagtg 780
 gcgcctcttt ttgaaatgca tatctacaca atggctacaa gggcttatgc cttgcaaatt 840
 gccaaaatcg tggaccctac gggcgaattg tttggcgata gaattctgtc gcgtgatgaa 900

aatgggtctc taacaactaa atcattagct aaacttttcc ccactgacca gtcaatgggtt 960
 gtagttattg acgacagagg tgatgtttgg aattgggtgc caaacttgat caaagttggtt 1020
 ccttataact tcttcgttgg tgtaggtgac attaattcta atttcttgcc caaacaatct 1080
 acaggaatgc tacaactagg gaggaagaca agacagaaga gccaagaatc tcaggaactg 1140
 ctgacggata ttatggataa cgaaaaaaaa ctacaagaaa agatagataa agaagttaaa 1200
 cgccaagaag aaaaattgaa ccatcaactg gcgactgctg aggagcctcc tgcgaacgaa 1260
 tccaaagaag agttgaccaa gaaactagaa tattcagcat ctttagaagt ccaacaacaa 1320
 aatcgaccct tggccaaact acaaaaacac ctgcatgac aaaaactact agttgatgac 1380
 gatgatgaac tatactactt aatgggtacg ctatcaaaca ttcacaaaac ttattatgat 1440
 atgctctcac aacaaaatga gccagaacca aatctgatgg aaatcatacc aagtttgaag 1500
 caaaaagtct tccaaaattg ctattttgtt ttttcaggat taatacccct cgggaccgat 1560
 attcaaaggt cggacatagt gatatggacg agtacatttg gtgccacttc cactccagat 1620
 atagattacc tgacgacaca tttaatcacc aagaacccta gcacttataa agcgcgtcta 1680
 gcgaaaaagt tcaaccaca gattaaatt gttcaccag attggatatt tgagtgtttg 1740
 gtaaatgga aaaaggtgga tgaaaaacc tacacgttaa tcgtggacag ccccatctcc 1800
 gacgaggaat tacaaaactt tcaaacacaa ttacaaaaaa gacaagaata tctggaggag 1860
 acccaggaac aacagcatat gttgacatca caagaaaatc taaatttatt cgctgctggt 1920
 acttcatggt taaacaatga cgacgatgaa gatattccgg acacagctag cgacgacgac 1980
 gaagatgacg accacgacga cgaaagtgat gacgaaaaca actcgggaagg cattgacaga 2040
 aagaggagca tcgaggacaa tcatgatgat acatcacaaa agaagaccaa ggcggaacct 2100
 tctcaagatg gtcctgtaca acataaagga gaaggggatg acaacgaaga cagcgattcg 2160
 cagttggagg aagagttgat ggatatgctg gatgattag 2199

<210> 424
 <211> 936
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 424

atgggtatcta gaggccccga cgaatggcctt gaaacaataa agaaatgcca ggcgctaact 60

gaaaacgaga tgaacaact gtgtgaaatg gtgaaagaac ttttgatgga ggaaagtaac 120
 atccagccgg tacagacccc cgttactgta tgtggagaca tacacggcca atttcatgac 180
 ttgttagagc tattccgtac ggcgggtggc tttcctgacg atataaacta catttttctc 240
 ggtgattacg tggatcgtgg ctactatagt ctggaaactt ttacgctttt aatgtgtctg 300
 aaagtcaagt acccggcaaa gataactttg gtcagaggaa accatgagtc cagacaaatt 360
 actcaagttt acgggttcta cgaggaatgc ctgaataagt acggatctac caccgatgg 420
 aagtattgct gtcaagtttt tgatttcctg acgctggccg ctataattga cggtaagatc 480
 ttatgtgtcc atggaggggt atctcccgag attagaatgc tcgatcaaatt cagagtcttg 540
 tcaagagctc aagaagtgcc acacgagggt gggttctcgg acctgctttg gtcagaccct 600
 gacaatgtag aggcttggca agtttccctt cgtggtgcag gatggctctt tggcagtaaa 660
 gttgctagag agtttaacca cgттаатгга ctgaacctta ttgcccgggc tcaccaactg 720
 gttatggagg ggttcaagta ccattttcct gaaaaggacg ttgtaaccgt gtggtccgcg 780
 ccaaattact gttatagatg tggtaatgtc gcgagtgtaa tgaaggtcga tgaggatctg 840
 gaacctactt tcaaaatttt ctcggtgttt cccgatgact acataagaga atccacggca 900
 aaccataata atcaaagagc cggctatttc ttataa 936

<210> 425
 <211> 3405
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 425

atgtcaaatt ccaattcaaa aaaacctggt gcgaattacg cataccgtca acagcaagat 60
 tataatggga tgaacgccat ggtgggaaat ccaatgatgt atcatcctgt tgatttcgta 120
 aacggtgccg gccaatatgg tcctttctcaa caccagcat attacaccaa ctcaccatta 180
 cctaataatc caccaacacc ttttgatact gcatacgtg ccagtctttt tccatctcac 240
 ctattgatgg gatctccatt tgtttctcgt cctaacatgc aaagtgggta taattctgca 300
 agatcatcta atctcaaaag aaaggcttat tcgaggcccg tttctaata taacggttac 360
 aacggaaaca gtaacagtaa ccaaaacaat actaataacg gaatggtaac accctcgaac 420
 tattatagaa tggggagaaa ttctttctcg aggaacaaca acagtacgag gaatgttact 480

gtacagttct atgcaaattc atttattgat ccaatagtgt tacatgggaa tatgttgaga 2160
 gttggatggg ggcattattc tgggtocatta ccgaaattaa tctcgttggc tgttacgatac 2220
 ggggcaagta ggaatgtcta cgtaagccta ccagagtttg catttaagga aaagtttatt 2280
 cagcaccctc agtacaaaaa attgcatgaa acactatctt taccagatgc ggaacaacta 2340
 agagaggact ttagtaccta tgggtgatatt gagcagatta actatttgag tgatagccat 2400
 tgctgttgga taaatttcat gaatatatct tctgcgatta gtcttggtga agaaatgaat 2460
 aaggaatcca cagtacaaaa tgaatccggg gaagtgcgcg ttaaaagggc gactgaggaa 2520
 aaattcgggt gccgttataa gggccttctg ataaactacg gcaaagatcg ttgtggcaat 2580
 ataaacaaaa atttgatagc aggtaaaaat tcaagattct ataagaaagt taaaagaccg 2640
 agctataata tacgtttgag taagttggaa gaaaagagga ggcagaatga aatcgatgaa 2700
 aaggaaaagg cttttgataa acccttgaac ttggaatccc taggaattag tctggacgca 2760
 cataaggaca acggcgggtg tgaaacagga actgcaaata atactgggca tgaaaatgaa 2820
 agtgaactag aggctgaaaa tgaaaacggg aatgagactg gaagtttcgg tggactgggt 2880
 ctgcgtgtgg cgagctctga cgtcaaactg gcgacatcgg atgaaactga ttatgaagat 2940
 atatttaaca agtcatcggg atcttccgac tcgtcatcag acgtcgaggt cattatgcac 3000
 tccccgagcg atcctgaata cgctttaaaa tcacaaactc taagaagctc gagtcagacc 3060
 gtcattaata gtaagagacc agtaaagata gaagacgagg aagaagccgt aggaatgtca 3120
 cagctcaatt ataggtcgtc attaagacaa gtcctccaa gagctccctc aactttgtca 3180
 tataatcact cgaagaacaa cgaaacgcca atgcaagata ttttcacaaa tggcgaaaca 3240
 gcaaataaca gaaagaagaa gagaggatct tttgcaaggc atagaacgat accaggatct 3300
 gacgtcatgg cccaatacct tgcacaagtg caacattcga catttatgta tgcagccaat 3360
 attttgggcg cctctgcgga agacaacacg catcctgacg agtag 3405

<210> 426
 <211> 345
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 426

atgtcccaaa aaaacggaat tgccacccta ctacaagctg aaaaggaagc ccacgaaata 60

gtatcaaagg ctagaaagta cagacaagat aagttgaagc aagccaagac tgatgcagcc 120
aaggaaatcg actcatacaa aattcaaaaa gacaaggaat tgaaggagtt tgaacaaaag 180
aatgccggtg gtgttggtga attggaaaag aaagcagagg ctggtgtgca aggtgaatta 240
gctgagatta agaaaattgc agagaagaaa aaggatgacg ttgtcaaaat tttgatcgag 300
actgtcatca agccttctgc tgaagtccat atcaatgcct tgtaa 345

<210> 427
<211> 2841
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 427

atgggcaaat tcggcacgac aaataaatca acggagaatc ttctgcgtga taaattcgta 60
cccagagacat ctccaactaa tattcccact gatgtactca tcaagcaagg gcaaataacg 120
gattccaccg aatcactaat tcatggaggc gcagaaaggt atattgttaa cgcttttaaag 180
cctatagaat taaataaaac tgaaggcttt ttcgaagacc cgccgttcca tcttccttct 240
ccaccggttg attcgacaaa tctggagtat gaagacgta ccgatcttcc taagaatggt 300
ttacgatatg atttgaatga tatatccgtt gaggtaatcg aagatttata ccgccagatt 360
gaagcttttt tggttcattt caaactatcc agaagttttt tacaaatttt caaaaactat 420
gtcaatatcc ttattcaaga aggcattcaat cctttacgcg atgagtactt cacaatattg 480
gaagatgaac tgaaagggtt tttcactttc aattctgtta tagaagagat tttagaaata 540
tttttaatcc accctcgcaa caaattcatt gcattgtccc ttgcagaata tacctacgct 600
aagaacaaaa tcagaagaca ttttaatcac tggaagactg tatgtgaatt gaatgaagag 660
gcaaacaggt ttgcaaatca agcaaagctg aggggtacagg aagccgtctt ctatatttgg 720
agtgataaaa cattaaaata ctacacagatg gccaacgatg aagctgaaag ttttaggaat 780
acttggttac tatttcgctc gttccaacaa tggataactt taacacaaac tcttaaggag 840
cagtcaaggt tagcagatca ggcctttttg aataagatgt ttaggaaaat tttaaaggca 900
caagagcatt ggaaacactt agaaactggt aacactgaca acattaagaa gatattttta 960
cgaacaacat ttcatatatg gaagctaaga cataaagaaa taaactacca cggggttgaa 1020
agaaggattt tcgaaagaat aaaacagaaa gttataaact atgaatacaa taagagcatt 1080

caagacgatt ttgctggcag gccggaacag gtcctgaat gcaagcagtc ataa 1254

<210> 429
 <211> 1362
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 429

atgaagatga gcctcgaagt ttatctaaac taccaccaa gaagaccgac tagatttaca 60
 atcatgtatc caggtagtgg acgttacacc tacaacaacg ctggtggtaa taatggctac 120
 caacggccca tggctcctcc acctaaccag cagtatggac agcaatatgg tcagcaatat 180
 gaacagcagt atggacagca atatgggcaa caaatgac agcaattcag tcagcaatat 240
 gctccaccac caggctcctcc ccctatggct tataacaggc ctgtgtatcc cccccctcaa 300
 ttccagcagg aacaggcaaa ggcacaatta agcaacggct acaacaatcc taatgtaaac 360
 gcatccaata tgtacggtcc accccagaat atgtcattac ctccacctca aacacaaact 420
 attcaaggta cagaccaacc ttatcagtat tctcaatgta ctgggcgtag aaaggctttg 480
 attatcggtg taaactacat aggttcaaaa aatcaactgc gtggttgat caatgatgct 540
 cataacatct tcaacttttt gactaatggg tacgggtaca gttcagatga cattgtcata 600
 ttaactgatg atcagaacga tttggtcagg gttcccacta gggctaatat gattagggcc 660
 atgcaatggt tggtaagga tgcgcaacc aatgattctt tgttccttca ttattctgga 720
 catggtggcc aaactgaaga tttggatggg gacgaagaag atgggatgga tgatgttata 780
 tatccggtcg atttcgaaac tcaagggcca attatcgacg atgaaatgca cgatataatg 840
 gtgaagccct tacaacaagg tgtagacta acagcattgt ttgactcttg tcattcgggt 900
 acagtgttgg atcttcata tacctattct actaagggtt ttattaagga gcccaatatt 960
 tggaaggatg ttggccaaga tggcctgcaa gcagctattt catatgccac aggaaacagg 1020
 gctgctttga ttggttcttt aggttctata ttcaagaccg ttaaggaggg tatgggcaat 1080
 aatgtggata gagaacgcgt gagacagatc aaattctcag cagcagatgt tgttatgtta 1140
 tcaggttcga aggataatca aacttctgca gatgctgtcg aagatgggca aaatacagg 1200
 gcaatgtccc acgccttcat caaggttatg actttacaac cacagcaatc atatttatct 1260
 cttttacaga acatgaggaa agaattggct ggtaagtatt ctcaaaaacc acaattatca 1320

tcgtcacacc ctattgacgt aaatctgcaa tttattatgt ag 1362

<210> 430
 <211> 1164
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 430

atgactgaat tcgaattgcc tccaaaatat atcaccgctg ctaacgactt gcggtcagac 60
 acattcacca ctccaactgc agagatgatg gaggccgctt tagaggcctc tatcggtgac 120
 gctgtctacg gtgaagatgt tgacaccggt aggctcgaac agaccgttgc ccgcatggct 180
 ggcaaagaag caggtttgtt ctgtgtctct gggactttgt ccaaccagat tgccatcaga 240
 actcacttga tgcaacctcc atactctatt ctatgtgatt acagggctca cgtttacact 300
 cacgaagccg ctggactggc gatcttgtct caagcgatgg tggttcctgt ggttccttcc 360
 aacggtgact acttgacctt ggaagacatc aagtcacact acgtcccaga cgacggtgat 420
 attcacggtg cccccaccag attgatttct ctggaaaaca ctttacacgg tattgtttat 480
 ccattggaag aactgggtccg catcaaagct tgggtgatgg aaaatgggtct caaactacat 540
 tgtgacggtg ccagaatctg gaatgccgct gcacaatctg gcgtgccatt aaagcaatat 600
 ggggaaatct tcgactccat ctccatctgt ctatccaagt ctatgggtgc tcctattggg 660
 tccgtcttgg ttgggaacct taagtttgtc aagaaggcca cccatttcag aaaacaacaa 720
 ggtggtggta ttagacaatc tggatatgat gctagaatgg ctcttgtaaa catcaacaac 780
 gattggaagt cccaattgct gtactcgcac tctttggctc atgaattagc cgaatattgt 840
 gaggcaaagg gcatcccgtc agagtctcca gcagacacca actttgtctt tattaacctg 900
 aaggccgcta gaatggacct agatgtcctt gttaagaagg gtttgaagta caacgttaag 960
 ctaatgggtg gtagagtctc gttccactat caagtcacca gagatacttt ggaaaaagtc 1020
 aaattggcca tctccgaggc cttcgactat gctaaagaac atcctttcga ctgtaacgga 1080
 cctaccacga tttaccgtag tgaatccacc gaggtcgacg ttgatggcaa cgctatccgc 1140
 gaaataaaaa cctacaaata ctga 1164

<210> 431
 <211> 2469
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 431

atgctggaag gtacggtaga ttatgacccg ctggaagata ttaccaatat acttttttca 60
aaagaatccc tgaacaacat agatgaactg atcagtatta ccagaagcta caaaaagcaa 120
ttgcaagagg atattctcaa agaagagaat gaattgaagg aacaccctaa aaattccgct 180
gaaatagagg cttctctgag gaaagttttc caagatttca aagaaactca agatgtctca 240
gcctccaccg agttgacgat atcgaatctg acagaaggta tctcgtacct ggacattgcc 300
aagaaaaacc tcaccactc tttgactctt ttccaaaatt taaagatatt gacagacagt 360
tacatacaat gcaatgaatt actctcacag ggctcattca aaaaaatggg gtccccttat 420
aagataatgt gttcgcttgc tgaaaacaca ttcatctctt acaaatcatt ggacgagata 480
aactatttgt tgagctccat ttcaagactg aaaggagaca ctttgtccaa aattaaacaa 540
aactacaatg cgctcttttc cggcggcaat atctcagagc atgatacagc actcactatg 600
gaattgcgcg aaggtgcctg cgagctactc gactgcgata caagtacgag agcccagatg 660
atagattggg gtttgacaaa acttctcttc gaaatgaaag agatatttag ggtcgacgat 720
gaagccggat ccctagaaaa tttatcgaga agatacattt acttcaaaaa aattcttaat 780
aacttcaatt caaagttcgc agactatttc ttaaaagact gggaaatggc agtcagattg 840
accaccactt tttatcacat tacacacaag gaccttcaga cacttctgaa aagggaattc 900
aaagacaaga acccttccat tgatctattc atgacagcat tacaatcgac gctagatttc 960
gaaaaatata tcgacgtacg attttcaaaa aaaattaagg aaccaaact aagttcctgc 1020
ttcgaacctt atttgacttt atgggtgtct caccaaaacc aaatgatgga aaagaaattt 1080
ctttcttata tgagtgagcc gaagtacca tctaataaaa cagaatctct cgtgttacc 1140
tcgagtgcag accttttcag gacatatcgt tccgtactga ctcagacctt agagctcatt 1200
gataataatg ccaatgatag catattgact tcattggcaa attttttcag tagatggctt 1260
caaacttact cacaaaaaat tcttcttctt ttactgctgc ccgacaatat tgaagtccag 1320
gataagctag aagctgcaa gtataccgtt ttattgatca atactgcaga ttattgtgcc 1380
acgactatag atcaattgga ggataaatta tctgaattca gcggaatcg tgaaaagctg 1440
gcaaacagtt ttacgaaaac gaaaaatata tacgacgatt tactagcaaa aggaacttct 1500

tttctattaa accgtgtcat acccttagat ctaaattttg tatggagaga gtttatcaac 1560
 aatgattggg caaatgctgc gatagaagat tatagcaggt acatggtaac cctcaaacc 1620
 gtacttaaaa tgcccgcat aacagatgcc tctattaaac aacagcaaga gcaaccttcg 1680
 actttggcat ttattttgtc gcaattcaat agagatgttt ataagtggaa tttcttgat 1740
 aaggtgattg atatcatcac tacaaatttt gtaagcaata ccatccgcct tctgcagccc 1800
 gttccaccct tttccctggc gggcagcaaa aggaaatttg aaaccagaac tgttgtcaac 1860
 attggcgagc agcttctcct tgatttagaa ttgctgaagg agatttttca cactttacca 1920
 gaaagtgtaa gtaacgattc tgacttgcca gaaaatacct cttataagag ggtgaaaaga 1980
 catgcagaca ataatataga ccagctgctg aagtttatta aacttcta at ggctcctctg 2040
 gattccgctg atgactatta cgagacctac tccaaattga ccaataataa ccctgattca 2100
 gcggtatggg cttttgtcct cgctttaaag ggcattccat gggacctggc attatggaaa 2160
 aagctatgga gtgcctacaa cttagaaaca gacgacctg acgagggcag caggccagac 2220
 agtaatcgcg atcttttcat attcaagtgg gacaaggtac ttttgggtca atttgaaaac 2280
 aacttgcaa ggatgcaaga tccgaattgg tcaaaatttg tgaggcaaga tctgaaaata 2340
 tcaccacctg ttatgaagag gatagtatcc acccctcaaa tacaacaaca aaaagaagaa 2400
 caaaaaaagc aaagtttgag tgtcaaagac ttcgtttctc actcaagggt ctttaacaga 2460
 ggcacttga 2469

<210> 432
 <211> 2403
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 432

atggcttctg tacctaaacg ccatacat ggtggcaacg ttgtcactga tagggaccgt 60
 cattctcttc aaagaaacaa tgagattttg catcctatac ataaaaatca gcgaaaacat 120
 gctaccttcg gaccatacat aatcgggttc actttgggtg agggagaatt tggtaaagtt 180
 aagctgggtt ggaccaaggc ttctcctcgc aacgaggttc ctaagcaagt ggcaatcaaa 240
 ttaattagaa gagatacaat caagaaagat gccgataaag aaattaaaat ataccgcgaa 300
 attaacgcac tgaagcattt aactcatcct aacattatct atttagaaga ggtcctgcag 360

agtaaaaaga tctacgaaaa aaaaagggttc agcttcatgt cgttgtactc atccttaaat 2040
 ggttcaagat ccaactgttga atctcgtacc tcaaaaggga atgcacctcc tgtttcatct 2100
 agaaatccat caggacaatc gaatagaagt aacattaaaa taactcagca gcaaccacgt 2160
 aacctttccg acagagttcc aaatcccgat aagaaaatta atgataatag aataagagac 2220
 aacgcaccta gctatgctga aagcgagaat ccggaaggt ctgtacgggc ttctgttatg 2280
 gtgtcaacac tacgagaaga aaatcgatcg gaattgtcga atgaaggga taatgtcgag 2340
 gcacagactt caacagcaag aaaggttctg aattttttca aaagaaggag catgagggtt 2400
 tga 2403

<210> 433
 <211> 2241
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 433
 atgattacgc agaattctat accagaggta aaagaagatt ttattgggta tgctttacat 60
 gagagaagaa ttccggttacc gcagtttcaa gacttagggc cggcagactt ggtcacacta 120
 acaaagtatt tgcccacttc aagtaacaca aatgccataa acagtacgag tagaaatggt 180
 gcggccatta ttcagtcccc tgcagccggt gtagccgatg actctgccgc ttccatggca 240
 accaatggcg atgctagtga caccgccggt accacaaatt atacaaatgc atctatatac 300
 agtagcagca gaaatgcaa tgatggagcc ccgatggtcg ctgagctcca tccacttgat 360
 aaactgaagg acgaagtagg gacatTTTTT tactcaatgg gtgtcgatac atccggtcca 420
 acttcaatcg caatTTTTTT gaaggagatt tcagagggtca tcagcgagaa accccaagtt 480
 tggtttggca ggaagaaaac cttcaatggt gctcgaattt cattttccac ttggaatgcg 540
 ttcaggagat gcgacataaa tgtcgtcggt catattccag gatcgattca gaactttata 600
 gtggattgca acggtgaaag tcaaaatata gagatgtgtg cggattatga cttaatttgg 660
 gctgaaacgt tcgtaagtgg cgtagtacgg tcaatcatgt taatgaagga aaacgctgaa 720
 gagggagaat tacaaaaatt agtggaacc ttgattttga acccgtttac tgcaggacaa 780
 atcgacgatg taccagaaat gttcattgat ctgttcctta tagtttacca taagggccca 840
 ttattgggag ctccgtatta tattaccaat gtgacgaaca ctaataacta tttggtagaa 900

atggatagga aaaggtcttt tgaaaaaatt gtcgtttccg tcatggtcgg gaaaaatgta 60
 caaaagttcc tgacgtttgt tgaagacgaa ccagatttcc agggcggacc aatcccttca 120
 aagtatctta ttcccaagaa aatcaacttg atggctctaca cgttgtttca agtgcatact 180
 ttgaaattca atagaaagga ttacgatacc ctttctcttt tttacctcaa cagaggatac 240
 tataatgagt tgagtttccg tgtcctggaa cgttgttacg aaatagcgag tgccaggccg 300
 aacgacagct ctacgatgcg tacttttact gactttgttt ctggcacacc tattgtaagg 360
 agtcttcaga aaagcaccat aaggaaatat ggatacaatt tggcacccta catgttcttg 420
 ttactacacg tagatgagct atcgattttt tctgcatacc aagcaagttt acctggcgaa 480
 aagaaagtcg acacagagcg gctgaagcgt gatctatgcc cacgtaaacc cactgagata 540
 aagtactttt cacagatatg taacgatatg atgaacaaaa aggaccgatt gggatgatgtt 600
 ttagctacag cgcaacgtat acgtcgacga tacaacaaga acggttcacg ggagcctcga 660
 ctaaagacgc ttgacggact cacttccgag cgctggattc aatgggttagg ccttgaaagc 720
 gactaccatt gttcattctc tagtactcgg aatgcggaag acgtagtggc aggtgaggcg 780
 gcgagttcag atcatgatca aaaaatttca agagtaacgc gaaaaaggcc ccgagagccc 840
 aagagtacaa acgatatcct cgtcgcaggc cggaactctt ttggcagctc ctttgaattc 900
 agggacttgc atcagttgcg cttatgtcat gaaatataca tggcagacac accctctgtg 960
 gcagtacagg cccaccggg ctatggtaag acggagttat ttcattctcc cttgatagca 1020
 ctggcatcta agggcgacgt gaaatatgtg tcgtttctgt ttgtaccgta cacagtgttg 1080
 cttgctaatt gcatgatcag gttgggccga cgcggttgct tgaatgtggc ccctgtaaga 1140
 aactttattg aagaaggttg cgatggcggtt actgatttat acgtggggat ctacgatgat 1200
 cttgctagca ctaatttcac agacaggata gctgcgtggg agaattattgt tgagtgcacc 1260
 tttaggacca acaacgtaaa attgggttac ctcatgttag atgagtttca caactttgaa 1320
 acggaggtct accggcagtc gcaatttggg ggcataacta accttgattt tgacgctttt 1380
 gagaaagcaa tctttttgag cggcacagcc cctgaggctg ttgctgatgc tgcgttgacg 1440
 cgtattgggc ttacgggact ggccaagaag tcgatggaca tcaacgagct caaacggtcg 1500
 gaagatctca gcagaggtct atccagctat ccaacacgga tgtttaatct aatcaaggag 1560
 aaatccgagg tgccttttagg gcatgttcat aaaatttggg agaaagtggg atcacagccc 1620

gaagaagcac tgaagcttct tttagccctc tttgaaattg aaccagagtc gaaggccatt 1680
 gtagttgcaa gcacaaccaa cgaagtggaa gaattggcct gctcttggag aaagtatttt 1740
 aggggtggat ggatacacgg gaagcttggg tgctgcagaa aagggtgtctc gcacaaagga 1800
 gtttgtcact ga 1812

<210> 435
 <211> 2124
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 435

atgtcagaac aactcagaca aacatttgc t aacgctaaaa aagaaaacag gaacgccttg 60
 gtcacattta tgaccgcagg ttaccaaca gtcaaagaca ctgtccctat tctcaagggt 120
 ttccaggatg gtggtgtaga tatcatcgaa ttgggtatgc ccttctctga tccaattgca 180
 gatggtccta caattcaatt atctaatact gtggctttgc aaaacgggtg taccttgcct 240
 caaactctag aaatgggtctc ccaagctaga aatgaagggtg ttaccgtacc cataatccta 300
 atgggttact ataaccctat tctaaactac ggtgaagaaa gatttattca ggacgctgcc 360
 aaggctgggtg ctaatggttt tatcatcgtc gatttgccac cagaggaggc gttgaaggtc 420
 agaaactaca tcaatgataa tggtttgagc ctgatccac tagtggctcc ttctaccacc 480
 gacgaaagat tggaattact atcgcatatt gccgattcgt ttgtctacgt tgtgtctaga 540
 atgggtacta ctggtgttca aagtctctgtg gccagtgatt tggatgaact catctctaga 600
 gtcagaaagt acaccaagga tactcctttg gccgttgggt ttggtgtctc taccagagaa 660
 catttccaat cagttggtag tgttgctgac ggtgtagtga ttggttccaa aatcgtcaca 720
 ttatgtggag atgctccaga gggcaaaagg tacgacgttg ctaaggaata tgtacagga 780
 attctaaatg gtgctaagca taaggttctg tccaaggacg aattctttgc ctttcaaaaa 840
 gagtccttga agtccgcaaa cgtaagaag gaaatactgg acgaatttga tgaaaatcac 900
 aagcacccaa ttagatttgg ggactttgggt ggtcagtatg tcccagaagc tcttcatgca 960
 tgtctaagag agttggaaaa gggttttgat gaagctgtcg ccgatccac attctgggaa 1020
 gacttcaaat ccttgtattc ttatattggc cgtccttctt cactacacaa agctgagaga 1080
 ttaactgagc attgtcaagg tgctcaaac tggttgaaga gagaagatct taaccacacg 1140

tgtgaaatth caagcgttgg agagttcctg caattcaata atggccaact atctatcaca 420
 tgtaacgatt ttggtttact ggagaagttc aaaaggttgt gtatgatttc tttttttgag 480
 ttcattttcta tatataaggc cttgacaggc acagtgattt cctcttatgg gctgagaatg 540
 tctgatatgc atatcatttt gaactcgccg ttcaatttta aggattgggtg tgaagtttat 600
 cttgatgggtc aagggttgggt gaaagtgtgg tgtcatattg ataaagtgtc taaaaccaat 660
 aattctaaaa gtagtagtga caatgatgct aaaggaaagt atcaaatacg gttttataga 720
 gatgacaaat ccacatctag caagaactgc gtttttttta ttcttgacaa tgagtacgtt 780
 caagatattt tcttttataa catcaatgcg gcagaacctt ctaaaaatat gaacgacttt 840
 tttcaaggggt tgcaaatgat aaagctcggt ggtaatgtac gcttttgag tgatacggac 900
 tttaatgatg tgggtggatag tggatccatc tatagtagtg caaacaacgg cagtgtgaca 960
 gcagctcgac agcattga 978

<210> 437
 <211> 2271
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 437

atgtataata gcagcaccaa tcatcatgag ggtgcaccta cttcaggaca tggctattat 60
 atgtcccaac aacaagacca acagcatcaa caacaacaac aatacgccaa cgaaatgaat 120
 ccgtatcagc aaattcctag accgcctgct gcaggattta gtagcaacta catgaaagag 180
 caaggctctc atcaatcggt acaagagcat ttacaacgtg agacaggtaa ccttggcagc 240
 ggttttacag acgttccagc cctgaattat ccagccacac caccaccaca taataattac 300
 gcagcttcaa atcagatgat caatacccca ccgccgtcga tgggtgggtct ttatagacat 360
 aataataatt cccagagcat ggttcagaac ggtaatggga gtgggaatgc acaattaccc 420
 caattatcac cgggcccaata ttctatagag tcagagtaca atcaaaattt aaatggcagt 480
 tcttctagta gtccgttcca ccaaccgcaa acgctacgga gcaatgggtc atattcaagc 540
 gggttaagga gtgtgaaaag cttccagagg ttacaacaag aacaggaaaa tgtccaagtt 600
 cagcaacaac tttcccaagc acagcaacaa aattcccggc aacaacagca acaacttcaa 660
 taccagcagc agcaacaaca acaacaacaa cagcaacata tgcaaatata acaacaacaa 720

cagcagcaac aacagcagca gcaatcacao tctcccgttc agagcggctt taataatggt 780
accatatcaa actatatgta ctttgaaaga cgaccagatt tgttgactaa aggaacgcaa 840
gataaagcag cagctgtaaa gttgaagatt gagaactttt accaatcctc tgttaaatac 900
gccattgaaa gaaatgaaag aagagtggag ttagaaacag aactaacttc tcataattgg 960
tcagaagaaa ggaaatctag gcaattgagt tctttgggta aaaaagagtc acaattttta 1020
aggctgcgta gaacgagatt atcgttagaa gatttccaca ctgtgaaagt cattggaaaa 1080
ggggcatttg gtgaagtcag actggttcag aagaaagaca ccggaaaaat atatgcaatg 1140
aaaactttat taaaatccga aatgtacaaa aaggaccaat tagcacacgt caaggctgaa 1200
agggatgttc tggctggaag tgattctcca tgggtgggtt cgctatatta ctcatccaa 1260
gatgctcaat acttatattt aatcatggaa tttttgcccg gtggtgattt gatgaccatg 1320
ctaatacagg gtgcaactatt tacagaggat gttactagat ttacatggc tgagtgtatt 1380
ttggccatcg aaaccattca taaattagga ttcatccaca gagatattaa accagataat 1440
attttgatcg atattagagg tcatataaaa ttatctgatt tcgggttgtc tacgggggtc 1500
cataaaactc acgactcaaa ctactataaa aagcttttgc aacaagatga ggcaactaat 1560
ggtatttcca agccaggtag ttacaatgca aatacaaccg atactgcaa taaaaggcaa 1620
acaatgggtg tggattctat tagtctaaca atgtcaaaca ggcaacaaat tcagacatgg 1680
agaaaatcac gtcgtttaat ggcatattct accgtaggta caccagatta tattgctcct 1740
gagatatttt tataccaagg ttatgggcaa gagtgtgatt ggtggtcact tggagcaatt 1800
atgtacagat gtctgattgg ttggcctcca ttctgttccg aaactccaca ggaaacgtac 1860
agaaaaatca tgaattttga gcaaactcta caatttcttg atgatattca tatctcttat 1920
gaagccgaag atctaaccg tcgactatta actcatgcag accaaagact tggtagacat 1980
ggtggtgcag atgaaataaa aagtcatcca ttttttcgcg gtgttgattg gaatacaatc 2040
agacaagtag aagcacgta tataccaaag ttgagctcca tcaccgatac taggttcttc 2100
ccaaccgatg agttggagaa tgttccagat tccccagcta tggcacaagc tgccaaacaa 2160
agggaacaga tgacaaagca agtggaagt gcgccagtca aggaagattt accttttatt 2220
ggctacactt actccagatt tgactatttg acaagaaaa atgcgttgta g 2271

<211> 2646
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 438

```

atgtcgcaag aagaagcaga atccagtatt atttatgagg aaccattga tattccgtta 60
gaggatgatg acgatgagga tgaactggaa gaagaaaata gcgtaccttt aagcagccag 120
gcggatcaag aaaatgcgga gaatgagtca gacgatagtg tcgataacgt agttggatct 180
gagacacca gaagtgtaac aggtctttct gttgaccaa gagacgttgc agacgaagaa 240
gatgaagatg aagaagggga agacgaagat gaagacgaag acgacaatga tgttgacaat 300
gaggacgaaa atgataatga taatgccaac gaaaatgaaa atgaattagg gagctctaga 360
gataagaggg caccacctgc tgtgcagact agtaaactgt ataagaaata tccgaagcta 420
gatcccgcaa aagcacctcc cggaagaaa gtcccgctac atcttttgga gaagaggaga 480
ctaggacgta ttaaagctgc tgaagaattt gccaagacgt tgaaaaaat tggcattgag 540
aaagtggaga caactacttt acctgccact ggctgttcc aacctttaat gttaatcaac 600
caaaaaact actcatcaga ttatctgaaa aaagacgatc aaatatttgc acttagagat 660
agaaaatttt tgagaaataa caactagc caaatatcta gtaccaacac accagatgtt 720
atagatttaa agagtttgcc cactcagaa gcgagtgcag caccacttaa tgacgagata 780
gatctaaatg atccaacagc aactatcgtg atacatcctg gatcaaattc tataaagata 840
ggatttcca aagatgacca tcctgtcgta gttccaaatt gtgtagcggg acctaaaaaa 900
tggctggatc ttgaaaatag tgaacatgtt gaaaacgttt gccttcaaag agaacagtca 960
gaagagttta acaacataaa gtcggagatg gaaaagaatt ttagagaacg tatgaggtat 1020
tataaaagaa aggtaccagg taatgctcac gaacaggtag tatctttcaa tgaaaattcc 1080
aaacctgaga ttatttcaga gaaaaatgat ccctctccta tagaatggat atttgatgac 1140
tcaaaattat actatgggtc agatgcattg aggtgcgtgg acgaaaaatt tgttattaga 1200
aagcctttca gaggtggctc ttttaatgtc aagtcaccat attataaatc gttggcagaa 1260
ttaatctcag acgttaccaa gcttttgag catgcactta actcagagac tttaaacgtt 1320
aagcctacca aatttaatca gtacaaggct gtgttggtga taccagacat attcaagaaa 1380
agtcacgtag agacgttcat tagagttcta ctaccgagt tacaatttca agcagtcgct 1440

```


ctggtgaacg agtggggaca gttcaattct gtggtaacaa ggccacaatt ggtggtggac 180
 cgtgaccgac acgcaaagct ggagcttaat atggatgtga catttccatc gatgccatgt 240
 gacctggtga atctcgatat tatggacgac tctggagaga tgcaactaga cattcttgac 300
 gcaggggttca cgatgtctag gttgaatagc gagggctcgcc ccgtgggaga tgctactgag 360
 ttgcatgtgg gtgggaacgg cgacggaacc ggcgcgggta ataacgatcc taactattgt 420
 gggccatgtt acggtgccaa agatcagtcg cagaatgaga atctagcaca ggaagagaag 480
 gtttgcgtgcc aagactgtga tgcagtgaga tcagcatact tggaggcagg ctgggcctttt 540
 ttcgacggga agaatatcga gcagtgtgaa agagagggct atgtcagcaa gattaacgag 600
 cacttgaatg aaggctgcag gatcaaaggt tctgcacaaa ttaacagaat tcaggggaat 660
 cttcactttg cccctggaaa accctaccag aatgcatatg gacattttca tgatacttct 720
 ttgtacgaca agacttcgaa tttgaacttc aaccacatca tcaatcattt gagctttggg 780
 aagccgatcc agtcccacag taagtgtgta ggaaacgata agcgccacgg cggcgccgta 840
 gttgccactt ctcccttggc cggacgccag gtgttcccgg acaggaacac acactttcac 900
 cagttctcgt attttgccaa gattgtcccc accagatatg agtacttga taatgttgctc 960
 attgagaccg cgcagttcag cgccactttt cattcccgac ctcttgccgg tgggaaggac 1020
 aaggatcatc caaacacact tcacgttagg ggtggtatcc ctggtatgtt cgtctttttc 1080
 gaaatgtctc cattgaaagt catcaataag gaacagcacg ggagacttg gtcgggcttc 1140
 atcttgaatt gtatcaccag cattggtggt gtcctagctg tgggcactgt catggacaag 1200
 ctattctaca aagcacagag atcgatctgg ggcaagaaga gccagtag 1248

<210> 440
 <211> 4140
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 440

atggcacgaa atttaaggaa tagacgcggt agcgacgttg aagatgcaag caacgcaaag 60
 gttgggtatg aaacacagat taaagacgaa aatggcataa tccatacaac aactcgctct 120
 ttgagaaaaa taaactacgc agaaattgag aaagtgtttg attttttggga agatgaccag 180
 gtcattggaca aagatgagac gcccgttgat gttactagtg atgaacatca taacaacaac 240

cagaaaggcg atgatgaaga cgatgatggt gatcttgtat caccgcacga aaacgccaga 300
acgaacgaag agcttactaa tgaaaggaac ttgagaaaaa gaaaagcgca tgatccagaa 360
gaagatgacg aaagttttca tgaggaagat gtcgacgatg atgaagagga ggaagaagca 420
gacgaatttg aagatgagta tttggatgaa gactcgaagg ataacaaccg tcggcgcaga 480
gcgggccgata ggaaatttgt agtaccagac cctgatgacg atgaagaata cgatgaggat 540
gacgaagaag gagacagaat aagccattcg gcttcttcta aacgtttgaa aagggcaaatt 600
tctcgaagaa caagatcgtc acgtcaccca gaaactccac caccggttaag aagagcttta 660
agaagtagga caagacattc gcgtacttca aatgaagaaa atgacgatga gaatgataat 720
agcaggaatg aagcgttaac tttagctgat gaaattagag agttacagga agatagtcct 780
atcagggaaa aaagatttct tcgcgaaaga actaagccgg taaattacaa attaccacca 840
ccactaactg ctagcaacgc agaagaattt atagataaga ataacaatgc actttctttt 900
cataacccat cacctgcacg gcgtggtcgc ggtggttggg atgctagtca aaattctggt 960
cccacaagaa ggctttttcc cactggtgga ccttttggtg gcaatgacgt aactacaata 1020
tttggttaaga atactaattt ttacaaccaa gtcccatctg cattcagtga taataacaac 1080
aataaattaa tactggattc agactcttcc gatgatgaga tattacctct tggcgtgaca 1140
ccgaaaacaa agaaagagaa cacgcaaaaa aagaagaaga aaaaaccaga aattgcagac 1200
ctcgatccat taggcgtaga catgaatgta aattttgacg atataggtgg tttagacaac 1260
tacattgacc aattaaagga aatggtggcc ttaccactat tataaccaga attgtatcaa 1320
aattttaata tcacgcccc aaggggtggt cttttccatg gtctctctgg tacgggtaaa 1380
acacttatgg caagagcggt agcagcaagt tgttcttctg atgaaaggaa gatcacattt 1440
tttatgcgta aaggtgcaga tattttatcc aagtgggttg gtgaagctga aagacaactc 1500
cgtttggtat tcgaagaagc taaaaaacat caaccttcca tcattttttt tgatgaaatc 1560
gacggattag cgctgtgag aagttccaaa caagaacaga tccatgctag tattgtttcc 1620
acattattag cgctgatgga tggatgggac aatagaggcc aagtcattgt catcgagacc 1680
acaaatcgac ccgatgcagt ggatcccgca ttaagaaggc cgggaagatt tgatagagaa 1740
ttttattttc cattacctga tgtaaagca cgttttaaaa ttttgcaaatt tcagaccagg 1800
aaatggagtt caccgttgtc aaccaacttc attgataaat tggctttttt gaccaaagga 1860

tatgggtggg ctgatctgag gtccctatgc actgaggctg cactaataag tatacaaaga 1920
agctttcctc aaatttatag gtcaaagat aaactcttgg tggacccttc taagattaaa 1980
gtcaaagtta gcgatttcat gttagctttg aaaaaaattg ttccgtcatc tgcgagatct 2040
actggtagtt ctctcagcc actacctgaa ttaatcaaac cattactggc agatcaactt 2100
aataatttaa agaacaagct ggattatatg ctgaacatta aagacacaac ttttcagaga 2160
aacacatcat tgctacaaaa tttcatcgat tatgaagaat acagtggaga ggaagaagag 2220
catgacaaat atggaggaaa tgaagataca tccagtttta gatcatatga gtttttcgaa 2280
tcgatggcgg aatcacaaat ttgtaaacct cggttattaa taaatgggcc caagggaaat 2340
ggccaacaat atgtcggagc cgcaatttta aattatttag aagaattcaa cgtccaaaac 2400
ctggaccttg cctcttttgg ttccgaaagt tctaggacta ttgaagctgc tgtagtgcaa 2460
agttttatgg aagcaaagaa aagacagccc tcagttgtat ttattcctaa tttagacatt 2520
tggatcaaca ctattccaga aaacggtatt ttagtcttat caggtttggt cagatcttta 2580
caaagcaatg aaaaaattct tctattatgc ttagctgaaa atcttgatat atctgaagtt 2640
aaaaatggta ttttatctga ttttgctttt gataaaaata tctttcaact gcataaacca 2700
tccaaagaga atataacgag gtatTTTTCT aatttaattg aactactgaa aacaaagcca 2760
agtgatattc ccatgaaaaa gagaagagtc aaaccgttac ctgaattaca aaaagtaact 2820
tcaaacgcag ctccaacaaa ttttgatgaa aatggtgagc cactgtctga aaaagtggta 2880
ttaagaagga agttgaaatc ttttcaacac caagatatga gattgaaaaa tgtgttaaaa 2940
atcaaactct caggcttgat ggatctTTTT aaaaacagat ataaaagggt tagaaaacca 3000
cctattgatg atgccttctt ggttcatctt ttcgaaccag agacaagcaa tgatcccaat 3060
tggcaacctg catatataaa agatgagaac atgattctgg aggtttcaac agggcgaaag 3120
ttttttaaca tggatttgga tattgtcgaa gagagacttt ggaatggcta ttactcagaa 3180
ccaaaacagt ttttaaaga cattgaactg atatacaggg atgcaaatac cattggggac 3240
agagaacgtg tcattaaggc ctctgagatg tttgccacg cgcaaatggg tatcgaagaa 3300
atttcaaccc cggattttat tcaagagtgt aaagctactc gccaaagggg tttggaaagg 3360
caggaacttt tcttagaaga tgaagagaaa agagctgcaa tggaattaga agccaaagaa 3420
cagagtcaag aaaatatact gcaagaacct gatttaaagg ataacaaggc taatgagttt 3480

ggtgtagctg ctggtaatca attgcaagct cagctgcaaa caactatcaa tacagcctct 3540
 atcgттаата acagcgaggt cctcaacca attgatacca acctgtataa aaaggagatt 3600
 cctgcgгcaа ttccctctgc agtagataaa gaaaaagcgg tcatccctga ggatagcggт 3660
 gcaaatgaag aatacacaac ggaactgata caggccactt gcacgtcaga gataaccacc 3720
 gatgatgatg aaagggccag aaaagaacca aaagagaatg aagactcttt gcaaacgcag 3780
 gttacggaag aaaacttcag caaaatagac gctaatacta ataataaaa tcacgtaaag 3840
 gaaattcaat cggttaacaa accaaattcc ctccacgaaa cggtagaaaa aagggaacga 3900
 agtccgatac caaaagaggt tgtggaaccg gagcaaggga agaagagcga caaggagctt 3960
 attttgacgc ccgaacaaat aaaaaaagta tctgcatgct taatcgaaca ctgtcagaat 4020
 ttacggttt ctcaattaga agatgttcat tcgtccgttg caaaaataat atggaaaagt 4080
 aaatcagcat gggataaaac aggaactgtc gatgaaataa taaaattttt atctgaataa 4140

<210> 441
 <211> 897
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 441

atgtcagcac tgtactttca aaatttacc agtaggccag caaataaaga aaattatacc 60
 agattacttc tgaaacacat taatccaac aacaagtatg ccattaatcc gtcgctaccc 120
 cttccccaca ataaattaca aatatcatca caaccgctga tgttactaga tgatcaaатg 180
 ggccttcttg aagtttctat ttcaagatca tcaaagatga ctaaccaagc atttttaacg 240
 tttgtcactc aagaagaagc agaccggttt ctagaaaaat acacgacaac agcattaaaa 300
 gttcaaggtc gtaaagtгag aatgggaaag gctcgaacaa attcgттatt gggтctttca 360
 atagaaatgc aaaaaaaaaa aggtaatgac gaaacgtaca accttgatat aaagaaggтg 420
 cttaaagcaa ggaaacttaa acgcaagtta cgtagtgatg atatatgcgc caaaaagtтc 480
 aggcttaaaa ggcaaataag acgcctgaag cataagctga gatcaagaaa ggtagaggag 540
 gctgagattg ataggattgt aaaagaattt gaaaccgta gattggaaaa catgaagtct 600
 cagcaagaaa atctaaaaca atcgcagaaa cctcttaagc gggctaaagt gtccaataca 660
 atggaaaatc caccgaacaa agtccttctt atacaaaatt tgccaagcgg cactaccgag 720

caattattgt cgcaaatact tggcaatgag gcttttagttg aaatcagatt agttagcggt 780
 cgtaacctag ctttcgtgga atacgagacc gttgctgatg ctacgaaaat caagaatcag 840
 ttaggctcca cttacaagct acaaaacaat gacgttacca taggatttgc taagtag 897

<210> 442
 <211> 2115
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 442

atggtttctc caacgaaaat gataataagg tctccgttaa aggaaacaga taccaacttg 60
 aaacataata atggaattgc cgcatcaaca acagcagcgg gccacttgaa tgtgttttct 120
 aacgacaata attgcaacaa taacaatacc actgaatcct ttccgaagaa aagatctctt 180
 gagcgctcag agctccaaca gcagcagcat ttgcatgaaa agaaaagggc cagaatagaa 240
 agggccaggt ctattgaagg cgctgtccaa gtcagcaaag gtacgggtct gaaaaatgtc 300
 gagccaaggg ttacgcctaa ggaattgctg gaatggcaaa caaattggaa aaagataatg 360
 aaaagagatt ctcgcattta ctttgacatt actgatgatg tagagatgaa tacatataat 420
 aagtccaaga tggacaaacg cagagattta ttgaaaagag ggtttcttac attgggtgcg 480
 caaataactc aattttttga cactactgtc acaatagtta tcacaagaag gtctgttgag 540
 aacatatatt tactaaaaga taccgacatt ttatcgagag ctaaaaaaaaa ctacatgaaa 600
 gtttgagatt acgaaaaggg tgccagattt ctgaaaaatc ttgatgttga tttggatcat 660
 ttgagcaaga ctaaatctgc ttcttttagct ggcgccacat tgtccaatct tctacacaat 720
 gaaaaattat atggaccaac ggatagagac ccgagaacta aaagagacga tattcactac 780
 tttaaatata ctcatgtata cttttatgac ctatggcaaa cttgggcccc cataataact 840
 ttggaatgga aacctcaaga actaacaac ttagacgaac taccttacc aatattgaaa 900
 ataggttcat tcggaagatg cccttttata ggggatagga attatgacga aagttcttat 960
 aagcgcgtag taaagagata ctcgagagac aaagcaaaca aaaaatatgc actgcaactt 1020
 cgtgctctat ttcaatatca tgccgacacc ttactgaata cgtcatcagt taatgatcaa 1080
 acgaaaaacc taatattcat acctcacaca tgcaacgatt ctaccaagag cttcaaaaaa 1140
 tggatgcaag aaaaggcaaa aaattttgag aagaccgagt taaagaagac ggatgatagc 1200

gcagttcaag atgttcgtaa tgaacatgct gaccaaaccg atgaaaaaaa tagtatatta 1260
 ttaaataaaa ctgaaaccaa agagcctccg ttgaaagaag aaaaagaaaa taaacaatct 1320
 atagcagaag aatcgaataa gtacccacag cgaaaagagc tggctgccac accaaaaacta 1380
 aaccatccag tattagctac ttttgcaagg caagaaactg aagaagtgcc ggatgatttg 1440
 tgcactttga aaacaaagtc acgtcaggca tttgaaatca aagcaagtgg tgcacatcaa 1500
 tctaatagatg tggcaacctc ttttggcaat ggtttgggcc caacaagagc aagcgtcatg 1560
 agtaagaaca tgaagtcatt aagtagacta atggttgata gaaagctggg agtaaagcag 1620
 acaaatggaa ataacaaaaa ttatacagcc actatagcaa ctactgctga aacatcaaag 1680
 gaaaatagac acagattaga ttttaatgct ttgaaaaaag acgaagcccc ttcgaaagag 1740
 acgggcaaaag atagtgtgt acacttagaa actaatagaa agccccagaa tttccctaag 1800
 gtagctacca aatcagtctc cgcagactcc aaagttcata atgacatcaa gataacaacc 1860
 acagaatctc caacagcatc gaagaaatca acttccacaa acgtcacctt acattttaac 1920
 gcacagacag cacagacagc acagccggtg aagaaagaaa cggtaaaaaa ttccggatac 1980
 tgtgaaaatt gtcgtgtaaa atacgaatct ttagaacaac acatagtttc tgagaagcat 2040
 ttgtctttcg ctgaaaacga tttaaatttt gaggctattg actcgttaat tgaaaatctc 2100
 agattttcaa tatag 2115

<210> 443
 <211> 1695
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 443

atgtctagtg cgcaatcctc tattgatagc gatggagatg ttcgagatgc tgatattcat 60
 gtcgcaccac ccgtggaaaa agagtgggtca gatggatttg atgacaacga agtcataaac 120
 ggggataacg ttgagccacc aaaaagaggg ctcataagggt atcttgtcat ttacttactg 180
 tgttatccaa tatccttttg gggtttcctg cctgggtggg atagtgggtat cacagcaggt 240
 ttcattaaca tggacaactt taaaatgaac ttcggttctt acaagcatag cactggtgaa 300
 tattatttga gcaacgtgcg tatgggtctt cttgtggcta tggtcagtat tggatgtgcc 360
 ataggtggcc ttatttttgc ccgtcttgct gatactttag gtagaaggct ggcaattgtg 420

cacgtcctta gcttttttgac cagatgcgac tattcttatg aaattataacc caaaaattgg 480
acctctttttt acaagctatt tcagtacgta atgggtgccg ttggtcctat tatatcgtat 540
gtgccggtaa attatcccat gataagaaaa gaactaggat ttgagacctt aacgatattt 600
cagtattatg attccaaact tttcgaatgt atgaagtcac attttggaag ggaattttcc 660
acccttgtaa gcgctactat tcatcactat attcatatgt ttccaataac gaatacaatg 720
ttagagaagg aagttcctat gctccgtata atgtctaact gcaatttttag tatagagggc 780
ttgagcccca aagattttta tatgaaaact ctgagacaat attactgtga ggaatcaaat 840
ttaaggccga ggctggaaac tttcaagaat ttttaaggtag tattgacgag gaatgcatta 900
ttagcatctt tattttcccc tgaatgggtc agcgatgcaa atgacctatt tataagccat 960
ctactgttga acaagaagtc tattagcgaa tacatagaaa ttgggaagga cacttatgat 1020
gaagaaaaag agagatattt caaaactgag acacacttta gcttattgat gtttagaaat 1080
gcttttgaag caaaaaatat gctgtcaaaa ttcaaggaat tctgtgatga tgccgtttca 1140
gaaaagttaa aggcagcata tggatccaat catgatactg aaaggctatt tgatgaggta 1200
gttcagctag ctaatgtaga tcacctcaaa atatactccg attccatcga gtaccattta 1260
tgtaatttac ttggaagtac cagcaaagcc atagaacagt atgtcaaata ttttgagtca 1320
catttattca tcatcgtcag aaagataaaa acaactaaaa aagacctacc cagagatatg 1380
aaaataaagt atctcaacga aaatcttcct atattgagac tgaagttcgt taaccttccc 1440
acatttccta attttttcga aagatcaatt ttcagaaaaga cgatcttaca aagtgatcaa 1500
aattcctcat ttattaagga tatattacct gtttaciaaag acagcctcat ggaacttttc 1560
aaacaaagaa tcataacaaa tgtctcacia gaggatgaaa tgcgataccg agatcaatat 1620
caaccctatt tatcgcaatt ctttcagccg gtagaggtta tggcagatct gagaatcaaa 1680
tatgcatcgt tcttgctcgtt ttatgagaat atcgaggctg ctgtgaagtt cgggaagaca 1740
tacaatgaaa acaacagcaa gtcatttttc ccacttatct ttgatagaga aagaattccc 1800
aaagtttttc agcaatccaa cgaagtaaag aaaaattttg tcctacctca agagatggat 1860
gatacgtgga accaatttct ccgtaattat cacgagcaga ataaagtgga agattcagat 1920
gcttccaaaa aagagctata tccgatgtgg aacttgcacc actgcgaagt ggagtcgcct 1980
tatatcatatc aggatggaac taaccttaata tttgaattga cccttttcca aacatgtgtg 2040

ctgactttat tcaacgaaag cgatcatttg accttgcaag ttatatcaga gcaaacgaaa 2100
ctggcgtaga aagacttagc gctagtctta aaatccttct gcaattataa aattctgaca 2160
agagatattg acaacacata cagtatcaac gagagcttca aacctgatat gaaaaaagtg 2220
aaaaatggga aactacgtgt ggttctaccg agaaccgcgt ctctccaaag tagcaacaca 2280
ggcggtagaa gaaccagttc tgcacaccac gaaggaagta attcccaatg gaccaagaa 2340
ttactaaagg catgcataac tagatccgtt aagagcgaga ggaatgggct agactacgac 2400
catttatttg aaacggtaaa gcagcagata aaaggcttta gtgttggtga gttcaaagac 2460
gccttggcca agttgttacg agacaaattc ataactaggg acgaatcaac agcaacttac 2520
aagtactaa 2529

<210> 446
<211> 4557
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 446
atgactggtc acgtttcaaa aacgagccac gtacccaaag gtcgcccgtc ttcattggcc 60
aagaaggcag ctaaaagggc catggccaaa gttaaattcga atccaaaaag ggcgtcgggg 120
catttgagc gtgttgtaga atctgtgaac gacgctacca aaagattatc tcagcccgac 180
tctaccgtaa gtgttgctac aaaatcatca aagagaaaat ccagagacac ggtgggtcct 240
tggaacttg gcaaaacatt ggggaagggg tcttctggta gggttcgctt ggctaaaaat 300
atggaaacag gacaattagc tgccattaaa attgtcccca agaagaaagc ctttgttcat 360
tgttctaata atggaactgt tcctaattct tactcttctt ccatggtcac ttccaatgta 420
tcttctccat caatagcatc tagagaacat agtaaccatt ctcaaacgaa cccatatggc 480
atagagagag aaatagtaat catgaaattg atatctcaca caaacgttat ggcatgtttt 540
gaagtttggg agaacaaatc agagctgtac ctagttttgg aatatgttga tggtagcgaa 600
ttattcgatt atctggtctc gaagggaaag ctacctgaaa gggaggctat ccattacttc 660
aagcagatag ttgaagggtgt ttcctattgt cattctttta atatatgcca tcgtgatctg 720
aagcctgaaa atttattatt agataaaaag aataggagaa tcaaaattgc tgatttcggc 780
atggcagcat tagagcttcc taataaactt ttaaaaactt catgtggctc tccacactat 840

ttggaagaac agaagccaaa gagagcggcc ctttcagata tcacgaactc attcaataaa 2520
 atgaataaac aggaaggtat gaggatagaa aaaaagattc aaagagaaca acttcaaaaa 2580
 aaaaatgacc gcccgtcacc actcaaacct attcagcacc aagaacttcg tgtaaattct 2640
 ttgcctaatt atcaaggtaa accgtcctta tctctagatc cccgccgtaa catctcccag 2700
 ccagtgaatt caaaagtgga atcactattg cagggactga aattcaaaaa ggagccagcc 2760
 tctcactgga cccatgagag aggttccttg ttcattgagt aacatgtgga agacgaaaaa 2820
 ccagtcaaag cctcagatgt ttcaatcgaa agttcatatg tacctttaac aacagtagca 2880
 acatcttcga gagatcccag tgtttttagca gaatctagta caattcaaaa accaatgctg 2940
 tctttacctt ctagtTTTTT gaacacatct atgacgttca aaaatcttag ccagatactc 3000
 gctgatgacg gtgatgataa gcatctaagt gtgccacaga accaatctag aagtgtagcc 3060
 atgtcacacc ctttgcgaaa acaatctgcc aaaatatctc taactccacg gtctaatttg 3120
 aacgccaatt tatccgtaa acgtaatcag ggctcacctg gtcctatTTT gagtaatgat 3180
 ctggatggaa tctctgatat gacatttgcg atggaaatac caacaaacac ctttaccgct 3240
 caggcgattc aactgatgaa caacgacacg gacaataata aaatcaatac ttcgccccaa 3300
 gcatcttctt ttacaaaaga aaaagtaatc aaatcggcag cctatatctc gaaggaaaaa 3360
 gaaccagata atagcgatac taattatatt ccagattata ctataccaaa cacatatgat 3420
 gaaaaagcca ttaatatTTT tgaagatgcg ccctccgatg agggttcatt aaatacatct 3480
 tcttcagaaa gcgattcacg agcaagtgtg cataggaaag cggtatctat tgacactatg 3540
 gcgacaacaa acgttcttac tcccgcgaca aatgtttagag taagtcttta ttggaataat 3600
 aacagttctg gtatacccag agagactact gaagagatac tttctaaact tagattgtca 3660
 ccagaaaatc cttctaatac acatatgcaa aagaggtttt cttccacgcg tggtagtcgt 3720
 gatagtaatg cattagcat ttctcaaagt ttacagtcaa tgttcaaaga tttggaggaa 3780
 gatcaagatg ggcatacttc tcaagctgat attcttgaat caagtatgag ctattcaaag 3840
 cgaagaccat ctgaggaaag cgtaaatcca aaacaacgag tgacaatgct tttcgatgag 3900
 gaggaggaag aatctaaaaa agtaggtggg ggaaaaatta aagaagagca taccaagcta 3960
 gacaataaaa tatccgagga atcttctcaa cttgtgttgc cggtgggttg aaaaaaggaa 4020
 aatgcaaata atacagaaaa taactactct aaaataccaa aaccctcaac gattaaagtt 4080

acgaaggata cgcctatgga atcaaataca caaacccata caaaaaagcc aattctaaaa 4140
 agtgtccaaa atgttgaagt tgaagaagcg ccttccagtg ataaaaagaa ttggttcgtc 4200
 aaactatttc aaaacttttc ttctcataat aatgctacta aggcattcaa gaatcatgta 4260
 acgaatatat catttgatga tgcgcataat ctaacattaa atgaattcaa caagaatagt 4320
 atcgactatc aattaaagaa cctagatcac aaatttggga gaaaggtggt ggaatacgat 4380
 tgtaaatttg taaaaggcaa cttcaaattc aaaatcaaga ttactagcac acccaatgca 4440
 tcacgggtaa ttactgtaaa aaaaagaagc aaacattcaa acacaagttc caataaagcc 4500
 tttgaaaagt ttaatgatga tgtggagaga gtaattcgaa atgccggacg ttcataa 4557

<210> 447
 <211> 2532
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 447

atgacggacg ttgaaggcta ccaacctaag agcaagggga aaatctttcc agatatgggt 60
 gagtcctttt tctcatcaga tgaggattca ccagctactg atgcagagat cgatgagaac 120
 tatgatgata acagggaaac gtcagaagga cgtggagaaa gggataccgg cgccatggta 180
 acaggggtga agaagcctcg gaaaaagacc aagagtagca ggcatacagc ggcggattcc 240
 tctatgaatc aaatggacgc taaggataaa gcgcttttgc aggacactaa tagcgatata 300
 ccagcagatt tcgttccaga ttccgtctct ggaatgttca gaagccatga ctttagttat 360
 ttgcgggtta gaccagacca tgcttccagg ccccttttga tctcgccaag tgacggtagg 420
 atcattctgg agagtttctc tccattagca gaacaggctc aggactttct ggtcaccatt 480
 gcagagccta taagtagacc ctcccatatt catgaataca agatcacagc atactctttg 540
 tatgcagctg tttctgtagg gttggagacg gatgatatca tttcagttct ggatagatta 600
 tccaaagtac ccgttgctga atcgataatc aacttcatta aaggggctac catttcatac 660
 ggtaaagtga aactagttat taagcataat agatatttcg tggagactac acaagcagat 720
 attctgcaaa tgttgctgaa tgattccgtc atcgggcccc taagaataga tagcgatcat 780
 caagtacagc caccagagga tgtactacag caacaacttc agcaaaccgc tggaaaaccc 840
 gctactaatg ttaatccgaa cgatgtggaa gccgtgttta gtgcagttat aggtgggtgat 900

ttgaagaagt ga

2532

<210> 448
<211> 1359
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 448

atgggtagaa gaaaaattga aattgaacct atcaaagatg atagaaatcg tacagttact 60
ttcataaagc gaaaagcagg actattttaa aaggctcatg aattgtcagt actttgccaa 120
gtagacattg ctgtcattat tttaggatcc aataatacat tctacgaata ctcttctggt 180
gatatgagta acctgcttaa tgttcatcaa aacaacactg atcttcctca taatatcata 240
gaaccatctg attatgggtga ctatgtgaaa aaaccacgtg ttgttctgaa tgaaaggaag 300
cgcaggcgaa gaagagcaac cgtgttgcaa ccagcttccc attctgggag ttgtacagtt 360
tcgagtcaag attcctccag tgtacaaaac aatgggaatt taagcgctcc gttggcgctca 420
aatgacgccg ggaacgctgg tgtaagtaca ccattgggtgc attgccacgg agcaatatca 480
cgtagcggat ccaatcattc tgactgtgca agaaatagtg cagattatca aatgttgcaa 540
ggcggtttaa attctgggtg gagttttcat gctaattgatt ataaagaaag cgtagaccaa 600
cagcatgttg caaacgaggc tattcatagg aattttatga acaagaggat taggccggat 660
actcatttac tactttctga atctaaccac tctaattatc ataattttta cccgtcgcct 720
tacgagaatt tgccaaagcc ttcatcgctt gcaagtttag tgggcaatat tccatccttt 780
caatcgcaat ttgtacaggt tattccggca aatagtaacc caatgggaaa aggatttaat 840
gggacgggtg acagcgagag ctttgaagca aagcaaaaga tacacccgac agttgctata 900
tcaaatactt tggaaggtcc agctccagtg caggcgatgg tccatcacct gcaccaactg 960
aacagcaata gaggaagct ctcagggaag ccatatttaa agctaaatat tccgaaggcc 1020
acaaatgacg cttgccagag gtcgccagca atgtattcag gaaccgcac accgaaaacg 1080
gatgtacaag cactcccaa tcaaagtgc gccagcaaca tgtcctcccc tctttctcgt 1140
tcaaagtttt tgggattcaa gaacaatgat atggacgact tatatcataa tggccgatgt 1200
ggcagcactt atgtaaataa caaacattc tttctgaaac cgccaattgg aagaccgcct 1260
aaatttccga aaagcccgtc ttcattctatt gtggtttttc ctctctcggt agctagttca 1320

actttgaaat ccacgagttc gacaaactct ccagattaa 1359

<210> 449
 <211> 369
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 449

atgaaagttt ccgataggcg taagtttgaa aaagcaaact ttgacgagtt tgagtcggct 60
 ctaaataaca aaaacgactt ggtacattgt ccctcaataa ctttatttga atcgatcccc 120
 acggaagtgc ggtcattcta cgaagacgaa aagtctggcc taatcaaagt ggtaaaattc 180
 agaactgggtg caatggatag gaaaaggtct ttgaaaaaa ttgtcatttc cgtcatggtc 240
 gggaaaaatg tacaaaagtt cctgacgttt gttgaagacg aaccagattt ccagggcgga 300
 ccaatccctt caaacaacc acgtgatggt ctacacgttg tttcaagtgc atactttgaa 360
 attcaatag 369

<210> 450
 <211> 765
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 450

atgaaggcct gttccatatt atttaccacc ttaattactc tagccgctgc tcaaaaagac 60
 tctggttcct tagatggcca gaactctgaa gatagctcac aaaaggaaag ctcaaactct 120
 caagagatca cacctaccac gacaaaggaa gcccaagaaa gcgcatcaac tgtagtttct 180
 accggaaaaa gcttagtaca aactagcaac gtcgtcagca acacctatgc tgtggctcca 240
 agtaccaccg tagtgacgac ggatgcacaa ggcaaaacca cgacacagta cctatgggtgg 300
 gtggccgaaa gcaactctgc cgtaagcaca acttcaactg cctctgtgca gccacccgga 360
 gagacgtcaa gcggaatcac caactccgca tcctcctcaa cgacatcaac atcaacggac 420
 gggccagtta ctatagtaac taccacgaat tcgttaggtg agacttacac atctactgtt 480
 tgggtggctac cgtcctcagc cacaactgac aacacggctt catcaagtaa atcatcttcg 540
 ggatcctcat caaaaccgga atcaagcacc aaggtagtaa gcactatcaa atcaacttat 600
 accactacgt caggttctac agtagagaca ctgaccacta catacaagtc tacagtcaac 660

ggtaaggtag cgtccgtaat gtccaattct accaatggcg cctttgccgg cactcacata 720
gcttatggtg cgggtgcatt cgccgttggt gcccttttgt tatag 765

<210> 451
<211> 612
<212> DNA
<213> Saccharomyces cerevisiae

<400> 451

atgacaccac cgatgtgttc gaattccttc ttcaaccatt cgtcatcaat agaccacgat 60
agtctaccaa cgaaaatagt agctggttct tcggtttctt ctttttttg cttcttggtg 120
gaagactctt cgtcttcttc ttcttcggcg tcctcagatt tacgtttctt atcgttagac 180
tcttcctttt cgctttcgct atcagaagat gaagatgagg atgaatcaga gctagaagat 240
tcttttgatt ctctcttctt ggtttcttct ttttcttctt cttcttcttc gtcggaagaa 300
gagtcagagg aagaggaaga ggaatccttg gattcttcct tcttggtttc agcttcactt 360
tcgctgtcag aagacgatga agaagaggat tcagaatcag aggatgaaga tgaagatgaa 420
gattcagatt cagactcaga ctcagattca gattcagatg aagatgaaga tgaggatgaa 480
gattcggagg aagaggaaga gacggcctta gctttttctt ctttggttg tttggaagcc 540
ttaacttctt tcttggttacc ttttacttta gtagtcttag ccatcttatt ttatcctgcc 600
tgggttgagt ga 612

<210> 452
<211> 3096
<212> DNA
<213> Saccharomyces cerevisiae

<400> 452

atgggtgtgc attcattttg ggatattgca ggtcctacgg caagaccggt caggctggaa 60
tccttggaag ataagagaat ggcagtagat gcctccattt ggatatatca gtttttgaaa 120
gctgtccgtg atcaggaggg gaatgcagtg aagaattctc atattactgg gttctttaga 180
agaatttgta agctattata ctttggcatt aggccggtat tcgtctttga tgggtggtgtg 240
cccgtattga aaagggaaac aatacggcag aggaaagaaa gaagacaggg aaaacgagag 300
agtgcgaaat ccaccgctag gaagctgctg gctttacaat tgcaaaacgg ctcaaacgat 360

aacgtaaaaa actctacacc gagtagtggc agtagtgtgc agatcttcaa acctcaggac 420
 gagtgggact tgcccgatat accgggattc aaatacgata aggaagatgc aagagttaac 480
 tctaataaaa cttttgaaaa actgatgaat tcgataaacg gtgatggact ggaagacatt 540
 gatttagaca ctataaatcc agcatcggcc gaatttgaag agctgccaaa ggccacacag 600
 tatttgatat tatcgtcgtt gaggttgaaa tcaagactga ggatgggata ctcgaaagaa 660
 caattggaga ccatcttccc aaatagtatg gatttctcaa gatttcaaata agacatggtg 720
 aaaaggagga attttttttac tcaaaagtta atcaacacta ctgggtttca ggatggtgga 780
 gcgtctaagc tgaacgagga ggtgatcaat aggatatccg gccaaaagag taaagagtac 840
 aagttgacta agactaataa cgggtggatt cttggactag gggcaaacga tggctctgat 900
 gcgcaaaaag caatcgtaat agacgataaa gatgcaggcg ctttggtaaa gcagttagat 960
 agtaatgctg aggacgggga cgtgctccga tgggatgatt tggaagataa ttccttaaaa 1020
 atagtgcgac atgagtcttc taacgcgacg acagctccac agaaaaggag taaccggtca 1080
 gaagatgagg gatgtgactc tgatgaatgt gagtgggaag aagttgaact caagcccaag 1140
 aacgtcaagt ttgtggaaga tttttctttg aaagctgcaa ggttgccetta catgggccaa 1200
 tccctaaaca acgctggcag taaatcgttt ttggacaaaa gacatgatca ggcatcgccc 1260
 tccaagacta ctccaacaat gagaattagc agaatcagcg tggaagacga cgatgaggat 1320
 tacctgaaac aaattgagga aattgaaatg atggaggcag tgcaactttc taagatggaa 1380
 aagaaacctg aagcggacga caaatcaaaa atcgctaagc cggtaacgtc aaaaggtaca 1440
 gaggctcgtc caccaatagt acagtatgga ttacttggcg cacaaccgga tagtaagcaa 1500
 ccgtatcatg tcacaaatth gaatagcaaa tcagagtcgg tcatcaaaag gaccagcaag 1560
 acagttcttt ctgagtttag gccaccgtct cagcaggagg ataaaggggc tattttaaca 1620
 gaggggggagc aaaacctgaa ttttatttct cacaagatac cacagtttga ttttaacaat 1680
 gaaaattccc tgctttttca aaagaatacc gagagtaatg tgtcccaaga agccacgaag 1740
 gaaaagtctc caattcctga aatgccgagc tggttttctt caactgcttc ccagcagttg 1800
 tataatccct ataacacaac aaatttcgtg gaagataaaa acgtaagaaa tgaacaagaa 1860
 agtggagcag aaactaccaa taaagggagt agctatgaac tcttgacagg cttaaagtct 1920
 acggaaatat tagaaagaga aagcgagaaa gagagctcca atgatgaaaa caaggacgat 1980

ttcagaggtg gacacatggg agccaacagc tcaaacgtgc catggactgg ttactataat 300
 aactaccccg tttactacca gccccagcaa atggcgccg ctggtagtgc ccttgctaata 360
 ccaattcctg tcgaagagaa gtcacctggt ccaactaaga tagaaatcac taccaagtct 420
 ggtgaacact tagatttgaa agaacagcat aaagccaagc tacagtctca ggaaagatct 480
 actgtgtctc cgcaaccaga gtcaaagtta aaagaaactt ctgattctac ttctacttct 540
 actccaactc ctacccttc cactaatgac tctaaggcca gttctgaaga aaatatatct 600
 gaagctgaaa agacaagaag aaatttcac gagcaagtta aacttcgtaa agctgcttta 660
 gaaaagaaga gaaaggagca acttgaaggt tctagtggca acaataatat tccaatgaag 720
 actaccccg aaaatgtgga agagaaggga tcggacaaac ctgaggtaac cgaaaaaacc 780
 aagcctgctg aagaaaaatc tgctgagcca gaagttaagc aagaaactcc agctgaagaa 840
 ggtgaacaag gagaaaagg ccaaataaag gaagaatcca ctcaaagggt gttaaccttt 900
 gctgaacgtt tgaagttgaa gaaacaacaa aaagaacgag aagaaaaaac ggaggggaag 960
 gaaaacaagg aagtgccagt acaggaagag actaagagcg ccatcgagtc tgctcctgtg 1020
 cctcccagtg aacagggtta agaagaaact gaggtcgccg aaaccgaaca gtcaaacatt 1080
 gatgaatctg caacaactcc ggctatccct actaaatctg atgaagctga agctgaagtt 1140
 gaggtgaag caggtgatgc tggaacaaag attggacttg aagctgaaat cgaaactaca 1200
 actgatgaaa ctgatgatgg tacaacacc gtttctcaca tattgaatgt attgaaagat 1260
 gctacaccaa ttgaagatgt cttttctttt aactatccag aaggtattga aggtcctgat 1320
 atcaaataca agaaagaaca cgtcaaatat acatatggcc caactttctt gttcaattt 1380
 aaggacaaac taaacgtcaa agcggacgcc gaatgggtcc aaagcactgc ttctaaaatt 1440
 gtcattccac caggaatggg cagaggaaat agatctagag attctggcag attcggcaat 1500
 aattctagtc gtggccatga ctttagaaat acctcagtga gaaatatgga tgacagagct 1560
 aattcaagaa cttcatcaaa gagaagatca aagagaatga atgacgacag gagatctaata 1620
 agatcttata catcaagaag agaccgcgag agaggctcct acagaaatga agagaaaaga 1680
 gaggacgata aaccaaagga agaagttgct ccacttgctc caagtgctaa taggtgggtg 1740
 ccaaaattca agtctaaaaa gactgaaaag aagctagccc ctgacggaaa gaccgaacta 1800
 ttggacaagg atgaagttga aagaaagatg aagtcactac tgaataaact tactttggaa 1860

atgttcgatg ctatttcacg tgaaatcttg gctattgcaa acatatcagt atgggaaaca 1920
 aatgggtgaaa cggttaaaggc tgtgatagaa cagatcttct taaaggcctg tgacgaaccc 1980
 cattgggtctt ctatgtacgc gcaattatgt ggtaaagtag ttaaagaatt aaaccagat 2040
 ataacagatg aaactaatga aggtaagaca ggtccaaaat tggttttgca ttacttggtt 2100
 gctagatgtc atgccgaatt tgacaagggt tggaccgata aattaccac aaacgaagat 2160
 ggtactccat tagaacctga gatgatgtca gaagagtact atgcagctgc ttctgctaag 2220
 agaagagggt taggtttggt tcgtttcatc ggtttcctat accgtctgaa tctgttgact 2280
 ggaaagatga tgttcgaatg tttccgtaga ctaatgaagg atttgacgga ttctccatct 2340
 gaagaaactc tagagtccgt tgttgaattg ttaaatactg ttggtgaaca atttgagacc 2400
 gatagtttca gaacgggtca agcaacattg gagggttcgc aattgctcga tagtttggtc 2460
 ggtatttttag acaatattat tcaaactgct aagatttcta gtagaatcaa gttcaagttg 2520
 atcgacatta aagaattaag gcacgacaag aactggaaca gtgataagaa ggacaacggt 2580
 cctaagacca ttcaacagat tcatgaggaa gagggagagac aacgtcaatt gaagaataat 2640
 tcaagatcta attcaagacg tacgaacaac tccagtaata gacactcttt cagaagggac 2700
 gctcctcctg catcaaaaga tagctttatc acaaccagaa catattctca aagaaatagc 2760
 caaagggtc ctcttccaaa ggaagaacca gctgcaccaa cttctaccgc acaaatatg 2820
 ttcagtgcac taatgggaga aagtgatgac gaagagtaa 2859

<210> 454
 <211> 2679
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 454

atggtttctt tatttgataa gcttaatgca aaaaaagacg gtagagatgg atctgtgtcg 60
 aaggagttgc tatcacattc tgtagcccat actaagaaca ggttacccaa atcaggaagg 120
 cgcacgtcgg aacggtcctt agccgctagt gtaaaggacg gaagttgctc aaatagcaaa 180
 agcaataagc ggaactcttc ggcacccgtg tcagggaag aagataaatc ctgtctaatt 240
 tcaacttaatt gcctatgttg tgggtgtcca ctacggtttc cagcctccat aacgaaattt 300
 cgatgcagcg catgccaaagt aacagttatt gtaaaggagc cggaaattaa cagtaatttg 360

gaatctagta cgcataatttc gtgcacatta gaggggtttgc agatggtagt aaggcgggtgc 420
catgatgatt tgcagcggct taagaagact gggattcttg ataaagaaag aaaggggttg 480
atttccaac cggtataaac gtatttactg gacagatttc atgatgttag cattttaaac 540
aggtcgttct tggtagatga tgggtggaaag aatataaaga tgctgaatta tgaagtttta 600
caaagatttt acagtatatt atcaaactct cctacaagga aaccgtatta tagtatgctg 660
tggtgctgta acgatctact gaagagaata acaatcaata aaggggaaaa ttgcaaata 720
ttacagtatc gttggttgct gattatatta aatataccta caatacgaac ctgccttatt 780
agagatcgga agagcaaaaa tgtgtttgag acccaacaaa taagggcggt gtcttatgag 840
ttggccaaac gatgtattgg ctacttgtct aacctatcaa caaaaacatc tcaacaattg 900
attcaatcat tacggcgaac gcctacggat aatttttcat accaggtaga gattttaaat 960
ttatacatca atttccaatt ttccagatta ctgtcgaacg aattatcaaa tagaaccgca 1020
aaaaataacg tgaagcctga agatgagatg cgatctcgtc ttcgctcgga tcacactact 1080
ggccatgaat tcctgagtag tagaccaata agtgcacaat caaatgataa acaggggaagt 1140
ggtttcacgc atcccgtcaa taataagatg aaatttaaat tttttcaata tgaggaagac 1200
tggcatattc actctgcagc aaaattgacg ttcacttatt atgtagccaa tactagaaga 1260
aatggccgtg gagcgttgtc aattcaaagc ttttacaata taacgctaga cttcatagat 1320
tataaacaag atttcgatca ttggagagga gtagctcaaa agacaaaaat gaatcaactg 1380
attgaagagt ggggaaattc gacgacaaaa aaatgttttt cattctgtaa gtatccattt 1440
atattgtcac tcggcatcaa aatctctatt atggagtatg aaattcgcag aatcatggaa 1500
catgaagctg aacaggcttt tttaatttca ctggataaag gcaaattcgt agacgtttat 1560
ttcaaaatca aagtacggcg tgacgttatt tctcatgatt cattgagatg tatcaaggaa 1620
catcaaggcg atttattaaa atcgttgaga atagagtttg ttaatgaacc tggaattgat 1680
gcgggagggt tgagaaaaga atgggtttttc ttattaacaa aatcgctgtt taatccgatg 1740
aatggcttat ttatttacat aaaagaaagc tcacgttcat ggtttgccat tgaccctcca 1800
aattttgaca aatcaaaagg aaaaaactca caactggaat tatattactt gtttgagatt 1860
gtcatggggt tggcgatttt caacagtacc atattagatt tacaatttcc aaaggcgctt 1920
tataaaaaac tatgctcaga gcctctgagt tttgaagatt actcggaatt gtttccggag 1980

acaagtagga acttaataaa aatgctcaat tacacagagg ataatttcga agacgtcttt 2040
tctttaacat ttgagactac gtatcgaaat aacaactgga ttttaaataga cagtaaatacg 2100
agcaaagagt atgtaacggg agaattatgt gaaaatggca gaaatgtgcc aataacccaa 2160
agtaacaagc atgagtttgt catgaaatgg gtagaatttt atctggaaaa gtccattgag 2220
ccacaatata ataaatttgt ttcagggtttt aaaaggggtct tcgcagaatg caattctata 2280
aaattattta attctgaaga gctggagaga ttagtgtgtg gtgatgagga acaaactaaa 2340
tttgatttca aatcgttaag atccgtgaca aagtatgtag gtggcttctc cgatgattcc 2400
agagcgggtt gctgggtttt ggaaattatt gaaagttggg actatccatt gcagaagaaa 2460
ttattacaat tcgtaacggc atctgatcgt atacctgcaa cgggtatctc tactatccca 2520
ttcaaaatta gcttgctagg gtcgcatgat agtgatgatt tgccattggc tcatacatgt 2580
tttaatgaaa tatgtttatg gaattattcc tcgaaaaaaa aactagaact gaaattactt 2640
tgggcaatta atgaatctga aggttacggg ttccgctaa 2679

<210> 455
<211> 1719
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 455

atgtgtggta tctttgcagc cttcaagcat gaagatattc acaacttcaa accaaaagct 60
ctacaactat ctaaaaaaat cagacaccgt ggcccagatt ggtcaggaaa tgccgttatg 120
aattccacca ttttcgttca cgagagggtg gctattgttg gtttagactc cggtgcccag 180
ccaatcactt cagctgatgg cgaatatatg cttggcggtta atggtgagat ctacaaccac 240
atccaactaa gggagatgtg ctctgattac aagtttcaaa ctttcagtga ctgtgaaccc 300
atcataccgt tatatttgga acatgatatc gatgctcaa aatatctgga cggtatgttc 360
gcattttgtc tgtatgattc caagaaagac cgtattgtcg ctgcaagaga ccctatcggg 420
gttgtcactt tatacatggg gcgttcttct cagtctccag agaccgttta ttttgctctc 480
gaattaaaat gtctaactga cgtttgtgac agtatcattt cgttccctcc tggatcatgtc 540
tacgattctg aaacggacaa gattactcgt tactttaccc cagactgggt ggatgaaaag 600
cgtatcccat ccacccagtg tgactacat gctatcagac acagtttaga aaaggccgtt 660

agaaagaggc taatggctga agttccatac ggtgttcttc tatccggtgg gctggactct 720
 tctttgattg ctgcgattgc tgctcgtgaa acggaaaaag ctaatgctga tgctaacgaa 780
 gacaacaatg ttgacgagaa gcaacttgca ggtatcgatg accaaggcca tctacacaca 840
 tccggttggt ctcgtttgca ttcgtttgcg attgggtctac caaatgcacc tgattttacaa 900
 gcgggctagaa aagtcgccaa attcattgggt tctatccacc atgaacacac ttttacatta 960
 caagaagggt tggatgcttt ggacgacgtg atctaccatt tggaaactta cgacgttacc 1020
 actatcagag cttctacacc aatgttctta ctatctagaa agattaaggc ccaagggtgtc 1080
 aaaatgggtc tttctgggtga aggctcggac gaaatattcg gtggctatct atatttcgca 1140
 caagcacctt ctgctgcaga atttcacacc gaatctgtgc aacgtgtcaa gaacttgcac 1200
 ttggcagatt gtttgagagc taataagtcc acgatggctt ggggtctaga agctcgtgtt 1260
 cccttcttag acaaagactt tttgcagcta tgtatgaaca ttgatccaaa tgaaaagatg 1320
 atcaagccaa aggaaggacg tatcgaaaaa tacattttta gaaaggcatt cgacactaca 1380
 gatgaaccag atgttaagcc atacctacct gaagaaatct tatggagaca aaaggaacaa 1440
 ttttccgatg gtgttggcta ctcatggatt gacggcctaa gagacactgc tgaaagggcc 1500
 atttctgacg ccatgtttgc caatccaaag gctgattggg gcgacgatat tccaaccacc 1560
 aaagaagctt actggtacag gctgaagttt gatgcttgggt ttcctcaaaa gactgctggca 1620
 gacactgtca tgagatggat tccaaaggcc gattgggggt gtgccgaaga tccttcaggt 1680
 agatacgcca aaatacacga aaagcacgtc agtgcttaa 1719

<210> 456
 <211> 1644
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 456

atggtccgat taaatcatgc agcatcatat tttatgccta ttttctgctc cacaaggcct 60
 cacatagtga tactttctgc gctgtttagt atttcactgt tttcactatt ctatgcgtcg 120
 tccgaattac tgctacacca gtatgatgat ccattgatgt tcaaaccaaa ttcgcaggac 180
 tatttcagga cttttctttt ggggcttttt tcaccatttc tttattattt cctgaagacc 240
 tttctattca atataaatca aaggttttta atattgaacc tgatagtgga ttttctatc 300

aacgacgtct ttatgctttt gatactgatt ggtttagcgt accctcaggt gcaagatcac 360
 gaaggcggta cgatcaagca taaggaatgt tcttggcaca tcattccaag acaagcctat 420
 atctttggta tatcatgggc cctgggtgaa ttcaccatat gcataatagg gaatttgttt 480
 aactaccaag aaatcgccga tccaaacatt aatagtggct tcacacacca ggaaagcgcc 540
 aacacttact gtaacaataa tgatatgagc cataacgatg actgcgggtg tagtacagaa 600
 tatcgcccca acgtcgtaga cagaagtgat attacgttgt ccaaagtgtat tgaagtaaga 660
 aatgactcat cttccatatc gaataacgta tactcgtctg agtaccatcc aatcaaacct 720
 ctacgttcat cgtcatcaac ttatggcagc atacgacagc aacctcatga aaataagaag 780
 cagctgcatg taccagataa ttcgcaggac gatacaatta tcatgatgaa ccccatcgac 840
 aattcattaa agttgacaac tctagatacg ggtgatttga gtttcccat agacgaagaa 900
 cagcccatth tgaagaaatc ttttggttat acatgggcag ttcctaataa aaatacacia 960
 aatactacta aaagcttcac accgataaag agatttattg catttagcac ggcataccag 1020
 ttggtcaccg gtttattggt aatgatattg gtagttggta gtaatatcat gttgacaatt 1080
 ggggaatcat tgattctgtc gatgtatttc gtctatgttc ggggccatga aggattatth 1140
 actcccgtgg tgaactactt cggctcaaga accatttcaa atttcatctt atgcgtaata 1200
 attcctttca tatctctaaa ctctctcatc aacacttcga tatatttaag aagagagcta 1260
 gacgattggg ttaataattc acagggggag tttgaggacg acgacgaaaa tactatcagt 1320
 aagagagtag ctacaaatca agagtaccaa catccactga gtgctaatta catttcgatg 1380
 gatagtcctg atgtaataaa tagcagcccg ggtcacttcg ggatgaattc aggccagttg 1440
 ttaggtaata cgacgttata ttatggtagt ttaaatgggg atgatgatga tatgaccaac 1500
 gactccgctt tactaagatt ctgcaagaag ctagtcaaaa attggagggc tttggcaaga 1560
 aatgattctt ttgtacttgg agtaatggtt tcttggagtc ttcttgthtt tgtaacggga 1620
 atactttcaa cagthttatat atag 1644

<210> 457
 <211> 1920
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 457

aatacagtcg ccttctctcc aacctatttg gaaagtaaaa agggttcctc ttctacttct 1680
ctaaataata gcaaagataa attgaaaagt ctcaacctac ctcaactacc tccaccaaaag 1740
ccaaaggtgc aaattccagg tctgaacaga ccccaaattg ctgacccctaa gcagtgggggt 1800
aaaaagtcaa gcacacaaga tactaacgtg cacgataatt tgagggaatt gaacacaact 1860
agtggaggaa ataaaaagaa aggcaaacaa aagcagctgt tattccacat tgggtgtatag 1920

<210> 458
<211> 1212
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 458

atggccgcca ttagagacta caagaccgca ctagatctta ccaagagcct accaagaccg 60
gatggtttgt cagtgcagga actgatggac tccaagatca gaggtgggtt ggcttataac 120
gattttttta tcttaccagg tttagtcgat tttgcgtcct ctgaagttag cctacagacc 180
aagctaacca ggaatattac tttaaacatt ccattagtat cctctccaat ggacactgtg 240
acggaatctg aaatggccac ttttatggct ctgttggatg gtatcggttt cattcaccat 300
aactgtactc cagaggacca agctgacatg gtcagaagag tcaagaacta tgaaaatggg 360
tttattaaca accctatagt gattttctcca actacgaccg ttggtgaagc taagagcatg 420
aaggaaaagt atggatttgc aggtcttcct gtcacggcag atggaaaagag aaatgcaaag 480
ttggtgggtg ccatcacctc tcgtgatata caattcgttg aggacaactc tttactcggt 540
caggatgtca tgaccaaaaa ccctgttacc ggcgcacaaag gtatcacatt atcagaaggt 600
aacgaaattc taaagaaaat caaaaagggt aggctactgg ttgttgatga aaagggtaac 660
ttagtttcta tgctttcccg aactgattta atgaaaaatc agaagtaccc attagcgtcc 720
aaatctgcca acaccaagca actgttatgg ggtgcttcta ttgggactat ggacgctgat 780
aaagaaagac taagattatt ggtaaaagct ggcttggatg tcgtcatatt ggattcctct 840
caaggtaact ctattttcca attgaacatg atcaaatgga ttaaagaaac tttcccagat 900
ttggaaatca ttgctggtaa cgttgtcacc aaggaacaag ctgccaatth gattgctgcc 960
ggtgcggacg gtttgagaat tggatatgga actggctcta tttgtattac ccaaaaagtt 1020
atggcttctg gtaggccaca aggtacagcc gtctacaacg tgtgtgaatt tgctaaccaa 1080

ttcgggtgttc catgtatggc tgatggtggt gttcaaaaac attggtcata ttattaccaa 1140
agctttggct cttggttctt ctactgttat gatgggtggt atggtggccg gtactaccga 1200
atcaccaggt ga 1212

<210> 459
<211> 1248
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 459

atgtctcaag gtactttata tgctaacttc agaattagaa cttgggtccc aagaggtctt 60
gtcaaggctt tgaagctgga cgttaagggt gttacgccag atgccgccgc tgaacagttc 120
gcaagggact ttcccttgaa gaagggtccg gctttcgtgg gtccaaaggg ttacaagcta 180
accgaggcaa tggcgattaa ctattattta gtaaagcttt cacaggacga caagatgaag 240
actcaacttt taggtgccga cgatgactta aatgcccag cgcaaatcat cagatggcaa 300
tctttggcca acagtgatct gtgcatccag attgccaaaca ccatcgttcc cttgaagggc 360
ggcgccccct acaacaagaa gagcgttgat tctgcatgg acgctgttga caagatcgtc 420
gacatcttcg agaacagatt gaaaaactac acctatttgg ctacggaaaa catctccttg 480
gccgacttgg tggctgcctc gattttcacc agatactttg aaagcctgtt cggtactgaa 540
tgagagctc aacatccagc catcgtgaga tggttcaaca ccgttagagc ctcacccttc 600
ttgaaggatg aatacaagga tttcaagttc gctgacaagc cattgagtcc ccctcaaaag 660
aagaaggaaa agaaggcccc agccgccgct cccgccgctt cgaagaagaa ggaggaagcc 720
aagccagctg ctaccgaaac tgaaacttct tccaagaaac caaagcacc attagaatta 780
ttgggcaagt caactttcgt tttggatgac tggaagagaa agtactccaa tgaagacacc 840
agaccagttg ctttaccttg gttttgggag cactacaacc cagaagagta ttccctgtgg 900
aaagtcacct acaagtacaa cgatgaattg actttgactt tcatgtccaa caacttggtc 960
ggtggtttct tcaacagatt gtccgcctct accaagtaca tgttcggttg tctggtagtc 1020
tacggtgaaa acaacaacaa cggatattgtt ggtgcagtta tggtagggg ccaagattac 1080
gtccagctt tcgatgtgc accagattgg gaatcttacg actatgcaaa gttggatcca 1140
actaacgacg acgacaaaga attcatcaat aacatgtggg cctgggataa gccagtttcc 1200

gtcaatggcg aaccaaagga aattgttgac ggtaaggtct taaaataa 1248

<210> 460
 <211> 1935
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 460

atgttaccat catggaaagc ctttaaagca cataatatac ttcgtattct gacccgtttc 60
 cagtcaacca aaattccaga tgcagttatc ggtattgatt taggtactac caattctgcg 120
 gtagctatta tggaaggtaa agttccgaga attatcgaaa atgcagaagg ctcaagaact 180
 actccgtctg tagtggcttt cactaaagac ggagaacgtt tagttggtga gccagccaaa 240
 cgacaatccg tcataaactc agaaaacact ttgtttgcta ctaagcgttt aatcggccgc 300
 cgtttcgagg acgctgaagt ccaaagagat attaatcagg ttcctttcaa aatcgtcaag 360
 cattctaatt gagatgcctg ggtagaggct agaaacagaa cgtactcccc cgcccaaata 420
 ggaggtttta tcttaaataa aatgaaggaa acagcggagg cttacttagc gaagagcgtc 480
 aaaaatgctg ttgtcaccgt tcctgcttac ttcaatgatg cccaaagaca agctactaaa 540
 gacgcaggac aaattattgg gcttaatgta ttacgtgttg tcaacgaacc aacagctgct 600
 gccctagctt acggtctaga taaatcagag ccaaaagtca ttgctgtttt cgacttgggc 660
 ggtggtactt tcgatatttc aatcctggac atcgataacg gtatctttga gggttaaatt 720
 accaatggtg acaccattt ggggtggcga gattttgaca tttatttggt gcaagaaatt 780
 atttctcatt tcaagaaaga aaccggtatc gatttgagta atgaccgtat ggctgtccaa 840
 agaataagag aagccgctga aaaggctaaa atcgaactgt cttctacact ctctacagaa 900
 ataaacttgc ctttcataac tgctgatgct gcaggcccaa agcatattcg tatgcccttt 960
 tctagggttc agcttgagaa tataaccgcc ccattgattg atagaacggg tgatcctgtc 1020
 aaaaaagcac tgaaagacgc aagaattacc gcctcagata tatcggatgt tttattagtt 1080
 ggtggtatgt caaggatgcc caaggttgca gatactgtaa agaaattatt cggtaaggat 1140
 gcatcaaaag ctgttaacct tgatgaagca gtcgcttttag gggccgctat acaggctgcg 1200
 gtcttgcttg gtgaagttac cgatgttttg ttgctagatg tcaactccct atcattgggt 1260
 attgaaactt taggaggagt ttttcaaaa ttaatcccaa gaaattctac aattcccaat 1320

aagaaatctc aaattttttc aactgcgga tcaggtcaaa catcgggtgga agttaaagtt 1380
ttccaagggtg agaggaggtt agtcaaggat aacaaattaa taggtaattt tactcttgcg 1440
ggcattcctc cagctccaaa aggtacccca caaattgaag tcacttttga tatcgatgcg 1500
aacggcatca tcaacgtttc agcaaaagat ctgccagcc acaaagactc ttccatcact 1560
gttgccggag cgtctgggct atctgatacg gagattgatc gaatgggttaa tgaagcggaa 1620
agatataaaa atcaggatag agccagaagg aatgccatcg aaaccgctaa caaagctgac 1680
cagctagcta atgacacaga aaattccatt aaggaattcg aaggtaagct agataaaact 1740
gattctcaaa gactaaaaga tcaaatttca tccttaaggg aattggtttc tcggagtcaa 1800
gctggagatg aggttaatga tgacgatgtt ggaacaaaaa ttgacaattt gcgaacttca 1860
tcgatgaaac tttttgaaca gttatacaag aacagtgaca atcctgaaac taagaacggg 1920
agagaaaata aataa 1935

<210> 461
<211> 1728
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 461

atgacggaaa ttgaatttgg gcaaccctt cccagcaatc tagactatgc tgtttctttt 60
ggcattccta catgggattc ggcaataggc tatgcggaaa aggtgccaga ggtaataggc 120
aaaatggcta caggatatcc gaggtacttt cctcaacccc ccgtccagag gctttgtgct 180
tactttgtta agaaatttgg gcgagggtca gaaaactgtc gtccttttcc atccgttaac 240
ctgggtttta agtgtttcga gtacgtaaaa tctgtctcag gacctgaaag taaagctcac 300
cttgaagtgg aaacagttac gattaataaac cgtggggcaa aaacgtcgaa agaaccggcg 360
gaattgggtgc taaccattgc tgctgtcctt gcacggagg aagagttcga gactgtgaaa 420
gagtattgga aattaagagg tgaatgtgta tctagtcgat tggcgttgct tgtcaaccaa 480
cttcttgact gcgctaataca tggctcagag caggatttgc gtgagctaga ggctgggtgtt 540
tttgacgcaa agaaggggga ggagaaagca aagaacctga taaaggggaag gatagttgag 600
aatcgcttca ggcccttttg tttggagaag aaaaccccga attggggagg actcaacctc 660
aaccctaatg aagacgttta tcttgatatca agtggcatgt ctgcaatatc tacggctcgt 720

aatttactca ccttttggga ggagaagaag aattcaggag attcattaaa caagaccacc 780
 tctgaccaaa agaaaaagcc attattatgt gacactgttg gcatcttcgg cttccctttc 840
 aaagatacgc aggtcattat gactaaattt ggaaaatgta aatttttttg atttggaat 900
 tctagagacg ttgtcgaatt acaaaagttt ttagaaacaa gcaaacaacg cattcttgcc 960
 gttttcgtcg agacaccttc aaatcctctg ctgaatatgc cggatttgaa aaaattgagg 1020
 agtttggccg accagtatgg cttttttatt gtaattgatg atactattgg gggccttaac 1080
 gttgacatct tgccctatgc tgatatagtc agcacgtccc tgactaagct tttcaatggg 1140
 gctagtaatg taatgggagg ctctgtcgtt ttaaaccga aatcatctct gtatccatat 1200
 gctcgtgagt acttcaggag cgctaatttc gaggatttgt tatgggtgtga agatgcgata 1260
 gttttagaac gtaattccag ggattttgaa gatagaactt tacgtgctaa tgcaaacaca 1320
 ggaatattgt tgaatgattt gcttttaccg gaggagggga aaatatgcaa aaagatttat 1380
 tatccaactg ttacttctaa ggagaccttt gagaactacg aaagtgtacg taatgaacgt 1440
 ggtggctatg gatgcttggt ctctgtagcc tttttcaatg agggcgatgc aaaagcattc 1500
 tatgactctt taaaggtatt caagggacct tctaattgta ctaactttac cttagcatgt 1560
 ccatatgtcc atctggcgca ccactcagaa ttagaagaag tttccaagtt tggggccgac 1620
 cccaacatta ttagagtaag cgtaggttta gaagatatcc agtggttatt gaaagttttt 1680
 tcaagtgcct tagatgttgt gaaaagcaga ggctccaaac actcatga 1728

<210> 462
 <211> 1536
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 462

atgcctgctc ctcacggttg tattctacaa gacttgattg ctagagatgc gttaaagaag 60
 aatgaattgt tatctgaagc gcaatcttcg gacattttag tatggaactt gactcctaga 120
 caactatgtg atattgaatt gattctaaat ggtgggtttt ctctctgac tgggtttttg 180
 aacgaaaacg attactcctc tgttgttaca gattcgagat tagcagacgg cacattgtgg 240
 accatcccta ttacattaga tgttgatgaa gcatttgcta accaaattaa accagacaca 300
 agaattgccc ttttccaaga tgatgaaatt cctattgcta tacttactgt ccaggatgtt 360

gttgaagcta gaaagttggt ttccaagcac tggaacgcca ttgatgaatc cactagagcc 240
tccatcaaaa catctctttt acaaacagca tttagtgagc caaaagaaaa tggtcgtcat 300
tccaacgctc gagtaattgc ttctattggt actgaagagc tagatggtaa caaatggcca 360
gatttagtcc ctaacctaat ccaaactgct tctggtgaag acgttcaaac aagacaaact 420
gccattttta ttttgttttc tctggttgaa gatttcacct cttctctatc tggccacatc 480
gatgactttt tggctttggt ctctcagaca attaataatc catcttcttt ggagatcaga 540
tcattatctg ccagggtttt gaaccacggt tctgctttga ttgaagaaca agaaaccatc 600
aaccctgttc aagctcaaaa attcgccgcc tcaattccat ctgtgggttaa cgttttagac 660
gcagttatca aggccgacga caccatgaac gctaaattaa tctttaactg tttaaacgat 720
ttcctgctat tggactccca attaacagga aactttattg tggatttgat taagctgtct 780
ttacaaattg ctgttaacag tgagattgac gaagatgttc gagtttttgc tcttcaattc 840
atcatatctt cattgtccta cagaaaatcg aaggtttctc aaagcaaatt gggcccagaa 900
attactgttg cagctttgaa ggtggcttgt gaagagatcg atgttgacga tgaattaaac 960
aacgaagacg aaacaggcga aaatgaggaa aatacacctt cttcttctgc tattagactg 1020
ttagctttcg cttcctctga actgccacca tcccagggtg cttccgttat tgttgaacac 1080
attccagcta tgttgcaatc cgcaaacggt tttgagagaa gagctattct tttagctatt 1140
tccgttgctg ttactgggtc tccagactac attttgtctc aattcgacaa aattatccct 1200
gccaccataa acggtttgaa ggatactgaa ccgattgtta aattagctgc tctgaagtgt 1260
attcaccaat taaccactga cttacaagac gaagttgcca aatttcatga agaatacttg 1320
ccattgatca tcgatatcat tgattctgcg aaaaacattg tcatttacia ctatgcaact 1380
gttgcttttag atggtctgct tgagttcatt gcttatgatg ctatcgctaa gtacttggat 1440
ccattaatga acaaactatt ctatatgttg gaaagtaatg aatcatccaa gttgagatgt 1500
gctgttggtt ctgcaattgg ttccgctgct tttgcagcag gttccgcgtt cattccatat 1560
ttcaagacta gtgttcacta tttggaaaaa ttcattccaa actgttctca aattgaaggt 1620
atgagcgaag atgatataga actaagggcc aacacttttg aaaatatttc tactatggcc 1680
agagccgtca gatcagacgc atttgccgaa tttgccgaac ctttgggttaa ctccgcctat 1740
gaggccatca aaactgattc tgctagatta agagaatctg gttatgcatt cattgcaaac 1800

ttggctaaag tttacggcga aaatTTTtGct cTTTTcttga aaactatcct accagaaatc 1860
 ttcaagacac tagaattaga tgaataccaa ttcaacttcg atggtgatgc agaggattta 1920
 gccgcatttg ctgattctgc caatgaagaa gaactacaga acaaattcac cgTTaact 1980
 ggtatttctt atgaaaagga agttgcttct gcagctctat ccgaattagc attgggtacg 2040
 aaggagcatt tcttgccata cgtcgaacaa tctttaaagg ttttgaatga acaagtcgat 2100
 gagtcgtacg gtttaagaga aaccgctcta aacaccatct ggaatgttgt taagtctgtc 2160
 ctgttggctt ccaaagtaga accagaaagc tatcctaagg gtatccagc ctcttctac 2220
 gttaatgctg atgttttggc ggttattcaa gctgccaggg aaacttccat gggtaactta 2280
 agcgatgaat tcgaaacctc aatggtcatt accgttatgg aagattttgc caatatgatt 2340
 aagcaatttg gcgcaatcat catcatggac aacggcgact cttctatgct agaagctttg 2400
 tgcattgcaag ttcttagtgt cttgaagggt acccatactt gtcaaaccat tgatatcgag 2460
 gaggacgttc caagagatga agaattagac gcttctgaaa ccgaagcaac tttacaagat 2520
 gttgcattgg aagttcttgt cagtttatct caagctttag ctggtgattt tgccaaagtc 2580
 tttgacaact tcagaccggt tgttttcgga ttattccaat ctaaattcaa gaataagaga 2640
 tcatccgccg tcggtgccgc ctctgaatta gctctaggta tgaaagaaca aaatcctttc 2700
 gttcatgaaa tgctagaagc cttagtcatt agattaacaa gcgataaatc tttagaagtt 2760
 agaggtaacg cggcttatgg tgttggtttg ttgtgtgaat atgcttctat ggacatctca 2820
 gccgtttatg aacctgtttt gaaggcgctt tatgagttac taagtgtgtc tgaccaaag 2880
 gccttagcag ccgaagatga cgaagccacc agagagatta ttgatagagc atacgcta 2940
 gctagtggat gtgtggccag aatggctttg aagaacagt ctctagttcc attggaacaa 3000
 actgttccag cattattggc acatttacca ctaaaccacg gttttgaaga atacaatcca 3060
 attttcgaat tgatcatgaa actataccag gaaaatagtc ccgttatcac aaacgaaacc 3120
 ccaaggatca tcgagatttt cagtgtgtgt tttaccaaag aaaatgatag aattaagtta 3180
 gaaaaggagt ctactctagg tagggaagag aatatggaaa gattaaagca attccaaacc 3240
 gaagagatga agcataaggt tattgaatta ttgaagtatc taaacactac ttacaacgga 3300
 attgttgctc aaaatccggt tttagctgcc gtcattgctt ga 3342

<210> 464

<211> 1113
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 464

```

atgctcttag gttactgtgg cagcggatac tatggaatgc aatacaaccc accacacaag 60
acgattgaag gtgagattct caccaagctc ttcgacgtag gagccatttc cgaagaaaat 120
tcattggcac cgaagaaaaa ttcctttatg gcagcggcaa gaacagacaa ggggtgtacac 180
gctatgttga atctactgtc gctaaagatc acattgcgag aggacacagt agcgaagtta 240
aacgccgcac taccgcccga aatacgcgtg tgggggtatcc agcctgtcaa taaaaagttt 300
aatgctagat ccgcgtgcga ttctcgatgg taccaatacc ttatcccaga atttatactc 360
attgggccac cccggagttc tcttttgcac cgaaacgtgg ggggatcgta ccgcgaagac 420
ggctcgcaag aggtgtggga tacgttcctg gaacagacgc gtgggagatt tagcggggat 480
gagctgtgcc gtttgcagga cactgcacag aaactaagcg agagcgatcc tttggtacaa 540
gactacgtgg ggctattgag cggtagcctt agcggctact gcttgtcgcc ctggaagctg 600
gacgcgtttg aggcagccat gcaggagtac gtgggaacgc ataattttca caactttacc 660
acaggaaagc tttgggggga tcctagtgtc cagcgccata tcaaaaaggt tgtagtgtcg 720
caggcctcac cgggatggat atgtgtgcgg atccacgggc agtcgtttat gttgcatcag 780
attcgacgaa tggtagcgct tgccgtactt gcagcccgtt gccatttgc gcctaataat 840
gtacgtaact attttaacgc cgggcctagg aaatacattc cgagggcgcc cgcacaaggc 900
ctattattag agggacctgt gtttgacggg tataacacta agttgcgcaa tttgctgtat 960
tgcgaaatcc gcccgacga tatcactctt gagcgcattg gccgtttccg agaacgccag 1020
atctgtactg cgatcgaca cgaggagaca cagcgtcacg tgttttgcca tttgtacga 1080
caaatgaacc gcctggccac gcctctaatac tag 1113

```

<210> 465
 <211> 1839
 <212> DNA
 <213> Saccharomyces cerevisiae

<400> 465

```

atggtggttt cttataacaa taataataac aataacaata acaataacaa taataatatc 60

```


aatttcttgc ctgagaagaa ctgttgtttc atcaattata ctaacatcag taatgctatt 1740
 ttagccttag acaagattaa gtctaacccc tatttcaaag atctcaaaat aaactttggc 1800
 aaggatagat gtggtaacgt cccccaccaa tcacgttaa 1839

<210> 466
 <211> 1314
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 466

atggctgtct ctaaagttaa cgctagatcc gtctacgact cccgtggtaa cccaaccgtc 60
 gaagtcgaat taaccaccga aaagggtgtt ttcagatcca ttgtcccatc tgggtgcttct 120
 accggtgtcc acgaagcttt ggaaatgaga gatggtgaca aatccaagtg gatgggtaag 180
 ggtgttttgc acgctgttaa gaacgtcaac gatgtcattg ctccagcttt cgttaaggct 240
 aacattgatg ttaaggacca aaaggccgtc gatgacttct tgatttcttt ggacgggtact 300
 gccaacaaat ccaagttggg tgctaacgct atcttgggtg tttctttggc tgcttccaga 360
 gctgccgctg ctgaaaagaa tgtccatta tacaagcact tggctgactt gtctaagtcc 420
 aagacctctc catacgtttt gccagttcca ttcttgaacg ttttgaacgg tggttccac 480
 gctgggtgtg ctttggcttt gcaagaattt atgattgtct caactgggtg taagaccttc 540
 gctgaagctt tgagaattgg ttccgaagtt taccacaact tgaagtcttt gaccaagaag 600
 agatacggtg cttctgccgg taacgtcggg gacgaagggt gtgttgctcc aaacattcaa 660
 actgctgaag aagctttgga cttgattgtt gacgctatca aggctgctgg tcacgacggg 720
 aagatcaaga tcggtttgga ctgtgcttcc tctgaattct tcaaggacgg taagtacgac 780
 ttggacttca agaatccaaa ctctgacaaa tccaagtggg tgactgggtc tcaattggct 840
 gacttgtacc actccttgat gaagagatac ccaattgtct ccatcgaaga tccatttgct 900
 gaagatgact gggaagcttg gtctcacttc ttcaagaccg ctggtattca aattgttgct 960
 gatgacttga ctgtcaccaa ccaaagaga attgctaccg ctatcgaaaa gaaggctgcc 1020
 gacgctttgt tgttgaaggc caaccaaata ggtaccttgt ctgaatccat caaggctgct 1080
 caagactctt tcgctgccgg ttgggggtgtt atggtttccc acagatctgg tgaaactgaa 1140
 gacactttca ttgctgactt ggtcgtcggg ttgagaactg gtcaaataca gactgggtgct 1200

ccagctagat ccgaaagatt ggctaaattg aaccaattgt tgagaatcga agaagaatta 1260
 ggtgacaacg ctgtttttcgc tggtgaaaac ttccaccacg gtgacaaatt ataa 1314

<210> 467
 <211> 2091
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 467

atggtaggct cgaaggatat tgatctattc aacctgagag agaacgagca aatcgtttct 60
 ccttgtctta tcgtgcacgg aaaatgcaat aagcaaaatg gtgcgaagac cgttcaagtg 120
 cagcatccac aattgcctcc aattacttac cccatacata atcagttctt caaggccact 180
 gtgatattga ctcttggtga gaacaagttg acctttgtta cagacactaa caccgctagg 240
 acaatcgtat gttactacac accactgacg cagaaccctc ccgtacacct gtgtctgac 300
 ttggccaagg attcgccttt acagtttgac tctcctcgag aacagaagga cagagagggc 360
 ggggaatggcc tcgaattggc aatcaagaag ctaagacttg gggccagact catgcaagcg 420
 tacacgaacg agcaaagtct gagaaacagt atgggaaata ggacgtttcc ctttgttgaa 480
 gaatttacct gggacacgct gttcgaacgg cctgctatga gaaacaccat caaaatacat 540
 gtagttcggt cggaagagac ggtgaaggaa atccaggacc ctgacatagc tcaacagaat 600
 tccaaagggg aaaacaccgg cgcccttttt gggatagcca tggacgccct taaaagttac 660
 ggcggaccct tcaccaataa cgaaaagcct gttcaggcag cttgtatggt tctagacacc 720
 cactgggatg gtaagttgat tagaggccac gccgcattgg gtgggggtga cgacagcatt 780
 aagctcgcca tttttgggtc gcacgggctt tactcatggc ctacttgtct cgagcaattg 840
 gtgccttatt ttactgatga gacaagatcc tccaccagtg aagtcgcaa cgactgtaat 900
 gagtgtggta cttactggga atgtttgact atcacgttgg gagcatttat gcatgagatt 960
 ggtcacttac tgggttggtc tcatcaggaa agcgggtgta tgctaagagg ctataccact 1020
 ttgaataggt ctttcttgac taaagaggct tattctgtaa gaactaattc aactggtgct 1080
 agtcctccca tcttcccaa ggaagaatgt acctggaacc gtctcgatac ggtaagattt 1140
 ttgtaccacc cctctttcac tttaccacag gattattacg atccatcggt catgagacct 1200
 acaaaattgg gcggatcccc caatataaaa cactctgtat atcctttggg taacggcagt 1260

tgccgcataat tatcgccac aggaatctat ttgattgaaa ttatatgtga tgatttggcc 1320
 agggggccata ttgaatactt gccggtttcc ctaggtggac aggggcctca acgggaagtt 1380
 atagtaacat tagatgattt acgtgccagg ttgcccaaga atgaactcgc caagtttggc 1440
 aataccttca aattgaaaat tctttctgtt aatgcaccgg aaaccgagtt cgacaagtgc 1500
 ccatctttgt tagatgttca gccattagac atgtcgaaat atgggttttc taaaaatgtt 1560
 caaggtatca aatcaccact ttatggtcgc agcgacgggtg gtaatgctgt cggcgtcgtc 1620
 gcttttgatg ttagattagt cactgctgtg agaataacc atggctatgc attagatggt 1680
 gtgaggtttt attacaagga aaaaccaact ggaacaaagg atgctccgc atccaagccc 1740
 tctgtaccac caagaaatta tttctcaaaa attacacata gtatcaaaaa tcatgcttca 1800
 ataaacgaag aaaatctaaa aagtgtactc tttggacatg aaacacaaaa ttttacggat 1860
 gctacactag aaccgggtga aataatcatt gggtttaatc tgaggtgcgg agcttgggtt 1920
 gatgctatcc aaattataac gagtcatggg agaatgaccg acatgtttgg taacaaagac 1980
 ggaggtgggt tcgctgaatt gcagccacct aatggccaat atatcctagg tgtgactggc 2040
 agagtcggtc aatgggtcga cgccttcgga attatttacg gagctttata g 2091

<210> 468
 <211> 1449
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 468

atgagtttta aagggtttac caaggctgtt agtagggctc ctcatcctt ccgtcaaaag 60
 ttcaagatgg gtgagcagac agaggatcct gtttacgagg atgcagaacg tcgttttcaa 120
 gaattggagc aggagacaaa aaaattaagt gaggaatcga agagatactc gactgcgggtg 180
 aatggaatgc tgacacacca aattggattt gccaaatcca tggaggaaat tttcaaacct 240
 atcagtggta aaatgagtga ccctaacgct accataccag aggacaacc acaaggtatt 300
 gaagcaagtg aacagtatag ggcaattgtc gcagaattac aggaaacatt gaaaccggat 360
 ctggcttttg tggaagaaaa aattgttacg ccatgccagg aactgttgaa gattattact 420
 tatattcgta aaatggccac caagagaaat cacaaaaaat tagattttaga tagacatcta 480
 aacacttata acaagcatga aaagaagaag gaaccaaccg ccaaagacga agaaagattg 540

tataaagcac aagctcaagt ggaagtggct caacaagaat atgattacta taacgacttg 600
 ctaaagactc aattaccaat actgttcagt ttggaagctg aatttgtgaa accattatnt 660
 gtctcatttt atttcatgca attgaacatt ttttacactt tgtataatag acttcaagac 720
 atgaagattc catatnttga tttgaacagt gacattgtag agtcgtacat tgccaagaaa 780
 ggcaatgtgg aagaacaaac ggacgccttg actattacac actttaact cggttactct 840
 aaggcaaaaat tggagatgac cagaaggaag tatggtgtag caaccgccga aggctcacc 900
 gtcagtggcg catcaagcgg tgtcggatat ggtgctgggt atgatccagc aactgccact 960
 tctccaaccc ctacaggata cggttatggt gccgcagcac caagttacgc cgctcaacct 1020
 gctgccagct atggtactgc tgccgccgtt ggtactgctg ctgctgttgg tactgctgct 1080
 ggtgctgctg ctggcgctgt tccgggtact tatccacagt atgctgctgc gcaatctcca 1140
 ccgctcactg ggctaggctt ccaacaatca ccacagcagc aacagggacc accaccggcc 1200
 tactctaate ctctaacate acctgttgcg ggcacaccag ccgcggccgt agcggcagct 1260
 cctggcgctg aaactgttac cgcattgtat gactaccaag ctcaagctgc tggtgatttg 1320
 tctttccctg ccggcgagct tatagaaatt gtccagcgta ctccggacgt gaacgaatgg 1380
 tggacaggaa gatacaatgg ccagcaaggt gtgtttcctg ggaactacgt gcaactcaac 1440
 aagaactag 1449

<210> 469
 <211> 1245
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 469

atggtaaaatt tcgatttggg ccaagttggt gaagtattcc gtagaaagga caaaggagct 60
 atagtgtccg gagacaaccc agaagaagaa gaagacgtcg atgcttctga gtttgaagag 120
 gatgaagtaa agcctgtgcg taaaagaac agaagacca aagaggatgc attcactcaa 180
 caaagattag cggctataaa cccggtgtta acgccgagga cagttttgcc tctttatctg 240
 ttaattgctg ttgtatttgt tattgtagga gggtgcatat tagcacagaa ctccaaagtg 300
 gatgaagtaa ccatatatta ccaggactgt atgactaacg caacctcatc atggagcgac 360
 atcccttctg aacattggca atttgtatnt cacaaatata aaacatataa tactgcacca 420

caatggaggt ttgtggatga tgaatcagat gacttcacaa aacaaagagg tacatgccaa 480
 atcaggttca ctactccaag tgatatgaaa aataacgtat atttgaatta tgtgctggaa 540
 aaatttgctg ccaatcacag aagatatgta ctatctttta gcgaagatca gatacgtggg 600
 gaggacgcct cttatgagac ggtgcatgat gcaaccggta taaattgtaa gccactatct 660
 aagaacgccg atggtaaaat atactatcca tgtggcctaa ttgcgaactc aatgttcaac 720
 gacacgttcc ccctgcagtt aacaaatgta ggggatacgt ctaacaacta ttcattgaca 780
 aataaaggaa tcaattggga atctgataaa aaaagggtaca aaaaaaccaa atacaattat 840
 acacagatag cacctccacc atattgggaa aagatgtatc cagatggata caacgagacg 900
 aatattcctg atattcagga ttgggaagag ttccaaaact ggatgaggcc aggtgctttt 960
 gataaaatta caaaactgat cagaatcaat aaaaacgata ctttgccagc gggatgaatac 1020
 cagttggata tcggtctgca ttggccagta ttggagttaa atggtaagaa gggaatctac 1080
 ttgactcacg gttctcacct tggcggtaga aatccatttt taggtatagt ttacctgatt 1140
 ggaggctgta tttgtgctgc catggcattg atattattaa cgttttggct cttcggcggt 1200
 agaaagattg ctgatgcac aagtttgtca tggaatatga aatag 1245

<210> 470
 <211> 3219
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 470

atgtccgaga gtaacgcaca cttctcattt ccaaaggagg aagaaaaagt tctatctctt 60
 tgggatgaaa tagatgcctt tcatacttca ttagaattaa caaaagacaa accggagttt 120
 tcctttcttcg atgggcctcc atttgccacc ggtactctc attacggtca tattcttgct 180
 tccactatta aggatattgt tccaagatac gctaccatga caggccacca cgtggaaaga 240
 agattcgggtt gggatacaca cggtgttcca attgaacata tcattgacaa gaaattaggt 300
 atcacgggta aagatgacgt cttcaagtat ggtcttgaaa actacaacaa tgagtgtaga 360
 tccattgtta tgacttatgc cagtgattgg agaaaaacta ttggtcgttt gggtcgttgg 420
 attgatttcg acaacgatta caagactatg tatccatcct ttatggagtc cacatgggtg 480
 gctttcaagc aacttcatga aaaagggtcaa gtttaccgtg gattcaaagt tatgccttat 540

tctactggcc taaccactcc cttgagtaac tttgaagctc agcaaaacta taaagatggt 600
aacgaccag ctgtgaccat tgggttcaat gttattggcc aggaaaaaac tcaattggtc 660
gcatggacta cgactccatg gactttacct tccaatttgt cgttatgtgt taacgctgat 720
ttcgaatatg taaagattta cgacgaaacc agagatcggt atttcatctt attagaatct 780
ttgattaaaa ccttgataa gaagcctaag aatgaaaaat ataagattgt ggaaaaaatt 840
aaaggttctg atttggttg tttgaagtat gaaccattgt tcccatattt cgctgaacag 900
ttccatgaaa cagcttttag agttatttca gatgattatg ttactagtga ttccggtact 960
ggtattgttc ataacgctcc cgctttcggg gaagaggata atgctgcttg tttgaagaac 1020
ggcgtcatat ccgaagattc agtgttacct aacgccattg atgaccttgg tagattcacg 1080
aaagacgttc ctgattttga ggggtgttat gtcaaggacg ctgataagtt gattattaag 1140
tacttaacta atactggaaa tttgttattg gcatcccaaa ttgccattc ctatccattc 1200
tgttggagat ccgatacccc attgttatac cgttctgttc cagcttgggt cgttcgtgtt 1260
aaaaacattg tccctcaaat gttggattct gtgatgaaat ctactgggt tcctaacacc 1320
atcaaggaaa agaggttcgc caactggatc gccaatgccc gtgactggaa cgtttccaga 1380
aatagatatt ggggtactcc aattccttta tgggtttcag acgattttga ggaggtcgtc 1440
tgtgttgggt ctatcaaaga attggaagaa ttgaccggtg tgcgtaacat cactgacttg 1500
catcgtgatg tcattgacaa attgacaatt ccatccaagc aaggtaaggg tgacttaaag 1560
agaattgaag aagtttttga ttgttggttt gaatctgggt ctatgcctta tgcttctcaa 1620
cattatccat ttgaaaacac agaaaaattt gacgaaagag ttccagctaa tttcatctct 1680
gaaggtttgg atcaacaag aggttggttc tacacgttag ctgtcttagg taccatcta 1740
tttggctctg ttccatacaa gaacgtcatc gtctctggta ttgtcttagc tgccgatggg 1800
agaaagatgt ctaaactcctt gaaaaattac cctgatccat ccattgttct gaacaaatat 1860
ggtgcggatg cattaagatt gtacttgata aactcacctg ttttaaaagc tgaaagtttg 1920
aaattcaaag aagagggtgt taaggagggt gtttcaaagg tcttactacc atggtggaac 1980
tcctttaaat ttttgacgg tcaaattgcc ttgttgaaaa agatgtctaa catcgacttc 2040
caatatgatg attctgtgaa aagtgataat gtcatggaca gatggatttt agcttctatg 2100
caatctctag tacaattcat tcacgaagaa atgggtcagt acaaattata cactgtcgtt 2160

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

ccaaaacttt tgaatttcat tgatgaattg acaaactggt atattagatt taatcgtcgt 2220
 cgtttgaagg gtgaaaacgg tgttgaggac tgtttgaaag cattaaattc tttattcgat 2280
 gccttattca catttgtccg tgccatggct ccattcaccc catttttgtc agaaagcatt 2340
 tatttgagac tgaaggaata catcccagaa gctgtcttag caaaatacgg taaggacgga 2400
 agatcagtc c atttcttattc ttacccagtgt gtcaagaaag aatactttga cgaggccatc 2460
 gaaactgcag tttctagaat gcaatccgtt atcgatttgg gtagaaacat tcgtgaaaag 2520
 aaaactattt ccttaaaaac tccattgaag acttttggta tccttcacag tgatgaatca 2580
 tacttgaagg atgtagaagc cttgaaaaac tacattatcg aggaattaaa tgttcgtgat 2640
 gttgttatca cctccgatga ggcaaaatat ggtgttgagt ataaagcagt tgctgattgg 2700
 cctgtattgg gtaagaagtt gaaaaaagac gcaagaagg ttaaagatgc cctaccatca 2760
 gtcacttctg agcaagtacg ggaatatttg gaaagcggaa agttggaggt tgccggtatt 2820
 gaactgggta aaggagattt gaatgctatt agaggcttgc cagaatctgc tgtccaagct 2880
 ggacaagaaa ccagaaccga ccaagacgtg ttaatcatca tggatacaaa tatttactct 2940
 gaactaaaga gtgaaggtct cgcaagagag ctgggtcaaca gaatccaaaa attgagaaag 3000
 aagtgtgggt tggaagccac cgacgatgtt ttagtggagt acgaattagt taaagatact 3060
 atcgactttg aagccattgt caaagaacat tttgatatgt taagcaagac ctgtagatcc 3120
 gacattgcca aatatgacgg ctcaaagaca gacccaattg gtgatgaaga acaatctatt 3180
 aatgacacca ttttcaaatt aaaagtgttc aaattatga 3219

<210> 471
 <211> 324
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 471

atgtttaaca gtgaaatttt catcctcgaa tttttcatcg tatatgctct caccgccagt 60
 accattaaaa ttggtaaaat caccaaattg acacatgaag tctttgatca ctctgtggaa 120
 aatggaaccc ttgtacgaca atggtacatc aggttttagtc tttgccatac cagcatttcc 180
 ttcacacaac ttcaaaaaat tttcagccgt tttaggcact atgtcattgt acaactcaaa 240
 aactatacgg ccttgggggtt tacctccaat agaaatatca aaaaaagttt taggtctagt 300

catttttact ccttgatcgc ctga

324

<210> 472
 <211> 363
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 472

atggtcaaac taacttcaat cgctgctggt gttgccgcca tcgctgctac tgcttccgca 60
 accaccactc tagctcaatc tgacgaaaga gtcaacttgg ttgaattggg tgtctacgtc 120
 tctgatatca gagctcactt ggcccaatac tactctttcc aagccgctca tccaactgaa 180
 acctaccag ttgaaatcgc tgaagccgtt ttcaactacg gtgacttcac caccatgttg 240
 actggtattg cccagacca agtgaccaga atgatcaccg gtgttccatg gtactccagc 300
 agattaaagc cagccatctc cagtgtcteta tccaaggacg gtatctacac tatcgcaaac 360
 tag 363

<210> 473
 <211> 1917
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 473

atgtctcgta ctaacatgga tacaagacac gcacattctg ctttactggc agcaccacag 60
 agtgctactg caaatagcag gagcagcaac agcagcagcg agagtagtag taacaaaaac 120
 aatatcaatg tcggcgctcg tgacgatagc ggtaatgtca gcgcggtaag tatcgacgat 180
 ggaccccact tcagggatat cttccactat ggacacgagg aaaattacaa acttgcgagc 240
 agcggtatca ctaacctgaa ttcttcatcc cacgcccacc aaactttgtc tccattttcc 300
 attagtaatg catccactcc ggaaagtttt cccgagcacc ctttgggcct agaacgggaa 360
 acagagccgg cgttggaagc tgaaatggaa gcggaggaac taccaccaca ccaaagtaaa 420
 taccttttaa gctccattaa ggcgaccaa cgattaaaag atgctagacc gtttctgaag 480
 ccggttgatc ctattgcttt gaacatcccg cattatttca actacgttca aaccccaatg 540
 gatttgtctt taattgaaac aaaattgcag ggcaacgtgt atcattcagt agagcaagtc 600
 acatcggact tcaaaacaat ggtggataat tgtttaaact ttaatgggtcc agaattctca 660

cagtttagatg agtttagctga acaaccgccg gatcaattca ctctagatga cgtaaaggcg 360
ctacactcaa agttgacgag tgtcttcgct acagttcctc aaatcaataa tatagattct 420
cagtatgctg cttataacaa acttaaataa aagggttaccg gcaaataata tgacgttatt 480
atacagaggt tagctactaa ctggagtaat acgtttgatc agaaattggt agaagcgcaa 540
tgggatacgc aaaaatttgc atccacatca gttgggttgg ttaaattgtct gagagaaaat 600
tccaccaaac tttatcaatt aagtctgctc tacttacctt tggaggagga aacacagaat 660
ggagatagcg aacgcccact ttcacgctca aacaataacc aagaacctgt gctatggaat 720
tttaaatacac tagcaaacaa tttcaacggt aggtttacgt accattttca cgccacatcg 780
tcattcctcta agattgagac gtattttcag tttctaaacg attatctagc ggaaaaccta 840
tacaagtgca tcaacatttt tcatgatgac tgtaatgggt tgacgaagcc agttattcat 900
gaacaattta ttaattacgt cttacaaccc attagggata aagtaagatc caccctattt 960
caaaacgatt tgaaaacttt gatcgtccta atttcccaaa tcctggctac agacaaaaat 1020
ttattgaatt cttttcatta ccatgggcta ggtttggtgt cgtaatttc cgatgaagta 1080
tgggagaaat ggatcaacta tgaagttgaa atggccaata ggcaattcat caatataact 1140
aaaaatccgg aagatttccc aaaatcttct cagaattttg tcaaattaat caataaaatt 1200
tacgattatt tggaaccggt ctacgatttg gattttgatc tattagtaag atacaaacta 1260
atgacttggt cattaatttt tatgaacttg acttcacctt acttggatta cattttaact 1320
gtcgattcat tgaatgaaac aagaactaaa gagcaggaat tgtatcaaac tatggcaaaa 1380
ctgcaacatg tcaactttgt gtacagaaaa atcaaactct tgtcttcaaa cttcattttt 1440
attcaactga ccgatattgt taacagcaca gaatctaaaa aatacaattc actgtttcaa 1500
aatgtggaga atgactatga aaaagctatg agtacggata tgcaaaactc cattgtacac 1560
aggattcaaa aactgttgaa ggaaacccta cgaaattact tcaagatttc aacttggtca 1620
acattagaga tgtctgtcga cgaaaatatc gggccgctcg cgtaccaag cgctgagttg 1680
gtcaattcaa ttaattgttt gagaagattg atcaacaaat tggattcaat ggatatccca 1740
ctagctattt cattaaaggt taagaacgaa ttgttaaatt ttattgttaa ctattttacg 1800
gagtcaattc taaagttgaa caaatttaac caaaacgggt taaatcagtt ttacatgat 1860
tttaaactct taagcagcat tttgagctta ccgtcacatg ctaccaatta taaatgtatg 1920

agtttacacg aactagtaaa aatatttaaag ctaaagtatg atccaaacaa tcagcagttt 1980
 ttaaaccacg aatacatata aacaggtaat ttcacatcat tgaaagaagc ttattccatt 2040
 aagtacttga aggacacgaa gattcaagat gcactctata ggattatata tggtaacata 2100
 ttatag 2106

<210> 476
 <211> 1692
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 476

atgtctgaaa ttactttggg taaatatttg ttcgaaagat taaagcaagt caacgttaac 60
 accgttttcg gtttgccagg tgacttcaac ttgtccttgt tggacaagat ctacgaagtt 120
 gaaggatga gatgggctgg taacgccaac gaattgaacg ctgcttacgc cgctgatggg 180
 tacgctcgta tcaagggtat gtcttgatc atcaccacct tcggtgtcgg tgaattgtct 240
 gctttgaacg gtattgccgg ttcttacgct gaacacgtcg gtgttttgca cgttggtggg 300
 gtcccatcca tctctgctca agctaagcaa ttgttggtgc accacacctt gggtaacggg 360
 gacttcactg ttttccacag aatgtctgcc aacatttctg aaaccactgc tatgatcact 420
 gacattgcta cgcgccacgc tgaaattgac agatgtatca gaaccactta cgtcacccaa 480
 agaccagtct acttaggttt gccagctaac ttggtcgact tgaacgtccc agctaagttg 540
 ttgcaaactc caattgacat gtctttgaag ccaaacgatg ctgaatccga aaaggaagtc 600
 attgacacca tcttggtttt ggtcaaggat gctaagaacc cagttatctt ggctgatgct 660
 tggtgttcca gacacgacgt caaggctgaa actaagaagt tgattgactt gactcaattc 720
 ccagctttcg tcacccaat gggtaagggt tccattgacg aacaacaccc aagatacggg 780
 ggtgtttacg tcggtacctt gtccaagcca gaagttaagg aagccgttga atctgctgac 840
 ttgattttgt ctgtcgggtg tttgttgtct gatttcaaca ccggttcttt ctcttactct 900
 tacaagacca agaacattgt cgaattccac tccgaccaca tgaagatcag aaacgccact 960
 ttcccagggtg tccaaatgaa attcgttttg caaaagttgt tgaccactat tgctgacgcc 1020
 gctaagggtt acaagccagt tgctgtccca gctagaactc cagetaacgc tgctgtccca 1080
 gcttctaccc cattgaagca agaatggatg tggaaccaat tgggtaactt cttgcaagaa 1140

ggtgatgttg tcattgctga aaccggtacc tccgctttcg gtatcaacca aaccactttc 1200
 ccaaacaaca cctacggtat ctctcaagtc ttatgggggtt ccattgggtt caccactggg 1260
 gctaccttgg gtgctgcttt cgctgctgaa gaaattgatc caaagaagag agttatctta 1320
 ttcattgggtg acggttcttt gcaattgact gttcaagaaa tctccaccat gatcagatgg 1380
 ggcttgaagc catacttggt cgtcttgaac aacgatgggt acaccattga aaagttgatt 1440
 cacggtccaa aggctcaata caacgaaatt caaggttggg accacctatc cttgttgcca 1500
 actttcgggtg ctaaggacta tgaaaccac agagtcgcta ccaccgggtga atgggacaag 1560
 ttgaccaag acaagtcttt caacgacaac tctaagatca gaatgattga aatcatgttg 1620
 ccagtcttcg atgctccaca aaacttgggt gaacaagcta agttgactgc tgctaccaac 1680
 gctaagcaat aa 1692

<210> 477
 <211> 2685
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 477
 atgaagttct cgcattcctt acaattcaat tctgtaccag aatgggtctac caagtatctg 60
 gcctattcgc agctgaaaaa attgatctat tctttgcaaa aagataagct gtacagtaac 120
 aataagcacc atgttgtgga gccacatgac gccaacgatg aaaatctgcc gctattggca 180
 gatgcttctc cagatgatca attctacatc tctaaatttg ttgctgcctt aaaccaagaa 240
 ttgaaaaaaaa ttgataaatt ctacatatct caagaaacag gtcttatcgc caactacaac 300
 gaattgaagg acgatgtcat ggaactggaa aacacgaaca aggccacca attgtttaat 360
 cagcagcaac agcatcaact gcaaagtgtt gcaagaaaca ggaagtctaa gtcacaacaa 420
 cgccaaagaa ggtttagtag tgtctcctcc acggactcca acccctctct gacagacatg 480
 tcgattgact ctgcacccgt catccacacg caggtctcga acacgactaa taatggtaac 540
 tcaatgcaaa acctggcctc cgcttcagtg tcgctttcta actetaacct tgtgtatctt 600
 tctcctttta cccaacatag gctctcttta aagaaaagat tgatatcgat ctacaccag 660
 ttgtccgagt tgaaggactt tattgagttg aaccagaccg ggttctccaa gatctgcaag 720
 aaatttgaca agtccttaaa tacgaacttg aagcagaact acttgaacta tatcaaattc 780

gcggcaatga tcacgtacc attaatgagt gagatcggtt ccaatctacc ttcaggtgat 2460
cattctagac tattgatcgt tatagccgcc ctattatgct ctagtgtctat gggctcttcca 2520
acctctgggt tccccaacgt gactgccatt tcaatgattg atgaagttgg tgatagatat 2580
ttgaccgtgg gtacatttat tacgagaggt gtaccagcca gtttggttaag ttatgccgct 2640
attgttacag taggttatgg catattgaaa gtaatgggat tttaa 2685

<210> 478
<211> 4086
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 478

atgtggggag gtggcaaaat ggcagtagta agcttgtcgc cccacacggc gaagatgcgt 60
aaactatttg ggcaagctag cacaacgatg gcttatgacg gtttaaaacg agaggctgaa 120
agaagaacaa ggagtgaaca taacataaca atgggttgcta aagatgatga gctataacttg 180
taccatctta ctttaaagaa acagacgaat ttcgtgcaact cctgcatcgg acacttcgtc 240
gatctggaag caggggtccaa gcgtgagcag tcgcaattgt gcgtagctac tgagacgcat 300
ttagaacttt atgatactgc agatggggaa cttaaagctta ttgccaagtt tcaaaacctg 360
tttgcgacga taacctcgat gaagtcgctg gatctgccgc attcagggtc aagggcaaaa 420
gcttccaact ggccactttt tctagcgtta acttccgatt ctggtaacct aagtatcgtg 480
caaatcatta tgcattgagg tgctcttaga ctttaagactt tagtgaacca gccattgacg 540
aggaccacc ttcgaagagt ctctcccata tcatacatgg aaattgaccc taatgggcgt 600
tgtatcattc tctcatctgt cgaacaaaat aaattgtgtt tcctcgttga ttatgctcaa 660
aaattgagga tttcgtctcc attggaaatc atcagacccc atatggtaac gctggatatg 720
gcagttgttg atgtaaattt caataatcca tgttttgtta ccttagaaat cgacaatgcc 780
gtactcaac tatcagtaca cttgatattt tatgtcctcg agttgggttt gaatcacatc 840
gtcaagaagg cagattattt agttaaccca tctgccaat tctgactgag ttgcccagat 900
ctatcgcat ataataaac aacttcgcta agcgacaaca actatgatgc tgactatgat 960
acccttttca acccttttgt tgtcataggc ttcgaaaatc atattcttgt aaaggatatg 1020
aacggatttt tcagcctgaa agtggaaata cccaaaagat ctatcacaaa tagccgtcat 1080

ggagatgaaa gcaatgaaga ggaagaagat gaaatggaag aagaaatgga aatgttacia 2760
 atatctacat tccgacctcg tactatttta tcatttccca ataatccgaa aagcattttg 2820
 ttatttgata atcacagtgg taagaaacaa tgccgtatat cactgcaa at tgatggtgaa 2880
 tgcttaaagt ttggcagttc ggatcattta tacaagatac tggacgatat cgattgcgtt 2940
 tccgctgcta taatagattt cacaagacaa gctgatcatt tgatcatttg tgctggcgac 3000
 aaaaggctgt taacatacaa gatattagtt aacaaagata aactatcttt tgatattgaa 3060
 ttacttcacc aaacagaaat catttcacca atacatgcta tgttgaagtt taaaaacttc 3120
 ttgctgacag ccatgggctc cactattgtc ctttatgggt tggggaaaaa gcaattatta 3180
 agaaggctcg taacacagac cccggtatcc ataacaaaaa ttgtgtctat gcaccagtgg 3240
 aattatgaaa gactggccgt tggatgata catgaatctg tcactttatt tatctgggat 3300
 cctgccccga atgtatttat tccgtacgta gatgactctg taaaacgcca tgtgacggta 3360
 ttgaaatttc tagatgaggc aactgttata ggcgtgata gatatggaaa tgcgtggact 3420
 ttaaggcttc caccagagtg cgaaaaatc atgtcaa atc atgatcccag cgaattatct 3480
 aatggggcca tcaagtacc actagacgtc atcactttac agcagaaatt acccaatact 3540
 tatgattgca agttcaagtt tcaactactg aaccacttct ttgttaatga tatcatcact 3600
 gatttccata tcctggacag cttttcaa at tctgatagac ctggttgtat ctatatgggc 3660
 ttacaaggaa ccgtgggatg ctttatcccc ttattatcca aggggaatgt ttttatgatg 3720
 ggaaacattg agaataaat ggctgaggcg gatgatacgt tttatttaga ttatgaatca 3780
 agaaagaaga ataacaatat gcgtaaggaa gacgatgaag aggaatctgg aagtgttgtg 3840
 ttacaaggac ggcattggtat agaggatgaa ataatatgtg agggttcctg ttccatttta 3900
 ggtagagacc accaagaata cagaagctat tatgccctg tacgtaaagt tattgatggt 3960
 gatttatgtg aaaatttcct gagactttcc ttgaatgagc aggaattttt ggccaaaaat 4020
 ttaaagagtg tacaagtgga ggatataatt caaacaatca acgaagtcag aacaaattac 4080
 atgtaa 4086

<210> 479
 <211> 2109
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 479

atggtgagca tgtttctcatt atttctgcta ttaattgagc aatcgccgct tgtagegtca 60
ttgcaacaaa gtcaacggca tatagtgggt gttccctggg aaaagcagca cttgtatgac 120
tcgaatgaac cagatttgac taaatggcac tgtttgaacc acgaagatat cgtattggat 180
ataagccaga ttaatgatgg ggtttgtgat tgtcctgatg gttcagatga gcccggcagc 240
gccgcctgcy tggaagatat attcaaaagc gttgcagagg gaggtggtaa agtgaataag 300
tatttttatt gtgataacaa ggggtttatt ccaagatata tacgaaaatc ggaagtcgca 360
gatggtattt gtgactgctg tgactgttct gacgagctac tttctggata tgagctcttt 420
gatgctggat ctaattgttc tcagttaaaa aacgaatttg acattatggc ctctaaagag 480
ttatcaagtt accgggaagg taaagaggcc ctagaagaac tggaaagaaa atacggtaca 540
aaggaagagg ctatcaccog tggtaattgc ttagaagaag ataaggaaaa agcttctgcc 600
gagataaaag tactctccaa caggctctca gaaaatcgag ccaaattaga gcagttgaga 660
ggcgagtact ttaaccaatt aagccatgat cccattttgt atcaatttga acaattaaac 720
agtactcggt tgggatcgga catccttaca tcgttcacta tggtttcaag agtaagtaaa 780
ggttaccagg acatattcaa gattttaagt gatttatcag aggcctatac tccctcgcta 840
aatgataaag ttgtcaatga taatattaaa aaattcagaa aagttagaag acgggctgaa 900
aaggctaaaa ttaatgcaga tagcaaaatt gatgatgagc aggcagataa tctttacttg 960
tactttacag aagaagtacc tcaaattttt ttgaaaagag aatctgagaa cacgttgagg 1020
tacgtcatag gaaaatccaa tttgttcaa gcgctagtgg agggtaaaat taactatacc 1080
aacgatatct tggagtatat cagagaattc cgtttgatta tggatgatat ttctcagaat 1140
tacaatgtta actttcaaga tgcaggggtc aaaagtgctg tcgattcgta taaaaactac 1200
ctaggtgaat acggcgaact ggctgaatta gaaccagctc acccgtcaga gagccttttg 1260
agatcgttga gcgaagtaac atcatttgtg aacgagaatg caccaaaggt attgccacca 1320
gacgctgttg agtcagaaca agatacgaac agcgatcata tcggtacttc tggagatttg 1380
cgcaataaac tcaaagagat tctatctaag ctgaatattt tttcatctag aaaagatttg 1440
gtctcattag agaagagatt ccgctcttgt gaaagtcaag tcagtctcct ggagaatgaa 1500
ttaaagcaaa aaatggacta taagaaatta ttagatgaaa ctgaagatga aggaactaat 1560

tctactgcag gaaatctgac tgagctttta gaactaatgg gatcacaatc ctattgtctt 1620
gacgacatac tggacaacta tgtgtacact atatgctttc aacgtccaat gaccgaaggt 1680
gtcatatatac aagctgagga taagggttgac ggtaaaaaag ttttgatcgg tcgttttaag 1740
acatcaggtt ttaatgttga cttaaacaatg gaaaaatacg cagaacattt aaaggccaca 1800
tatgatgaga agagtgatth gatttcaaac ttagcagcta tacaggacga tgacggtaac 1860
atgcaacatt acgtattcgg gaacttaaac gaactgaata atggtctggg actagaatac 1920
gaaaatggag accagtgtcg gaatgggtccg cgcagatcgg ctactgtatt tgttcgggtgc 1980
agcgacaaat tcaagattcg gagtgtagat gaagcgacta agtgcaacta catcttcgat 2040
gtcgttggtc ctctaggctg caacaagact ttcgaatacg agccccctaa gttcaattta 2100
agtgaatga 2109

<210> 480
<211> 1368
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 480
atgactatat ctactcttag taacgagacc acgaagagcg gatcttgcag cggccaaggg 60
aagaatggtg ggaaagactt tacgtatgga aagaagtgtc tcacgaagga agaattggaag 120
gagcaggttg ccaagtattc tgccatgggc gagctatatg caaataagac aatacattat 180
ccgctgaaaa ttcagcccaa cagcagtggc ggctcgcagg acgagggatt tgctaccata 240
cagaccacac ccatagagcc cacactgcca cggttctgt tgaactactt tgtttctatg 300
gcatatgaag actcgagcat taggatggcc aaggagctgg gatttatacg gaacaacaaa 360
gacattgcgg ttttcaatga tttgtacaag atcaaggagc gtttccatat caaacatctt 420
attaagctgg ggcgtatcaa tgaggcgatg gaggagataa actctatctt cgggctggag 480
gtgctggaag agactttcaa tgctacggga agttatacgg gtagaactga caggcagcag 540
cagcagcagc agcagcagtt tgacatagat ggagatttac acttcaaact gctgttactg 600
aatttgatcg agatgataag aagtcacat caacaggaga acatcaccaa ggattccaac 660
gactttatac tcaatctaatac ttagtattct caaaataaac ttgcaataaa ggcttcgtca 720
agtgtcaaaa agatgcaaga gttagaatta gcaatgactc tgctgctttt ccccttgtca 780

gattcggcgg acagcggcag cattaagctg cccaaatcgt tacaaaatct gtactcgata 840
tctctaagat ctaagatagc agatctgggtt aatgagaagc tgctgaagtt tattcatcca 900
aggattcaat ttgagatcag caataataat tccaaatttc cagatttggtt aaattccgac 960
aagaaaataa ttacgcagaa cttcacgggtg tataacaaca atctcgtcaa tggttcaaat 1020
ggtacaaaaa taactcacat ttcgtctgac caacctatca acgaaaagat gtcaagcaac 1080
gaggtcacgg ctgctgctaa ttcagtttgg ctaaatacaa gggatggaaa tgttggcaca 1140
ggttcagcgg cgacaacttt tcataactta gaaaataaaa attactggaa tcaaacttct 1200
gaattgcttt cctcttcaaa tggaaaggaa aaaggtttag aattcaataa ttactactct 1260
tccgaatttc cctatgaacc aagattgacg cagataatga aactgtgggtg ttggtgcgaa 1320
aatcagcttc atcacaacca aataggggtt cctaggggtc gaaaactga 1368

<210> 481
<211> 2115
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 481
atggatgagc atttaatttc tactattaac aagcttcagg acgctttggc gcccttagga 60
ggaggatctc aatctcctat tgatttacca cagatcactg ttgtcgggtc ccagtcgtca 120
ggaaagtcgt ccgttttgga gaacattggt ggtagggatt tcttgccaag aggtactggt 180
attgtcacca ggagaccttt agtggtacaa ttgattaata ggagaccaa aaagtcagaa 240
catgctaaag taaaccaaac tgctaataaa ttgattgact tgaacatcaa cgatgatgac 300
aagaaaaagg atgaatcagg aaagcaccag aacgagggac aatctgaaga caataaagag 360
gaatgggggtg aatttttgca ttacctggt aagaagtttt ataattttga cgaaattaga 420
aaggaaatcg tcaaagaaac tgacaaagt acaggtgcca attcaggtat ttcttctgtg 480
cccatnaact tgagaattta ttctccgcat gttcttactt tgacgttagt ggatttgcct 540
gggttgacga aggttcccgt aggtgaccaa cctcctgata ttgaaagaca aattaaggac 600
atgttggttaa agtatatttc gaaaccaaac gctatcatat tatctgttaa tgccgctaac 660
accgatttag ccaacagcga tggtttgaag ctggctagag aggtcgatcc agaaggaacg 720
agaactattg gtgtcttgac aaaagtcgat ttgatggatc aaggtaacaga tgtcatagat 780

attttggctg gaagagtcac tcctttgaga tatgggtata tcccagttat caatagaggt 840
 caaaaggata ttgaacacaa aaaaacaatc agagaagccc ttgaaaacga aagaaaattt 900
 tttgagaacc atccctctta cagttctaaa gctcattact gtggtacacc atatttggct 960
 aaaaagttaa actcaatctt attacaccac attaggcaaa ctctgccaga aatcaaagcg 1020
 aaaatcgaag ccacattgaa aaaatatcaa aacgaactta taaacttggg cccagaaact 1080
 atggattcag ctagttcggg tgttttgagc atgattactg atttttccaa tgaatatgcc 1140
 ggtatcttgg acggtgaggg gaaggagctt tccagtcagg aactttctgg tggtgctaga 1200
 atttcttacg tattccatga aactttcaaa aatgggtgtg actctttgga tccattcgac 1260
 cagatcaaag attctgatat cagaaccatt atgtacaata gttcagggtc tgcccatct 1320
 ttgtttgtcg gtaccgaagc ttttgaagtt ttagttaaac agcaaattag aagatttgaa 1380
 gaaccatctc tacgtttagt tactctgggtg tttgatgaac ttgttcgtat gctaaaacag 1440
 attatttcac aaccaaagta ctcaagggtat cctgctctaa gagaagcgat ttctaactcg 1500
 ttcattcagt tcttaaagga tgctactatt cctacgaatg agtttggtgt cgatatcatc 1560
 aaagctgaac aaacttacat caatacagcc catcccgacc ttttgaaggg ttctcaagca 1620
 atggttatgg tggaagaaaa attacatcct cgccaagtcg ctgttgaccc aaagacgggt 1680
 aaaccattac caaccaacc atcgtctagt aaggcgccag ttatggaaga gaaatcagga 1740
 ttttttgggtg ggttcttctc cactaaaaac aagaagaaat tggcagcttt ggaatcccca 1800
 cctcctgttt taaaagctac tggccaaatg acagagaggg aaacaatgga aacagaagta 1860
 atcaagttgt tgattagtag ttatttctct attgtcaaaa gaaccattgc cgatattata 1920
 ccaaaggctt tgatgcttaa attgattgtg aaaagtaaaa ctgatattca gaaagtttta 1980
 ctcgaaaaac tttacggaaa gcaagatatt gaagaattaa cgaaagaaaa cgacataacc 2040
 attcaaagaa gaaaagaatg taagaagatg gtcgagatat tgagaaacgc tagtcaaatc 2100
 gtctcctctg tttag 2115

<210> 482
 <211> 2028
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 482

atgaatttta aaatactcct cccgatttgt gctttattga cacttacaac atttctgttg 60
accattattg caactgcggg ttctacctca aattataagc caataacgaa catttatatc 120
ggatgatgctg atatatcaaa aatcaacggt acaaaagtta tgccacaagt tggcccaatt 180
ttgactgtgt taggttctgc tctaaccgct ccaaatacaa cgggtggatac catcttcggc 240
gctcttaagg caatcgcttc taccgaagcc ttgtctcctt tactgcactt gttgtctaata 300
gctgctaaca cttcagccac attatcatct ttgacacagt tggctccaat ggctttgcta 360
ggaaccaata ccgctactac cacgaccttc tccgctcttg atgagttatt gactacctct 420
aaaaacacaa ccgaactctt ggatggggtt agcacattga tgtcatctat gtcaaccaac 480
acttcttcta cttcggcttc cttagaaaat actgttctaa ccctattagt ggattcgacc 540
aatcctatag gcactactga gtctttgatc actttaata atatgaccac agaagaaaag 600
acaaaattgt cgctgtatt cgagttattc gcaagttcca agaacattac tgccacatgc 660
gatgcgttag aaaccataat gaactctacc attccaactt caacgggtctc ctcatgtttt 720
tctagtctaa aaaccagtct tgcggaaggt ggcaatgcta ctgaaactat tatgcaatta 780
ggctccctcg ttcttcgag tttaaaacca gctgtccaag ctgttggtac tctgtttgat 840
gaaactacat ctcaaaatgt aacattatcc gtattgagca ctatgattgc cgaaaacatt 900
acccaatcat cttccgctaa agctgccatg ggtgctttga ctgacttggt gaattacact 960
acaaacaaa cagagctgct aacatctgtc gaaagtttg ccctctctaa agaagccgct 1020
tcctctacta accaattggt ggcacttgat gaaatcctt ctgcaagtgc taacgcatcc 1080
acagttgttt ccataatccc tactttggaa tccaattgg ccaataacac cgtattactt 1140
aagtacgttc catacttggt cagcctatta gctgcgtcaa gcgaccccggt gtcaagtttc 1200
tcttctctgg ttaatatcac caaatgggca gaaactaatg ccgctacatt tatgcccattg 1260
ttgaaaattt taaactctgc tgtaaactg acaactatca caccagaaca actcaaggaa 1320
atgactcctt ctatccttga atatctacac atccctgtca tataccgttt gtccattttc 1380
acaatgtgtc gtgtcactt aaacagaaca atgtactcgt gtagcaagtc acacgctgtt 1440
caaaacatgg atttccggtc gattgtttac aacaacattg aaggctcgga ctttaaacct 1500
tatatggatg ccctgaacat cggtaaggac gatttgcatt tagatgggtga attacaagac 1560
agacaacaca tgtatgtccc agcagtgaag gcagcttttag ctatgaactt aatgtgcata 1620

atcacatcct tcttcttaat ggtattcttg ttgctactaa gtagacgttc cgtggtgagt 1680
caaaaattat ggttggcatt gggctttatt tcctgttgga tatgtatttt cagcgggttg 1740
ggaagcaciaa tcttttagcgt catccttaat atgatgaaat ccggctccaa gaaggacaat 1800
tacgatgtca ttatttctgg ctcttctcca ttttatggcc taatgtggtc tggatttgta 1860
tttgccgtcc ttgtatttct ctgcattgca tactgctggg ggagcagcag aaagggagct 1920
gccatcgtgg aagctgagaa agctgttcaa gaaagtgact ctactacctc aagaatcatt 1980
gaagaacacg aaagcccat tgatgctgaa aaaaactttg caaggtaa 2028

<210> 483
<211> 3195
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 483

atggatgatt atcacgtaaa tactgccttc tcaatgggca gaggtaacca gcaggatgat 60
ggcaatagtg aaagcaacag catgcataca caaccaagca ctatggcgcc cgctacgctg 120
agaatgatgg gaaaaagtcc acagcagcag cagcagcaga acacaccgct aatgcccccg 180
gcggatatca aatacgccaa taatggtaac tcacatcaag cagagcaaaa ggagagaciaa 240
gtagaacttg aaggtaaadc gagagagaat gcaccaaagc caaatactac cagccagagt 300
cgagtttcgt cttctcaggg catgcctaag cagtttcacg gaaaatcggt aggagattgg 360
gagtttggtg aaacagttgg tgcaggttct atgggtaaag tgaagctggc aaaacatcgt 420
tactactaatg aggtttgtgc agtaaaaatt gtaaaccgtg ctacaaaggc tttcctacat 480
aaagaacaaa tgctgccacc acccaaaaat gaacaagatg ttttggagag acagaagaaa 540
ttagagaagg aaatatctag ggacaaaaga actattcgag aagcgtcctt gggacaaatc 600
ttatatcatc cacacatatg tagacttttt gagatgtgca cgttgtcaaa tcatttctat 660
atgttggttg aatatgtttc aggtgggcag ctgttagact atatcatcca acatgggtca 720
atacgagaac accaagcgag aaagtttgct aggggtatcg cgagcgctt aatatatttg 780
catgctaaca acatcgtcca tagagatttg aagatagaaa atataatgat ttcagattcc 840
agtgaaatca agataattga ttttggactt tcaaataatt atgattctag gaagcagctt 900
catacattct gtggctctct gtattttgcc gctcccagc tgttaaaagc gaatccttat 960

aaggaattaa cagatgaaga gatattgcag gaagcttcta gagctccagc cggttctatg 2640
ccatccatcg atttcccccg ttctttatatt ttgaagggtt tcttttctgt tcagacaact 2700
tcacgaagc ctttgccaat tgtagatagc aagattatgt ttgttctgag gaaaatgaat 2760
atagagttca aggaggttaa ggggtggtttt gtttgtatgc aaaggttctc ttccaataat 2820
gtggcagcga agagagaagg gactccaaga tcgatcatgc cactttcgca ccacgaatcc 2880
attagacgtc aaggctctaa taaatactca ccttcttctc ctttgacaac taattccatt 2940
caccagagaa aaacatctat taccgaaacc tatggagatg ataagcattc gggaacatct 3000
ttggagaaca tccaccaaca aggtgacggg agcgaaggca tgactacaac agaaaaagag 3060
cccatcaaat tcgaaattca tatcgtcaag gttcgtattg ttggtttagc cgggtgtgcat 3120
tttaagaaaa tttctgggaa cacttggttg tataaagagc tggcttctag tatattaaaa 3180
gaactaaagt tgtaa 3195

<210> 484
<211> 1041
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 484
atgcagaaga gcatattgct gactaaacct gacggaacac aatcgaatct acacagcatc 60
aaaacggaaa cgcccaccac ggtggagttc gactcggagc agatggaaag gggccacagg 120
gaaagaggtc gtagcaagaa gaaaagaggc gaacgagact caaacgtgag cagtctgtcg 180
cggctcgagaa gcagggccag tagccgcagc agagtaaggg aggaagagtt cctcaagtgg 240
accgtgttga ggcaggacct ctcatgctgg ttgagggctg tggatgtgga ttctgaagag 300
gaagggtgagg gcaacgacga agatgacgac gacggcgacg gcgacgatat ggacgaggaa 360
gagtccgatg aagagcaagt gagcgatata gagaacgatt tagagattga cgaggagtgc 420
cactacgata tgggcatgaa agtggtacct aacttttgta ccagcataaa cgaagtgcga 480
gactccagca agccttggat agccaagtac gagatcagca tccgtggcca cgaaaacgaa 540
gacgtgtctc tggagcaact cgacggaggc tacgtcagag ccatgcaact actcaccaag 600
ggtgccggcg cagaggccgg gaaccaaagg tccttcatcc tctacacgga cctgagcagc 660
gagtccacct acgccctgac ctatctcatg ggcgcagctg tcaaccaggg agacaccgtc 720

tacattgtcc actgggagcc ctggaagccc acggacgact cccagatggt cgccaacggt 780
gccagaatca gaaagcacgt catgcacctg tttgactgcg tcgcgggcgt gctcgacgac 840
ctcgacgtcg tcgtcctctc cttgacccat ccgtacccaa aacacctcct caacgagatg 900
atccacggcc tcaagccagt cgcctgtgct tgctccctct cggtcctcct gtccactctg 960
cagaacttcg tctgctctgt gccatcctc gcggttagaa agaagctgaa acgtgccaa 1020
cgcaagggca tcagcgagt a 1041

<210> 485
<211> 2880
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 485

atgtttggca acaatagacc aatgtttgga gggagcaacc tttcctttgg atcaaatacg 60
tcctccttcg gtgggcaaca atcgcaacaa ccaaactctc tttttggaaa tagcaataac 120
aacaacaatt ccaccagtaa caatgcccaa tcaggatttg gtggattcac ttctgccgct 180
ggcagtaata gtaacagttt atttggaaat aacaatactc aaaataatgg ggcatttggc 240
cagtcaatgg gtgccacca aaactcacca tttgggtcgt taaactcctc aaatgccagt 300
aatgggaaca cttttggagg atccagttca atgggttctt ttggtggtaa taccaataat 360
gcatttaata ataacagtaa cagtaccaat tccccgtttg gtttcaataa accgaataca 420
ggagggacct tgtttggttc gcagaataat aatagtgcag gtacttctag tttatttggc 480
ggccaaagta caagtaccac tggcacattc ggaaacaccg gaagtagttt cggaacaggc 540
ttaaatggca acggtcttaa catatttggg gcagggaaca actcaciaag caatactacc 600
ggcagcttgt ttggcaacca acaatcttca gcgtttggga caaataatca acaaggaagt 660
ctatttggac agcaatctca aaacaccaat aatgcgtttg gtaatcaaaa tcagctgggg 720
ggcagttcct tcggatcaaa accagttggt tcagggtcgc tgtttggcca gagcaacaac 780
acttttagta atacaaccaa taatagaaat ggattgtttg gtcaaataaa ttccagtaac 840
caaggcagtt ctaacagtgg attgtttgga caaaactcga tgaacagcag cactcaaggg 900
gtatttggac aaaacaataa tcaaatacaa attaattggca ataacaacaa cagttttattt 960
ggaaaggcaa acaccttttc aaattccgca tcaggaggtt tatttggcca aaataatcaa 1020

cagcaaggggt ccgggctggt tgggtcaaaat tctcagacaa gcggtagtag tggacttttt 1080
gggcagaata atcagaaaca gcccaatact ttacccaat ctaatacagg aataggtctc 1140
tttggacaga acaacaacca gcaacaacaa tctacagggt tgtttggagc caaaccagca 1200
ggtaccacag gatctctttt cggtggtaat tcatcaaccc agcctaactc tcttttcggt 1260
actaccaatg tacctacctc taatacacag tcacaacaag gaaatagtct ttttgggtgcc 1320
acgaagctga ccaacatgcc ctttggagga aatcccactg caaaccagtc agggagtggg 1380
aacagtctat tcggaactaa acctgcctcc actaccggct cattatttgg aaacaacaca 1440
gcttctacga cagtaccttc cacgaatgga ttgtttggta acaacgctaa caattcaact 1500
agcactacga atacgggact tttcgggtgca aagcctgatt ctcagtccaa acctgcatta 1560
gggggaggggt tattcggcaa ttcaaactcg aattcttcca caatcggcca aaacaaacca 1620
gtttttggag gcacaacca aaatacagga ctctttggcg ccaccggcac gaactcttca 1680
gcagttgggt caactggtaa actttttggc cagaataata atacgcttaa tgttgggtaca 1740
caaaatgtac cacctgtgaa caataccacc caaaacgcc ttttgggtac aacggcagtt 1800
ccttccctac aacaagcccc agtaactaat gaacagcttt tttccaaaat atcaatccct 1860
aactctatta caaatccagt taaagcaaca acttcaaaag tgaacgcaga tatgaaaaga 1920
aatagtagcc tcacgtctgc ctatagactt gcccacaaagc cgttatttgc tccctcttcg 1980
aatggcgatg ctaaatttca aaagtggggc aagacactgg aaagaagtga tagaggaagc 2040
agtaccagca attctattac ggaccacagaa tcaagctatc taaattcaaa cgacttggtg 2100
tttgatccag atagaagata tttgaaacat ctggtgatta aaaataataa gaacttaaat 2160
gtcattaacc ataatgatga tgaagcaagc aaagttaa at tagtgacgtt tacaacagaa 2220
tcagcttcaa aagatgacca agcctcatca agcattgctg cttcaaaatt aactgaaaaa 2280
gcacattctc ctacagactga cctaaaagat gatcatgatg aaagcactcc tgatcctcaa 2340
tcgaaatctc caaatgggtc cacctctata ccaatgattg agaattgaaaa gattagcagc 2400
aaagtctccg gcctattgag caacgacgtt acctttttca agaataacta ctacatttca 2460
ccttccatag aaacgcttgg caataagtca ttaattgaac ttogtaaaat aaacaaccta 2520
gtcattgggtc acagaaatta tggtaaagtc gagtttcttg agcccgttga tttgttgaat 2580
actcctttgg atactttatg cggggatctt gtcacctttg gaccaaatac atgttcaata 2640

tatgaaaact gttccataaa gccagaaaag ggcgaaggca ttaatgtacg ttgtagagtg 2700
acttttatatt cctgttttcc tattgacaaa gaaacaagga aacctataaa gaatataaca 2760
catcctctac tgaaaagaag tatagccaaa ctaaaagaaa acccagtgtg caagtttgaa 2820
agctatgacc ccgtaacagg cacctatagt tacaccatag atcaccaggt tttaacttaa 2880

<210> 486
<211> 1335
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 486

atgggaaagc tattacaatt ggcattgcat ccggtcgaga tgaaggcagc tttgaagctg 60
aagttttgca gaacaccgct attctccatc tatgatcagt ccacgtctcc atatctcttg 120
cactgtttcg aactgttgaa cttgacctcc agatcgtttg ctgctgtgat cagagagctg 180
catccagaat tgagaaactg tgttactctc ttttatttga ttttaagggc tttggatacc 240
atcgaagacg atatgtccat cgaacacgat ttgaaaattg acttggttgcg tcaattccac 300
gagaaattgt tgttaactaa atggagtttc gacggaaatg ccccgatgt gaaggacaga 360
gccgttttga cagatttcga atcgattctt attgaattcc acaaattgaa accagaatat 420
caagaagtca tcaaggagat caccgagaaa atgggtaatg gtatggccga ctacatctta 480
gatgaaaatt acaacttgaa tgggttgcaa accgtccacg actacgacgt gtactgtcac 540
tacgtagctg gtttggtcgg tgatggtttg acccgtttga ttgtcattgc caagtttgcc 600
aacgaatctt tgtattctaa tgagcaattg tatgaaagca tgggtctttt cctacaaaaa 660
accaacatca tcagagatta caatgaagat ttggtcgatg gtagatcctt ctggcccaag 720
gaaatctggt cacaatacgc tcctcagttg aaggacttca tgaaacctga aaacgaacaa 780
ctgggggttg actgtataaa ccacctcgtc ttaaacgcat tgagtcatgt tatcgatgtg 840
ttgacttatt tggccggtat ccacgagcaa tccactttcc aattttgtgc cattccccaa 900
gttatggcca ttgcaacctt ggctttggta ttcaacaacc gtgaagtgc acatggcaat 960
gtaaagattc gtaagggtag tacctgctat ttaattttga aatcaaggac tttgcgtggc 1020
tgtgtcgaga tttttgacta ttacttacgt gatatcaaat cttaaattggc tgtgcaagat 1080
ccaaatttct taaaattgaa cattcaaatc tccaagatcg aacagtttat ggaagaaatg 1140

taccaggata aattacctcc taacgtgaag ccaaataaaa ctccaatttt cttgaaagtt 1200
aaagaaagat ccagatacga tgatgaattg gttccaaccc aacaagaaga agagtacaag 1260
ttcaatatgg ttttatctat catcttgtcc gttcttcttg ggttttatta tatatacact 1320
ttacacagag cgtga 1335

<210> 487
<211> 1683
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 487

atggtactac ttaaagaacc tggtcagccg ctgcctcgat catctctggt atataataat 60
gcgagcaata gtagtagtcg tataaaagag acaagaaaag tcaaactatt atataatccc 120
ttaactaaga gacaaatcct taacaacttt gaaatttttag ccactttggg taatggacag 180
tacggcaaag tgaaattagc aagagatctc gggacaggtg cggttggttg aataaaaatt 240
cttaatagat tcgaaaaaag aagcgggtat tctcttcaat tgaaagtaga aaatccaagg 300
gttaatcaag aaattgaagt aatgaaaaga tgtcatcatg aaaacgttgt ggaattgtat 360
gaaattttga atgaccctga gagcaciaag gtttatcttg tattagaata ttgctcaagg 420
ggaccctgta aatggtgtcc agaaaacaaa atggagataa aagcagtggg accatcaata 480
ctcactttcc aacagtcgag gaaggtagtg ttggatgtag tatcgggtct ggagtattta 540
cattcccaag ggataacgca tcgagatatc aaaccatcga acctgttaat ttcacaaac 600
ggaacggtga aaatatccga ttttggcgtt gctatgtcaa ctgccaccgg aagtactaat 660
atacaatcat cgcataaaca acttttaaaa tctagagcct tagggacccc tgcttttttt 720
gcacctgagc tttgctccac tgaaaaagag tattcctgct catctgccat cgatatctgg 780
tcattggggg tcactatata ctgcttggtg tttggaaagt tgcctttcaa cgccaattca 840
ggattagaac ttttcgacag tattatcaat aaacccttag aatttccatc ttatgaggaa 900
atgttgaatg gtgccacttc gggaaacaca atggaagaat aactgatgc caaagattta 960
ttgaagaagc tgttacaaa agatcctgac aaacggataa aactagcaga catcaaggta 1020
catccgttta tgtgccatta tggtaaaagc gatgcagcat ccgtattgac caatttggag 1080
acgtttcatg agttgaaagt ttcaccgccc tcttcatgca aaagggtaga attggtcagc 1140

ctaccagtga attcatcatt cgcctcttta gatagcgttt atatggaaaa ttttgaccac 1200
aataacctta ggactggtgc tgacagaaat tcaacatatt ctccatcaat atacgacgca 1260
aataccttat caccctcagc atatcacaac atcggttcta gagagtcatc ctattcgtcc 1320
ttttcctctt tcacatcatc caccgctttt gcatctcaga tcagtattca ggatgccccca 1380
gcaatcggtg atcaacaatg cttgataggt gagagtggaa gttcattaag agtgaattct 1440
tgtgagtttc cacaatatac aactatgtct cctgtaggag aatatccctt tgagagtacg 1500
gaagcaagtt tgagctctac tcttacgcct gtcggtaatg tacctcaacg tataaaagcc 1560
cacctggtag aagggaatc taacagcaag gatgacctta gaatagaagc agacgcatca 1620
cttgtatttg aggctagcga cgcccagcgc acgagaagaa gaatgtctct ttataagctt 1680
tag 1683

<210> 488
<211> 2145
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 488
atgacagaaa ttattgattt agacttggtc gatgacttta tcaagaaacc tatggtcaaa 60
caacagaaaa accagtcttc aaagcctagg gtaaaaagaa ggggtcagtt gacctttgat 120
gatttcagaa acatcaaaaat tgtagaagaa cctgttgtag tttctcacia tagttcaatt 180
gacgaatcac tggatgctgc taccctaaaat actaaaaagc gggagaaata tgaagggtacc 240
tgtgatgaag aaatgaaaac taaagaaatg gaggcataa tggcaagcaa atatttcta 300
atcaaaacac attcgaacga cactaacaag gtagagtcga tcagtgaaca cactacttct 360
aataatagac cattgaatac attaaactgg tcaccaaata ttcctttacg atattctgac 420
tttgcaaagt ttatgagtga tgagacggta acggaaagca attgggcgcc tcccctttgc 480
accctctcc catatgcagg cgatgttatg aagatccttt cttttatcgt caaatttaaa 540
tggtgtttca gcgacgatct actgaacctg tcatttcaag atgtggagat aggactagaa 600
ttaaagggtg ctggccattc tgcaagaat attcgaattt gtcaggataa aatgaatcta 660
ctattttgca gtcttttgag gttattattc tgctccgaga aaagagcaga caaccaaact 720
catagaaatt tcacgctaaa aagatttctt agtttgaaaa atccatattg aaaactggtt 780

ggcaaaactca gaagcttaat ccaggagtgg ggcttaccaa aagaatggcg tggtaatagt 840
 gatattttat ctactctaaa ttttaatgga ggtggtttgt tgacgatgga accattagat 900
 agaataatat tattgagatg catgatcgat tgggaattgta gctactccgc acttttccat 960
 aatgaaattc aaaggctcac tcacttgaaa ggcgatacag ggttcaacca tcaaactttt 1020
 caccgccagca ggtttgctat gtgcggggcc aataacatat tagatagttg tgaagtttta 1080
 tgctctttga tgagtcaaaa gttggaaaat cgaaagaaaa ggaagcccag cgacaaagga 1140
 aaactgagta agatcaatag tcagatgaaa tttctaaagg gtgttcggaa atcattgagc 1200
 gaaaaagtaa ctacagacag attacgagct gcagttaaaa taaatgaaga atgggggtgaa 1260
 tattttgcaa acgaatttac acacacacca attgatgatc ccaccgtaga cgaaatttac 1320
 aagttaagga catcagagtt tatgatagcg agaattccac gagttggaga tttctactta 1380
 ccaccattct ggattggcaa cgaatgcagt tcagtaaaca ctagttacag tttcaatgac 1440
 atgtcaactt atcttaatta cttcgtaaaa ttcaaagagg aggggtacaaa aatactgcct 1500
 gcaaaaaccg cacaaaatga aaacaagtgt caacttaaac ttatatatag gaacactcct 1560
 gcatgtatcc gtaatttaca gttcaatgat gttcactttg ccgaggtgcc gcattgggtt 1620
 gaagttgcag gagactcgaa ttctttgagc aacttcattg agtatttgga aagtttatca 1680
 tcacttactg aaaatgacac cgatgataca aaaaagggtg tagacaatct aattgagttt 1740
 ttgaaaattt tcagtatatt cataaatgag actattcagc gcataactgc tgcccctaca 1800
 ggcagtactg aaggacgtca tttgcgaaca agctctcaga gaagaaccac ggtgcattac 1860
 tcgagtgatg taaatgggtg cgtttccgag gaaagtgaaa atgaagttga cattgacgtt 1920
 agcgatgact atgattcaga atatctgagt gaggagaata cattgacaag aaaagggtgaa 1980
 gataggacag ataaatcttt tgggaaaaga gaattacaca atggcgctaa agattgtgat 2040
 aggaattgtg atgatataga gatcttctca gaacccgtta ggcaactaca agataattct 2100
 cgggaaaaaa gaagcttgag gcgtaatgcc agaaaaggtc tatag 2145

<210> 489
 <211> 573
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 489

```

atgtccggta aatggagact agtgctgacc gggataggca atccagagcc tcagtacgct 60
ggtacccgctc acaatgtagg gctatatatg ctggagctgc tacgaaagcg gcttgggtctg 120
cagggggagaa cttattcccc tgtgcctaata acggggcggca aagtgcatta tatagaagac 180
gaacattgta cgataactaag atcggatggc cagtacatga atctaagtgg agaacagggtg 240
tgcaagggtct gggccccggta cgccaagtac caagcccgac acgtagttat tcatgacgag 300
ttaagtgtgg cgtgtggaaa agtgcagctc agagcccca gcaccagtat tagagggtcat 360
aatgggctgc gaagcctgct aaaatgcagt ggaggccgtg taccctttgc caaattggct 420
attggaatcg gcagagaacc tgggtcccggt tctagagacc ctgcgagcgt gtccccggtgg 480
gttctggggag ctctaactcc gcaggaacta caaaccttgc ttacacagag tgaacctgct 540
gcctggcggtg ctctgactca gtacatttca tag 573

```

```

<210>      490
<211>      615
<212>      DNA
<213>      Saccharomyces cerevisiae

```

```

<400>      490

atgtctgcaa acgaattcta ctcaagtggc caacaaggtc aatataacca gcaaaacaac 60
caagaaagaa ctggtgctcc aaacaacggt caatatggtg ccgacaatgg taaccccaac 120
ggtgaacgtg gtttattttc cactattgta ggtggcagtg ccggtgcgta cgctggatct 180
aagggtgtcg acaaccattc taagttgagt ggtgtgctgg gcgccatagg tgggtgcattc 240
cttgccaaca agatatctga tgagcgtaaa gagcataagc aacaagagca atacggcaac 300
tcaaacttcg gaggtgctcc tcaagggtga cacaacaacc atcaccgtca gacaataaca 360
acaataacgg tggatttggc ggtccaggcg gccctggcgg tcaaggtttc ggaagacaag 420
gccacaagg atttgagggt cctgggtccac aagagtttgg tgggtccagg gtccaaggat 480
tcggtgggtcc aaatcctcaa gaattcggcg gccagggtgg caaggattcg gtgggtccaaa 540
ccctcaggaa ttcggggggc aaggtcgtca aggattcaat ggcggttcac gttggtgaat 600
ggctcaacag agtga 615

```

```

<210>      491
<211>      633
<212>      DNA

```

<213> Saccharomyces cerevisiae

<400> 491

atgggaaaat cagccgttat attcgtggaa agagccactc ccgctacact aacggaactg 60
aaggatgctc tctcgaatag tctcctgtcc gtgcgagacc cttgggtcgat agacttttcgg 120
acgtaccggt gctctatcaa gaacctaccc gcggatgtct ccaagctcat gtactcgata 180
acgttccacc accatggccg gcagaccgtg ctaatcaagg acaactcagc gatggtgacg 240
actgccgcag cggcggatat cctccggcg ctggtgttca atgggtcatc tacgggctgt 300
cctgagtcca tagacactat tttgtcgtcc aagctgtcca acatctggat gcagaggcag 360
ctcatcaagg gtgatgccgg tgagacgttg atcttgagc ggctcaccgt gcgactcgtc 420
aacctcttct cctccactgg gttcaagggc ctctgatag aactgcaggc ggacgaagcg 480
ggcgagtttg agaccaagat tgcaggcatc gaaggacacc tagctgaaat ccgggccaag 540
gagtacaaaa cctcatccga ctcggtgggg ccggacacca gcaacgaaat atgtgatttg 600
gcgtaccagt atgttcgtgc tctggagctg tga 633

<210> 492

<211> 1377

<212> DNA

<213> Saccharomyces cerevisiae

<400> 492

atgggtaaag agaagtctca cattaacgtt gtcgttatcg gtcattgtcga ttctggtaag 60
tctaccacta ccggtcattt gatttacaag tgtgggtgga ttgacaagag aaccatcgaa 120
aagttcgaaa aggaagccgc tgaattaggt aagggttctt tcaagtacgc ttgggttttg 180
gacaagttaa aggctgaaag agaaagaggt atcactatcg atattgcttt gtggaagtgc 240
gaaactccaa agtaccaagt taccgttatt gatgtccag gtcacagaga tttcatcaag 300
aacatgatta ctggtacttc tcaagctgac tgtgctatct tgattattgc tgggtggtgct 360
ggtgaattcg aagccggtat ctctaaggat ggtcaaacca gagaacacgc tttgttggt 420
ttcaccttgg gtggttagaca attgattgtt gctgtcaaca agatggactc cgtcaaatgg 480
gacgaatcca gattccaaga aattgtcaag gaaacctcca actttatcaa gaaggttggt 540
tacaacccaa agactgttcc attcgtccca atctctgggt ggaacggtga caacatgatt 600

gaagctacca ccaacgctcc atggtacaag ggttgggaaa aggaaaccaa ggccggtgtc 660
gtcaagggtg agactttgtt ggaagccatt gacgccattg aacaaccatc tagaccaact 720
gacaagccat tgagattgcc attgcaagat gtttacaaga ttggtggtat tgggtactgtg 780
ccagtcggta gagttgaaac cgggtgtcatc aagccaggta tggttgttac ttttgcccca 840
gctggtgtta ccaactgaagt caagtccgtt gaaatgcac acgaacaatt ggaacaagg 900
gttccagggtg acaacgttgg tttcaacgtc aagaacgttt ccgttaagga aatcagaaga 960
ggtaacgtct gtggtgacgc taagaacgat ccaccaaagg gttgcgcttc tttcaacgct 1020
accgtcattg ttttgaacca tccagggtcaa atctctgctg gttactctcc agttttggat 1080
tgtcacactg ctcacattgc ttgtagattc gacgaattgt tggaaaagaa cgacagaaga 1140
tctggtaaga agttggaaga ccatccaaag ttcttgaagt ccggtgacgc tgctttgggtc 1200
aagttcgctc catctaagcc aatgtgtgtt gaagctttca gtgaataccc accattaggt 1260
agattcgctg tcagagacat gagacaaact gtcgctgtcg gtgttatcaa gtctgttgac 1320
aagactgaaa aggccgctaa ggttaccaag gctgctcaaa aggctgctaa gaaataa 1377

<210> 493
<211> 2865
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 493

atggtccttt tgaaatggct cgtatgccaa ttggtcttct ttaccgcttt ttgcgatgcg 60
tttaccgact atctattaaa gaagtgtgcg caatctgggt tttgccatag aaacaggggt 120
tatgcagaaa atattgccaa atctcatcac tgctattaca aagtggacgc cgagtctatt 180
gcacacgatc ctttagagaa tgtgcttcat gctaccataa ttaaaactat accaagattg 240
gagggcgatg atatagccgt tcagttccca ttctctctct cttttttaca ggatcactca 300
gtaagggttca ctataaatga gaaagagaga atgccaacca acagcagcgg tttgttgatc 360
tcttcacaac ggttcaatga gacctggaag tacgcattcg acaagaaatt tcaagaggag 420
gcgaacagga ccagtattcc acaattccac ttccttaagc aaaaacaaac tgtgaactca 480
ttctggtcga aaatatcttc atttttgtca ctttcaaact ccactgcaga cacatttcat 540
cttcgaaacg gtgatgtatc cgtagaaatc tttgctgaac cttttcaatt gaaagtttac 600

caatTTTact ggagtaattc aggtctatta gtcaaacctg tcacggagcc tggTcaatca 2280
 gaaacggaaa tggTTTTccc acccggtata ttctatgaat tcgcatcttt acactctttt 2340
 ataaacaatg gtactgattt gatagaaaag aatatttctg caccattgga taaaattcca 2400
 ttatttattg aaggcggtca cattatcact atgaaagata agtatagaag atcttcaatg 2460
 ttaatgaaaa acgatccata tgtaatagtt atagcccctg ataccgaggg acgagccgtt 2520
 ggagatcttt atgttgatga tggagaaact tttggctacc aaagaggtga gtacgtagaa 2580
 actcagttca ttttcgaaaa caatacctta aaaaatgttc gaagtcatat tcccgagaat 2640
 ttgacaggca ttcaccacaa tactttgagg aataccaata ttgaaaaaat cattatcgca 2700
 aagaataatt tacaacacaa cataacgttg aaagacagta ttaaagtcaa aaaaaatggc 2760
 gaagaaagtt cattgccgac tagatcgtca tatgagaatg ataataagat caccattctt 2820
 aacctatcgc ttgacataac tgaagattgg gaagttattt tttga 2865

<210> 494
 <211> 786
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 494

atgacgcaag aattcattga taaagtatct tcctacctga ctctgatgt ggacattgca 60
 cctatttctc aaggtgcaga agccattgtt ttcacaacga ctactcacc atactctcca 120
 agagcaaagg attctcatca aaagtatatt atcaaataa ggccaccaa gcgttataga 180
 catccacaaa tagaccaggc actaacaaaa catcgtacgt tgaatgagtc gcgtttattg 240
 gccaaattat acttgattcc agggctatgt gtccctcaac tgatagcgtg tgatccatac 300
 aatggattca tttggttaga gttccttggga gaagatcttc ccggagggga cggttttagt 360
 aacctaaaga acttcctttg gatgcatgac caagatccat atagtgatct tgtagcaact 420
 acactacgga aagtggggcg ccaaattggg ttgttgcaact ggaatgacta ctgtcatggc 480
 gatttgacaa gttctaacat tgttctcgtg cgagatgggtg cgagatggac gcctcatttg 540
 attgatttcg gtctgggctc agtttcaaac ctggtcgaag ataaaggcgt cgatttatac 600
 gtcttagaga gagctatttt aagtacacat tcgaagcatg cggaaaaata caatgcttgg 660
 atcatggagg ggttcgaaga ggtctatcgt gaacaagggtg cgaaagggtgc caagaaactg 720

aaagaagtta ccaaaagatt cgaagaggtc aggttgcgctg gtcgtaagag aagtatgcta 780
 ggataa 786

<210> 495
 <211> 2418
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 495

atgggctcag aacaagcctt aagtgaggtt gtcgaatctg ctaaagagcg gttcggcagg 60
 cttaggcatt tagttcagaa gtttcttgat gatgacgacg tgccacaaga gtgtctgcct 120
 ttgctccaag aatgcgcaga aatatggtct agttatgtgg acgcatgcca ggatataacc 180
 atgcaggccc ctaaagaaga tgcaaaccgg ttgtcaaagg ggtttctccg attgaatgaa 240
 acagcttttt tatattacat gatcgtatat acgctcttgg aggatactct accaagacta 300
 aaggaatfff cgagcaacaa ggaccagaat gttagaaatt tgtacgggga gagaatccag 360
 cttttgcata atgacccaaa tattgagcgg attcgaaatg tcattgaaaa ttaccctaaa 420
 tttatacagt tgcaaaactat agagcctgga aaattaagtt caatgttgca ttttcatggg 480
 gacgctctct tgcttatcga tgtacggccc aggtctgaat tcgttagggc ccatatcaaa 540
 tgcaaaaaaca ttatatgcat cgatcctgcc tcatttaagg attcttttac agaccaacaa 600
 attgaaagtg tctctttgat cacttcgccg cactcagata tcactttctt ttcaaatega 660
 gacaagttca agttcattat tttatatact gacactcaat tgcataataa tttccagcaa 720
 aggcaaaact gcataccttg gaagattctt tcccaaaatt cagtaattaa accgctgagt 780
 gggacgaaaa tactcatfff ggaaaatggg ttctcaaact ggggttaaatt aggtggggcg 840
 tatcaatcat ctgtcagtga aacagcgcat cttacatcct cgtcttcaac gccagctfff 900
 ggtagtccgc aagtccaac aggcttggtc aatcagaaat ctctatctcc aaataaagat 960
 aagagtatgc cgatggatc catgaatacg cagcctttgc taacaacggg gcaaaggcct 1020
 caattaccct tatactattc agatttgccc attataccgc aaccaagccc caacagaaat 1080
 tctcccaccg ttcaaaaatt tagtccacat ccaccaacca ctctctcaaa actcaataca 1140
 ccctcgacca ttcaaaaata agcaaact gtggaaagaa tatcgccaga tatccgcgct 1200
 gcacaagccc atgcctatff gccccctgca tcgaatgtat tctcgccacg tattccgcct 1260

ttaccacaac agaacttgtc ttcgctcgagg cagaccatcc taaacaactc acaagtgcctt 1320
 gatctagatc ttatagtagg attggaaaat ataggtaact gttgttatat gaactgtata 1380
 cttcaatggt tgggtgggaac acacgatttg gttcgaatgt ttttggataa cacatatctg 1440
 aattttatta attttgatag ttcaagaggt tctaaggggt tgctagctaa aaatttcgcc 1500
 atcttgggtca ataatatgca cagacacggt gcattcacac ctcctaactg aagaacgata 1560
 ccagttcaga ctattcagtt taaaaaaatt tgcggccata tcaaccccat gtatagtgat 1620
 tcaatgcagc aagattgtca agaattttgt caatttttgc ttgatggctt gcacgaggat 1680
 ttgaaccaa acggcagcaa aaagcatctt aaacagttat cagatgagga agaacgaatg 1740
 agagaaaaaa tgtccatacg caaagctagt gctctcgagt gggaaagatt tttgcttacc 1800
 gacttcagtg cgataattga ctttttccaa ggacagtacg catctaggct acaatgtcaa 1860
 gtttgtgaac atacctccac aacttaccaa acattctctg ttctttctgt tcctgtccca 1920
 cgcgtaaaaa cttgtaacat attagactgt ttccgggaat tcaccaaagc cgaaagggtta 1980
 ggtgtcgatg aacaatgggtc atgtcctaaa tgcttaaaaa agcagccttc cactaaacaa 2040
 ctgaagatta ctagattgcc taagaaacta attattaatt tgaaacgatt tgacaatcaa 2100
 atgaataaga ataatgtggt tgtccaatat cttactcct tagatcttac accatattgg 2160
 gcgagagatt ttaatcatga agctattggt aatgaggaca ttcctaccag gggccaagta 2220
 ccaccattta gatacagact gtatgggggt gcattgcatt cggggagttt gtatggggga 2280
 cactatactt catacgttta taagggacca aaaaaagggt ggtatttttt cgatgactcg 2340
 ctttatcgtc ctataacggt tagtactgaa tttatcacac ccagtgcata tgttttattt 2400
 tacgaaagaa ttttttga 2418

<210> 496
 <211> 2295
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 496

atgggtgaacg aattagagaa tgtgccacgg gcgtcgacct tgacgaatga agagcaaacg 60
 gttgatccta gcaataacga ctacaggaa gatattagtc tgggtgattc taacgaaatt 120
 acttcgttgg catcattaaa ggctatccga tcaggaaatg aagaggaaag cggaacgag 180

caggtgaatc ataatgatga ggccgaagaa gatcctctgt taactcgcta ccataccgct 240
 tgccaaagag gtgatctagc gactgtcaaa gaaatgatac atggaaagtt gctcgaagtt 300
 aataacgacg gtgactctac ggaacatatc actgggtttgc attgggcaag tattaataac 360
 agactttctg tagtggattt tctagtttca caaggcgctg atgtcaatgc aagggtggt 420
 gctttgcatg ccacaccatt acattgggct gcaaggatg ggtacgtgta cattgtcgat 480
 tttttgctta agcatggagc tgatcccacc atgaccgatg accaaggttt caatctacta 540
 cacttatctg tgaacagctc aaatataatg ctagttctat acgttttatt caacgttgtc 600
 agcaaaggtc ttttagatat agattgccga gacccaaagg gcagaacttc actactatgg 660
 gctgcttacc agggagattc cctaactgta gcagaattgt tgaaatttgg tgccagcata 720
 aagatcgag atacagaagg attcacccca ctgcactggg gcactgtaaa agggcaacca 780
 catgtactaa aatacttgat tcaagatggt gcagattttt tccaaaaaac ggataccgga 840
 aaagattgct ttgctattgc tcaagaaatg aacactgtgt actcacttag agaggctcta 900
 acacattctg gattcgacta ccatggttat cccattaaaa aatggttcaa aaaaagtcaa 960
 catgctaagc tcgttacatt cataacgcca tttctatttc taggaatcgc atttgctctt 1020
 ttctctcata ttaacccttt gtttgtaatc attgtccttt ttttattggc cattgccact 1080
 aacaaaggct tgaacaaatt cgttctgccg tcatatggac gaatgggtgt ccacaacgtt 1140
 accttggtta ggtcaccttt gttatccggt gttttttttg gcactttact ttgggtgact 1200
 atcgtttgggt ttttcaaagt tatgcctcga acattttctg atgaacaata tactaacatc 1260
 ctaatgctgg taatacttgt ttctgtattt tacctttttg ggcagcttgt tattatggac 1320
 ccaggatggt tgccagaaga aactgatcat gagaacgtgc gacaaacaat ctcgaaacttg 1380
 ctcgaaatcg gttaaattga tacgaagaac ttttgatcgc aaacttggat tagaaaacct 1440
 ctaagaagca aattttcgcc cttaaacaat gctgtggttg caagatttga tcattactgc 1500
 ccttggatct ttaatgatgt cggactcaaa aatcacaaag catttatatt ttttattaca 1560
 ttaatggaaa gtggtatttt cacatttctt gcactttgcc tggaatattt tgatgaactt 1620
 gaagatgcac acgaagatac atcccagaaa aatggcaa atgttcactc aggcgcttca 1680
 gatctctggt cgggattaat atatgataga tttgtcttct tgatattatt atgggcttta 1740
 ctccaatcta tttgggttgc aagtttgatc ttogtccaag cttttcaa atgtaaagga 1800

atgaccaata cagaattcaa tgttttgatg aaagagagta agtccattgg ccccgatggg 1860
 ttatctttca atgaaaactt caatactact ccagaaggat ttgcgccgtc gattgatccg 1920
 ggtgaggaga gtaatgatac tgtactagca ccagtcccag gctcaacgat aaggaaacca 1980
 cgcacttggt ttggcggttg ttacgcggtg actggtatgg atcagtgggt agcgggtata 2040
 aaagaaacca ttggcatcaa ggatagcacc ggacataatg tgtattcgat tacatcaaga 2100
 ataccaacaa attacggttg gaaaagaaat gttaaagact tttggcttac aagcgatata 2160
 aatgcgcctt tgtggaggcg aattttgtat cctccttcgg gctctaaagc tttgctcaac 2220
 gggatagaag ttgactatct taagctttac aaattgccaa ataaggatgt tgaacaagga 2280
 aatgatatgg tatga 2295

<210> 497
 <211> 2013
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 497

atggtagaac cggacatgca gaagaaggca agtgggtggca gtggcggttc cgagatggat 60
 actttaaatg ctaccagcaa cagtagtaaa caaggagttt caaataataa aaggaatccg 120
 gtcagtaaaa agaaaccagg gaataaggtc tctgatggaa gagataatgc acataattat 180
 cacggggaag gccgcagaaa aagtagcaaa caacagaggt caagaacgcc ctataaggag 240
 actagtacta ggatcaatga tcaagatata gatttatcta tccaggaaga aattcttggg 300
 ggtaatttca aattacgagg caggaaaact caagtttcca ttaatcattt gttgaatttc 360
 cagttacctg aagtcgaaag ggaaaaaagt aggtcctctt caagtaagaa atcgaatagg 420
 agacgcgatg agcacgtaca ttacacggt gacacatttg ttaatgttaa ttaccgtctt 480
 ttggtagatg atcgttttga ctaccagag caaaactgta acccgaacgt tcctgtcgat 540
 caagaaaaga ttctaagagt catagtgcc aagggtcaga attgttctat ttgtctgagc 600
 gaggaaccgg tggctcccag aatggttact tgtggccata ttttctgtct aagttgtctc 660
 ttgaactttt tctccattga agaaaccgtc aaaaataaag agactgggta ctcaaagaag 720
 aagaaatata aagaatgcc gctttgtgga agtattattg gccctaaaag ggtcaagcct 780
 gttctgtatg aggacgactt tgatgtaacc aggttaaatac aaaaaccga acctggtgcc 840

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

```

acagtacatc tacaactgat gtgtaaacca cacggttcac tattaccttt gccagtagcc 900
ttacatttag accctctaaa atgtggaaat ttccctcccg caaacttagg atcaataaag 960
cattatgcgc atattatgaa gtgtggcgtg tcttactcct tggagctcta tcaaaaggac 1020
attgttgcta ttcaggaaca atatgaaatc gacaaggcca tttataatga tagtggaaaa 1080
tttgттааgс agtcgattga aaatatcaat gatcaaattt cgacgttgct ggctgcaacc 1140
actgatttga gccactttc caacgatatt aacaacggtt tggacaattt tcattttgat 1200
gacgatctct tgaccaaata cgatgattct tccgcttatt ttttctacca gacgttggtg 1260
gcacgtcca cgaaatactt cttatctcca ctggatgtaa aaatcttatt gactattttc 1320
cactattatt ccaagtttcc agaaagcatc gagacgacag tcgaaaatat acattatgat 1380
acagtggtaa cggagcaatt aatccgccgc tacaagtaca tcggccacct tccaatcggc 1440
actgagattg ccctttttaga cttggactgg cgtaaaatac cattccttcc caaggaaatt 1500
tacgaacagt ttgctcatga gctaaaacaa cgtcgaagaa aattcacaat gaaaaagcaa 1560
aaggaagata aggaaaagaa actatatgaa aaaaggttgg aacaagaaca tgccgagttc 1620
tacagaaagg aaaatggcaa ttctctcaag tttgaagact ctgtacagat ggctacccat 1680
tatgaatcca ttgtaagctc ttccatacct ctcaactcct taggaatttc tatgctgggt 1740
ccaccgacaa attcctgctc tactcctcaa aagcaagcgc cctcccacac gaaaagaaca 1800
at ttgggggga catcaattgc agtgacggaa gacgaaaaag catcaaagga gaacaaagaa 1860
tttcaagata tgттattgca gcgaataagg caggaagata gttcggatgt cacagattcg 1920
acggattctc ctctacaag taatggtaag cgaggcagga agaagaaagg taaagtcatg 1980
ctattcagca gcaatcatca agccttgggt tag 2013

```

```

<210>      498
<211>      390
<212>      DNA
<213>      Saccharomyces cerevisiae

<400>      498

```

```

atgttcatat taggcagtgt cggatgtgtc gaggcggacg aagcctcgcc attatattgt 60
ctctcggctg ccttgataag gttgtcaaат gacgagatgg gaggcaacgt gatgtggttc 120
atagcactat tgттtgсatt actcatcgct cgctgcacat gccacacaaa aaacaccac 180

```


cctgatttct cgaaaccaac tttttgtcac caacatgcag cgcttaccaa cagtctgtct 240
tctttataacc gttgctttgt tccagatggg actgccatgc ttccaacggc tacaaaaaaa 300
acaccgcaac ggcgaaaaaa tggcgcaatt attcaccgtg tagtcattta ccacggccgg 360
gaaagcgcgga atgggatcag caaacaataa 390

<210> 499
<211> 1848
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 499

atgtcatcta tctctttgaa ggaaattata ccacctcagc cttcgacaca gcgtaacttt 60
actacgcatt tatcgtatga ccctacaacc aacgcaattg cttacccatg tggaaaatct 120
gcatttgtac gttgtttgga cgatggagac agtaaagtag ctccagtagt acaatttact 180
ggatcatggc cttcggtagt cacaacggta aagttctctc caattaaggg ttcccagtag 240
ctatgctccg gtgacgaatc tggaaaagtg attgtttggg gatggacatt tgacaaagaa 300
agcaattctg ttgaagtga tgttaagtct gaattccaag ttttagcagg tccaatcagc 360
gatatctcct gggattttga agggcgaaga ctctgcgttg tgggagaagg tcgtgataac 420
tttgggtgtt tcatatcctg ggattctggt aattccttag gtgaagtttc aggtcactca 480
caacgcatca atgcttgtca tttgaagcaa tctagaccta tgagatctat gacagttgga 540
gatgatggat ctgttgtctt ttatcaagga cctccattta agttctctgc cagtgcagaa 600
acacaccaca aacaaggctc atttgtcagg gatgttgaat tttcacctga cagcgggtgaa 660
tttgttatta cggtagggtc tgacagaaag atttcttgct ttgatggcaa atcaggtgag 720
tttcttaaat acatagagga tgatcaagaa ccagttcaag gtggtatatt tgcactatcg 780
tggcttgatt cccaaaagtt tgctaccgta ggagcagacg ctaccattag ggtttgggac 840
gtcacgactt caaaatgcgt tcaaaaatgg accttagaca agcaacaact gggaaatcaa 900
caagttgggtg ttgttgcaac aggaacgga aggattatct ctctttcact ggatgggacc 960
ttaaacttct atgaacttgg acatgacgag gttttaaaaa ccattagtgg tcataacaag 1020
ggtattactg ctttgacagt caaccacta atcagtgggt catatgatgg taggattatg 1080
gaatggtcta gctcttccat gcaccaagat cactccaact tgattgtatc attggataat 1140

agtaaagcgc aagaatactc cagtatttct tgggatgata ctttgaaagt gaacgggtatt 1200
 actaagcatg aatttggatc gcaaccaaag gttgctagtg cgaacaatga tggcttcact 1260
 gcagtactaa caaatgatga tgatttggtg atattacagt cttttacggg cgatataatc 1320
 aagagtgtaa gactgaactc accaggtctt gccgttagct tgagccaaaa ttacgttgca 1380
 gttggtttgg aagaaggtaa tactattcag gtattcaaat tatcagattt ggaagtcagt 1440
 tttgatttaa aaacacctct tcgcgcacaaa ccctcgta ca tatcaatttc gccatctgaa 1500
 acatacatcg ctgctggaga tgttatgggc aagatattgc tatatgattt acaatcaaga 1560
 gaagtgaaaa cttcaagatg ggctttccac accagtaaaa tcaacgccat ttcattgaaa 1620
 cctgctgaaa agggagcaaa cgaagaggaa attgaagagg acttagttgc cactggttct 1680
 ttagacacca atatttttat ttactccgtc aaaagacctg tgaatatcat taaggcgttg 1740
 aatgctcaca aggacggtgt taacaacctt ttatgggaaa caccatctac cttgggttagt 1800
 tctggtgagg acgcttgcac taaaagggtg aatgttgtcc tcgagtga 1848

<210> 500
 <211> 1770
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 500
 atgagtggag tatcaaataa aacagtatca attaatggtt ggtatggcat gccaatcat 60
 ttactaaggg aagaaggcga ctttgcccag tttatgattc taaccatcaa cgaattaaaa 120
 atagccatac atggttacct cagaaatacc ccatggtaca acatgttgaa ggattatttg 180
 tttgtgatct tttgttaca gctaataagt aatttttttt atctgttgaa agtttatggg 240
 ccggtgaggt tagcagtgag aacatacgag catagttcca gaagattggt tcgttggtta 300
 ttggactcac catttttgag gggtagcgta gaaaaggaag tcacaaaggc caaacaatcg 360
 atcgaagacg aactaattag atcggactct cagttaatga atttccaca gttgccatcc 420
 aatgggatac ctgaggatga tggtattgaa gagctaaata aattgaacga cttgatacca 480
 cataccaat ggaaggaagg aaaggctctt ggtgccgttt accacggtgg tgatgatttg 540
 atccacttac aaacaatcgc atacgaaaaa tattgcgttg ccaatcaatt acatcccgat 600
 gtctttcctg ccgtacgtaa aatggaatcc gaagtgggtt ctatgggttt aagaatgttt 660

aatgccccctt ctgatacagg ttgtggtacc acaacttcag gtggtacaga atccttgctt 720
 ttagcatgtc tgagcgctaa aatgtatgcc cttcatcatc gtggaatcac cgaaccagaa 780
 ataattgctc ccgtaactgc acatgctggg ttgacaaaag ctgcttatta ctttggcatg 840
 aagctacgcc acgtggagct agatccaacg acatatcaag tggacctggg aaaagtgaaa 900
 aaattcatca ataagaacac aattttactg gtcgggttccg ctccaaactt tcctcatggt 960
 attgccgatg atattgaagg attgggtaaa atagcacaaa aatataaact tcctttacac 1020
 gtgcacagtt gtctagggtc ctttattggt tcatttatgg aaaagggtgg ttacaaaaat 1080
 ctgccattac ttgactttag agtcccggga gtcacctcaa tatcatgtga cactcataaa 1140
 tatggatttg caccaaaagg ctcgtcagtt ataatgtata gaaacagcga cttacgaatg 1200
 catcagtatt acgtaaattc tgcttggact ggcgggttat atggctctcc tacattagca 1260
 ggggtccaggc ctggtgctat tgcgtaggt tgttgggcca ctatggtcaa catgggtgaa 1320
 aatgggtaca ttgagtcgtg ccaagaaata gtcggtgcag caatgaagtt taaaaaatac 1380
 atccaggaaa acattccaga cctgaatata atgggcaacc ctagatatc agtcatttca 1440
 tttttctcaa agaccttgaa catacacgaa ctatctgaca ggttggtcaa gaaaggctgg 1500
 catttcaatg ccctacaaaa gccggttgca ctacacatgg ctttcacgag attgagcgct 1560
 catgttggtg atgagatctg cgacatttta cgtactaccg tgcaagagtt gaagagcgaa 1620
 tcaaattcta aaccatcccc agacggaact agcgtcttat atgggtgtcg cgaggagcgtt 1680
 aaaactgctg gcgttgacga caaattgatt gtgggattcc tagacgcatt atacaagttg 1740
 ggtccaggag aggataccgc caccaagtag 1770

<210> 501
 <211> 1677
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 501

atggcacaca tcccagaggt ttacccaaa tcaataccga ttccggcatt tattgttacc 60
 acctcatcgt acctatggta ctacttcaat ctggtgttga ctcaaattccc gggaggccaa 120
 ttcacgtttt cgtacatcaa gaaatcgcat catgacgatc catacaggac cacggttgag 180
 atagggctta ttttatacgg gatcatctat tacttgtcca agccacaaca gaaaaagagt 240

<400> 502

atgagtaata cttcttcgta cgagaagaat aatccagata atctgaaaca caatggtatt 60
accatagatt ctgagtttct aactcaggag ccaataacca ttccctcaaa tggctccgct 120
gtttctattg acgaaacagg ttcagggtcc aaatggcaag actttaaga ttctttcaaa 180
agggtaaaaac ctattgaagt tgatcctaata ctttcagaag ctgaaaaagt ggctatcatc 240
actgccccaa ctccattgaa gcaccacttg aagaatagac atttgcaaata gattgccatc 300
gggtggtgcca tcggtactgg tctgctggtt gggtcaggta ctgcactaag aacagggtgg 360
cccgttctgc tactgattgg atgggggtct acaggtagca tgatttacgc tatggttatg 420
gctctgggtg agttggctgt tatcttcctt atttcgggtg gggtcaccac gtacgctacc 480
agatttattg atgagtcctt tggttacgct aataatttca attatatgtt acaatgggtg 540
gttggtgctac cattggaaat tgtctctgca tctattactg taaatttctg ggttacagat 600
ccaaagtata gagatgggtt tgttgcgttg ttttggcttg caattgttat catcaatatg 660
tttgggtgtca aaggttatgg tgaagcagaa ttcgtctttt catttatcaa ggtcatcact 720
gttggtgggt tcatcatctt aggtatcatt ctaaactgtg gtgggtgggtcc aacagggtgg 780
tacattgggg gcaagtactg gcatgatcct ggtgcctttg ctgggtgacac tccagggtgt 840
aaattcaaag gtgtttgttc tgtcttcgtc accgctgcct tttcttttgc cggttcagaa 900
ttggttggtc ttgctgccag tgaatccgta gagcctagaa agtccgttcc taaggctgct 960
aaacaagttt tctggagaat caccctatct tatattctgt cgctattaat gattggtctt 1020
ttagtcccat acaacgataa aagtttgatt ggtgcctcct ctgtggatgc tgctgcttca 1080
cccttcgtca ttgccattaa gactcacggt atcaagggtt tgccaagtgt tgtcaacgtc 1140
gttatcttga ttgccgtgtt atctgtcggg aactctgcca ttatgcatg ttccagaaca 1200
atggttgccc tagctgaaca gagatttctg ccagaaatct tttcctacgt tgaccgtaag 1260
ggtagaccat tgggtgggaat tgctgtcaca tctgcattcg gtcttattgc gtttggtgcc 1320
gcctccaaaa aggaagggtga agttttcaac tgggttactag ccttgtcttg gttgtcatct 1380
ctattcacat ggggtggtat ctgtatttgt cacattcgtt tcagaaaggc attggccgcc 1440
caaggaagag gcttggtatg attgtctttc aagtctccta ccggtgtttg gggttcctac 1500
tgggggttat ttatggttat tattatgttc attgccaat tctacgttgc tgtattcccc 1560

gtgggagatt ctccaagtgc ggaaggtttc ttcgaagctt atctatcctt cccacttggt 1620
atggttatgt acatcggaca caagatctat aagaggaatt ggaagctttt catcccagca 1680
gaaaagatgg acattgatac gggtagaaga gaagtcgatt tagatttggt gaaacaagaa 1740
attgcagaag aaaaggcaat tatggccaca aagccaagat ggtatagaat ctggaatttc 1800
tggtgttaa 1809

<210> 503
<211> 2592
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 503

atggtagata tatccgatac aagtggatac ctacataaac aaggtgtctt acctagtgtt 60
tctttcattt gcacttcttt ttttgcgtgt ggactgacat cttggaaagt tgaactgtca 120
tattatatag ttgttgcagc cgccatggga aacagtcctt ctactcagga tccatcgcac 180
tcaacaaaaa aggagcatgg acatcatttt catgatgcat tcaataaaga tcgtcaggga 240
agcataacct ctcaactgtt taacaatagg aagagtactc ataagagacg cgccagtcac 300
actagcgaac ataatggtgc cattccccct agaatgcaat tacttgcac tcacgatcca 360
tcgacagatt gtgatgggcg catgagcagt gatactacta tcgataaggg cccgtcccat 420
ctattcaaaa aggattattc tttgtcctct gccgcagacg taaatgacac tacgttggcc 480
aatttgactt taagtgatga tcacgatgtg ggtgcacccg aagagcaggt gaaatctccg 540
tcgtttttga gcccaggtcc atcaatggcc actgtcaaac gaactaaaag tgatctggat 600
gatctgtcta ctttgaatta caccatgggt gacgaaacaa cagaaaatga aagaaacgac 660
aaaccacacc atgaaaggca tcgctcaagc atcatagctt tgaaaaaaaa tcttttagaa 720
agttcagcta ctgcttcccc ttctccaacg aggtcttcat cggtgcattc agcatcactt 780
cccgcttga ccaagacgga ttccattgat attcctgtaa gacaacccta ttcaaagaaa 840
ccatctatcc atgcatacca atatcaatat ctcaataacg acgaaacatt ttctgagaac 900
tctcaaattg ataaagaggg aaacagtgat agtgtagatg cagaagcagg cgtacttcaa 960
agtgaagata tggttttgaa ccagtctctt ttacaaaatg ctttaaaaaa ggatatgcaa 1020
cgtctttcaa ggggtgaattc ctctaattca atgtatactg cagaaaggat aagccacgct 1080

<211> 2916
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 504

atggtcgggtt ccggtttctca cactccttat gatatatcaa actctccatc tgatgtaaat 60
 gtccaacccg caacacaact aaattccacc ttggtggagg atgacgatgt agataatcag 120
 ctatttgaag aggctcaagt cactgagact ggattccggt cgccttcagc ttcagacaat 180
 tcatgtgcgt attgtggtat agattctgca aagtgtgtca tcaaagttaa ttcattgtaag 240
 aaatgggtttt gtaacactaa aaacggtaca agcagctccc acattgttaa tcacttagtt 300
 ttatcccacc ataacgtagt ttctttacat ccagattctg acttagggga taccgttttg 360
 gaatgttata actgtggacg taagaacgtg tttttattgg gatttgtttc cgctaaaagt 420
 gaggccgtgg ttgttttact ttgtagaata ccttgtgccc agacgaaaaa tgcgaactgg 480
 gatactgac aatggcaacc attaatgaa gacagacaac ttttatcatg ggtcgcagag 540
 caaccaactg aagaagaaaa attgaaagct cgtttaatca ctcctagcca aatttccaag 600
 ttggaggcaa aatggagatc caataaagac gctacaatta atgatattga cgccccagag 660
 gaacaggaag caatcccacc ttactattg agatatcaag acgcctacga ataccaaaga 720
 tcttacgggc ctttaatcaa attggaggcc gactatgata aacaactcaa ggaatctcaa 780
 gctttagaac atatttctgt ttcattgtcc ttagctttta ataataggca tttagcatct 840
 ttcactttat ctactttcga atctaacgag ttgaaagttg ccatcgggtga tgaaatgata 900
 ctatggtact ctggcatgca acatcctgat tgggaaggtc gtggttacat tgttcggtta 960
 ccaaatagct tccaggacac attcacatta gagttaaacc caagtataac gccacctcca 1020
 acacatttga ccactgggttt tactgctgag ttcattctgga aaggtagctc ttatgacagg 1080
 atgcaagacg cattgaaaaa atttgccatt gataaaaaat ctatttcagg ttatttgtac 1140
 tataaaattt taggcatca agtggttgac atttcatttg atgtccatt acctaaggag 1200
 ttttcaattc cgaattttgc acaattaaac tcatcccagt cgaacgctgt tagtcatgta 1260
 ttacaacgtc cgttatcttt aattcaaggc ccaccaggca ctggtaaaac agttacttca 1320
 gcaacgattg tgtatcacct ttccaaaata cacaaggata gaatattggt gtgtgcccc 1380
 tcaaacggtg ctgtagatca ttgggtgcc aaattacgtg acttgggttt aaaagttggt 1440

agacttacg cgaaaagtag agaagatgtg gagagttccg tctccaactt agcattgcat 1500
aatttggttg gccgtggtgc taaaggggaa ttaaaaaacc tattaaagtt aaaggatgaa 1560
gttggcgaat tatctgcttc tgatacaaaa cggtttggtta aattagtaag gaaaacagaa 1620
gcagaaattc tcaataaggc agatgtcgta tgttgacat gtgttggtgc tggtgataag 1680
cgcttagaca ctaaatttag gactgtgtta attgatgaaa gtactcaagc ttctgagccg 1740
gaatgtttta tccaatcgt taaagggtgc aaacaagtta tacttggttg tgatcaccag 1800
caactggggc cagtcattat ggaacgaaag gcggcagacg ctggtttgaa acaatctctc 1860
tttgaaagat taatctctct aggccacgta ccgattcgtt tggaagttca ataccgtatg 1920
aatccttatt tgagtgtgtt tccaagtaac atgttttatg aaggcagcct acaaatgggt 1980
gtaacgattg aacagcgtac cgttcccaac agcaaattcc catggccaat tcgcggtata 2040
ccaatgatgt tttgggcca ttacggtaga gaggagattt ctgctaacg tacttccttc 2100
ttaaacagaa ttgaagccat gaattgtgaa cgaatcatca ctaaactttt cagagacggg 2160
gtcaagcccg agcaaattgg tgttatcaca ccatatgagg gacaaagagc ttatatatta 2220
caatatatgc aatgaatgg ttcatggat aaggatttgt atatcaaagt ggaagttgcc 2280
tcagttgatg cattccaagg tcgtgaaaag gattacataa tcttatcgtg tgttcgtgcc 2340
aatgaacaac aggccattgg tttcttacgt gatcctcgtc gtctaaacgt gggcttaacc 2400
cgtgccaat atgggtctagt tattcttggg aatcctagat ctttggaag aaacacatta 2460
tggaaccatc tgttaatcca cttcagagag aagggttggt tagtcgaagg tacgttggat 2520
aacttacagt tatgcactgt tcaattagt cgtcctcagc caagaaagac tgaacggcca 2580
atgaacgctc aatttaacgt agaacttgaa atgggtgact ttccgaagtt ccaggatttt 2640
gatgcacaga gtatggtgtc attcagtggg caaattgggg actttggtta tgcatttggt 2700
gacaacacag aactttcttc ttacatcaat aatgaatatt ggaattttga gaattttaaa 2760
agtgcctttt ctcaaaagca aatcgcaat gaaattgacg atagaaattt gtaccaggag 2820
gaggcttctc atttgaactc taacttcgcg agagagttac agagagaaga acaaaagcat 2880
gaattgtcaa aagacttcag caatttggga atataa 2916

<210> 505
<211> 3033
<212> DNA

<213> Saccharomyces cerevisiae

<400> 505

atgtttaaga aaagcaggca tttgaagaat gtgtcaaatg ctatcaaatc cgcgagagtt 60
catgacgtct caaatggtat taactccaaa tttttcgata ctaagaaaat atgcacatac 120
ggcataaatg gacgaatcac tgttaccaca ttcgactata ctcaaagcct tttggcagtt 180
gcaactactg ctggggagat acatgtttat gggcaaaagc aaatagaggt cgtattttacg 240
ttaaaaaatc gacctcaaat taaacacatg cgggtttatta aaggaattta tctgatagct 300
gtagatgaga agagcaacat aatagtcctt tcagtacact cgaaacagat tctaactact 360
gttttctgtc caaacagcat cacttgtttt gagactgata cgcccttgga ttggatgctg 420
attggcctcg agagtggatc catattgatc tatgatgtgg atagaaatca aatgtccaaa 480
ttgaaaattg aaaacttcca gaaaagtgtg tttttgcaa aagagaggct atcaccggtt 540
atctctatcc aatggaatcc tagagacata ggaacgatac ttatatcata tgagcatatt 600
acagtcatat attctttcat tgactacaaa gtcaagcaac atttttttta ccaattagaa 660
ccgtatgctc cgggcggtga tctatccaca aacatagaaa agaaacgcac tccaaaggctc 720
attcagtcac tttatcacc aaattcctta catatattaa ctgtccatga agataatgcc 780
ttgggtatttt gggatgtcaa tagcggtaaa ctgattcacg ctagaagtat atttgaaaca 840
catgtgaatt ttccaaatcc tgccttgaaa gactgttctt ttacagaaac acccgctatc 900
tttaaagtaa gctggctttg ccagcgtaat cctgagtata catcgttgtt gattgcaaca 960
aaagctacag aaaatccctg tttacctcag gaaataacca tgattgactt aggcggcaca 1020
ccaatgtatt ctgtgacatc atttgacgca atgagcaagt actatgctaa accggttcaa 1080
caaaaactat tttcgttgat tggcaaagct ccactaataa attttctacc cttgccgaag 1140
gcttctccat attttggtgg atgccatgac acaaactca ttttattact tttagaagat 1200
ggcgaacttg aaacattgat ataccagca ggctctttta gttccaaggc ctccattttc 1260
cctcggagct tagcatgggt tcgaccaacg gttactactt gtatagcgca atcagttcaa 1320
aaaaatcttt ggctggggat gatgacaatc gctcaaagt aatcgttttt aaaagggtgg 1380
attcctgcca ccagaaatat tagaaggcat gagaccagat ctgctttact aactgggcat 1440
agtaatgggt cagtcagaat atgggatgct tcacacagt aagtaactga caacgctgta 1500

ttggaagtga atactgctaa agtacttaac agagctacta acctggccat aaaaaatattc 1560
 tcctttgcat cggaacatt ggaattggcg gtatcatctg aggttgggga tgttattctt 1620
 ttcaaattcg aaacaaacaa gttttacgga caacttccca aaagcgatgc actgcaattg 1680
 aagtttagca gattttcatt ggatgattca aaaactatct tagttgatgt ttcggataga 1740
 gggcctacga acgttaaaca aggcctttata ccaagtacgg taatacatgc taaaaaagggt 1800
 gcggtgtccg caatcatgaa tagtaatatc ggggttcgtt cgttgggtt cattgaagga 1860
 accttaataa tattggacag aagaggcccg gctataatct tcaatgaaaa tattagggtc 1920
 atttctaaag ctggtagctc ttacgtttca accgttccact tttgcgtcat ggaatatgga 1980
 gatgatgggt tctctagtat tttgatgcta tgtggaacgg atatcgggga attgatgact 2040
 ttcaaaaatac tgctgcaac taatggaaga tttgagggtta aattcactga tgcaacaaag 2100
 accaacaatc aaggaaaaat tctaggaata aattcttttg ccaagatac tggctacagt 2160
 tgttctgcta ctatatcaaa gatgcagggt ttaagcaagg gtatcgcaat acctggattt 2220
 gttactatca gtggcgcaaa tgacattcgt ttagtatcac caggtaaattc taaggacact 2280
 catgcgcttt tcaagtatcc aattgccact agtggattat catttattcc cattattgac 2340
 ggtaaaggag aaagaaagct ttcaactatt atgatcgttt tgctaattaa tggagatatt 2400
 aaagttttga cagtacctga gcttaaggaa gtcaaaaatc tacgctgccc ggtccctcta 2460
 agcgctcaat acgttgaaaa ttcatctata ttagaaaatg ttgacattgt cattcgcaca 2520
 gggaaattcc aagcttcttt gatttcagta cttaatgaaa gtgccaccgg ttcgaatcat 2580
 actgctgaca tatcacaaca tactcctatt gataccttgt acaatcctga tttaaagatt 2640
 ggttataggc ctcaagtga ttccttaca tgggctagag gaactattta ttgcacacca 2700
 tatcaacttg atgagctact gggcgggtata gaaaggcccg aatcgaagta tgaggaaagc 2760
 gcaattgctc gaggatgcat atcttccagt agtagtaatg cagccagaaa gttacctccc 2820
 ggtacgaaag atcacaggta tgccagacct gtaagaagct ctggaagaag taatggatat 2880
 ggtgtcctta aaagtgtttc tagggcaatt gaaactcgtt tagacacggt agaaaccact 2940
 attaatgact atgcaaccac aatgggacaa accatgaatg acgcaatgga agaaacggga 3000
 agggatatga tgaagagcgc tgtagggttt tag 3033

<211> 2871
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 506

```

atgccagtct ctgtaataac cacgggttta gcatgtctgt ggctctctta taggctctat   60
aagttttctca ctattcctgt gtccagcatc gtctccactt tgaagatcaa aactccaccg  120
gcaacaaaag tgtctatcga caaaatagcc acggattcag tgaccattca ttggggagaac  180
gaacctgtaa aagcggagga caatggcagt gcg gatagaa acttcatttc ccactatttg  240
ttgtatctga ataacacaca attggctatc ttcccaaaca acccaaactc cctttacaca  300
tgctgctcca tcacgggtct cgaggcggag acgcagtacc agttagattt tataacgatt  360
aacaacaagg gctttatcaa taagctaccc tccatttact gtatgacgaa ggcgagagag  420
gcgaatgaag cgtaaagac tagaaaatgg agaagaaaca ccatcacatc gtccacagct  480
atgcagccca gaaactccaa gtccgaaccc gcccgttgc cctctcacta ctcctctgtt  540
tccctgtcta ctttctcatc caatattact aatagcgcca ccagcaataa tggttcaaatt  600
ctaccgcgtt acacatcttt gactacgttg aaggatttgg attcgttttc catcgatgat  660
ctgaaaaaga tactgatttg cgcccaggag gacttacacg atgtgttgtc ccaacaaact  720
tcgcttttgc aagattttca agaatcgaag ttagaattag aactagaact ggataaacttg  780
aaaacacatt ggtcgcacga aattgacttg cggaatcct tgaaatccaa tatcaagtca  840
ttggagaatt ctaaaactatt gaccgatttg aaaatcgaaa aattgaacaa gaaaatcgac  900
aatccaagg aaaaaatatt gaaaatgcgc aatgatatgc agaaatgggtc tcaggaagat  960
accgagctgt tgtctaagga taccataaag gagaaatatt tcaaattgct aaatgaatcc 1020
aatgcctctg tggccaatat caacaaagaa attgagtctt tacaaaatga aatttccaag 1080
atggaggagt ctaacaagag attgaacgcc tccaaaaaat cattgattac ttccatagtg 1140
gtgaatgcca atgtggaaaa cgataaacct attgctagcg gagaattgtc ggctgttttg 1200
aagaagctca atgattttac tttagaaaaa aatggatttt taagtaatgc tgggtgaagag 1260
tttctatcca aattgaatgc agactcatca ttgattaaaa tgattaagca agagctaagc 1320
attgatcaag aattggaggc caactggaaa ttgcagaggt caaatttggt gaagaaaatt 1380
agtgctttag aaaaccaatt taatgaaatg agccttaata atcggaattt gaaaacaaaa 1440

```

ttaatgggtc aaccatataa gaataacggt gattcgcttg ctgccaccaa ttcgaataat 1500
 tccgcggaaa aaaacagaag ttctggatcg attcaattac cattatccaa caacatgtca 1560
 agaacgggggt ccattgattt aatatcgaat aataacaaaa gtattaacaa cagtaatgct 1620
 gattctgctc ctccgttgag gttgcacaat ccagtttcgt actctccttc gaatgaaccc 1680
 atacaacctt caagcagtct attgagtcaa ttgacacagg acaccgataa tcgatcaatg 1740
 ctctccaatc acatctcatc gaacaacgaa aacaagcaac agccttcttc atattcacat 1800
 gctttaccta caactgctac tgctaattgca acagcaacag caacagcaac taatggtcac 1860
 tcaagggtcaa atttatggac caccgcacaa ttcgctcaac cttcgcatca acaagtatct 1920
 acagaattgg atcaagcttt tgaatacgat aatgcaaacc acttaatcag tggtttgcaa 1980
 aatatgatct acgacgaaac agactatcct gataacataa gcaattattc caagggtttt 2040
 actacagacg aacttgacaa ttactggact aagcagcaac cccaggtgcg cagcacaaat 2100
 gaaagtcttt tctctacgac tggaacacct atgtcatcat ataaggctaa cccagtaata 2160
 tctccatatt ctagtttctc tttgcgacaa acctccaacg caaccaatac gaatcctatg 2220
 catccacaga gtctactcgc cgctacattg aatgatcctt cattacaaaag ttttgtacgc 2280
 agtgggttctt tctacagtgc tccgcaacct gcaaactcct tacagaacaa tatcaatggc 2340
 aatgaaaccg agaacattag tccaaggata tcaagtgact tcaatttatt ggtgccaaac 2400
 ttgagcccac gactctcaaa cgatgtgccc attgttccag gcaataacac tactttaaca 2460
 ccttcacact cgaacatatt aacaatgaac catcaaccaa cggcgggataa cattacacga 2520
 agatctttcc atgcctcttc accacctttc aactccatat ggaattcaaa tacaaatcaa 2580
 ctttctcttc cattggagga gcagtatcac ctgatgtgc ctgtgggtcc aaagggtccc 2640
 gctaaagaac caagccctaa gccttctcac aagaggaacc aaagtaacag cagcatttct 2700
 tctgcatggt ccaagtttaa gcacaagtct gcatcatcac ctgctaattgc ggacacggat 2760
 attcaagatt catcaactcc atcaactagt ccaagcggta gaagaatgtc aaaactgttg 2820
 tccaagagcg gtatgaataa tctatttaac ccgcacagtc acgactcatg a 2871

<210> 507
 <211> 1632
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 507

atgacaagtg ccgctactgt tactgcttcg ttcaacgata cttttagcgt atccgataat 60
gtcgcgcgta ttgttcctga aacggacact caggtgacct acagggatct atcccacatg 120
gtgggtcact tccagaccat gttcacaaat cctaattctc cattgtacgg agctgttttc 180
agacaagata cagtggcgat atccatgcgt aatgggctgg aatttatcgt cgctttcctc 240
ggtgctacta tggacgctaa aattggcgcg cccttgaatc ccaattataa ggaaaaggag 300
ttcaattttt atttgaatga cctgaaatct aaggcgattt gcgtcccaa gggtaccaca 360
aagttacaga gttctgaaat tctaaaatct gcctccacgt ttggatgttt tatcgtagag 420
ctggccttcg atgcgaccag gtttagggta gagtatgata tatactctcc agaggacaac 480
tacaaaaggg ttatttaccg gtctttgaac aacgccaaat ttgtcaacac aaatcccgtt 540
aaattccctg ggtttgcccg ttccagtgac gttgccctga ttttgcatc cagtgggtacc 600
acctccactc caaaaacggt gcctttgtta catttgaaca ttgtgagaag cacgttgaac 660
attgctaaca cttacaagct aacgcccttg gacagatctt atgtcgtgat gcctcttttc 720
cacgtccatg ggtaattgg tgttttactt tccactttta gaactcaggg ttctgtttgtg 780
gttcccgatg gattccatcc aaagttattc tgggaccaat ttgttaagta caactgtaat 840
tggttcagtt gcgttccac aataagcatg attatgctga acatgcccaa accaaaccct 900
ttccacaca ttagattcat cagatcgtgt tcttctgctt tggctccagc aacgttccat 960
aagctggaga aggaattcaa tgcacctgtc ttggaggcct atgcgatgac cgaagcatca 1020
catcaaata cctcaaaca tetgcctcca ggaaagagaa agcctggtac tgtggggccag 1080
ccacaaggag tcaccgtcgt cattctagat gacaatgaca atgtcttgcc cccgggcaaa 1140
gtcggcgaag tttccatcag aggcgaaaac gtcactttgg ggtatgctaa taatccaaaa 1200
gctaacaagg agaacttcac caagagagag aactatttca gaaccggtga ccaagggtat 1260
ttcgaccctg aggggttttt ggtccttaca ggcagaatca aagagcttat caacaggggt 1320
ggtgaaaaga tttcacccat tgagctcgac ggcattatgc tatcgcatcc aaagatcgat 1380
gaagccgttg catttggtgt tcccgacgat atgtacggcc aagtagttca agccgccatt 1440
gttttgaaga agggagaaaa aatgacctac gaagaactgg tgaacttctt aaagaagcac 1500
ctagcctctt tcaaaattcc aaccaagggt tactttgttg ataagctacc aaaaaccgct 1560

acaggtaaaa tccagagaag agttatcgca gaaacttttg ctaagagcag cagaaataag 1620
agtaagttgt ag 1632

<210> 508
<211> 1383
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 508

atgcctaggg ccttatcaat aaaatttgac aatacgtata tggaccttta cgatgaatta 60
ccggaaagta aactccttta tgatgaagaa ttttcataatc ttttggatgc agtaaggcaa 120
aatggtgtct gcgtcgtaga ttttttaaca ctactccga aggaattggc aaggctaata 180
caaaggctga taaatgaggt tttcagattt cagcaattgc ttgttcatga atataatgaa 240
aagtacttag aaatctgtga aaaaaactct atcagcccag ataacggtcc tgagtgtttc 300
acgactgctg atgtagctat ggatgaatta ttaggtggag gcatattcac gcatggcatt 360
acagaaatat tcggagagag ctctactggt aaatctcaat tacttatgca gttggcggtta 420
agtgtccaac tttccgaacc tgcgggaggg cttggcggca aatgtgtata tattaccact 480
gagggcgatt taccaactca gagattggaa agtatgctat cgtctaggcc ggcttatgaa 540
aaactaggta ttacacaatc aaatattttc accgtcagct gtaacgacct aataaatcag 600
gaacacataa tcaatgttca gttgcctatt ttattagaga gatctaaggg ttcaataaaa 660
ttgggtgataa tagattcgat ttctcatcat ttgaggggtg agcttcagaa caagtccttc 720
agagaatccc aagaaaataa aaactatctg gataggatgg cagagaagct ccaaatactg 780
gcccacgatt attcattatc cgttgtggtg gctaatacaag ttgggggataa accactggct 840
aacagtccag tggcacatag gacatatgta actgattatg attatcagct aggggtggcta 900
gttggctgga agaactcaac cattctttat cggcagatga attcgtctgct tggagcaagt 960
tccaataacg atgaaattct atcagacgat gaagattata tgctaatacga gagagttatg 1020
agcactgtaa atgaccggaa ttatgatttt ttttcaaaaa agaaaccacc cataattgag 1080
aataaaaccg ttgagcgaaa ttcatcaagt cctatcagtc gacaaagtaa gaaacggaaa 1140
tttgactatc gtgtcccaa tctcggtttg acttgggtcca atcacgtttc aacacgaata 1200
ttacttcaaa aatctttcaa ggcttcaaca ataattcaaa gaggtgaagc tcattctttat 1260

aagggaggtg attcggcaag cttctggcaa gttaagagga caatgaaagt ggtatattcc 1320
acattcgcta agcctgggtca aattgcatat caaattacta agcgaggaat agaaacagcc 1380
tga 1383

<210> 509
<211> 1314
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 509

atggctgtct ctaaagttta cgctagatcc gtctacgact cccgtggtaa cccaaccgtc 60
gaagtcgaat taaccaccga aaaggggtgtt ttcagatcca ttgttccatc tgggtgcctcc 120
accggtgtcc acgaagcttt ggaaatgaga gatgaagaca aatccaagtg gatgggtaag 180
gggtgttatga acgctgtcaa caacgtcaac aacgtcattg ctgctgcttt cgtcaaggcc 240
aacctagatg ttaaggacca aaaggccgtc gatgacttct tgttgctttt ggatgggtacc 300
gccacaagt ccaagttggg tgctaacgct atcttgggtg tctccatggc cgctgctaga 360
gccgctgctg ctgaaaagaa cgtcccattg taccaacatt tggctgactt gtctaagtcc 420
aagacctctc catacgtttt gccagttcca ttcttgaacg ttttgaacgg tggttccac 480
gctggtggtg ctttggcttt gcaagaattc atgattgctc caactgggtg taagaccttc 540
gctgaagcca tgagaattgg ttccgaagtt taccacaact tgaagtcttt gaccaagaag 600
agatacgggtg cttctgccgg taacgtcggg gacgaagggt gtgttgctcc aaacattcaa 660
accgctgaag aagcttttga cttgattgtt gacgctatca aggctgctgg tcacgacggt 720
aaggtcaaga tcggttttga ctgtgcttcc tctgaattct tcaaggacgg taagtacgac 780
ttggacttca agaaccaga atctgacaaa tccaagtggg tgactgggtg cgaattagct 840
gacatgtacc actccttgat gaagagatac ccaattgtct ccatcgaaga tccatttgct 900
gaagatgact ggggaagcttg gtctcacttc ttcaagaccg ctggtatcca aattgttgct 960
gatgacttga ctgtcaccaa cccagctaga attgctaccg ccatcgaaaa gaaggctgct 1020
gacgctttgt tgttgaagggt taaccaaatac ggtaccttgt ctgaatccat caaggctgct 1080
caagactctt tcgctgccaa ctgggggtgtt atggtttccc acagatctgg tgaaactgaa 1140
gacactttca ttgctgactt ggttgctcggg ttgagaactg gtcaaatcaa gactgggtgct 1200

ccagctagat ccgaaagatt ggctaagttg aaccaattgt tgagaatcga agaagaattg 1260
 ggtgacaagg ctgtctacgc cggtgaaaac ttccaccacg gtgacaagtt gtaa 1314

<210> 510
 <211> 1350
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 510

atgtctgctc cagctcaaaa ctacaaaatc gctgatatct ctttggctgc cttcggtaga 60
 aaggaaatcg aattggctga acatgaaatg ccaggtttga tggccatcag aaaggcttac 120
 ggtgacgtcc aacctttgaa aggcgcctcg attgctgggt gtttgacat gaccattcaa 180
 actgctgttt taattgaaac tttagttgct ttgggtgccg aagttacctg gtcctcttgt 240
 aacatctatt cgactcaaga tcatgccgcc gctgctattg ccgcttcagg tgttccagtt 300
 tttgcctgga agggtgaaac tgaagaagag tatttgtggt gtattgaaca acaattgttt 360
 gccttcaagg acaacaagaa attgaacttg atcttagatg atgggtggtga ttttaaccact 420
 ttagttcatg aaaagcacc tgaatgctg gaagactgct ttggtctttc cgaagaaact 480
 accaccggtg ttcaccactt atacagaatg gtcaaagaag gcaagttaaa gggtcctgcc 540
 attaacgtta acgactccgt cactaagtcc aagtttgaca acttgtagcg ctgtagagaa 600
 tccttagtcg acggtattaa gagagccact gatgtcatgt tggctggtaa ggttgccgtt 660
 gttgctgggt acggtgatgt cggtaagggg tgtgctgctg ccttaagagg aatgggtgct 720
 cgtgtcttgg ttaccgaaat tgaccaatc aacgctttac aagctgccat ggaaggctac 780
 caagttgtta ccatggaaga tgcattccac attggtcaag ttttcgttac caccactggg 840
 tgtagagata ttatcaacgg tgaacatttc atcaacatgc cagaagatgc cattgtttgt 900
 aacattggcc atttcgatat cgaaattgat gtcgcctggg taaaggctaa cgctaaagaa 960
 tgtattaaca tcaaaccaca agtcgaccgt tacttggtgt cttctggtag acacgtcatc 1020
 ttgttggcta acggtagatt agttaacttg ggttggtgcta ctggtcactc atctttcgtt 1080
 atgtcttggt cttctcttaa ccaagtctta gctcaaattg ctttgttcaa gtctaacgat 1140
 aagtctttca gagaaaagca cattgaattc caaaagacag gccattcga agttgggtgtc 1200
 cacgttttgc caaagatctt ggatgaagct gtcgctaagt tccacttggg caacttgggt 1260

gtttagattga ctaaattgag taaagtccaa tctgaatact tgggtattcc agaagaaggt 1320
ccattcaagg ccgaccacta cagatattga 1350

<210> 511
<211> 378
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 511

atgaacgtcg ttagagtctg gccattttct acacgaacta taccttgtac cactacagtg 60
gcagcttggg ggacatgttg cgtgacagtc acagcaactg gggcagataa agcgacagat 120
gcagatgcgg ccagtagtga gacttttagaa aatttcatct ttgtaagttt tattaaagga 180
atgggtattgt tttatgatgg gctgtttcga ggaacgatga taccaagagc caacagatcc 240
atcacagcaa tatgtaacac tctgcgacaa gcatatatat atacaaagat ccaaagcatt 300
gcctttgaac gacgtctatg tttccaaaac attacatata gagaagtgcg tgagatacac 360
gaaatgtact gtaaatag 378

<210> 512
<211> 1026
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 512

atgagactgc cagaaatctc catttggaag gtgatactac tacttcattt gtttgctcta 60
caagaatttc aacttgtctc cgctgcaaag ttgccctctt tatcaagtag taaaaaggca 120
gcagatagtt ctagtaaagg cagctcttca gccaaagaaa ccacgtcctt aggcaaaagc 180
tcagtaacca gtaaggatgt ttcgtcaagt cataatgtca cttcaagcac taaaatgccc 240
aaaatcacca cgagcgctag tacaagctta tacaccaact ctagtttatg gagcaacaac 300
agtgtaatat caacttcata tattacacct tccagcgttt atatcccggt tacggacgga 360
aataaattct tatatcaggc tcatcatcct aacgggtactg tgttcattgc atttgctggc 420
tgttttaggtg caattctact atcactgacg ggtgcatgga ttgcattgaa tataaagtca 480
tggcgaagtg ctagaaagga aaataagctg agaaatctag aaaatcaata ccaacacgat 540
cctttctact tccaaacaaa cattaatgac gacgaaagtg aaacatcttc ccattctgac 600

gacagtgaca tatcagaaaa agttctgaaa aataactcat ctcgtatgag tttgtatact 660
ctaggatcca cttctgtttt gaatcttttg aacaataaaa cagatgccaa cgataacttc 720
agatcatcta tgtttatttc acccaccgaa attctgcaat ctgatgccaa caactctaata 780
acatgggtctc aaagcaatga gagtgctata tatgattcct tgtccagtac tccaagggaa 840
cctggtgcta cccaaatact gggaaagttt acagacagca ctaatccatt caattatata 900
tcatacaatt taagtcccgta ctctgaagac cgctctactc caaaatcaaa tgtagtcag 960
ggtaaagtaa agaagtaccg tcctcccagt gttcatctgg atcaactgct cgacggtaa 1020
gaataa 1026

<210> 513
<211> 1356
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 513

atgtcagagt tgagagcctt cagtgcccc gggaaagcgt tactagctgg tggatattta 60
gttttagata caaaatatga agcatttgta gtcggattat cggcaagaat gcatgctgta 120
gcccatacctt acggttcatt gcaagggctt gataagtttg aagtgcgtgt gaaaagtaaa 180
caatttaaag atggggagtg gctgtaccat ataagtccta aaagtggctt cattcctggt 240
tcgataggcg gatctaagaa ccctttcatt gaaaaagtta tcgctaacgt atttagctac 300
tttaaactta acatggacga ctactgcaat agaaacttgt tcgttattga tattttctct 360
gatgatgcct accatttctca ggaggatagc gttaccgaac atcgtggcaa cagaagattg 420
agttttcatt cgcacagaat tgaagaagtt cccaaaacag ggctgggctc ctcggcaggt 480
ttagtcacag ttttaactac agctttggcc tccttttttg tatcggacct ggaaaataat 540
gtagacaaat atagagaagt tattcataat ttagcacaag ttgctcattg tcaagctcag 600
ggtaaaattg gaagcggggt tgatgtagcg gcggcagcat atggatctat cagatataga 660
agattcccac ccgcattaat ctctaatttg ccagatattg gaagtgctac ttacggcagt 720
aaactggcgc atttggttga tgaagaagac tggaatatta cgattaaaag taaccattta 780
ccttcgggat taactttatg gatgggcgat attaagaatg gttcagaaac agtaaaactg 840
gtccagaagg taaaaaattg gtatgattcg catatgccag aaagcttgaa aatatatata 900

gaactcgatc atgcaaattc tagatttatg gatggactat ctaaactaga tcgcttacac 960
gagactcatg acgattacag cgatcagata tttgagtctc ttgagaggaa tgactgtacc 1020
tgtcaaaagt atcctgaaat cacagaagtt agagatgcag ttgccacaat tagacgttcc 1080
tttagaaaaa taactaaaga atctggtgcc gatatogaac ctcccgtaca aactagctta 1140
ttggatgatt gccagacctt aaaaggagtt cttacttgct taatacctgg tgctgggtgg 1200
tatgacgcca ttgcagtgat tactaagcaa gatgttgatc ttagggctca aaccgcta 1260
gacaaaagat tttctaaggt tcaatggctg gatgtaactc aggctgactg ggggtgttagg 1320
aaagaaaaag atccggaaac ttatcttgat aaataa 1356

<210> 514
<211> 1686
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 514

atgagtactc ctgcaaacta taccctgtgtg cccctgtgcg aaccagagga gctgccagac 60
gacatacaaa aagaaaatga atatggtaca ctagattctc cggggcattt gtatcaagtc 120
aagtcacgtc atgggaagcc actacctgag cccgttgctg acaccctcc ttattacatt 180
tctttgttaa catatctaaa ttatttgatt ctgattatat taggtcatgt tcacgacttc 240
ttaggtatga ccttccaaaa aaacaaacat ctggatcttt tagagcatga tgggttagca 300
ccttggtttt caaatctcga gagtttttat gtcaggagaa ttaaaatgag aattgatgat 360
tgcttttcta gaccaactac tgggtgttct ggtagattta ttcgttgat tgatagaatt 420
tctcataata taaatgagta ttttacctac tcaggcgcag tgtatccatg catgaactta 480
tcatcatata actatctagg cttcgcacaa agtaagggtc aatgtaccga tgccgccttg 540
gaatctgtcg ataaatattc tattcaatct ggtggtccaa gagctcaa atcggtaccaca 600
gatttgcaca ttaaagcaga gaaattagtt gctagattta tcggtaagga ggatgccctc 660
gttttttcga tgggttatgg tacaaatgca aacttgttca acgctttcct cgataaaaag 720
tgtttagtta tctctgacga attgaaccac acctctatta gaacaggtgt taggctttct 780
ggtgctgctg tgcgaaacttt caagcatggg gatatgggtg gtttagaaaa gcttatcaga 840
gaacagatag tacttggtca accaaaaaca aatcgccat ggaagaaaat ttaatttgc 900

gcagaaggggt tgttttccat ggaaggtact ttgtgtaact tgccaaaatt ggttgaattg 960
aagaagaaat ataaatgtta cttgtttatc gatgaagccc attctatagg cgctatgggc 1020
ccaactgggc gcggtgtttg tgaaatatat ggcggtgatc ccaaggacgt cgacattcta 1080
atgggtactt tcactaagtc gtttgggtgct gctgggtggtt acattgctgc tgatcaatgg 1140
attatcgata gactgaggtt ggatttaacc actgtgagtt atagtgagtc aatgccggct 1200
cctgttttag ctcaaactat ttcctcatta caaaccatta gtggtgaaat atgtcccga 1260
caaggtactg aaagattgca acgtatagcc ttttaattccc gttatctacg tttagctttg 1320
caaagggttag gatttattgt ctacggtgtg gctgactcac cagttattcc cttactactg 1380
tattgtccct caaagatgcc cgcattttcg agaatgatgt taaaagacg gattgctgtt 1440
gttgttggtg cttatcctgc tactccgctg atcgaatcaa gagtaagatt ctgtatgtct 1500
gcatctttaa caaaggaaga tatcgattat ttactgcgtc atgttagtga agttgggtgac 1560
aaattgaatt tgaaatcaaa ttccggcaaa tccagttacg acggtaaacg tcaaagatgg 1620
gacatcgagg aagttatcag gagaacacct gaagattgta aggacgacaa gtattttgtt 1680
aattga 1686

<210> 515
<211> 1989
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 515

atgactaaag aaacgattcg ggtagttatt tgcggtgatg aaggggttgg taaatccagt 60
ctgattgtat cattaacaaa agctgaattc ataccgacca tacaggacgt gctgccaccc 120
atcagtatcc caagagattt ctcatcatca cctacatatt ctctaagaa tacagtactt 180
atagacactt cagattcgga cctcatagct ttagaccatg agttgaagtc cgccgacgta 240
atgtggcttg tgtattgcga tcacgaatcg tatgaccatg tttctctctt ttggttgctt 300
catttcagat ccctgggggtt gaatattcct gtcattctct gcaaaaataa atgtgattcc 360
atatcgaatg ttaatgccaa tgcaatggtc gtgtcagaga acagtgatga tgatatcgat 420
accaaagtgg aggatgaaga atttatccca atattaatgg agtttaaaga aatcgacact 480
tgcattaaga caagtgccaa gacacagttt gatcttaacc aagcgtttta tctttgccaa 540

agggctataa cacaccaat atcaccttta tttgatgcc a tggtaggtga actaaagcca 600
 ttggctgtca tggctttaaa aagaatTTTT cttttaagcg atttaaacca ggactcatat 660
 ttagatgaca acgaaatctt gggcttacaa aaaaagtgct tcaataagag tatcgatgta 720
 aacgaactga attttattaa agatttgctt ttggatattt ccaagcacga tcaagagtac 780
 attaaccgca agctatacgt accgggaaaa ggcataacca aagatgggtt ccttgactg 840
 aacaaaatat acgctgaaag ggggagacac gaaactacat gggctatcct aagaactttc 900
 cattacacag attccttggtg tattaatgac aaaattctcc atccgagggtt ggttgtcctt 960
 gacacttcca gtgtggaatt gagccccaag ggctacagat ttcttgtaga tatttttttg 1020
 aagtttgata tcgacaatga tggtggtttg aataatcaag aattacatcg tctatttaag 1080
 tgcacaccag ggctgcctaa actatggacc tcaacgaatt tccccctctc cactgtcgta 1140
 aacaacaagg gttgcatcac cttacaaggc tggttagcac aatggagtat gacgactttc 1200
 ttgaactata gcacaactac cgcttacttg gtgtattttg gctttcagga agatgcaaga 1260
 ctagccctac aagtaaccaa gccaaaggaaa atgagacgcc gttccgggaa actttacaga 1320
 tccaatatca atgacagaaa agtgttcaat tgctttgtca ttggaaagcc atgttgcggc 1380
 aaaagctctt tgctagaggc cttcttgggc agatctttct cggaggagta ttctccgaca 1440
 atcaaacc aa gaattgcagt caatagttta gaactcaaag gtgggaaaca gtactatttg 1500
 attttgcaag aacttgga ga acaggaatac gccatactag agaataagga taagttaaaa 1560
 gaatgtgacg taatctgtct aacatacgat tccagcgacc cagaatcatt ctctactta 1620
 gtttcgcttc tagacaaatt cacacattta caagatctac cgttggtatt tgtagcttct 1680
 aaggcagatt tggataagca gcaacaaagg tgtcaaatcc aaccagatga actggcagac 1740
 gagctatttg tgaaccaccc actgcacata tcatccagat ggctaagttc ccttaatgaa 1800
 ttgtttatta aaatcacaga agctgctctt gatcctggca aaaacactcc gggattgcc a 1860
 gaagaaacag cagcaaaaaga tgtcgactac agacaaacgg ctctcatttt tgggtccact 1920
 gttggattcg tagcactatg ttcctttacg ttaatgaaat tattcaaatc atcaaaattc 1980
 tcaaaataa 1989

<210> 516
 <211> 2004
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 516

atgaaagttt ccgataggcg taagtttgaa aaagcaaact ttgacgagtt tgagtcggct 60
ctaaataaca aaaacgactt ggtacattgt ccctcaataa ctttatttga atcgatcccc 120
acggaagtgc ggtcattcta cgaagacgaa aagtctggtc taatcaaagt ggtaaaattc 180
agaactgggtg caatggatag gaaaaggctt tttgaaaaaa ttgtcgtttc cgtcatggtc 240
gggaaaaatg tacaaaagtt cctgacgttt gttgaagacg aaccagattt ccagggcgga 300
ccaatccctt caaagtatct tattccaag aaaatcaact tgatgggtcta cacgttgttt 360
caagtgcata ctttgaaatt caatagaaag gattacgata ccctttctct tttttacctc 420
aacagaggat actataatga gttgagtttc cgtgtcctgg aacgttggtta cgaaatagcg 480
agtgccaggc cgaacgacag ctctacgatg cgtactttca ctgactttgt ttctggcaca 540
cctattgtaa ggagtcttca gaaaagcacc ataaggaaat atggatacaa tttggcacc 600
tacatgttct tggtactaca cgtagatgag ctatcgattt tttctgcata ccaagcaagt 660
ttacctggcg aaaagaaagt cgacacagag cggctgaagc gtgatctatg cccacgtaaa 720
cccactgaga taaagtactt ttcacagata tgtaacgata tgatgaacaa aaaggaccga 780
ttgggtgatg ttttagctac agcgcaacgt atacgtcgac gatacaacaa gaacggttca 840
tcggagcctc gactaaagac gcttgacgga ctcaactccg agcgctggat tcaatgggtta 900
ggccttgaaa gcgactacca ttgttcattc tctagtactc ggaatgcgga agacgtagtg 960
gcaggtgagg cggcgagttc agatcatgat caaaaaattt caagagtaac gcgaaaaagg 1020
ccccgagagc ccaagagtac aaacgatatc ctcgtcgcag gccggaaact ctttggcagc 1080
tcctttgaat tcagggactt gcatcagttg cgcttatgtc atgaaatata catggcagac 1140
acaccctctg tggcagtaca ggccccaccg ggctatggta agacggagtt atttcactctc 1200
cccttgatag cactggcatc taagggcgac gtgaaatatg tgtcgtttct gtttgtaccg 1260
tacacagtgt tgcttgctaa ttgcatgatc aggttggggc gacgcggttg cttgaatgtg 1320
gccctgtaa gaaactttat tgaagaaggt tgcgatggcg ttactgattt atacgtgggg 1380
atctacgatg atcttgctag cactaatttc acagacagga tagctgcgtg ggagaatatt 1440
gttgagtgca cctttaggac caacaacgta aaattgggtt acctcattgt agatgagttt 1500

cacaactttg aaacggaggt ctaccggcag tgcgaatttg ggggcataac taaccttgat 1560
 tttagcgctt ttgagaaagc aatctttttg agcggcacag cccctgaggc tgttgctgat 1620
 gctgcgttgc agcgtatttg gcttacggga ctggccaaga agtcgatgga catcaacgag 1680
 ctcaaacggt cggaagatct cagcagaggt ctatccagct atccaacacg gatgtttaat 1740
 ctaatcaagg agaaatccga ggtgccttta gggcatgttc ataaaatttg gaagaaagtg 1800
 gaatcacagc ccgaagaagc actgaagctt cttttagccc tctttgaaat tgaaccagag 1860
 tcgaaggcca ttgtagtgtc aagcacaacc aacgaagtgg aagaattggc ctgctcttgg 1920
 agaaagtatt ttaggggtgt atggatacac ggaagcttg ggtgctgcag aaaagggtgtc 1980
 tcgcacaaag gagtttgtca ctga 2004

<210> 517
 <211> 1152
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 517

atgattgttt catttggtga tgcaacaaca agaacttccg aagttcaatt ggtaggtgt 60
 actcaaggtc taaacctttg gaagctgcat caagttcatg ccgtttacaa aagagttgtc 120
 catgatacct taggtgccga tgaaggtaat gctttactcg atcaaatttt ggctgacacg 180
 aatctatatc caccttggat gtgtgttctt ttatatgcat tttgttccgc tatggtcact 240
 ccgtatgcct ttggtggcga ttgggtaaac ctggcaatct ctttttttat ggggctttgt 300
 gtgggggtcat tacaatttat tctttcacia aagtcataca tgtattcaaa cgtcttcgaa 360
 atttctgcat ctattgtcgt tagcttctgc ggtagagctt ttggctctat ccctcgttct 420
 cacatctgct ttggtgcagt tacacaaggc tcattggcat taatcctgcc aggttatatt 480
 attctgtgtg gtgcactaga actgcaaagt cgaagcctag ttgctggcgc ggtccgtatg 540
 ttctacgcca ttatttattc tttgtttttg ggttttggca taacattggg ctcagctttg 600
 tttggatgga tgtatcacia tgccactaac gaaatttcat gtcctcaatt aatttctccg 660
 tggttcaggt tcctcttcgt tccagcgttt accattagta tctcgttatt aaatcaagca 720
 cacatctcac aactgccagt tatggctctt atttcttgca ccggttatgt cgtaacatat 780
 tgggccggta agcattttgc gaattcgaca gagtttactg ccgccttagc tgcatttgtc 840

ataggtgttt taggtaatct atattccaga atttggaaag gtttagcggc atcagctatg 900
 cttcccgcaa tcttcgttca agtgccatct ggtattgctt cacaaaattc gttgttgtct 960
 gggttgcaaa gtgcaaatac aattgttaat gctaataaaa ccattacgac aagcacctcc 1020
 gatccatcgt cctcaatgtc atttggatg acaatgattc aagtttgtgt cggatattct 1080
 gtgggactat ttgcttcttc actctttgtc tacccttttg gtaaaaagaa aactgggtctt 1140
 ttcagtttat aa 1152

<210> 518
 <211> 2424
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 518

atgaactcat ccaataataa cgactcgtcc agctccaata gcaacatgaa taactccttg 60
 agcccgaccc ttgtgaccca cagtgatgct agtatgggct cgggtagagc aagcccagac 120
 aatagccata tggggagagg tatatggaat ccatcgtagc taaatcaagg ctctcaaagg 180
 tctccacagc agcagcatca gaatcatcac cagcagcagc agcagcagca acaacaacaa 240
 caacagaatt ctcaattttg ctttgttaac ccttggaatg agggaaaagt aactaattct 300
 caacaaaacc tgggtgatcc ccctcaatac gatgacttaa acagtaacga aagtctagat 360
 gcgtacagac gacgtaaata tagtctcggt gtacctccag ccagggcacc tgccccaat 420
 cctttccagt acgatagtta tcccgtttac accagctcta atacgagttt ggcaggaaat 480
 agcagtggcc agtatccttc tggctatcaa caacaacaac agcaagtata ccagcagggc 540
 gctatccatc cttcccaatt tggatccaga tttgttcctt ccctttatga tcgtcaagat 600
 ttccaaagaa ggcagagtct ggctgcaact aattattcgt ccaatttttc ttccctaaat 660
 tcaaatacta atcaaggaa aaactccata ccagtcattg caccttacag gaggttagc 720
 gcatatcctc ctagtacaag tccccacta caacccctt tcaagcagtt acgaagagat 780
 gaagtacaag gtcagaaatt gtccattcct cagatgcaac tttgcaactc taaaaacgat 840
 cttcaacctg tcttaaatgc tactccaaag tttagacgtg cgtcgtcaa ttccaagacg 900
 atatctcccc tagtcagtgt cacgaaaagc ctgattacca catattcttt atgttctcca 960
 gaatttacct accaaacgtc caaaaacccc aagagagtac ttacgaagcc cagtgaaggg 1020

aaatgtaaca acggattcga caacataaac agtgactata ttctttatgt aaatgacggt 1080
 ttgggtgtag agcagaacag aaagtacctt gtgctagaca ttttgggtca aggtacattt 1140
 ggtcaagtgg tcaaatgtca aaatttgctg acgaaagaga tattggctgt aaaagtgggt 1200
 aaatcgagga cagaatattt gactcaaagt ataacggagg ctaaaatttt agagctactg 1260
 aatcaaaaaga tagaccctac taataaacat ctttttttaa ggatgtatga ctcctttgtc 1320
 cacaagaacc acttatgttt agtgtttgaa ttactaagca ataatttgta cgaattatta 1380
 aaacaaaaca aatttcatgg gctctctata caacttatca gaacattcac cactcaaata 1440
 ctggattcgt tatgcgtttt gaaggaaagc aaactgattc attgcgatct gaagccagag 1500
 aatatcttgc tctgcgcacc tgataagccg gaattgaaaa ttattgattt tggctcatct 1560
 tgcgaaagagg caagaaccgt ttatacatac atccagtcca ggttttatcg tgctcctgaa 1620
 attatactgg gtataccgta ttcaaccagt attgacatgt ggtcgttagg ttgtattggt 1680
 gctgaattat ttttgggtat accgatcttc ccaggcgctt ctgaatataa ccaattaaca 1740
 agaataatag acacgcttgg atatcctcca tcgtggatga tagatatggg taaaaactct 1800
 ggaaaattta tgaagaaatt ggcaccagaa gaaagttctt cttctacaca aaagcatcgt 1860
 atgaaaacta ttgaagagtt ttgcagagaa tacaatatag tggaaaagcc cagtaaaca 1920
 tattttaagt ggagaaagtt accagatatt attagaaact acaggtatcc taaaagcata 1980
 cagaactccc aagaacttat cgaccaagaa atgcagaata gggagtgttt gatccacttt 2040
 ttaggcggtg tgctaaattt gaaccggtta gaaagatgga caccacaaca agctatgcta 2100
 cacccttca taacaaagca ggagtttaca ggtgagtggg ttcctccagg atcgtcttta 2160
 ccgggtcctt cagaaaaaca tgacgatgca aaaggccagc aaagtgaata tggaagtgcg 2220
 aacgactcta gtaacaatgc aggccacaac tatgtctata atcctagctc tgccactggg 2280
 ggtgctgata gcgtcgacat tgggtgctatc agtaaaagga aggagaatac atctggcgac 2340
 atctccaata attttgctgt tactcattct gttcaagaag ggccaacaag cgcgttcaat 2400
 aaacttcaca ttgtcgaaga ataa 2424

<210> 519
 <211> 2460
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 519

atgtggaaat ggaatgtgcg cagatgggcg ggcgcaagag taaacattag caagaaccga 60
ttaagtgtaa ttaacgttgg aagtagatac ttatcgaccg caagaagtcc actgtctaag 120
gttagaaata taggaattat agcccatatc gatgcaggta aaactaccac aacagagagg 180
atgcttttatt atgcaggaat ctcaaagcat attggagacg tcgacactgg cgatacgata 240
actgattttt tagagcagga gagatcccga ggtatcacia ttcaaagcgc tgcgatttca 300
ttcccatggc gaaatacttt tgcaataaat cttattgata cgccgggaca tatagatttt 360
acttttgaag tgattagggc tttgaaagtt attgattcat gcgtgggtcat tttggacgct 420
gttgccggcg tagaggcaca gacagagaag gtttggaagc aaagtaaata gaagcccaaa 480
atctgcttta tcaacaaaat ggatcgtatg ggggagagtt tcaaccatac agtcaatgac 540
ttgataaata aatttatgag aggaacaact accaaaccgg tgttggtaaa cattccttac 600
tatcgaaaac aaccgactag caatgattat gttttccaag gtgttattga cgtcgtaaata 660
gggaagcgat taacctggaa tccagaaaat cctgatgaaa ttatcgtgga tgagttggat 720
ggtacttctc ttgagcagtg taatcgttgt aggggaatcga tgatagagac tttgactgaa 780
tacgacgaag atttagtcca gcacttctta gaggaggcag aaggcgatta ctccaagggt 840
tccgcacagt ttttgaacgc ttcaataaga aaactgacta tgaagaatat gattgtacct 900
gtcttatgcg gtgcgtcttt taaaaatatt ggcgtgcagc ctctattaga tgctatagtt 960
aattatctcc cttcgcccat tgaagccgaa ctaccagaac taaatgataa aaccgttcca 1020
atgaaatatg accccaaagt tggatgttta gtaacaaca acaaaaatct ttgcattgct 1080
cttgcaattca aagtgattac ggatccaatc aggggtaaac aaatattcat tagaatttat 1140
tcagggtacac taaacagtgg caataccggt tataattcta ctactgggga aaaatttaaa 1200
ttgggtaaat tactgatacc ccatgcggga acatcacaac ctgtaaataat tttactgagc 1260
ggccaaatcg gattgcttac tggctctaca gtcgaaaaca acatatctac tggagataga 1320
ctaataacgc attcgtcgaa gaaggatggg ttgaaatcac ttgataaaaa aaaggagttg 1380
acgttaaaaa tcaattctat cttcattccc ccaccagttt ttggtgtttc catcgaacca 1440
aggactttta gtaataaaaa atcgatggaa gaagctttta acactttaat tactgaagat 1500
cccagtcttt caatttctca aaatgatgag actggccaaa cggtttttaa cggtatgggt 1560

actccgatag	tgcagaaatt	agagacggat	gaatctccta	ttcaaacc	aatctgaatac	120
actaacgctg	aactcccagc	aaagccaatc	gccgcatatt	ggactgttat	ctgtttatgt	180
ctaattgattg	catttggtgg	gtttgtcttt	ggttgggata	ctggtaccat	ctctgggtttt	240
gttaatcaaa	ccgatttcaa	aagaagattt	ggtcaaatga	aatctgatgg	tacctattat	300
ctttcggacg	tccggactgg	tttgatcggt	ggtatcttca	atattgggtg	tgcctttggg	360
gggttaacct	taggacgtct	gggtgatatg	tatggacgta	gaattgggtt	gatgtgcgtc	420
gttctgggtat	acatcggttg	tattgtgatt	caaattgctt	ctagtgacaa	atggtaccaa	480
tatttcattg	gtagaattat	ctctgggtatg	ggtgtcgggtg	gtattgctgt	cctatctcca	540
actttgattt	ccgaaacagc	acccaaacac	attagaggta	cctgtgtttc	tttctatcag	600
ttaatgatca	ctctaggtat	tttcttaggt	tactgtacca	actatggtac	taaagactac	660
tccaattcag	ttcaatggag	agtgcctttg	ggtttgaact	ttgccttcgc	tattttcatg	720
atcgctggta	tgctaattgg	tccagaatct	ccaagattct	tagtcgaaaa	aggcagatac	780
gaagacgcta	aacgttcttt	ggcaaaatct	aacaaagtca	ccattgaaga	tccaagtatt	840
gttgcgtaaa	tggatacaat	tatggccaac	gttgaaactg	aaagattagc	cggtaacgct	900
tcttgggggtg	agttattctc	caacaaaggt	gctattttac	ctcgtgtgat	tatgggtatt	960
atgattcaat	ccttacaaca	attaactggt	aacaattact	tcttctatta	tggtactact	1020
attttcaacg	ccgtcgggtat	gaaagattct	ttccaaactt	ccatcgtttt	aggatatagtc	1080
aacttcgcat	ccactttcgt	ggccttatac	actgttgata	aatttggtcg	tcgtaagtgt	1140
ctattgggtg	gttctgcttc	catggccatt	tgttttggtta	tcttctctac	tgtcgggtgtc	1200
acaagcttat	atccaaatgg	taaagatcaa	ccatcttcca	aggctgccgg	taacgtcatg	1260
attgtcttta	cctgttttatt	cattttcttc	ttcgctatta	gttgggcccc	aattgcctac	1320
gttattgttg	ccgaatccta	tcctttgcgt	gtcaaaaatc	gtgctatggc	tattgctgtt	1380
ggtgccaaact	ggatttgggg	tttcttgatt	ggtttcttca	ctcccttcat	tacaagtgca	1440
attggatttt	catacgggta	tgtcttcatg	ggctgtttgg	tattttcatt	cttctacgtg	1500
tttttctttg	tctgtgaaac	caagggttta	acattagagg	aagttaatga	aatgtatgtt	1560
gaaggtgtca	aaccatggaa	atctggtagc	tggatctcaa	aagaaaaaag	agtttccgag	1620
gaataa						1626

<210> 522
 <211> 2832
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 522

```

atggtcaaat cataccaacg ttttgagcaa gcagctgctt ttggtgtaat agcctccaat   60
gccaatgtg tttggatacc tgcgtcatcc ggaaatagta atggtagtgg accaggacaa  120
ttgattacga gtgctctcga ggacgttaat atatgggata ttaagaccgg ggatttggtc  180
agtaaattat ccgatggctt acctccaggc gcatctgatg ctagaggcgc caagccagcc  240
gagtgtacat atttggaggc tcataaagat acggatttat tagctgtcgg ttacgcagat  300
gggtgtcatta aagtttgga tttgatgtct aagactgtgc ttttgaattt taacggtcac  360
aaagcagcta taacattatt acaatttgat gggactggca caagattaat ttctggttcc  420
aaggactcca atatcattgt atgggatctt gttggagaag ttggtcttta taaacttaga  480
tcacacaagg attccattac tggcttttgg tgtcaaggag aagattggct gatcagcacc  540
tccaaagatg gaatgatcaa gctatgggac ctaaaaacac atcaatgtat agagacacat  600
attgcgcata ctggagagtg ttggggcctt gcagtgaagg atgatttact gatcacaact  660
gggtactgata gtcaagtaaa aatttggaaa ctggatatag aaaatgacaa aatggggggg  720
aaactaacag agatgggtat tttcgaaaag caaagtaagc aacgtgggtt aaagattgag  780
ttcataacaa attcgtctga caaacctct tttttttaca tccaaaatgc tgataaaacc  840
atcgagactt tcagaattag aaaagaagaa gaaatagcaa gaggtttaa gaaaagagag  900
aagaggctaa aagaaaaggg gttgacagaa gaagaaattg caaatctat taaagaatcc  960
tactcctcct ttatatgtga tccttttcaa accataagat cattgtataa aataaaatct 1020
gcatcatgga caacggtctc aagttccaaa cttgagttgg tattaactac atcgagtaat 1080
accatagagt attattccat tccatatgaa aaaagagacc caacaagccc tgctcctctc 1140
aagacacata ctattgaatt gcaagggcaa agaacggatg tgcgtagtat tgacatcagt 1200
gatgataaca aattacttgc cacagcatcc aatggttcat tgaaaatatg gaatatcaaa 1260
acacataaat gtatcagaac tttcgaatgt ggggatgcat taacttgtaa gtttttgcca 1320
gggtgggctac tagtcatact ggggtacaaga aacgggggagt tacagctctt tgatctagca 1380

```

tcatcaagtc ttttggatac cattgaagat gcacatgatg cggcaatttg gtcgctagat 1440
 ctgacctcag atggtaaacg attagtgacc ggatctgccg ataaaactgt caagttttgg 1500
 gatttcaaag ttgaaaatag cctagtgcc a ggtaccaaga acaaattcct gcctgtttta 1560
 aaactgcacc atgatacaac tttggaatta actgacgaca ttttatgtgt acgggtttct 1620
 cctgacgata gatatctagc catctcgttg ctggataata ctgttaaggt attctttttg 1680
 gactcaatga agttttacct aagtttatat gggcacaat tacctgtact atctatcgat 1740
 atttcatttg attctaagat gattattacg tcttccgcag acaaaaatat caagatttgg 1800
 ggtttagatt ttggtgactg tcacaagtct ttatttgccc atcaggattc gattatgaac 1860
 gttaaattct taccacagtc tcacaacttc tttagttgtt ctaaagacgc agtggtgaaa 1920
 tattgggatg gcgagaaatt tgaatgcatt caaaaactat acgctcatca gagcgaagtt 1980
 tgggcttttg cggttgctac tgatggcggc tttgttggtt cttcatcca tgatcacagt 2040
 ataagaatct gggaagaaac cgaggaccag gtatttttag aagaggaaaa ggagaaagaa 2100
 cttgaagaac agtacgagga tacattgcta acttcttttg aagaaggaaa cggatgatgat 2160
 gcatttaaaag ctgatgcac ggggtgaaggc gttgaagatg aagcatccgg tgttcataaa 2220
 cagacttttag aatcgttaaa ggctggtgaa agacttatgg aggcgctaga tttaggaatt 2280
 gctgagattg aaggtttaga ggcatataac agagatatga agctatggca aagaaagaag 2340
 ttgggtgaag cgccaataaa accacagggc aacgctgttc taattgctgt gaataaaact 2400
 cctgagcaat atattatgga taccctgtta agaataagaa tgtctcagtt agaagatgca 2460
 ctgatggtta tgccattctc atatgtctc aaatttttaa aatttattga taccgttatg 2520
 caaaacaaaa ctttgctgca ctctcactta ccattaattt gcaagaattt atttttcatt 2580
 atcaaattta atcataaaga attggtttct cagaaaaatg aagaattgaa attgcaaata 2640
 aatagagtaa agactgaatt aagaagtgca ttaaaatcta ccgaggatga tctaggcttt 2700
 aatgttcaag ggttgaaatt cgtcaagcaa caatggaatc taaggcataa ctacgaattc 2760
 gttgacgaat atgaccaaca ggagaaagag agtaatagtg caaggaagag agttttcggg 2820
 accgttatat aa 2832

<210> 523
 <211> 1152
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 523

atgagtgaag cagaattgag aaaaagacag gcccaattca ctagggagtt acatggtgat 60
gatattggta aaaagacagg tttagagtga ttgatgtcga agaacaactc tgcccaaaag 120
gaagccgttc agaagtactt gagaaattgg gatggtagaa ccgataaaga tgccgaagaa 180
cgtcgtcttg aggattataa tgaagccaca cattcctact ataacgtcgt tacagatttc 240
tatgaatatg gttgggggttc ctctttccat ttcagcagat ttataaaagg tgagagtttc 300
gctgcctcga tagcaagaca tgaacattat ttagcttaca aggctggtat tcaaagaggc 360
gatttagttc tcgacgttgg ttgtggtggt gggggcccag caagagagat tgcaagattt 420
accggttgta acgtcatcgg tctaaacaat aacgattacc aaattgccaa ggcaaaatat 480
tacgctaaaa aatacaattt gagtgaacaa atggactttg taaagggatga tttcatgaaa 540
atggatttcg aagaaaacac ttctgacaaa gtttatgcaa ttgaggccac atgtcacgct 600
ccaaaattag aaggtgtata cagcgaaatc tacaaggttt tgaaaccggg tggtagcttt 660
gctgtttacg aatgggtaat gactgataaa tatgacgaaa acaatcctga acatagaaag 720
atcgcttatg aaattgaact aggtgatggt atcccaaaga tggtccatgt cgacgtggct 780
aggaaagcat tgaagaactg tggtttcgaa gtcctcgtta gcgaagacct ggcggacaat 840
gatgatgaag tcccttggtg ttaccatta actggtgagt ggaagtacgt tcaaaactta 900
gctaatttgg ccacattttt cagaacttct tacttgggta gacaatttac tacagcaatg 960
gttactgtaa tggaaaaatt aggtctagcc ccagaagggt ccaaggaagt tactgctgct 1020
ctagaaaatg ctgcggttgg tttagttgcc ggtggtaagt ccaagttatt cactccaatg 1080
atgcttttcg tcgctaggaa gccagaaaac gccgaaaccc cctcccaaac ttccaagaa 1140
gcaactcaat aa 1152

<210> 524

<211> 2175

<212> DNA

<213> Saccharomyces cerevisiae

<400> 524

atgacgaac tattttcaaa ggtaaggaa agcatagaag ggatcaagat gccatctacc 60

ttgactatta atggaaaagc cccaattgtg gcttatgctg aactaattgc tgctcgtatt 120
 gtgaatgcgt tagctcctaa ctccatagct attaagttgg tggacgataa gaaagcacct 180
 gctgccaaagc tcgatgatgc tactgaagat gtcttcaaca agataactag caaattcggc 240
 gccatcttcg ataatgggtga taaagagcaa gttgctaaat gggttaatct ggcccaaaag 300
 gaattagtta tcaagaactt tgctaaatta tcacaatcat tggaaacact agattctcaa 360
 ttgaacctaa gaacctttat tcttggcggc ttgaagtatt ctgccgctga tgtagcatgt 420
 tgggggtgctt taagatccaa tggatatgtgc ggttccatca tcaagaacaa ggttgatgtt 480
 aacgtttctc gttggtacac tttgttagaa atggatccca tcttcggcga agctcagat 540
 ttcttgagca aatctttact agaattaaag aaaagtgcta atgtgggtaa gaagaaggaa 600
 actcacaagg ctaactttga aattgatttg ccagatgccca aaatgggtga agtcgtcact 660
 cgtttccac ctgaaccttc tggatactta catattggac atgccaaagc tgccttggtg 720
 aaccaatatt ttgctcaagc ttacaagggt aagttgatta ttagattcga tgacaccaac 780
 ccatcgaagg aaaaggaaga attccaagac tctattttgg aagatttgga tttattagga 840
 atcaagggtg atagaataac ctactcatct gactacttcc aagaaatgta cgactactgt 900
 gttcaaatga tcaaggatgg taaagcttac tgtgacgaca ctccaactga aaagatgaga 960
 gaagaacgta tggatggtgt tgcttctgcc agaagagatc gttctgttga agagaactta 1020
 agaattttta ccgaagaaat gaaaaacggt actgaagaag gtttgaagaa ctgtgttcgt 1080
 gccaatcg attacaaggc tttgaacaag actctaagag atcctgtcat ttacagatgt 1140
 aatctaacc ctcaccacag aaccggatca acttgaaga tctacccaac ttatgatttc 1200
 tgtgtcccaa ttgttgatgc tattgaagggt gttaccacg ctttacgtac cattgaatat 1260
 agagaccgta acgctcaata tgattggatg ttacaagctt tgcgtttgag aaaagtccat 1320
 atttgggatt tcgctcgtat caatttcgtt agaaccttgt tgtctaagag aaagttacaa 1380
 tggatggttg acaaggactt ggtcggaaat tgggacgatc caagggtccc aactgtcagg 1440
 ggtgtgagaa gaagaggtat gactgtcgaa ggtttgagga acttcgtctt atcccaagggt 1500
 ccatccagaa atgtcattaa cttggaatgg aacttgatct gggctttcaa caagaaggtc 1560
 attgatccaa ttgctccaag acacactgct atcgtcaacc cagttaaaat ccacttgga 1620
 ggctccgaag ctccacaaga accaaagatt gaaatgaaac caaacacaa gaaaaacca 1680

gctgtgggcg aaaagaaagt catttactac aaagacattg ttgtcgacaa agatgatgct 1740
gacgtcatca atgttgatga agaagtcact ttaatggact ggggtaatgt cattattact 1800
aaaaagaatg acgatggttc tatggttgcc aaattgaatt tggaaggtga tttcaaaaag 1860
accaagcaca agttgacttg gttagctgat actaaagatg tcgtccctgt tgatttagtt 1920
gacttcgacc atttgattac caaggacaga ttggaagaag acgaaagttt cgaagatttc 1980
ttgactcctc aaacagaatt ccacacggat gccattgctg acttgaatgt taaggatatg 2040
aagattggtg atatcatcca attcgaaaga aagggtact acagattgga tgctttaccc 2100
aaggatggta agccatatgt cttttttacc atcccagatg gtaaactctgt caacaagtat 2160
ggtgcaaaga aataa 2175

<210> 525
<211> 336
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 525
atgtttgccca ttatctgtat gaattcattg aactgcaatc gcaacggcag aatttcatcg 60
cgtgcttcgt tgatctgctt acacactttg tccttggttt cattctcgtt cttagccaat 120
atcacttgta aatcatctag cttgacgcct gccggtataa tcgagtccat tccggttgtc 180
tttactgctg ttgtgtccgt tttgcgctgc ctaattgaag aagtcttggg gactgtttct 240
gttgttctct ttaaaatttc gtcggcgcc ataccgaaaa tcctcaggaa agtggttagtg 300
ttatatatta tattatatta tatcatatta tattaa 336

<210> 526
<211> 1878
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 526
atggtgccat tggaagatct gcttaataaa gaaaatggca ctgccgcacc tcaacacagc 60
cgggagagta tagtagaaaa tgggacagac gtttctaacg tcacaaagaa ggacgggctg 120
cccagtecta acctatctaa aaggcttctt gattgttcga agaggcctag aattaggtgt 180
accacggaag ctattggctt gaacggtcaa gaagatgaac ggatgtcacc aggcagcact 240

tcttcatcat gcttaccata tcatagtact tcacacttga acactcctcc atacgatcta 300
ttgggcgctt cggcagtttc acccaccaca tcatcttcct ctgactcgtc ctctcctcgt 360
ccattggcac aagcgcataa cccggcaggt gatgacgacg atgcggataa tgacggtgat 420
tctgaggata taacactata ttgtaaatgg gacaactgtg gtatgatttt caaccaacca 480
gagctgctat ataatcatct gtgtcatgac catgttggca ggaagtcaca taagaacctt 540
caattgaatt gtcattgggg agactgtacc acgaagacgg agaaaagggg ccatatcacc 600
tcgcatttga gagttcacgt accattgaaa ccgttcgggt gctctacgtg ctccaaaaag 660
tttaaacgtc cgcaagattt aaaaaagcat ttgaaaattc atctggaaag tggcggtatt 720
ttgaaaagaa agagggggacc caaatggggc tcaaaaagaa cttctaagaa aaacaaaagt 780
tgtgcaagcg acgcagtgtc gtcttgttct gcatctgtgc cttccgctat agctggtagc 840
ttaaagtcac attctacttc tccacagata ttacccccat tgcccgtggg tatactctca 900
catctgcctt cacaacagca gcagcgggt atttccttaa accaactatg ctacagcag 960
ctatctcagt ataagccggt atattctcca caattgagtg ccagattgca aacgatcttg 1020
ccgccattat actacaataa cggcagcacg gtaagccaag gtgccaacag tcggagcatg 1080
aatgtctacg aggacgggtt ttctaataag accatagcaa acgccacca attcttcacc 1140
aaactatcga gaaatatgac aaataactac attttgcaac aaagcgggtg tagtactgag 1200
tcctcgtcat catctgggcg catccccgta gcacaaacaa gctatgtgca gccaccta 1260
gctccttcat accaatccgt acaagggtgt agctctatct cggccactgc aaatacagca 1320
acttatgtgc cagtacgggt ggccaagtat ccaactggtc cttcgcttac tgaacatttg 1380
ccacctttac attcgaacac tgccgggtgt gttttcaacc gccaatcaca gtatgctatg 1440
ccacactatc catctgttcg tgctgcgcct agctattcct ccagtggctg ttctatatta 1500
ccgcctctac aatcaaagat accaatgtta ccacgcgcc gtacaatggc aggtggaact 1560
tcattgaagc ctaactggga atttagcctg aaccaaaaaa gctgtactaa tgatattatc 1620
atgagtaagc tggcgattga agaagtagat gacgaaagcg agatagagga tgatttcgta 1680
gagatgttgg gtatagtga cttatcaag gactacttgt tgtgctgtgt catggaagat 1740
ttagatgatg aagaaagtga ggacaaagat gaagaaaacg cattcttgca agaactctta 1800
gaaaaattga gtttacaaaa ccaaatggga actaactcag ttcgcatctt gaccaagtat 1860

cccaaaattt tggtatga

1878

<210> 527

<211> 4434

<212> DNA

<213> *Saccharomyces cerevisiae*

<400> 527

atgacgatta ccgtggggga tgcagtttcg gagacggagc tggaaaacaa aagtcaaaac 60

gtggtactat ctcccaaggc atctgcttct tcagacataa gcacagatgt tgataaggac 120

acatcgtctt cttgggatga caaatctttg ctgcctacag gtgaatatat tgtggacaga 180

aataagcccc aaacctactt gaatagcgat gatatcgaaa aagtgcacaga atctgatatt 240

ttccctcaga aacgtctgtt ttcattcttg cactctaaga aaattccaga agtaccacaa 300

accgatgacg agaggaagat atatcctctg ttccatacaa atattatctc taacatgttt 360

ttttggtggg ttctacccat cctgcgagtt ggttataaga gaacgataca gccgaacgat 420

ctcttcaaaa tggatccgag gatgtctata gagacccttt atgacgactt tgaaaaaac 480

atgatttact attttgagaa gacgaggaaa aaataccgta aaagacatcc agaagcgaca 540

gaagaagagg ttatggaaaa tgccaaacta cctaaacata cagttctgag agctttatta 600

ttcactttta agaaacagta cttcatgtcg atagtgtttg caattctcgc taattgtaca 660

tccggtttta accccatgat taccaagagg ctaattgagt ttgtcgaaga aaaggctatt 720

tttcatagca tgcattgtta caaaggtatt ggttacgcta ttggtgcatg tttgatgatg 780

ttcgttaacg ggttgacgtt caaccatttc tttcatacat cccaactgac tgggtgtgcaa 840

gctaagtcta ttcttactaa agctgccatg aagaaaatgt ttaatgcatc taattatgcg 900

agacattggt ttcctaacgg taaagtgact tcttttgtaa caacagatct cgctagaatt 960

gaatttgctt tatcttttca gccgtttttg gctgggttcc ctgcaatttt ggctatttgc 1020

attgttttat tgatcgtaa ccttggaacc attgccttag ttgggattgg tatttttttc 1080

ggtgggtttt tcatatcctt atttgcattt aagttaattc tgggcttttag aattgctgcg 1140

aacatcttca ctgatgctag agttaccatg atgagagaag tgctgaataa tataaaaatg 1200

attaaatatt atacgtggga ggatgcgtat gaaaaaata ttcaagatat taggacacaa 1260

gagatttcta aagttagaaa aatgcaacta tcaagaaatt tcttgattgc tatggccatg 1320

tctttgccta gtattgcttc attggctact ttccttgcaa tgtacaaagt taataaagga 1380
ggcaggcaac ctggtaatat ttttgcctct ttatctttat ttcaggtctt gagtttgcaa 1440
atgtttttct tacctattgc tattgggtact ggaattgaca tgatcattgg attgggccgt 1500
ttgcaaagct tattggaggc tccagaagat gatccaaatc agatgattga aatgaagcct 1560
tctcctggct ttgatccaaa attggcttta aaaatgacac attgctcatt tgagtgggaa 1620
gattatgaat taaacgacgc tattgaagaa gcaaaaggag aagctaaaga tgaaggtaaa 1680
aagaacaaaa aaaagcgtaa ggatacatgg ggtaagccat ctgcaagtac taataaggcg 1740
aaaagattgg acaatatgtt gaaagacaga gacggcccgg aagatttaga aaaaacttcg 1800
tttaggggtt tcaaggactt gaacttcgat attaaaaagg gcgaatttat tatgattacg 1860
ggacctattg gtactggtaa atcttcatta ttgaatgcga tggcaggatc aatgagaaaa 1920
actgatggta aggttgaagt caacggggac ttattaatgt gtggttatcc atggattcaa 1980
aatgcatctg taagagataa catcatattc ggttcacat tcaataaaga aaagtatgat 2040
gaagtagttc gtgtttgctc tttgaaagct gatctggata ttttaccggc aggcgatatg 2100
accgaaattg gggaacgtgg tattacttta tctggtggtc aaaaggcacg tatcaattta 2160
gccaggctctg tttataagaa gaaggatatt tatctattcg acgatgtcct aagtgtgtc 2220
gattctctg ttggtaaaca catcatggat gaatgtctaa ccggaatgct tgctaataaa 2280
accagaattt tagcaacgca tcaattgtca ctgattgaga gagcttctag agtcatcgtt 2340
ttaggtactg atggccaagt cgatattggc actgttgatg agctaaaagc tcgtaatcaa 2400
actttgataa atcttttaca attctcttct caaaattcgg agaaagagga tgaagaacag 2460
gaagcgggtt ttgccggtga attgggacaa ctaaaatatg aatcagaggt aaaggaattg 2520
actgaactga agaaaaaggc tacagaaatg tcacaaactg caaatagtgg taaaattgta 2580
gcggatggtc atactagtag taaagaagaa agagcagtca atagtatcag tctgaaaata 2640
taccgtgaat acattaaagc tgcagtaggt aagtgggggt ttatcgcaact accgttgtat 2700
gcaatttttag tcgttggaac cacattctgc tcactttttt cttccgtttg gttatcttac 2760
tggaactgaga ataaattcaa aaacagacca cccagttttt atatgggtct ttactccttc 2820
tttgtgtttg ctgctttcat attcatgaat ggccagttca ccatactttg cgcaatgggt 2880
attatggcat cgaaatgggt aaatttgagg gctgtgaaaa gaattttaca cactccaatg 2940

[illegible]

662

<213> Saccharomyces cerevisiae

<400> 528

tataagctta acaggaaaga aaagaataaa gacatattct caaaggcata tagttggagc 60
agctctatatt ataccogttc ctccatctgt catcattact taaacgattc gttaacagat 120
gctcatttag tacctcacat attctccata tctcatcttt cacacaatct cattatcact 180
atgaagatgt tcttggtttt gaacgaatca tacatctttg atagacttcg tatgtggagt 240
attgttttat ggcaatcatg tgtattcgta tgcgcagaat gtgagaatgc caattatagg 300
ggtgccgagg tgccttga 318

<210> 529

<211> 1818

<212> DNA

<213> Saccharomyces cerevisiae

<400> 529

atgtcgtcaa gcctttttat cctggatgaa aatctggagc cattgggtatc gaagaatatt 60
agagcactac cgaatctatc gtcggttctt tcaagtttca aacaatgtta tcatgacggg 120
tcgcctccaa ttctctccca aaacgattgg ttctttatac atttgaagag agactttctg 180
catttcgttt cagtgatata taccacagac aaaccaaata tagacttaat gactatacta 240
gccttttttg aacaatttta tcatctttta caaaaatatt ttgaaatcga ggtcttaact 300
aagaatgtca tactggacaa catcttactt gtcttgaggt tgattgatga atgtatagac 360
tttggtatcg tacaagtgcg ggatccaagt atcatcaagg actacattcg tgtgaaggtc 420
aacgtaccaa gagttacagt agacaatgag gagtggagcc ctggtgaaga gagcagtagt 480
agtagcggta gcgatagcga tagcgagtac agcaatacta ataagaggaa ggataagaag 540
aagaaaagga agaagaaaaa gggcactaaa gggaaaagcg tgggcaaaag taaattaaaa 600
agtataatgg taaacaataa agaaaatagg ggcataaacg tgggtggaaac tgtcaaggag 660
acactaagga acaagaatga taccggtaaa gaagccgcta atgacgagct ccccaatgac 720
ggtaatgatt tatacatcaa tggcgatatt gcgaagacga ttataatgcc catatcatgg 780
agaacaaagg ggatacatca cgccaaaaac gagttctttc ttgatgttat tgaacgtggt 840
cagtacttga tggattttga aaaaggagtg attaggaaaa atctgatata tggagagatt 900

ttggctgcag gtaataaata cgacgtttcg tttttgaaaa atagaaactt caatgttgtg 2100
 gtttatgatg aagggtcatat gttgaaaaat tccacttcag agagatttgc caaactgatg 2160
 aaaattcgtg ccaatttccg ccttttatta actggtacgc cattacaaaa taacttgaag 2220
 gaactaatgt cgctgttgga atttatcatg ccaaactctt tcatttccaa aaaggaatca 2280
 tttgacgcaa tcttcaaaca acgtgccaa accacagacg ataacaaaaa tcacaacccg 2340
 ctattagcgc aagaagccat tacaagagct aaaacgatga tgaagccatt tatttttgaga 2400
 agacgtaagg atcaagtgtt gaaacatttg ccaccaaagc acacgcatat tcagtattgt 2460
 gaattgaacg caatacaaaa aaaaatatat gataaggaaa taaaatcgt gttagaacat 2520
 aagagaatga ttaaagatgg cgaattgcc aagatgcaa aagaaaagtc taaattacaa 2580
 tcttcaagtt ccaaaaattt aataatggca ttgcgaaagg cctctctgca tccacttttg 2640
 ttcagaaata tctataatga taaaatcatc actaaaatga gtgatgccat attggatgaa 2700
 cctgcttatg ctgaaaacgg taacaaagag tatattaagg aagatatgag ctatatgacg 2760
 gattttgagt tgcacaaact atgctgcaat ttcccgaaca cgttatccaa ataccaactt 2820
 cataatgacg agtggatgca atctgggaag atagacgctt tgaaaaaatt gctgaaaaca 2880
 atcattgttg acaaacagga aaagggtgctg atattttcct tattcactca agtcctggat 2940
 attctagaga tggttttgtc caccttagat tataaatttt taagattaga tggttccacg 3000
 caagtgaatg atagacaact actaatagat aagttttatg aagataagga tattcccatt 3060
 ttcattctat caacaaaggc aggtggattc ggtattaatt tgggtgtgacg aaataatgtt 3120
 attatattcg atcaaagttt taaccacat gatgacagac aagctgctga tagggcacat 3180
 cgtgtgggac aaacaaagga agttaatata accactttaa ttactaagga ttccatagag 3240
 gaaaagattc atcaactggc caaaaataaa ctagctttag attcgtatat cagtgaagat 3300
 aaaaaatctc aagatgtgtt ggaaagtaaa gttagtata tgttggagga tataatttat 3360
 gatgaaaact cgaaaccgaa gggaaccaa gaataa 3396

<210> 531
 <211> 1551
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 531

atgtctacac agcagcaatc ttacacaatt tggctctccac aagatactgt taaagatgtc 60
 gctgagtcgc ttgggttgga aaatatcaac gatgacgtgt tgaaagcact tgctatggac 120
 gttgaatacc gtattctaga gattattgaa caggcagtca agttttaaag acactctaaa 180
 agagatgttt taactacaga cgatgtatcg aaggccctgc gtgttctgaa tgtggaacct 240
 ttatatggat attatgatgg ctctgaagtt aataaagctg tatcatttag taagggttaac 300
 acaagtggag gacagtcggt ttactacctg gatgaggaag aagtagattt tgatagatta 360
 ataaatgagc cattaccgca agtgcctcgt ctaccaactt ttactacaca ttggctagca 420
 gttgaagggg ttcaacctgc cataatccaa aatccaaatt tgaatgatat aagggtatcc 480
 caaccaccat ttattagagg tgctattgtc actgctttga atgataacag cctccaaaca 540
 cctgtaacgt cgacgacagc aagtgttct gtgacggata caggcgcctc tcaacacctg 600
 tctaattgta aaccaggaca gaatactgaa gtcaaactt tagtgaaaca cgttttatcc 660
 aaagaattac agatttatcc caataaggtc atttcaacct tgacagcgaa gagtcaagct 720
 gatgaagctg cacagcatat gaaacaagca gctttgactt cactacgaac tgatagtggc 780
 ctgcaccaac tggttccata ttttattcaa tttattgccg aacaaatcac acaaaatcct 840
 tccgatttac aattgctaac aacaattttg gaaatgattt actctttact aagcaatact 900
 tctattttcc tggaccctta tattcattcg ttaatgcctt ccattttaac cttgctatta 960
 gcaaaaaaac ttggtggatc accaaaagat gattcgccgc aagaaattca tgaattttta 1020
 gaaagaacga atgcactacg tgattttgcc gcactcttgt tggactatgt attgaaaaaa 1080
 tttcctcaag catacaaatc cctgaagcca agagtaacta ggacactgct aaagacattt 1140
 ttggacataa accgtgtttt tgggacttac tatgggtgct taaaggggtgt atcggtacta 1200
 gaaggtgaat ccatcagatt cttcttagga aacctaataa attgggcgcg cttggtattc 1260
 aatgaaagcg gaataactct agacaatata gaggaacatt tgaacgatga ctccaatcca 1320
 actaggacca aatttactaa agaagaaact caaatcttgg ttgatactgt aattagtgc 1380
 ttgttagttc taaaaaagga tttaccagat ttgtacgagg gtaaagggtga aaaagttacg 1440
 gatgaggata aggaaaaatt gctagagagg tgtggtgtca ctattggatt tcacattttg 1500
 aaaagagacg acgcaaaaga attaattagt gcgatatttt ttggcgaata g 1551

<211> 1764
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 532

```

atgagtaaca agaggacatc tgtagaacag ctcatatcat gcccaatttg ctctagaaaa 60
gtcttttttt ccttaatcaa ctctcatctt gacatatgtg gcaaggaaaa gtcaaagcct 120
tcgagtaggc cacaaacggg gtcaagtctt ttggcaggcc caaaaaagag gaaacaagct 180
aactcagaga aattcattga tcttgaaaat aaggaccatg aaattaagcc aggtcttaag 240
agcgagagtg atgatattga gattgttgaa aatgaaagca aaagatttaa ggcagcacca 300
tccacggatt ttgcgaaatc aatagtggag cctgcttcga gcagagatca acttcacaac 360
gattacgaaa gcagatgggt gcagaaaata agccatttgc cacttagtga aaaattgagg 420
ccaaaagaat taagagatta tgtaggtcag cagcacattc tctctcaaga taatggtaca 480
ttgttcaaat acataaaaca agggactata ccatctatga tactctgggg ccctccaggt 540
gtaggaaaga cttcactagc tagactatta acgaaaactg cgacaaccag tagtaatgaa 600
tcaaagtgtg gttccaggta cttcatgac gaaacaagtg cgacaaaggc aaatacgcaa 660
gaattgagag gtatatttga aaaatcaaaa aaggaatatc aattgaccaa aagaagaact 720
gtacttttta ttgatgaaat tcacagattc aataaagttc aacaggattt gttattgcc 780
cacgtagaaa acggtgacat tattttgatt ggtgcaacga cagaaaatcc aagttttcag 840
ctgaacaatg ctctcattag cagatgtctg atttttgtcc tagaaaagct gaatgtcaac 900
gaactgtgta ttgttttata aagaggaatt gcattattga ataatgcag gaaacaagta 960
tggaatattg aaaatccttt gaaattgtct agaagcatac tggagtacgt ggtagatctg 1020
tcggtgggtg atacaaggag ggcgttaaat atgttggaat tgatcgaagt ttcaacaaga 1080
gagcgcaagg ccgacgagga agaattatct atcgatgatg tacgagacat aattaagaac 1140
aacagcagca acgggttgaa tacatactat gacccaaagg gagataacca ttatgataca 1200
atctctgcgt ttcataaatc cattagaggt ggggacgaaa acgcctcact gtactattta 1260
gcaagaatgt tgcagggagg agaggaccca ttgtatgttg cccgaagaat gattcgaata 1320
gcttctgaag atatcggatt acgggatagt tcattattgc ccttggctgt cgcggcacat 1380
gacgcagtaa tgaaagttgg ttgcccagag gcagaccttg cactggcgca atgttgtgtt 1440

```

gcttttggcta gggcaccaaaa gtcagtagaa ctatatagag cttggaagaa attaagggca 1500
atgatgagcg agaacatgta cagtttagca agcagtgaga taccgatgca tatcagaaat 1560
gcgccaacca aattgatgga ggagctgggt tatcataaag gctacaagta caatcccgat 1620
tatattgaag gaaaagtcca acaagactac tttcccaaag aagtgtcga gaaatgtcca 1680
aataaaaactg acttaaagtt cctggacggc aacatttag gagacaaaga agatcctgac 1740
ttgagacagt catatcaggg ttag 1764

<210> 533
<211> 390
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 533

atggcgggca ctttattcat tattctgcgg ttgtcgata cgactcttcc gtcatttagg 60
gtatattgtg taaggctctct ggaagtttct gtggccgtgg aattagcagc agcaactgta 120
ctagccttcg aatctatagg ggttgtggac gattgcggac gctctgtttt gttttctata 180
attttaatag cggcgtttat ctgctcagta tttcttatag cgtctgaaga cattgcgggt 240
tcaagaagaa gtactggctc ctgtgtgact ctatgggagg gaaggaatat ctcttttgt 300
ttgtatcgta gcaattggct taatactgtt ccagttggat atatgttttt tctaaggaaa 360
aataggagtc ttgatgaaag gtatttttag 390

<210> 534
<211> 1704
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 534

atgtcaggtg ttaataatac atccgcaaat gagttatcta ctaccatgtc taactctaac 60
tcagcagtag gcgctccctc tgttaagact gaacacggtg actctaaaaa ttcccttaac 120
ctagatgcca atgagccacc tattgactta cctcaaaaac ccctctctgc gtataccacc 180
gtcgcaatcc tgtgtttgat gattgcattt ggcggcttca tctttgggtg ggataccggt 240
accatttctg gttttgttaa ctttctgat ttcattcagaa ggttcgggtc aaaaaatgac 300
aagggaacct actacttatc gaaagtaaga atgggtttga tcgtctcaat attcaacatt 360

ggctgcgcca taggcggaat tgtcttgtca aaagtcggtg atatatatgg tcgtcgtatt 420
 ggattgatta cagttactgc catttacgtt gtaggcaccc taatccaaat aacttccata 480
 aacaagtggc accaataactt cattggaaga attattttctg gcctaggagt gggaggcatt 540
 gctgtccttt cccaatggt gatatctgaa gttgtctcca aacatatcag aggaactctg 600
 gtccaattgt accagctgat gggtagcatg ggtatttttc taggatactg taccaattac 660
 ggtaccaaga actatcacia cgcactcaa tggagagtcg gccttgggtc ttgctttgcc 720
 tgggctacat tcatggtttag tggaatgatg tttgtaccag aatcaccacg ttacctgatt 780
 gaggttggta aagatgagga agcgaaacgt tcactatcga aatccaacaa agtctcagtt 840
 gacgatccag ccttgctagt tgaatatgac actataaagg caggaattga acttgaaaag 900
 ctggcaggta acgcatcatg gtctgaacta ctctccacta aaacaaaggc ctttcagcgt 960
 gttctcatgg gagtgatgat ccaatcgctg cagcaattaa ccggtgacaa ctacttcttt 1020
 tactacggta ccaccatctt caaatctgtc ggtctaaagg actcctttca gacttcgac 1080
 attatcgggtg tggttaattt tttctcttca ttcatagcgg tatacaccat tgagagggtt 1140
 ggacgccgta cgtgtctatt gtgggggtgct gcttctatgc tatgctgctt tgctgtgttt 1200
 gcctccgtcg gtgtgacaaa gttgtggcct caaggaagca gtcaccaaga cattacttct 1260
 cagggcgccg gtaactgtat gattgtgttt actatgttct tcattttttc gtccgccacc 1320
 acttgggcag gcggctgtta cgttattgtc tcagagacgt ttcctcttag ggtcaaatca 1380
 agaggaatgg caatcgcaac agctgcaaac tggatgtggg gtttctctgat tagtttcttt 1440
 accccattca ttaccggggc aatcaacttt tactacgggt acgtattctt aggcgtgtctg 1500
 gtttttgcac acttttatgt ctttttcttt gtccagaaa caaaaggcct gacactggag 1560
 gaggtgaata ctatgtggct ggaagggtgtg ccagcatgga aatcggcctc atgggtgcca 1620
 ccggagagaa gaaccgcaga ttacgatgct gatgcaatag atcatgacaa tagaccaatt 1680
 tacaagaggt tcttttccag ctga 1704

<210> 535
 <211> 3255
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 535

atggaaggaa ttttggtttt ttctaacgac ttagatatcg ctctattaga tcaggtggta 60
tctacattct atcaagggtc aggtgttcag caaaagcaag cccaagagat tttgactaaa 120
tttcaagata atccagacgc ttggcaaaaa gctgaccaa ttcttcaatt ctcaactaac 180
cctcaatcaa aatttattgc cctttccatc cttgataaat taattactag aaaatggaaa 240
ttgttgccga atgatcatag aattggaatt aggaacttcg ttgttggtat gattatctcc 300
atgtgccaa acgatgaagt atttaaaaca caaaagaacc tgatcaataa gtcggacttg 360
acttttggtcc aaatttttaa gcaggaatgg cctcagaatt ggcttgaatt tatcccagaa 420
ctaactcgga gttcaagttc ctctgttaat gtttgtgaaa ataacatgat cgttttgaaa 480
ctgctatccg aagaagtctt cgatttctct gcggaacaaa tgacacaagc taaagcttta 540
catttgaaaa attccatgtc aaaagaattt gaacagattt tttaaattatg ttttcaagtt 600
ttggaacaag gttcttcaag ctctctaata gtggcaacct tagaatcttt actgagatat 660
ttacattgga ttccttatcg ttatatatat gaaaccaata ttttggaatt attaagcacc 720
aaattcatga catcgccctga tacaagagcc atcacattga aatgtttgac tgagggttca 780
aatctaaaaa ttccacaaga taatgatttg ataaaaagac aaactgtact ttttttccaa 840
aatactctac aacaaattgc cacaagtgtg atgcccgatg ctgccgatct gaaagccact 900
tatgcaaattg ctaacggtaa tgatcaatct ttcttacaag atttagcaat gtttctaact 960
acatatctcg ctcgtaatat ggccttctta gagagtgatg aatcgttaag agagttgttg 1020
ttgaatgcgc accaatactt aattcaatta tccaaaatcg aagaaagaga actatttaag 1080
acgacattgg attactggca taatttagta gcagatttgt tttatgaggt tcagcgtttg 1140
cctgctaccg aaatgagccc attgatacag ttatcagtcg gttcacaagc tatctcaact 1200
ggatctggcg ccctaaatcc ggaatatatg aaaagatttc cattaaaaaa acatatttac 1260
gaagaaattt gttcacagtt gagattggtc attattgaaa atatggttag accagaagaa 1320
gtccttgtgg ttgaaaatga tgaaggagaa attgttagag agttcgtaa agaactcagac 1380
actatccaat tatacaaac agaaagagag gttcttgtat atttgacca tttgaatgtt 1440
atcgatacag aagaaatcat gatcagtaaa ttggcaaggc aaatcgatgg ttccgaatgg 1500
tcatggcata atatcaacac tttatcttgg gctattgggt ccatatctgg tacaatgagc 1560
gaagatactg aaaaaagggt tgtagttact gttattaaag atttactaga tttaacggtc 1620

aagaaaaggg gtaaagataa taaagctggt gttgcatcgg atattatgta cgtcgtgggc 1680
 caataticcta gatTTTTgaa ggctcactgg aattttctaa gaacagttat tttgaaactt 1740
 tttgaattta tgcataaaac tcatgagggg gttcaggata tggcatgtga cacattcatt 1800
 aagattgttc aaaaatgtaa atatcatttt gttattcaac aaccccggtga gtctgagcct 1860
 ttcatccaaa caataattag ggatattcaa aagacaactg ctgacctaca gccgcaacag 1920
 gtccatacat tttaacaaggc ttgtggtatt attatttctg aagaaagaag cgtagcggag 1980
 agaaatagat tattaagtga tttgatgcaa ctgccaaata tggcttggga cactatagtg 2040
 gaacaatcca ctgctaacc aacattgttg ttagattctg aaactgtcaa aattattgag 2100
 aatattataa aaaccaatgt agctgtctgc acctcaatgg gagcagattt ctatccacag 2160
 ttgggtcaca tctattacaa tatgcttcag ctatacagag ctgtttcttc gatgatttct 2220
 gctcaagttg ccgcagaagg tctaattgct acgaagacac caaagggtcg tggtttgaga 2280
 accatcaaaa aagagattct gaagcttggt gagacctata tatccaaggc gagaaatttg 2340
 gatgatgtcg ttaaagtgtt agttgagcca ttattgaacg ctgtacttga agactatatg 2400
 aacaacgttc ctgatgcaag ggacgccgaa gtgctaaatt gtatgacaac agtagtagaa 2460
 aagggtggtc atatgatccc acaagggtgtt attttaattt tacagagtgt atttgaatgc 2520
 actttggaca tgattaacaa agacttcaca gaatatccag agcatcgtgt agaattttac 2580
 aagttattga aggtcatcaa tgagaaatca tttgctgcat ttttggaact acctccggct 2640
 gcctttaaat tgtttgttga cgctatttgt tgggcgttca aacataacaa tagagatgtc 2700
 gaagttaatg gtctacagat tgcattagac ctagtgaaaa acattgaaag aatgggaaat 2760
 gtcccatTTg caaatgagtt ccacaagaat tattttttca tttttgtcag tgaaacgttt 2820
 tttgttttaa ccgattccga ccacaaatcc ggTTTTtcta agcaagcttt gttactaatg 2880
 aagttgattt ctttggttta tgataacaag atttcggtac cattatatca agaagctgag 2940
 gtaccacaag gaacttcaaa tcaagtctac ttaagccaat atttggttaa tatgttaagt 3000
 aatgcattcc cccatttaac atccgaacaa atcgcaagtt ttctctctgc attaactaaa 3060
 caatacaaaag acttagtggt cttcaaaggc actttgaggg actttttggg gcaaatcaaa 3120
 gaagtcggag gtgatccaac agattatttg tttgctgaag ataaagagaa tgcattaatg 3180
 gaacagaata gactagagag ggaaaaagct gccaaagattg gtgggttatt aaaaccttcc 3240

gaacttgatg attag

3255

<210> 536
<211> 5580
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 536

atggaaattg aaaacgaaca gatttgcacc tgcatacgcg agattctgca tcttctcaat 60
agcttaatta ttacattctt agatgatgat aagacggaaa ctggacaatc ttttgtttat 120
attgatggat ttcttgtcaa aaagcataac aatcaacata ctattgttaa tttcgaaact 180
tacaaaaata aaatgaaagt ttccgatagg cgtaagtttg aaaaagcaaa ctttgacgag 240
tttgagtcgg ctctaaataa caaaaacgac ttggtacatt gtccctcaat aactttattt 300
gaatcgatcc ccacggaagt gcggtcattc tacgaagacg aaaagtctgg tctaatcaaa 360
gtggtaaaat tcagaactgg tgcaatggat aggaaaaggc cttttgaaaa aattgtcgtt 420
tccgtcatgg tcgggaaaaa tgtacaaaag ttcctgacgt ttgttgaaga cgaaccagat 480
ttccagggcg gaccaatccc ttcaaagtat cttattccca agaaaatcaa cttgatggtc 540
tacacgttgt ttcaagtgca tactttgaaa ttcaatagaa aggattacga taccctttct 600
cttttttacc tcaacagagg atactataat gagttgagtt tccgtgtcct ggaacgttgt 660
tacgaaatag cgagtgccag gccgaacgac agctctacga tgcgtacttt cactgacttt 720
gtttctggca cacctattgt aaggggtctt cagaaaagca ccataaggaa atatggatac 780
aatttggcac cctacatgtt tttgttacta cacgtagatg agctatcgat tttttctgca 840
taccaagcaa gtttacctgg cgaaaagaaa gtcgacacag agcggctgaa gcgtgatcta 900
tgcccacgta aaccactga gataaagtac ttttcacaga tatgtaacga tatgatgaac 960
aaaaaggacc gattgggtga tattttgcat attatcttgc gagcatgtgc gctcaatttc 1020
ggggcggggc cccgtggtgg cgctggtgac gaagaggatc gatccattac gaatgaagaa 1080
cccattattc cctctgtgga cgagcatggc ttgaaagtat gtaagttgcg cagtcctaac 1140
actccacgaa gactcagaaa aacactagat gccgtgaaag ctttattggc gtcgtcttgt 1200
gcttgtaccg caagggattt agatatattt gatgacaaca acggcgttgc gatgtggaaa 1260
tggatcaaaa ttctgtacca cgaagtagcg caggaaaccg cgctgaagga ctcttataga 1320

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2018. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

ataactttgg taccttcttc tgatggtgta tcagtatgtg gaaaactgtt taatcgcgag 1380
tatgtccgcg gcttttactt tgcatgcaag gctcagtttg ataacctttg ggaagaattg 1440
aacgactgct tttatatgcc tacagtgggt gatattgcc gcctcatttt gcgtaatcga 1500
gaagttttgt tcagagagcc aaagcgagga attgacgagt atctggagaa cgattctttc 1560
cttcaaataa tacctgttaa atatcgtgaa attgtgctgc ccaagttgag aagagatact 1620
aacaaaaatga ccgcggctct taaaaataaa gtcactgttg caattgacga gcttacgggtg 1680
ccacttatgt ggatgatcca ttttgccgta ggataccctt accgttatcc agagcttcag 1740
ctactcgctt ttgccgggtc tcagcgcaac gtatacgtcg atgatacaac aagacgcac 1800
caactgtaca ctgattacaa caagaacggg tcacgggagc ctcgacttaa gacgcttgac 1860
ggactcactt cagattacgt gttttatttt gtcactgtgc taaggcaaata gcaaatatgt 1920
gcgcttggtg acagttatga cgcttttaata catgacccct ggatggatgt ggtgggattt 1980
gaggatccag atcaagtaac aaatcgagac atttcgagga tagttttgta ttcctacatg 2040
tttctgaata ccgcgaaggg ctgtctgggt gaatacgcaa cttttcggca gtacatgagg 2100
gaacttccga agaatgcacc tcagaagctg aattttcggg agatgcgtca ggggttgatt 2160
gccctaggac ggcaactgct aggtagcaga tttgaaacag atttgtagca gtcggcgacg 2220
agtgaactca tggccaatca ttccgttcaa acagggcgaa atatttacgg tgtggattcc 2280
ttttcgttaa ctagtgtcag tgggacgacc gccactttat tgcaggaacg agcttccgag 2340
cgctggattc aatgggttagg cttgaaagc gactaccatt gttcattctc tagtactcgg 2400
aatgcggaag acgtagtggc aggtgaggcg gcgagttcag atcatcatca aaaaatttca 2460
agagtaacgc gaaaaaggcc ccgagagccc aagagtacaa acgatatacct cgtcgcaggg 2520
cagaaactct ttggcagctc ctttgaattc agggacttgc atcagttgcg cttatgtcat 2580
gaaatataca tggcagacac accctctgtg gcagtacagg cccaccggg ctatggtaag 2640
acggagttat ttcattctcc cttgatagca ctggcgctta agggcgacgt gaaatatgtg 2700
tcgtttctgt ttgtaccgta cacagtgttg cttgctaatt gcatgatcag gttgagccga 2760
tgcggttgct tgaatgtggc ccctgtaaga aactttattg aagaagggtg cgatggcggt 2820
actgatttat acgtggggat ctacgatgat cttgctagca ctaatttcac agacaggata 2880
gctgcgtggg agaatatgtg tgagtgcacc tttaggacca acaacgtaaa attgggttac 2940

ctcatgttag atgagtttca caactttgaa acggaggtct accggcagtc gcaatttggg 3000
 ggcataacta accttgattt tgacgctttt gagaaagcaa tctttttgag cggcacagca 3060
 cctgaggctg tagctgatgc tgcgttgacg cgtattgggc ttacgggact ggccaagaag 3120
 tcgatggaca tcaacgagct caaacggtcg gaagatctca gcagaggtct atccagctat 3180
 ccaacacgga tgtttaatct aatcaaggag aaatccgagg tgcccttagg gcatgttcat 3240
 aaaatttggg agaaagtggg atcacagccc gaagaagcac tgaagcttct tttagccctc 3300
 tttgaaattg aaccagagtc gaaggccatt gtagttgcaa gcacaaccaa cgaagtggaa 3360
 gaattggcct gctcttgagg aaagtatttt aggggtggtat ggatacacgg gaagctgggt 3420
 gctgcagaaa aggtgtctcg cacaaggag tttgtcactg acggtagcat gcgagttctc 3480
 atcggaaacg aattagtacg tgaaggaatt gacattaagc aattgatgat ggtgatcatg 3540
 cttgataata gacttaatat tattgagctc attcaaggcg tagggagact aagagatggg 3600
 ggccctctgtt atctattatc tagaaaaaac agttgggagg caaggaatcg taagggtgaa 3660
 ttaccaccga ttaaggaagg ctgtataacc gaacaggtac gcgagttcta tggacttgaa 3720
 tcaaagaaag gaaaaaaggg ccagcatggt ggatgctgtg gctccaggac agacctgtct 3780
 gctgacacag tggaactgat agaaagaatg gacagattgg ctgaaaaaca ggcgacagct 3840
 tccatgtcga tcgttgcggt accgtctagc ttccaggaga gcaatagcag tgacaggtgc 3900
 agaaagtatt gcagcagtga tgaggacagc gacacgtgca ttcatggtag tgctaatagcc 3960
 agtaccaatg cgactaccaa ctccagcact aatgctacta cactgccag caccaacgct 4020
 aggactagtg ctactaccac tgccagcatc aacgtcagga ctagtgcgac taccactgaa 4080
 agtaccaact ccagcactaa tgctactacc actgccagca ccaacgtcag gactagtgtc 4140
 actaccactg ccagcatcaa cgtcaggact agtgcgacta cactgaaag taccaactcc 4200
 aacactagtg ctactaccac cgaaagtacc gactccaaca ctagtgtac taccaccgaa 4260
 agtaccgact ccaacactag tgctactacc actgctagca ccaactccag cactaatgcc 4320
 actaccactg ctacaccaa ctccagcact aatgccacta cactgaaag taccaacgct 4380
 agtgccaagg aggacgcaa taaagatggc aatgctgagg ataataagatt ccatccagtc 4440
 accgacatta acaagagtc gtataagcgg aaaggagtc aaatggtttt gctagagaga 4500
 aagaaactga aagcacaatt tccaatact tccgagaata tgaatgtctt acagtttctt 4560

ggatttcggt ctgacgaaat taaacatctt ttcctctatg gtattgacgt atacttctgc 4620
 ccagagggag tattcacaca atacggatta tgcaagggct gtcaaaagat gttcgagctc 4680
 tgtgtctgtt gggctggcca gaaagtatcg tatcgaggga tggcttggga agcactagct 4740
 gtggagagaa tgctgcgaaa tgacgaggaa tacaagaat acttggaga catcgagcca 4800
 tatcatgggg accctgtagg atatttgaaa tatttttagcg taaaaagggg agagatctac 4860
 tctcagatac agagaaatta tgcttggtac ctggccatta ctagaagaag agaaacaatt 4920
 agtgtattgg attcgacaag aggcaagcaa gggagccaag ttttccgcat gtctggaag 4980
 cagatcaaag agttgtatta taaagtatgg agcaacttgc gtgaatcgaa gacagaggtg 5040
 ctgcagtact ttttgaactg ggacgaaaaa aagtgccggg aagaatggga ggcaaaagac 5100
 gatacgggtct ttgtggaagc gctcgagaaa gttggagttt ttcagcgttt gcgttccatg 5160
 acgagcgctg gactgcaggg tccgcagtag gtcaagctgc agtttagcag gcatcatcga 5220
 cagttgagga gcagatatga attaagtcta ggaatgcact tgcgagatca gcttgcgctg 5280
 ggagttaccc catctaaagt gccgcattgg acggcattcc tgtcgatgct gatagggtg 5340
 ttctgcaata aaacatttcg gcagaaactg gaatatcttt tggagcagat ttcggaggtg 5400
 tggttgttac cacattggct tgatttggca aacgttgaag ttctcgctgc agataacacg 5460
 agggtagcgc tgtacatgct gatggtagcg gttcaciaaag agctggatag cgatgatgtt 5520
 ccagacggta gatttgatat attattatgt agagattcga gcagagaagt tggagagtga 5580

<210> 537
 <211> 2436
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 537
 atggtaatct tcaaagaacg caaaccaaca gaaaaccttt tcactagaaa aatacctgcc 60
 aagtacttca tcttctcgcc tagttttttg tctgttcatt attttgaatt ttatttgccc 120
 atgtccggtg ataataacat tgaacctact agtcggggct cgaacgacaa tagcaacggt 180
 ccaagtaacg gatcttcggt aaacagtaat cggtagcgtt taaacgcacc caagtacagc 240
 agccaaccac cgccagcatc acacacttat ttgcccccca tgtcagtga tatcccgcgc 300
 atagcgagca aatcatcgtc aatatacagc ctgctacacc aaagttcccc ccgcccggag 360

acgccaaatc caatattacc gccacttatac ggtagtgggc cgggtccca taaaccatct 420
 cctaccccta cacagcctcc tgcacaaccc gcaacacaac ggcaacctgc cacatactca 480
 gtgtatccag cgtctatcag cctgaataga tcgaattcat ctgcttacct actttctttc 540
 aagtcagagg aaaccttaaa caataatcct cctactgctg ccaaacgtac caataccttc 600
 ccctcaattc caagcagtac gaaaaaacag aaaacaagcc aagagaaacg aatctctttc 660
 atttcaagga gaaacacgca agaaataatt gctaagcaaa ttgcagaaaa taacaaatct 720
 aaaaccatcg aggagtatgc gcagatcgtg aagcatgcag aatcaaagt cctgagcatg 780
 gactcacaga acacttcaaa ggcagctttg cagctggcgg aacaaaacag agaaagagaa 840
 agacaagtgt ttgcgttact ttggttaatg aaaaattgta aatctcagca cgatagttac 900
 gtaccaagag gcaaaatatt tgctcaatac gttcatctt gttcccaaaa caacctgaag 960
 cccttatcac aggcgtcatt agggaagttg ataagaacag tttttcctga tttaacgact 1020
 agaaggctgg gtatgagagg tcaatccaaa taccactact gcggattgaa actaactgtc 1080
 aacgaaagcg gctccgtgtc ccttaataac aacaatgctt cgttatcctt agtacacaat 1140
 aacgatccca tategcccc atcgtctcca tcgccctctt caccttcgcc gcaggtagct 1200
 aacgtttcat cgccgtttct attaaataga aaaagtcttt ctggaactgg gtcgcccgtt 1260
 aaacagagta gtaatgacaa ccctaacgaa ccagaactcg aatcacagca tccaaacgaa 1320
 acagaagcaa ataaactaga ttgcgtgcc ccagcggcaa ataaccctac cggaacactg 1380
 tcttcagatg aattaacttt cactcatgat ttaattgaaa aagttttcaa ttgtaatgac 1440
 aagctatcag ataactataa tacccaaata ttatcgaaca cagaacatcc gcttttgaca 1500
 tcatataagt tagacttccc aaaaattccc gcagggtgtac tccccacaga cactgattcg 1560
 gatgttatat catccttgga gtcattatat catatccatt gcaactccgt ttatgaatgc 1620
 atcaagtttc tgaagagtga taatatatca aatgcattat tcttctctaa ctctaactct 1680
 atatgcccc cgatgtttta tctattcatt tctgagccat tgattgattg ggtaactaaa 1740
 tgtgacttaa tcacctatac agggttaatc aaattttttt cacaatttat aattcattct 1800
 aatgagatca gtgactcaat cattcaaaaa ctggaaagta tgatcaagct attgcccga 1860
 caaattaata aggcgtgtttt agaattacca aaagcgctag tgcaaaggaa gttatcaatt 1920
 attaataatt ttaccaaact agtgaaaaaa ctaataaagt tattaataatt cattctaaac 1980

ttcttgaaaa gttttcctat atttaaaagt ggcataaata atgactggaa gaataattgta 2040
 aatttagacg atattttgga aatgatgatt aatgaagacg atacaaattc agagacaaac 2100
 acaataatgc aacatttaca agggttctgt caagttttcg taacaaagtt cttaaattcc 2160
 tctatgagcg ttagcaatga tccctctgtg tctatcgaat gcaagtcctt aaatgaaatg 2220
 attaaagatt tttgttcctt tatttcctta caaagcaaatt tttcgtgctt gaaattaatt 2280
 gattgcagca caagattcag gaatgcaata atcggcgata ttagcttaaa atcaaagag 2340
 aatttgctat catgggtgtt tctaaataat gtcatgggcc aattgctgaa ctactgtttt 2400
 gaagtcataa aattcgtcaa tggcctaaaa gtttaa 2436

<210> 538
 <211> 1842
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 538

atggctgaag gtgttttcca aggtgctatc ggtatcgatt taggtacaac ctactcttgt 60
 gttgctactt acgaatcctc cggtgaaatt attgccacg aacaaggtaa cagagtcacc 120
 ccatctttcg ttgctttcac tccagaagaa agattgattg gtgatgctgc caagaaccaa 180
 gctgctttga acccaagaaa cactgtcttc gatgctaagc gtttgattgg tagaagattc 240
 gacgacgaat ctgttcaaaa ggacatgaag acctggcctt tcaagggtat cgacgtcgat 300
 ggtaaccag tcatcgaagt ccaatacttg gaagaaacca agactttctc cccacaagaa 360
 atttccgcta tggttttgac caagatgaag gaaattgctg aagctaagat tggtaagaag 420
 gttgaaaagg ccgtcattac tgtcccagct tactttaacg acgctcaaag acaagctacc 480
 aaggatgccg gtgccatttc tggtttgaac gttttgcgta tcatcaacga acctactgcc 540
 gctgctattg cttacggtct aggtgctggt aagtccgaaa aggaaagaca tgttttgatt 600
 ttcgatttgg gtggtggtac tttcgatgtt tccttggtgc acattgctgg tgggtgtttac 660
 actgttaaatt ctacttccgg taacactcac ttgggtgggc aagatttcga caccaacttg 720
 ttggaacact tcaaggctga attcaagaag aagactgggt tggacatctc cgacgatgcc 780
 agagctttga gaagattgag aactgctgct gaaagagcta agagaacctt atcttctgtc 840
 actcaaacta ccgttgaagt tgactctttg ttgacggtg aagatttcga atcctctttg 900

actagagcta gatttgaaga cttgaacgcc gcattgttca agtctacttt ggaacctgtt 960
 gaacaagttt tgaaggatgc taagatctct aagtctcaaa tcgacgaagt tgtcttggtt 1020
 ggtggttcca ccagaattcc aaaggtccaa aagttgttgt ctgacttctt tgacggtaag 1080
 caattgga aaatctattaa cccagatgaa gctgttgctt acggtgctgc tgttcaagg 1140
 gctatcttga cgggccaatc cacatctgac gaaaccaagg acttgttggt gttagatgtt 1200
 gctccattat ctctaggtgt tggatgcaa ggtgacatgt tcggtatcgt tgtccaaga 1260
 aacactactg ttccaaccat caagagaaga acctttacta catgtgctga caaccaaacc 1320
 accgttcaat tcccagtcta ccaaggtgaa cgtgttaact gtaaagaaaa cactttgttg 1380
 ggtgaattcg acttgaagaa catcccaatg atgccagctg gtgaaccagt cttggaagct 1440
 atcttcgaag ttgatgctaa cggatcttg aaggttactg ccgtcgaaaa gtctaccggt 1500
 aagtcttcta acatcactat ctctaacgct gttggtagat tgtcttctga agaaattgaa 1560
 aagatggta accaagctga agagttcaag gctgccgatg aagcttttgc caagaagcac 1620
 gaagctagac aaagattgga atcctacgtt gcctccatcg aacaaactgt cactgacca 1680
 gtcttgtctt ctaaattgaa gagaggttcc aagtccaaga ttgaagctgc tttgtccgat 1740
 gctttggctg ctttgcaaat cgaagacca tctgctgatg aattgagaaa ggctgaagtt 1800
 ggtttgaaga gagttgtcac caaggccatg tcttctcgtt aa 1842

<210> 539
 <211> 558
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 539
 atggatgcat tcagcttaaa gaaggataat cgaaaaaat ttcaagataa acagaaattg 60
 aaaagaaaac atgccacacc cagtgataga aagtaccggc tattgaaccg caaaaagaa 120
 gagaaagcta ccacagagga gaaagatcaa gaccaagaac agcccgcct gaagtcaaac 180
 gaggacaggt actatgagga cccggtactc gaggaccgc attctgcagt cgccaatgca 240
 gagttgaaca aggtgctaaa agacgtcctc aaaaatcggc tccagcagaa cgacgacgcc 300
 acagccgtca ataatgttgc taataaagat actttgaaaa tcaaagacct caagcagatg 360
 aatacggatg agctcaatcg ttggctcggc cggcagaata caacatcggc tataacagcg 420

gctgagccccg aatcattagt cgttcccatt cacgtacaag gtgatcatga tcgtgcgggc 480
aagaagatca gtgccccttc gaccgatcta ccggaagaac tagagaccga tcaggatttc 540
cttgatggac tgctctaa 558

<210> 540
<211> 2670
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 540

atgccaacag ctaagaggac gtcattccagg gcttcgttgg cactgccctt ccagttacgg 60
ttggtgcaca agaaatcatg gggccatcgg ctaagagact tcatttccgg gttcttaaaa 120
tcatgcagac ccattgctaa atacgttttc cccaacttca tcgtggtgca ctatatctac 180
ctgatcacgc tgtcgattat cgggtccatt ctgttatatc cgtgcaagaa cacggcgttc 240
atcgatgtgc tatttctggc tgctggagcg tctacacagg gcgggctggc caccaagagc 300
actaacgatt tcaacctgta ccagcagata gtggtgtacg tcattacatt gctgtccacg 360
cctatactta ttcattgggtt tttggccttt gtcaggctgt attggtttga aaggacttc 420
gacaacatta gggatatctc caaacagaat tttaaactaa gaaggaccat gacgttgcaa 480
caaaggggaa tatcggggcag cagtggcaat gccgctcgaa gtaggagttt caaggacaac 540
ctgttccgtg ggaagtttgt ttccagagaa gaccacgac aatccgcttc agatgtgccg 600
atggactctc ctgacacgtc cgcattgtcc tcaatctcac cgttgaatgt ttcctcctct 660
aaggaggaat ccagtgcac gcaaagctcg cctccaaact tctcaagtaa gcgccaaccc 720
tcagacgttg acccaagaga catttacaaa tcgataatga tgctacaaaa acaacaagag 780
aagagcaacg caaactccac ggattctttt tcgagcgaga ccaatggacc cgctttcatt 840
gtgcaggaac gtcatgagag aagagcccc cactgctcac tgaaacgcca ttctgtcctg 900
ccatcttctc aggaattgaa caagctagcc cagacgaaaa gtttccagaa attgcttggc 960
ttgcggagag atgaagggtga ccatgactac tttgacggtg ctctcaciaa atatatggtc 1020
accaagaaga aaaaaatatc tagaacgcaa tcatgtaaca tccaacgta tactgcttca 1080
ccgagtccta aaacctcagg ccaagtagtt gaaaatcata gaaacttggc caagtcggcg 1140
ccttcattctt ttgttgatga ggagatgagc ttttcaccgc aagagtcttt gaatttacag 1200

```

ttccaagcgc acccgcccaa accaaaacga cgtgaagggtg atataggcca ccccttcacc 1260
agaacaatga gcaccaacta tctatcgtgg cagccaacct ttggcagaaa ctccgtcttc 1320
attggactca caaagcaaca aaaggaggaa ctcggcgggtg tcgaatatcg tgctttgaga 1380
ttgctgtgct gcattctcat ggtatactac atcggattca acattttggc gtttgtgacc 1440
atcgttccat gggcctgtac gaggcaccac tactcagaga ttattagacg aaatggagtt 1500
tctccaacct ggtggggggtt tttcactgca atgagtgcac tcagcaactt gggctctgtct 1560
ttgaccgctg attcaatggt ttcctttgat actgcgcctg atccgctgat tttcatgatg 1620
ttcttcatca tcataggcaa tacaggcttc ccaattatgt tacgatttat catttggaac 1680
atgttcaaga cctcgagaga cctatctcag ttttaaggaaa gtcttggggtt tctcttggaat 1740
catccgcgca ggtgtttttac gttgctgttc cccagcggcc ccacatgggtg gctgtttaca 1800
acttttagtcg tcttaaacgc tacggattgg attcttttca taattctgga tttcaactcc 1860
gctgtagtaa ggcagggttg taaaggttat cgagctctca tgggcctctt ccagtctgta 1920
tgcacaagaa ctgctggatt caacgttggt gacttaagta aattacaccc gtccattcag 1980
gtgtcttata tgctaattgat gtacgtttcg gtcttgccgc tggcgatttc cattagaaga 2040
acgaatgttt atgaggagca atcgttggga ctatacgata gtggacaaga tgacgaaaat 2100
atcaccacgc aagacgatat aaaggaaaca gaccatgatg gcgaatccga agagcgagac 2160
actgtatcta caaagtccaa gccgaagaaa cagtcccaa aatcgtttgt tgggtgctcat 2220
ttgaggaggc aactctcttt tgatttatgg tacctattcc ttggattatt tataatatgc 2280
atatgcgagg gcagaaaaat cgaagacgtt aataaacctg atttcaatgt ctttgctata 2340
ttgtttgaag ttgttagcgc ttatggtaca gtggggttgt cattgggtta cccaaacacc 2400
aacacatcac tatctgccc a gttcaccgta ttatcgaagc tagtcataat tgccatgcta 2460
ataagaggaa gaaatagagg tttaccatac actttggatc gtgccatcat gctgccaagt 2520
gacaaaactgg aacaaattga tcgtttacaa gatatgaaag ctaagggtaa gttgttagcc 2580
aaagttggtg aggatccaat gactacttac gtcaaaaaga gatcccacaa actgaaaaaa 2640
atagcaacaa agttttgggg gaagcattaa 2670

```

<210> 541
 <211> 630
 <212> DNA

<213> Saccharomyces cerevisiae

<400> 541

atgaacatat acacatcacc cacgcgaaca ccgaacatcg caccaaagag tggccaaaga 60
ccatctcttc ctatgctggc cacagatgag aggtctacgg acaaagaaag cccgaatgaa 120
gaccgtgaat tcgtgccttg ttcgagtttg gacgtgcgca gaatctaccc aaaaggccca 180
ttacttggtc tcccggaaaa gatctacctt tattcagagc ccacggtaaa agagctttta 240
ccctttgatg tgggtcatcaa cggtgctgaa gaggcaaacg atttacgaat gcaggttcct 300
gctgtcgagt accatcacta ccgatgggaa catgattcgc agattgcgtt ggacttgcca 360
tcattgacta gcatacata cgcagctacg actaagcgag agaagatact gatacattgc 420
caatgtgggc tgtcgagatc cgcaacgctg attattgcat atataatgaa atatcataac 480
ttgagtctga ggcactcata tgatctgttg aaatcaaggc cagacaagat aaacccttcc 540
atagggctta ttttccagtt gatggaatgg gaggttgctc ttaacgcgaa gactaacgtg 600
caagccaaca gttatagaaa agtaccgtga 630

<210> 542

<211> 1836

<212> DNA

<213> Saccharomyces cerevisiae

<400> 542

atggcgcgtc aaaagcttac tttcaaagaa caaatggatg gtttcccctg ggtccaactt 60
gttgttgtgt ccttagttag gttcagcgaa ccaattgcgt tttcgtcact atttccttat 120
gtttatttca tggtttagaga ttttaatat gttcccaatg atgctcaagt gtccaaatat 180
tcaggttatt tatcttcac atttgcgtta tgccaagtca tatctgcgta cactgggggt 240
agattctctg aaaaacatgg cagaaaaata acattgactt gcgggcttat aggaacatct 300
gtatcattgt taatactggg attttcacac aatttctatc aggcttttgt ggcaagaagt 360
ttaatgggat tgctaaatgg taacgtcggc gttattagaa ccattattgg tgaaatagca 420
actgaaagaa aacatcaggg ttttagctttc agtactatgc ctttattatt tcaatttggt 480
gccgttggtt ggccatgat cgggtgggtt cttgtattta gagatggaac aatgaatgaa 540
gtgccactat ggtttccaca ttttgcaaaa agaataatta ggtcatatcc gtacgccttg 600

ccaaacgtgg tagtgtgcat gtttttgatg tttggtttaa ctaatgcaac attgtttttg 660
 gaagaaacac atcctgcttt taaaaataga agagattacg gtttagaggt cgggtgatttt 720
 attaagaaga atatatattgg tatacagccg aaaagaagac cctggcaaaa gcgcattcag 780
 gatgattcgg aaaacattca ccaccgtaat gagaatgtga acagcaatcg aggacaagat 840
 agtgaagagg atgaaaatag tcccctagtg aatactacca atgacgatga tactgaaagc 900
 atacaatcga ttgatcctat ttttaacaaga agacagtctg taggcctgat taggacatat 960
 tctctgcatg aaccaacaga cgctgtgcat gccaatatag atacagctcc agacggttgt 1020
 aaagaaagta gtatatattca tcacgttttt catacaaaag tatttttacc tatatcgggtg 1080
 aattttatta tggctttaca tttgattgta tacaacgaat ttttgctgt ttttttagct 1140
 tatgatttag ccgtagatcc agaaaatcca aagaagctgg cttcaaaatt tccgtggaaa 1200
 atatctggcg gtataggtta tgaaccagaa caaacggta ctcttttgtc gacaacaggt 1260
 atctttggtt gttttgtggt tatttttcatt tttcccatag ttgatcgaaa tttcgattgt 1320
 ttaacaattt tcagaacttt agtcaagctg taccctatta tgtacgttat ggttccttac 1380
 gttgtttttc tacagaatga acggattcct agctggtata ctgtcgtcta cttgtacata 1440
 atcacaggga taaaaacatt ttgtggcgct ttaacgtcac cacaaattat gttattaatt 1500
 cataattcga gtcccttgag ttgtagatca gtcacaaatg gcgccaccat tagtatttct 1560
 gcctctgctc gtttcatagg tcccttagta tggggctata ttatgtcttg gtcccagcaa 1620
 aatgacgtcg cctgggtcag ttggtggctg ttaagtcttt tttgtatggt agctctttat 1680
 caaagttata agatagcacc aattgatgat aacgaaaatg agcttcatgg acagggtagt 1740
 gaagatgcct acaattcgca gtcacagtct tctgatttaa gaatggctca tcgatctagt 1800
 ttaagcagct taagtaacca acgctgtacc acatga 1836

<210> 543
 <211> 858
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 543

atgcgttctt cggtatatag tgagaacact tacaactgta tacgaacatc gaaggagcac 60
 ctaacagaaa gaaggagggt cgccatggcg ccaatgttcc aacatttctt aaacttatgc 120

gtggaaaaat ttctgaatc catcgagcac aaggatacag atggaaacgg taacttcacc 180
accgctatatt tagaaaggga gattatctac atccccgaag atgacactga cagtattgac 240
agcgttgaca gcctcaagtg tataaactac aagctgcaca aatctcgagg cgaccaagtg 300
ctggacgcct gtgtgcaatt gatagacaag cacctgggcy ccaagtatcg cggggcctcg 360
cgcattatgt acggcaacag gaaaccatgg aaggcaaaca aactcgcaga gatgaaaagc 420
gccggccttg tgtatgtctg ttactgggac aacggcgtgc taggtgcatt tacttcattc 480
atgcttacag aggagacggg tctcgtcgaa ggtgacgctt tacacgaggt tagcgtgccc 540
gtgatatacc ttacgaagt acatgtagct agcgcgcacc gcgggcatgg aatcggtcgg 600
cggctactgg agcatgcact gtgcgatggc gtagctcgac acacccgccg catgtgagac 660
aatttcttcg gtgtagcact caccgtattc agtgataaca ctcgggccccg gcgactatat 720
gaggcgcttg ggttctaccg cgctccggga tcacccgcac cagcatcacc cacaattcgt 780
cacacgcgac atgggtggggg acgtgtagtc gtgccctgcy atccgcttta ttacgtatat 840
tgccttcaca tgccgtga 858

<210> 544
<211> 1002
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 544

atgagttgtg tgtatgcgtt tgggtctaata gggcaaaggc aactgggact ggggcacgat 60
gaggatatgg ataccccaca gaggtctgtg ccaggagatg atggagcaat agtcaggaag 120
atagcgtgcy gtgggaacca cagcgtgatg ctgacaaatg acgggaatct ggtaggatgt 180
ggagataaca gacggggaga actggatagt gcgcaagcac tgcggcaggt gcatgactgg 240
aggcccgtgg aagtaccggc acccgtgggtg gatgtggcgt gcggctggga cacgacagtt 300
attgtggatg ctgatggccg tgtatggcag agaggaggcy gttgctacga gttcactcag 360
caacatgtgc cattgaattc caacgatgag cgcacgcag tatacggatg tttccagaac 420
tttgtgggtg tgcaaggcac ccgagtatac ggctggggca gcaacacaaa gtgtcaattg 480
caagagccca aatcccgatc actgaaagag cccgtattgg tgtacgatac cgggtctgtg 540
gccgtagact acgtggccat gggcaaggac ttcatggtca tagtggacga gggcggccgc 600

atagtgcacg catccggctg cctgcccact gggttcgagc tcaaacaaca gcaaaaaaga 660
 cacaatctag tggtagcttg catgtggacc tcgatccacc tgtggaatgc gcgcctcaat 720
 acggtagagt cgtttggttag gggcacacat tcccaactct tcccgcaaga gcgcctagac 780
 ttccctattg tcgggtgttg aaccgggagt gagcacggta ttctaactac tgctaataca 840
 gaaggcaagt ctactgttta caatgtatac tgctggggct ggggagagca tggcaactgc 900
 ggcccgcaaa aggcgtccca gcttgactg cagctcgtgg gccaatactc tggaaaacct 960
 cgcgtgtttg gcggatgtgc caccacgtgg atcgtgctct ag 1002

<210> 545
 <211> 2595
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 545
 atgataaatt gcaaggtcat cgaaaacaga agaacaaggt tttttccttt agtaaattgca 60
 aaattagtaa aagtgatagc gtcttctttg attaacaagt ttcaatcttt gcctttggct 120
 atgtcaaagc tattttctac tgtcaattct gcaagacata gtgtaccact aggcggcatg 180
 agagattatg tgcacattaa gaaactagag atgaatacag ttcttggggc tgattcctgg 240
 aatcaattaa tgcctcagaa atgtctacta agcttagata tgggtacaga ttttagtaaa 300
 tctgcggtta cggatgattt gaaatattct ctaaattatg cagttatttc tcgtgatttg 360
 acgaatttcg tcagcaaaaa aaagaattgg ggttctgttt ctaatttggc taaatctgtg 420
 tctcaatttg ttatggacaa atattctggt gtcgagtgtc tgaatttaga agtgcaggcg 480
 gatacaacgc atattagaag tgaccacata tcttgtatta ttcaacaaga aagagggaat 540
 ccagaatcac aggaatttga cgttggttagg atatctgagt taaaaatggt gactttgatt 600
 ggtgttttca cctttgagag acttaagaaa cagtatgtaa ctttggatat aaagttgcct 660
 tggccaaaga aagccgaatt gccaccgcca gtgcaaagca taattgataa cgttgtcaag 720
 tttgtggagg aatcaaatct caagactgtg gaagctcttg tagaatctgt gtcagctgtt 780
 attgccata acgagtattt tcaaaagttt ccagattcgc ctttgggtgg gaaggttttg 840
 aaattaaacg caatcacagc cacagaaggt gttgggtgtaa gctgtattag agagcccagg 900
 gagattgcga tggtaaatat tccatatctt tctccatac atgaatcgtc tgatattaag 960

ttccaattgt cttcatcaca aaacactcct attgagggta aaaatacatg gaaaagagcg 1020
 ttttttagcgt ttggttcaaa cattggggac cgtttcaaac acattcaaat ggcgttgcaa 1080
 ttattatcaa gggaaaaaac ggttaaatta cggaatattt cgtctatttt tgaaagtga 1140
 ccaatgtatt tcaaagatca aacccttttc atgaatgggt gtgttgaggt ggagacatta 1200
 ctgaccccaa gcgaattatt aaaattgtgt aaaaaattg aatatgaaga gttgcaaaga 1260
 gtcaagcatt ttgataatgg tccgagaaca atagatctgg atattgttat gtttttgaat 1320
 agcgccggag aagatattat agtaaatgaa ccggatttga atataccgca tcctagaatg 1380
 ctggagagga ctttcgttct tgagccgtta tgtgaattaa tatcccccg tccaccttcat 1440
 cctgtgacag cggaacccat tgtagaccat ttaaaacagt tatacgacaa acagcatgat 1500
 gaagatacct tatggaaatt agttccattg ctttatcgta gtggtgtgga gcctagattt 1560
 ttgaaattca agaccgctac aaaacttgac gaatttactg gagaaacaaa cagaattact 1620
 gtttcaccta catatatcat ggctatcttc aacgctacac cagattcatt ttccgatgga 1680
 ggtgagcatt ttgcggacat tgaaagtcaa ttgaatgata tcattaaatt gtgtaaagac 1740
 gcattatatt tgcattgagag cgtcatcatc gacgttgag ggtgttctac caggcctaac 1800
 tctattcagg cgtctgagga agaagaaata cgcaggctta tcccattaat taaggccatt 1860
 agagaaagca ctgagttacc gcaagataaa gtcatactat ccattgatac ttatcgttcc 1920
 aatgtcgcta aagaagcgat taaagttgga gtggatatta ttaatgatat ttcgggaggt 1980
 ttatttgaca gcaacatggt tgccgtaatt gcagagaacc cagaaatttg ttatatttta 2040
 tcacacacac gtggtgatat ttcaacgatg aataggctgg cgcattacga aaattttgca 2100
 ttgggtgatt ctattcagca agaatttggt cataataccg acattcagca gctagacgac 2160
 ttgaaagaca aaacagtgtt aatcaggaat gttggtcaag aaattggcga aaggtatatc 2220
 aaagcgattg ataatggagt aaagcgctgg caaattctaa tcgaccctgg acttggtttt 2280
 gctaagacct ggaagcaaaa cttacaaatt attagacata tccccatttt aaagaactac 2340
 tcattcacca tgaactcaaa caattcgcaa gtgtatgtta acctcagaaa tatgcccgtt 2400
 ttattgggtc catcgcgcaa aaaattcatt ggacatatca caaagatgt ggatgcgaag 2460
 caaagagact ttgctactgg agcgggtgga gcgtcgtgta ttggtttcgg cagcgacatg 2520
 gttagggtcc atgacgttaa aaattgttcg aagagcatta aattagcaga tgctatttat 2580

aaaggtttgg aataa

2595

<210> 546
<211> 2832
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 546

atggatgcag gtttatcgac catggcaaca agaaacggtc agtcttctgc tagagttaaa 60
ttgagaaata acctcttgaa taatgatata ggaaatattg acattaggga tgaaacacct 120
atttcaagga acgggaatga cagcaatatt aacatccagc cttcttccgt gccgcagcag 180
cagcagcagc agcagcaata ctaccgtaat ggcatgaatg aggctccaat acaagcgcca 240
cttcaacaac gtcaaattcc catgcagaat tattcacaac agcaacgcca gcaacaacag 300
tataattttg agtattccaa tccacatatg aatgagattc ccctcatgca gcataacttc 360
accaaaccat cactaagcaa taatcgcgat aatgttaatg gtaagaaagc ttcctcattt 420
accagagct cattttccaa ttttttcaaa cataagcatc aatttgggaa gtcaaagaaa 480
aacactaagg ggacaggagg tgggtggagat ggtgatgatg acgatgaggt tatcttggat 540
gattctgcaa actccgacct aacattcaat gacattcaga ccttcgggtca caagggcggt 600
gacaaatatg gatatggtgg tgattccact cctatcattc caacattggg gactaaagac 660
cgcggaata tgagtaatac tgagtatagg aagtacatta ctaatcaaag gaaaaccgca 720
atgaatgcca tggctaaaca aactaaaaat ggtacattag cctcgttgcc tccgagagca 780
atgtctttgc aaagtttccc gaatggtaat cctttaatgc aagcaccac tcctcatcct 840
agatttcaac cgaataaaat ggtgagcgct aattattcga gatcaaattc gttgatgagt 900
ggacctcccg gacaatttcg acagccgcag caacaagaa tgctaccgat gaacaactac 960
aacaatcacc caggtcaatt ccagaatacc ccaccagtaa tgccctctgg acaacagcca 1020
cctcagcaac cacgtactct gtcattaact aatggcccaa gatattcacc ccaaaatcct 1080
cggccattcg caggtcatca gcagatatca caaagacaac aacaacaaca acaacaactt 1140
caacttcac caatgtctga aggctatcgg acaatgtctc taaaagtca gaacgttccc 1200
caagggttta atccatggtc accaaatgac aacgatcgta aagctgtgtc catgaaacag 1260
ccaatcagtc aatcgtaat ttcctcaaag aataattcag cttattcaat accgaacgta 1320

<211> 2433
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 547

```

atgaaaagaa gaagcgatgc tttgttgga agtttccagg ccaccaacgt tacgccgcca 60
agcgataata gtaatagtac ggccggtgga gccaatggaa gtaactcagg aacaccaact 120
tctactagcg gtaagaagag aaacaagctt ataaaatctt gtggcttttg cagaaggaga 180
aaacttcggt gtgatcagca aaaacctatg tgttctacat gcatttctag aaacttaaca 240
acctgtcaat atgctgaaga attcaacaaa aacatcgaaa agaaagctac ctatgggtccc 300
tatacctaag ccgatttact taagaaagtt gaagaactag aaaacaaaat acgtattcta 360
gaagctgaaa aaaacactaa ttcgtctgcg agctccatgt acacttcgcc aaatttcctt 420
cctttaggca ctagtgtagg tagaggttct actgaaactt catctccatt acccgatggt 480
gtaataaatc catatgccga ccggtactac ctacaaagta aacattccgg aagatcaaca 540
ctatacggcc ccacttctat gagaacccaa attgcaaata gtaattgggg gttcattgaa 600
aaatataaac aattatgggc gaagggttaa gtagaaagaa ataatggaa gcaaaacaac 660
caaaaaacga tgtgcaggga actaggcctt ttggatgagt cggattggca gccagatcca 720
ttaatcaaac agatatgtcg tttcctacca tcatataaca aagctttgtc tattttagat 780
gatttcttta atgatggagc atgcaatgag atcaacgtga ttcttgataa ggcaaaagtt 840
agaagagact ttttagatta tttcatgccc gaaaagagg taaaggcgga aggtgacaga 900
tccatagttt atattttatc caatccaaag aaaaattatt acaaagctgc tgtgatacta 960
ttaatcctat gtctgaaata cttccataca gatgtcccaa cccaattga gaagttcttt 1020
actttactaa agggggcctc caccgctaag gtgttctaca ttgagcgtgc acaaattgta 1080
atacttttct actaccatcg tgaaacatat tcattcgggtg gagatggctc cgatttggtt 1140
aatataaatg aatgtttagt tactacggtt actacaatag ggttgcattt aaacattaga 1200
gaaactttca aggaacatga ggtttttatg ggtagcatcg aaagtttaga aaatgtctgg 1260
ttaatggcaa tatttatcga ttataacata tcttgtaacg ttggtagacc cttattgatt 1320
aacaattttt atctagacga aaaccaagat cattgcatat tgaatagtaa aagtaaaaca 1380
tatgagggga agctgaaaag atatttaaaa cttacaaggc caatgttggt aactctttat 1440

```

gatagagata aattcccgga tttgaaagct tattccaagc gaattatcaa ttttgtagaa 1500
gaagaacttg gtccacttgg acattacaca ggtgaaaata tatcggaaga agttccatta 1560
agggaaagta gaattttaag tatggcagtc ggactattat tgcgttttta tgcactaata 1620
cattctgtgc tgaaagtcag aaacatagaa tccaaaaata atacgtttca attgggttttg 1680
atcaatTTTT ccatcattgt gaataccaca attcgatgct atcgtatcga caaagcactt 1740
taccagaga aattcgaagc ctccaacccg cacttaccgc cacatatggc gttatcaatg 1800
agcctcacgg cagggctttt ttccaaaaca ttgggtgtttt tttgttctct gatctacttt 1860
aagttgacgc ttttcgaaaa tggactatgt ctatccaacg atatggaagt tggatggctg 1920
gatttgacga aattgactgt tcctttagac aaggatctat ctttaggtac agcaatgagc 1980
ttgtactcgt caatcttcga tcgcttggtc acggtcggaa ataaagaatt aatacgcaca 2040
atgcatagat catcacaatt tgtgatagag ctagctattg aaaggacctt taggactatt 2100
cttggcaacg ttattgaatt cagaaagttg accgaggaaa catggctagc acaaatcaaa 2160
caagaactag atccgcagag cgataatcca tcatcagaag ctaaaattgt gagtgatagg 2220
cagcgggacg tcagccttgc agttccaacg cccacgcctt caataattcc aatgttacc 2280
tcgcctgggtg aaactaagaa ccatgcaaag agtcaatcag agatcattca gatgctgaca 2340
gatgaatttt gggcaaatta taactcaggc tgggaagagt tgattaatca atctgaattt 2400
tccactcttt tcgatgatta caaagacaat taa 2433

<210> 548
<211> 2376
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 548
atggtagcga catcttcaaa gaggacgttg gatccgaagg aggaacattt gcctgctgac 60
aaaacatcca ctaattcaag caacactata atatctgagt tggcaacaca agagaaatcc 120
agctctagtg gtactacact aaaattaata gctcttaata tcaagtccat atcagatgaa 180
gatgtgggat atatccaaaa tgttgaaaga ctgtctttaa ggaaaaatca cttaacatcc 240
ttaccagcga gtttcaagag gttatcaagg ctgcaatatc tggatttgca taataacaat 300
tttaaagaaa tcccatatat ttgacacaa tgccctcaat tagagatctt ggatctgtcc 360

tccaatgaga ttgaagcatt gccagatgaa atatcatcgt tttggcaaga taatattcgt 420
 gtattatcat tgaaagacaa caacgttact agcatacgta atttgaaatc gatcacaaaa 480
 ttaaacaagc tgagcatctt ggatttagag gataataaaa tacccaaaga agagcttgac 540
 caagtacaga gttatactcc atttcatacg ggcattccca aagaagaata ttgggcaatt 600
 gcgatatcac gatattctaaa agatcatcct aacctaccta ctccagaacc taaaatatct 660
 agagcagcga aaagaatggg attcataaat acgaacttgt ctaatggagc aatgaatgaa 720
 aacaatataa tttcacttgc cccaagtgc aatacaacta taagtgcac tactgcaatg 780
 gtctcatcta atcaaacctc tgcaacatct ttcagtggta cagtcaatgc agaatcagaa 840
 caaagtgggg cagtgaatgg tacggaacta tacaatcaca ccaaataa tgactacttc 900
 aagaggttgt cgattttacc agaagagtca atgagtaacg ggcattcaaaa aatattcgcat 960
 gcagagttgg ttgtttcttg tcggaagctc ctatttagtt ttacagaatg ccaacaagct 1020
 atcagaaaaa tcgctctctt ctgtaaagag aaggccgtag cggttaatgt agtatcatta 1080
 ttatactctg tcagatcaca tactgataat ctggtggag tcttgagca aacagagaac 1140
 gaagacgaat cgcattgatc ggcgttaatc aagctgtgcc tcatatcat cacaaatctt 1200
 aaacaaatta taacatttgt gagaaaaat tttgagattt ttttcaaaga agacgatcta 1260
 tgcttcataa ggatgtttta tatgacatta atgtgtgctt atatggaaat gtataatgca 1320
 tggctcttta tcaaagaaga tgatcaagtg tccggttctg caagtaaggc acccaagaaa 1380
 cattcttttt cgaggcacga gacatcgtcc agtagtatca caagcgggtg aggaccgca 1440
 gcaagtacga ccagtacaca ttgtagcgga aacataaaat tactgccgaa aacaaggagc 1500
 acaagaacac catctgcac tgcatgtctt tcaaatagta atattctgac ggggtgatac 1560
 actgctgttc ctcttttatc accaaatcta aatgggtgcac acacccatgg tccaattttg 1620
 ggacaccaa atgcaataag caatggaagt tctcaaacga acatgaatga agtaaaaact 1680
 actagcgata ctattccaag gcaacagctg cttcagcaca ataaatccat cagcgattcg 1740
 aaaaaagagt cacaggcgca tgaacctaaa cagcatccgg ttatgacttc ttcaataatt 1800
 aacgcatcaa atagtaataa cgtctcgaat gttaataataa cccaccacc gatgaatgg 1860
 ggtggtgccg cgaacagtag tgctaatagt gtggagacaa atattgacat tcaactgtat 1920
 caaacgttgt ccacagtagt taaaatgggt agcgttgtat ataaccagtt aacttcagag 1980

atatccaaga tagccattgc tagcaccatg ggaaagcaaa ttttgacgga ctgctagca 2040
 cctaaaattc gtgatttgac ggaaacatgt cgtcaagcga tggatttatc caaacaattg 2100
 aatgaaaggt taaatgtatt aataccgaac gattcaaatt cagagaagta tctgacatct 2160
 ttggagaagc tgaaaacgtg ggagataatg aattcgttct taaaagtaat aatatcaatt 2220
 ctggctaata ctaaaatcgt aatgagcgc gtgcctaatt tgaatgagct gagacctaac 2280
 ctagccaact tggcgaagat taccaaggat gtcactgtga tattggactt gagttcatac 2340
 aaggctgtat cagtaagcgc caactctccg gagtaa 2376

<210> 549
 <211> 1197
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 549
 atgtctcaga acgtttacat tgtatcgact gccagaacc caattgggtc attccagggt 60
 tctctatcct ccaagacagc agtgggaattg ggtgctgttg ctttaaaagg cgccttggct 120
 aaggttccag aattggatgc atccaaggat tttgacgaaa ttatttttgg taacgttctt 180
 tctgccattt tgggccaaagc tccggccaga caagttgctt tggctgccgg tttgagtaat 240
 catatcgttg caagcacagt taacaaggtc tgtgcatccg ctatgaaggc aatcattttg 300
 ggtgctcaat ccatcaaagc tggtaatgct gatgttgctg tagctggtgg ttgtgaatct 360
 atgactaacg caccatacta catgccagca gcccgctcgg gtgccaaatt tggccaaact 420
 gttcttggtg atggtgtcga aagagatggg ttgaacgatg cgtacgatgg tctagccatg 480
 ggtgtacacg cagaaaagtg tgcccgtgat tgggatatta ctagagaaca acaagacaat 540
 tttgccatcg aatcctacca aaaatctcaa aaatctcaaa aggaaggtaa attcgacaat 600
 gaaattgtac ctgttaccat taagggatgt agaggtaagc ctgatactca agtcacgaag 660
 gacgaggaac ctgctagatt acacgttgaa aaattgagat ctgcaaggac tgttttccaa 720
 aaagaaaacg gtactgttac tgccgctaac gcttctccaa tcaacgatgg tgctgcagcc 780
 gtcattcttg tttccgaaaa agttttgaag gaaaagaatt tgaagccttt ggctattatc 840
 aaaggttggg gtgaggccgc tcatcaacca gctgatttta catgggctcc atctcttgca 900
 gttccaaagg ctttgaaca tgctggcatc gaagacatca attctgttga ttactttgaa 960

ttcaatgaag ccttttcggt tgtcggtttg gtgaacacta agattttgaa gctagacca 1020
tctaaggtta atgtatatgg tgggtgctggt gctctaggtc acccattggg ttgttctggt 1080
gctagagtgg ttgttacact gctatccatc ttacagcaag aaggaggtaa gatcgggtgtt 1140
gcgcgcattt gtaatgggtg tgggtggtgct tcctctattg tcattgaaaa gatatga 1197

<210> 550
<211> 846
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 550

atggcactac gatttttcaa cgatatatct agagatgtca atggcctatt caatagggac 60
ttttttcaca ccaacccctt ctctttgaat atttcaacaa ccacggaaaa tgggtgtgaat 120
tttactctga aggcgaagca gggcgtgaca gaaggcccca tccaaactag cgtagaagga 180
cggttttatg acaggaagga gggagtgtcg ctatctcaga gttgggtcga ccagaacagg 240
ttaaatacaa gaatcgaatt ttccaagata gcacctggtt ggaaagggtga tgtcaacgca 300
tttttgactc cccaatccat caagaacgcc aaatttaatt tgagctacgc caaaaaatcg 360
tttgcagcaa gaacttctat agacatcttg caacctagg actttgtcgg aagtgttact 420
ttgggccacc gcggggttgt tggcggcact gacatcgcat atgacacagc tgcgggttta 480
tgtgcacgct atgctatgtc aatcgggtat cttgccagag aatattcggt tattttgtct 540
actaacaaca ggcaatgcgc aactgcttca ttttttcaa acgttaaccg ctatttgcaa 600
gtgggaacta aagccacttt acaatcgaag acaagttcta atatgaacat tgaatttgtt 660
accagatacg taccagattc tatttcgcaa gttaaggcaa aaattgcaga ttcaggcctg 720
actacattgt cgtacaagcg aaatttgaat aaagatatct ctttgggtgt ggggtatgtct 780
ttcaatgcgc tacaactgac tgaaccagtc cacaatttg gctggtctct atcgttctcg 840
ccctga 846

<210> 551
<211> 1176
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 551

[illegible]

<400> 552

694

ggccacacca ttctaaaaca gatggccatt ctgcatccgg tggccagaat gctagtagag 240
gtttctgccg cgcaggactc ggaagccggt gatggtacca cttctgtggt gatcttgacc 300
ggagctctat tgggtgctgc tgagaggctg ttaaacaagg gcatccatcc aaccatcatt 360
gcggactcct ttcaaagtgc tgcgaagaga tctgtcgata ttctttttaga aatgtgccat 420
aaggtttcgt tgagcgatag agaacagctg gttcgtgctg catccacttc tttgagttcc 480
aagatttgtt ctcaatactc ttcgtttttg gcgcccttgg cagtggactc cgtattgaag 540
atatctgatg aaaactctaa gaatgttgac ctgaacgata tcagactggg caaaaaagtt 600
ggtggtacca ttgatgacac agaaatgata gatggtgtgg tcttgacaca aacggcaatc 660
aaatctgctg gtggtccgac aagaaaggaa aaagcaaaga ttgggttaat tcaattccaa 720
atatctctc caagcccgga cacagaaaat aatatcatcg ttaatgacta tagacaaatg 780
gataagatcc ttaaagaaga aagagcgtat ttgctaaata tctgtaaaaa aattaaaaag 840
gccaagtgtg acgtgctgtt gattcagaaa tccatcttga gagatgcggg aatgatttg 900
gctcttcatt tcttgtcaaa attgaacata atggtggtaa aggatatcga gagagaagaa 960
atcgagtttc tgtcgaaggg cttgggttgt aagccaattg ctgatataga attgttcacc 1020
gaagatagat tgggttccgc tgatttagtt gaggagatcg atagcgatgg ttccaagata 1080
gttagagtaa ctggtataag aaacaataat gcaagaccaa ccgtctctgt tgttattcgt 1140
ggtgcaaaca acatgatcat tgatgaaaca gagcgttccc tccatgatgc actatgtgtt 1200
attcgttgtc tagtgaaaga gagaggttta atcgctgggt gtggtgctcc agaaattgaa 1260
atatcccgtg ggttgagtaa ggaagcaagg tctatggaag gtgtacaggc ttttatttgg 1320
caagaatttg cctctgcttt ggaagttatt ccaacgactt tggtgaaaa cgcaggtttg 1380
aatagtatca aagttgtcac agaattgcgc tctaagcatg aaaatggtga attgaatgac 1440
ggtatctctg ttagacgatc tggtactacg aacacctatg aagaacacat cttacaacct 1500
gtacttgtaa gtacaagtgc aattacctta gcgtctgaat gtgttaaate catcttacgt 1560
attgatgata ttgcattcag ccgttaa 1587

<210> 553
<211> 630
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 553

atgatatcac catcaaaaaa gagaaccatt ttatcaagca agaataataa ccaaaaacca 60

cgagcagtgg taaaaggcaa tgaacttcgt tcaccatcaa agagaaggtc acaaatagac 120

acagactatg cactaaggcg aagtccaata aagacaatcc aaattttctaa agctgcacaa 180

tttatgctgt atgaggaaac ggctgaagaa agaaacatag ctgtccacag acataatgaa 240

atatacaata ataacaattc tgtgagcaat gagaataatc cttcccaagt aaaagaaaac 300

ctttcacccg ctaaaatttg cccttatgaa agagcatttt taagggaagg aggaagaatt 360

gcattgaagg acttaagtgt tgacgaattc aaagggttaca tacaggatcc tctcacgat 420

gagactatac cactgacgtt gccactgggt gataaaaaaa tcagcctacc cagttttata 480

acgccgccaa gaaattcgaa gatattctatt ttcttcacta gtaaaccacca aggacagaac 540

ccagagacaa agatatcccg ttctaccgat gacgtcagtg aaaaaaaagt agtgagaaaa 600

ctgtccttcc acgtctatga agatgagtaa 630

<210> 554

<211> 1671

<212> DNA

<213> *Saccharomyces cerevisiae*

<400> 554

atggaaagag tatggtttgc aaaattaaca aataaaggaa ctattaaaat cgggtatatc 60

tcattttatac ttctaagttt gctatgtcaa tctctgattg ggctgggttaa tgctgatttt 120

aattatgaag gctgttacag tgccgcggat atccagtctg ctggactgtc tctgaaaaac 180

tcatacatat atcaatcagt gtcatactgt caaaaccagt gccctgagtc agcagtagta 240

gcattattta acgggtcaga ttgttactgc ggtaattcgg taagttttct gacttctttg 300

acgaaatcaa cagattcaaa ctgtggaact aaatgctctg gctggcctta ccaaattgtgt 360

ggaggggtcat cgtacatgaa cgtgtatgta aatgctgaaa cttttgtttc atcggttgaa 420

tcttcctctt ccaaagaagg gtctagcact tcctatatgc cctcaacaac ttcttcattg 480

tcctccgcc aaatttcttc aactactagg agaacgtcaa cagatatgaa aagttctgaa 540

atgatagcca cgacagtttc taccacttca acaacctctt cctcgacttc ctctactacc 600

tcttotacca cctcttctac cactcttct accacctctt ctactacctc ttcctcgact 660

tcctctacta cctctttctac cacctcttct accacctctt ctaccacctc ttctaccacc 720
 tcttctacta cctctttctac tacctcctct actacctcct ctactacctc tatcttttct 780
 gttacgtcta gtcctcatc cattacattg tcctcatctg agcataccac agtcgatagc 840
 cgtacttctt caccctcttc caccttgggtg ccagtgtcct cgagtagcag cacactatca 900
 actccaaaag tgacctcaat gacccctagt acgtcatcaa cgataccaat agttacctca 960
 gtggaactag tgactagtgt ggttacaaaa gcgatcgtga gtacttctga tcaacatcag 1020
 gaaacaatat ttgttacgag gacatccgtg gttgaacgat cttctgaggt agctactgct 1080
 actgctgccg cctcaaataa tagatctaata tcgacttcca agcagcgtct gagtgggtgga 1140
 gccattgccg gtattgttat tgggtgtgtg tttggcgtaa tttttattat tttgattcta 1200
 ttgttctctga tatggaggag acggaaatcg cagaccaat tagacttgga ggaaacgaaa 1260
 cattatcagc cctattcggt cggtgatgag gatgcaaata caataggacc gcctccctcc 1320
 tctggtacga caaattggat gagacattca aggggtaata cagcgggttc tatcggtaca 1380
 agtaatatgt atggtttttc tatgagtaat ggtgcaaatt atagtagtcc tagttcaaac 1440
 accagtggaa gcatcataaa caacttggct ggcttacaag atgctacggt tcagaaacag 1500
 aaccttccat cgacagtttt tgaagaggca aatactttga atagtgcataa tgaaagggttc 1560
 agtgccaatt ctttaccoga catgatgatg agcggaccat tgcaagtggg aaaccctgat 1620
 aatcctgata atcctgaatt atctagtacc gtatctcata atcgagcctg a 1671

<210> 555
 <211> 981
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 555

atgtccactg atagtacacg ctatccaatt cagattgaga aagcctcgaa tgatccaacc 60
 cttctgctta atcacacatg ttttaagagtc aaggatccag caaggaccgt taagttctac 120
 accgaacact tcggtatgaa gctattaagc agaaaggatt ttgaagaagc aaaatttagc 180
 ttgtactttt taagctttcc aaaagacgac atacccaaaa ataagaatgg agagcctgat 240
 gtttttagcg cacacgggtgt cttagaacta actcacaatt ggggtactga aaaaaaccca 300
 gactacaaga tcaacaacgg gaatgaggaa cctcatcgtg gatttgggca catctgtttt 360

tctgtatccg atatcaataa aacctgcgaa gagctagaat ctcaggggtgt caaattcaag 420
aagagactct ctgaaggaag acagaaggac attgcgtttg ctttagggccc tgatggatac 480
tggattgagt tgatcacata ttctagagag ggtcaggaat acccaaaggg ctcagtaggt 540
aacaagttca atcataccat gattcgtatt aaaaacccaa cccgggtcttt agaattctac 600
cagaatgtgt tgggcatgaa attattaaga actagtgagc acgaaagtgc aaaattttacg 660
ttatactttc ttggttatgg cgttccaaag accgacagcg ttttttcatg tgaaagtgtg 720
ttggagttaa ctcataattg gggaactgag aatgatccaa acttccacta tcataacggg 780
aactcagagc cccaggggta tggtcacatc tgcataagtt gtgatgacgc tggcgccctt 840
tgtaaagaaa ttgaagtga atacggcgat aagatccaat ggtctcctaa atttaaccaa 900
ggcagaatga agaattattgc ctttttgaag gatcctgatg gttattccat tgaagtcgtt 960
cctcatgggtt tgattgccta a 981

<210> 556
<211> 2862
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 556

atgaatagta ctaatagtac taatagtact acaacagcta ccagtacaaa cacgtcaact 60
caacaagtcg ttacttcttt ggtaagtaat ggtactatctt ttgggtgtttt tgtcatagcg 120
ttcttgatctt tgcgtataaa actaaaaagg atttatgagc ccaaatcctc attcaatctg 180
attaatgaag aaaaaaagcc agaaccgcta ccgcagggcg tctggcaatg gctgaagccg 240
ttattgaaaa aatcagacaa ttttgtcatt caacaagccg gtctggatgg atatttcttt 300
ttgaggtacc ttttcatcat tgcaatttac tgtgctgttt ccatgagtta tatattccct 360
atcttggtgt ccattaacgc cagtaacggg aaccatgaaa gcggattgaa tcaattggcc 420
tatcagaacg tcaagcaccg tggtagatat tttgcacatg ttttctgtgg atggattttc 480
ttttgggggt tcctttacat tatttacaga gaattgtatt ttacacctc tatgaagcaa 540
gctgtactag cgtcccctcg ttatgctaaa aaactatcct cgagaaccgt gttattccag 600
actgtcccta agcaatactt aagtgaagaa gagttttcta agttgtttga tgggtgtgaaa 660
agagtctgga tcgcaagagg ttccgggttca attgaagcaa tgggtcaaagc aagggacaat 720

atggccatac aattggaagg tgctgaaaca aaatacctga aagcagcatt gaaaaaaatt 780
aagaagttaa acaaaaaaag tccgcaatta tctgtctctg ataattattgc tgaatatgtc 840
cctgacaaga aaagaccaca tcataaaatt aacaagggttg ctaaattctt ttttggtaaa 900
aaagttgaca ccatatccta cattaaggag gagttgcca agttaaacca aaagtggaag 960
gcattacaag aagatcatga aaattcatcc ctttcaact ccgtttttgt ggagtttgaa 1020
tccaatatc aggcccaagt tgccgctcag atcaccacat accatgctcc tcttttcatg 1080
acgcctgtgt atattggtat tgagccatcc gatgtcgtt ggtttaattt gaggatgttc 1140
tggtgggaaa gattaggtag ggaagtcagt gcggtttcag caattgtcgc gctagtaata 1200
ttatgggctt tcccagtggc ttttgttggg atgatctcta atattacttc cttgactaat 1260
gaagttaaat ggttaaagtt catctataaa ttaccaaacc aactattagg ttactgaca 1320
tctctggccc caactgtggc attggccgtt ttaatgagtt tcttgccgaa atttattagg 1380
ggtatggcta tcaactcaagg tgctccatct aagcaaaatg tggaatattt cactcaacaa 1440
gcttatttcg ctttcaagt tatccaagtc ttttagtta ccaactctatc ctccgccgcc 1500
actccacag taacggaaat tgtaaagag cccacgaagg ctatggatct actggcttct 1560
aatctgccaa aagcttctaa ttttttcatg tcatacgtta ttctacaagg tctgtccatt 1620
tcatacagtg ctcttttgca aattgttcca ctaatactct tttatgtttt aggtgccttt 1680
ttagatggta ccgttaggaa gaaatggaat cgtttttgtg ggctatccag tatgcagtgg 1740
gggacagctt ttccagttta taaaacttg gcagttatta ctttctccta ctccatcatt 1800
tctccgttga ttttattatt tgctgccgtc gcgtttttcc tattgtatat tgcataattta 1860
tacaatttga cttatgtcta tcaggaatca cccgacgcaa ggggtattta ttatccaaga 1920
gctcttttcc aaactatagt tggatatctac atcggtcaga tatgtctatt aggtcttttt 1980
gccgttggta aaggttgggg cccaatcggt ttacaggtaa ttggaatttg tgttaccgtc 2040
cttattcatt tacatttgag cgctgcattt gatcatttat caaaggttat acccgttgat 2100
accatgaaac cgtagatgg tgtatcagat acaccttctt tcaaaaatat ttataaaggc 2160
atagaaagta caaaggtgaa gaaaaatact tttggtgcaa atattgacat ggacggaatc 2220
aaagaattac ctgaatttcc aataaagaaa tatcacaaga ggagtgaatc agtactgag 2280
caacaagttg aaaatagcat atttagtgaa aatacattcg aatatcaatt caaccagca 2340

aatgaagcca atgcagatgg gcacgctata aatgcagaaa atttaattga ggacgtgcca 2400
ttattagcag atggtgatac aatgaaaatt cctccggctc catggtggaa gagattctta 2460
aaacctcaca ttactactc ctataaggct gtaaagagca gactgccaga aatatatggt 2520
ttggttgatc ctgatgaaag agtcaatgat ttcgatatct ctcattgctta cgattatcca 2580
gctgttagtg cacaatgccc cgaattgtgg attcctcgcg atccttttgg attttccaaa 2640
ttgttgattt cagacgtttc tggcgttggt gaaatgaacg atgaaaatgc taccatcgat 2700
gagaatttga aatttactct gcgtgacgta ccaccacat ataatgatgt taaagacgaa 2760
gcaaatggtg aagcaaatgg cgaatttgac acagctagta aggaaaataa tccatttgcg 2820
gacccaaagt ataaggaaga agagagtcgt tcggcagtct aa 2862

<210> 557
<211> 1839
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 557

atgtcattta aggcaactat caccgagtcg gggaagcaga atatctgggt tcgtgcgata 60
tatgtgttat ctacaattca ggatgataac aagattacag tgacaacaaa tgagttaatt 120
gcttggtcaa tgaacgagac agatactact ctttgtcagg ttaggtttca gaaaagcttt 180
tttgaggagt atgagtttaa accacatgag attgtatttg gagaaaatgg ggttcaagtt 240
atagaagata cgtacggcaa tagtcataag ttatactcct tccgtgttaa tggaagacac 300
ctaacaacta tatcaagaaa gccggatggt gatggcatca aatcattcac aattgcggtta 360
aacaacactt ctacctgtcc tgaatcactt gcaaatagat tgattgtggt gattgaaatg 420
gattcgttaa tagtcaaaga atactgtccc caattccagc caataaaata cgatcccata 480
ataatcaacc ttaagtacaa aaggaggttt ttggatgttt ttggaactgc tgcctccgat 540
cggaatccac aggagccctt ggaccctaag ctattggacg tttttacaaa tacagagcgt 600
gagctaacat cagccttatt taacgaagaa gtggaatcag acatacgtaa aaggaatcag 660
ttaacggctg ctgatgagat taattacatt tgttgtaatt caactttatt gaagaatttt 720
ttagacaact gcaatgttaa tgtaaccgat gaagtaaaat tggaaattaa cgtacatagg 780
ctaagcataa ctgcattcac caaggccgtc tacggcaaaa ataacgacct tttaagaaat 840

gcgttaagca tgagtaacac tatcagtacg ctcgatcttg agcattattg cttatttaca 900
 acaatcgaag atgaaaaaca agataagcga tcacatagta agcgtagaga gcatatgaaa 960
 agtataatat tcaaattgaa ggacttcaaa aacttcataa cgataggtcc atcctggaag 1020
 actaccaggg acggaaatga taatataagt ttatgggtttt gccaccaggg ggaccctatt 1080
 cttatgcaaa tgcaaaaacc gggcgtaaaa ttagaattgg ttgaagttac tgacagtaac 1140
 attaacgatg atatttttaga aggaaaattc ataaaaacag caatctcttg ctccaaagaa 1200
 gaggccggac tgaaagacaa caaagaaagc tgcgaaagtc cattaataag caaaactgct 1260
 ttaaagagag aaaacctgcc aactctgtg gctggaactc gaaacagtcc tttgaaagtg 1320
 tcgtatctga cccctgataa tggaagcaca gttgctaaga cctatagaaa taacacggca 1380
 agaaaattat tcgtggaaga acaaagccaa agtacgaatt acgaacaaga taagcgggtc 1440
 cggcaggcta gttcagttca tatgaacatg aatcgggaac aaagttttga cattggtacg 1500
 actcatgaag tggcctgtcc acgtaatgag agcaattctt taaaagatc catagcagat 1560
 atttgtaatg aaactgaaga cccaccccaa caatctacat ttgcaaaaag ggcagacacc 1620
 actgtgacat ggggaaaagc gttaccagct gcagatgatg aggtttcatg cagcaatatc 1680
 gatagaaaag gaatgctcaa gaaagaaaaa ttgaagcata tgcaaggtct gttgaattcc 1740
 cagaatgaca caagtaatca caagaaacag gacaataaag agatggaaga tgggctgggt 1800
 ctaacacaag tagaaaagcc aaggggtata tttgactaa 1839

<210> 558
 <211> 771
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 558

atgtttaatt taattttatg gcccttattt ttgcttacct cagttgcat tcctttgcag 60
 ctgacattag aagtggctca tctgacgtct tccgttgact tctcaaaggc aagtgctgct 120
 aaaaccgcta cttctttggg tcagtcccca gttgtcatca ccatttataa atcactgtta 180
 aaatattgga gtctttacga gttcatacat tttatttacc tctatactcc tattgatgcc 240
 tttctgaatt tcttaccatt tacctcttta cttatgtcgt ttggaagtat ttgcttgaca 300
 agagagctgg tatatgactt cattgccttt atggaatctc aaaacaagct taccggattc 360

cttaataaga taacagaacc gaattttaac agttatttac tgttttcttc aatttataac 420
 atttggtttg cagatgacac caatgacaaa ttcttattcg gtaaattaac tcagatttta 480
 atatctgtaa caaaaaggta cgaatttcca agaacattct acttagcaaa agtttctgat 540
 ttctacaaa atctcattct aacgagattg agaccctttg taacggagca accccaaggc 600
 gacaaaaatc gctatcaaaa cggtgaccgt gaatctacaa agaatggagc tgcttatcag 660
 aagtcttcac aacaatcatc gtctttcgaa caaaatttta ccagcactga gttcccgaat 720
 gattatgatt ttatggagga tattctagat gagacaactg aattggatta g 771

<210> 559
 <211> 1650
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 559
 atgactgtgc actcaacgtg gaaggaaaaa gttcaattaa aaaaagatca actgaacagt 60
 aagataaaag acgaatggaa attaaacagc acaactataa cgagggttgaa gaacgataaa 120
 aaaaatttaa tcaagaatat cgatgattta tgctcatctt cagaaaatca gatcaccac 180
 tccacgatta tggccttgag acaggcactg gaagcaaaag agttaagctg ccatgaaata 240
 acagctgcat tttgtcatag ggctgcttta attcatcaag tagtgaattg tctatccgaa 300
 atcatgtttt cagaggcatt gagattggct gactattacg acagcaatag accagccata 360
 ttgccaccct tgtacggtat accgatatct ctcaaagacc aatgtaacgt tgagggtgta 420
 gacacctcac tgggttatth atgtcgaact ttcaaacc aaaccaagaa tgaagaatca 480
 ttgattgtca gttttctgag agatttagga gctattatat ttgtaaaaac caccgtacct 540
 tcatcgatga tggctacaga tacacaatct aacacctttg ggtacacata taatagtatt 600
 aatttaagct tctccagtgg tggatcttct ggtggagagg gttcgtaaat tgggtgctcat 660
 gggtccttgc tgggactagg aactgatata ggcggaagca tcagaattcc tagtagttac 720
 caaggattat ttggtttgaa accaactttt ggacgcgtcc cttacttgag ggtggataat 780
 tcatttgagg gaagggaaac aattcccagt gtaattgggc cgttggcaag agatctttcg 840
 gatttgagat acttcatgag ttgcgttatc aacatctgtc aaccatgggt acaagacgtc 900
 aagtgtattc cataccattt tgattcctct acaagtaa at tacacgataa ttatgttggt 960

ggaatatggt atggtgacgg cgttattgat cctccgcca gtgacatcag ggctttaag 1020
acgtgcgaag acctagttaa taaaactaaa ggaatgaagg cagttaaag ggagccttc 1080
agtgaactga gcagggaatt gtttgatctc gcaaataag cagatgttgc tgactcaggt 1140
aacgagataa aaaacgaatt cgaaatttcc ggagaaccac tcctagatat tttaaaacca 1200
atggttttgg aaaacggaag gccccatat actgttaatg aatggtggga tttgaccaa 1260
agagtttata atgcacaaca attaatagaga gattattacc tttctttccc ggaatcagaa 1320
aggcctgatg ttatcatatc tcctacaacg ctgatgccat ttaggcctgg tgacatgcta 1380
aagacaactt tacgatacat tttactattc aacgttttaa atttcccatc attatctata 1440
cctgtaggta gtgtcgattg ccaaattgat gggctaattg ataccacttc tgcgctcaat 1500
ccagaagata aaatgatcaa aacatattgg aatgatttaa tacaatctgg tgagatagat 1560
gggtttccaa taggcctaca agtagttagc ccgactttca atgacaatga agtttgtaaa 1620
tttgcttctt ggcttttttag caaaatatag 1650

<210> 560
<211> 1941
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 560

atgagttacg aatctgggag gtcacccctc tcttccgaga gtacacggcc accaacgcta 60
aaagaagaac ctaatggtaa aatagcttgg gaagaaagtg tcaaaaaatc tagggaaaat 120
aacgaaaatg acagcactct cttgaggcga aagctagggtg agactcgaaa agcaattgaa 180
actggaggat catcgagaaa taaactttct gctttgacac ccttgaaaaa agtggttgac 240
gagaggaagg attcgggtaca accacaggtc cttccatgg gttttactta ttctttgcct 300
aatttgaaga ctttaaacag tttttcagat gctgagcaag cacgtataat gcaagattat 360
ctatccaggg gggtaaatca aggcaacagt aataattatg tagaccact atacggcaa 420
ttaaatecaa ctatgggtag tagcaggaac aggctgttt ggagtttaaa tcagccgtta 480
ccgcatgtat tggatcgagg cttggcagca aagatgatac aaaagaatat ggatgcaagg 540
tcccgcgcat catcgagacg agggtcgacc gatatttcaa gggggggttc tactacgtca 600
gtgaaagact ggaaaaggct ccttagaggt gcagcaccgg gtaaaaagct tggtgacatc 660

acaccattac cacaactgtc ccatgtctcat ctaccactgc caccatcaca tcttgtgacg 120
aaaacggatg ccatgttcca gcaccaactg ctaccgacgc aactgcaacc gtttcctcca 180
agtcatacac cactgttact gttactcact gtgacaacaa tggctgtaac accaagactg 240
tcactttctga atgttctaaa gaaactgcag caaccaccat ttctccaaaa tcatacacta 300
ctgttaccgt tactcactgt gacgacaacg gctgtaacac caagactgtc acttccgagg 360
cttccaaaca aacatcattg gccactagca cagtcaccaa gtctgctgct ccaacttctc 420
atactgctgc ttccagcacc ttcactggta ttgtcgttca atccgaaggt atggctgctg 480
gtttga 486

<210> 562
<211> 3483
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 562
atggtactga cgatttatcc tgacgaactc gtacaaatag tgtctgataa aattgcttca 60
aataagggaa aaatcacttt gaatcagctg tgggatatat ctggtaaata ttttgatttg 120
tctgataaaa aagttaaaca gttcgtgctt tcatgcgtga tattgaaaaa ggacattgag 180
gtgtattgtg atggtgctat aacaactaaa aatgtgactg atattatagg cgacgctaatt 240
cattcatact cggttgggat tactgaggac agcctatgga cattattaac gggatacaca 300
aaaaaggagt caactattgg aaattctgca tttgaactac ttctcgaagt tgccaaatca 360
ggagaaaaag ggatcaatac tatggatttg gcgcaggtaa ctgggcaaga tcctagaagt 420
gtgactggac gtatcaagaa aataaaccac ctgtaacaa gttcacaact gatttataag 480
ggacacgtcg tgaagcaatt gaagctaaaa aaattcagcc atgacggggg ggatagtaat 540
ccctatatta atattagga tcatttagca acaatagttg aggtggtaaa acgatcaaaa 600
aatggtattc gccagataat tgatttaaag cgtgaattga aatttgacaa agagaaaaga 660
ctttctaaag cttttattgc agctattgca tggttagatg aaaaggagta cttaaagaaa 720
gtgcttgtag tatcacccaa gaatcctgcc attaaaatca gatgtgtaaa atacgtgaaa 780
gatattccag actctaaagg ctcgccttca tttgagtatg atagcaatag cgcggatgaa 840
gattctgtat cagatagcaa ggcagctttc gaagatgaag acttagtcga aggttttagat 900

aatttcaatg cgactgattt attacaaaat caaggccttg ttatggaaga gaaagaggat 960
gctgtaaaga atgaagttct tottaatcga ttttatccac ttcaaatca gacttatgac 1020
attgcagata agtctggcct taaaggaatt tcaactatgg atgttgtaaa tcgaattacc 1080
ggaaaagaat ttcagcgagc ttttaccaaa tcaagcgaat attatttaga aagtgtggat 1140
aagcaaaaag aaaatacagg ggggtatagg ctttttcgca tatacgattt tgagggaag 1200
aagaagtttt ttaggctggt cacagctcag aactttcaaa agttaacaaa tgcggaagac 1260
gaaatatccg ttccaaaagg gtttgatgag ctaggcaaat ctcgtaaccga tttgaaaact 1320
ctcaacgagg ataatttcgt cgcactcaac aacactgtta gatttacaac ggacagcgat 1380
ggacaggata tattcttctg gcacggtgaa ttaaaaattc ccccaaactc aaaaaaact 1440
ccgaataaaa acaaacggaa gaggcagggt aaaaacagta ctaatgcttc tgttgcagga 1500
aacatttcga atcccaaaag gattaagcta gagcagcatg tcagcactgc acaggagccg 1560
aaatctgctg aagatagtcc aagttcaaac ggaggcactg ttgtcaaagg caaggtgggt 1620
aacttcggcg gcttttctgc ccgctctttg cgttcactac agagacagag agccattttg 1680
aaagttatga atacgattgg tggggtagca tacctgagag aacaatttta cgaaagcgtt 1740
tctaaatata tgggctccac aacgacatta gataaaaaga ctgtccgtgg tgatgttgat 1800
ttgatggtag aaagcgaaaa attaggagcc agaacagagc ctgtatcagg aagaaaaatt 1860
atTTTTTtgc cactgttgg agaggacgct atccaaaggt acatcctgaa agaaaaagat 1920
agtaaaaaag caacctttac tgatgttata catgatacgg aaatatactt ctttgaccaa 1980
acggaaaaaa ataggtttca cagaggaaaag aaatcagttg aaagaattcg taagtttcag 2040
aaccgccaaa agaatgctaa gatcaaagct tcagatgacg ctatctctaa gaagagtacg 2100
tcggtcaacg tatcagatgg aaagatcaaa aggagagaca aaaaagtgtc tgctggtagg 2160
acaacggtgg tcgtggaaaa tactaaagaa gacaaaactg tctatcatgc aggcactaaa 2220
gatggtgttc aggctttaat cagagctggt gtagttacta aaagtattaa aaatgaaata 2280
atgtgggaca aaataacaaa attatttcct aataattctt tagataacct aaaaaagaaa 2340
tggacggcac ggcgagtaag aatgggtcat agtggttga gggcatatgt cgataagtgg 2400
aaaaaaatgc tcgttctagc cattaaaagt gaaaagattt cactgaggga tgttgaagaa 2460
ctagatctta tcaaattgct tgatatttgg acctcttttg atgaaaagga aataaaaagg 2520

ccgctctttc tttataagaa ctacgaagag aatagaaaaa aatttactct ggtacgtgat 2580
 gacacactta cacattcttg caacgatctg gccatgtctt ctatgattca aagagagatc 2640
 tcttctttta aaaaaactta cactagaaag atttccgctt ctactaagga cttatcgaag 2700
 agtcaaagcg acgattatat tcgcacagtg atccggtcca tattaataga aagtccttcg 2760
 accactagaa atgaaataga ggcgttgaag aacgttggaa acgaatcaat agataacgtc 2820
 atcatggata tggctaagga aaagcaaatt tatctccatg gctcaaaact tgaatgtact 2880
 gatactttac cagacatttt ggaaaataga ggaaattata aagatttttg tgtagctttt 2940
 cagtatagat gtaagggtta tgaattattg gaggccggaa acgctattgt tatcaatcaa 3000
 gagccgtccg atatatcctc ttgggtttta attgatttga tttcgggaga gctattgaat 3060
 atggatgtaa ttccaatggt gagaaatgtt cgacctttta cgtatacttc aaggagattt 3120
 gaaatacgaa cattaactcc ccctctgatt atatatgcca attctcagac aaaattgaat 3180
 acagcaagga agtctgctgt caaagttcca ctgggcaaac ctttttctcg tttatgggtg 3240
 aatggatctg gttccattag gccaaacata tggaagcagg tagttactat ggtcgttaac 3300
 gaaataatat ttcattccagg gataacattg agtagattgc aatctagggt tcgtgaagta 3360
 ctttcgcttc atgaaatatc agaaatatgc aaatggctcc tagaaagaca agtattaata 3420
 actactgatt ttgatggcta ttgggtcaat cataattggt attctatata tgaatctaca 3480
 taa 3483

<210> 563
 <211> 7887
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 563

atgatgtttc cgattaatgt tctactgtac aagtggctta tatttgcagt gactttctta 60
 tggagctgta aaattttact aaggaagctt ttaggaataa atataacatg gattaacctg 120
 tttaaactag aaatatgcgg tttatcctta gaagatggta ccgtcaggct aaaatccgtt 180
 cgttttgctg tatttgaaag aaagcttttc atcaagggtc tacgaattga ttccaagaaa 240
 tcatctacta atgatcttca taaagaatta ccaagagagg aagaaagaac ttttatagag 300
 acccccgaag ataatggtgg gggcttcatt tctaagattc tttcattatc acaatactgg 360

ctcaatgggg tcacgatcat tttggaagat acgcaattag tcaacaacga tatcacgatt 420
gaaaaatttg gcttttttct ttcaattgat aactctaaac atatcaagtc actaagattt 480
gattcctttt tgagaaaact tcttttgaat ggccagacca tcattgctga tgccattttt 540
atagtgaata caaacttact aattggtgaa attatgaatc ctctgaagga tggacttcaa 600
gtaggattag atttaaaaact aggtgattta aatattccca tgaatttatt gaatttattt 660
atcaacaagg agaacgttga tttgatgtcc aatgaaaaac ttctacaaag attggcagat 720
acaacaaagg cgaatgaaga gctaaaggat gaagatatcg ctaagatgaa ggatgatctc 780
gtgtatgcaa tggaaaaatt tgtagatcgg ataaagccat tgaaagaaat gaacgtcacc 840
gttgataaac ttcaaataca agattttcca ctaccaatc atccagaact gcttggaatg 900
aacaatatata tcagttataa tgttttgggt tctaataata acttcaatac caacaggttc 960
agaaatgaga tgccaggtta tacgttaatt tttgaggagc gtgattctcc cttcaagttt 1020
agtattataa tggcaagatt taatatatat ttgaatctaa atcgaaaaca tcaaagccac 1080
gccaaacagt tgaaaattat tgaaattcca aatgtttcga tatttggcga aaccaatttg 1140
ttctctcaaa aatttcgtct ttctaataac ctacacgcaa aggaactaga gaacgctatt 1200
tttaacatca aaggtaatat atcctcctta actattgaca tggatccagt aaatatttcc 1260
tttatcaaat gcttcctatc aaacattaaa gtctttacgt cctcttgctc gaaaaacaag 1320
attttaaagg agaattctca tgtaaagttc ttaacaaggc ggagagtcct atttgactat 1380
tttaagtgtt ttttgctctt aatcaatatg aaattcaccg tggatgatcc caaatttggt 1440
atcaatgata aagacgatct gatcataggc aagttttctg tcttcatgat aagccatcac 1500
tctaaaagat atacattggg taacaatctt atggaagaaa aagaagagac gcaacacatt 1560
ttttatgaaa gccattggaa tgttgaatta ctagatatga aattacagca tattataaaa 1620
catcaaaaat acgagcatac aatattaagg gtggacagca ttgccataga agaaaaagtt 1680
caacttttac cggatatatt atgttctgca aacgctgata tcgacacgct aatgctagat 1740
ttatctgaac ttccaacaat ggttatgttg agtgaattag tacacaactt agatagtcag 1800
ttggcaaattg tcgaagagaa ttatttcaaa gagttctatg aaaagttcgc atctaattta 1860
caaaatatga aagctgaatg ttctaatatg gctaaatggt tgagacagaa ggaaatttta 1920
ccaagcgact tcatgttcca gcaactacct gattttttcg attatattaa aatcaatatt 1980

agagacatat catccaccct aggtgctagg tcggttttta tgccaagaga tgtttttctct 2040
 tccgttgact ctcaaagttc aaaggaccta attgatggca aactaagaaa atactgcaat 2100
 acagtcgaaa aattgcaaat tgctttatctt ggtgacaaga cacaatggca taacaaaatt 2160
 ggctcaaatc acgctactat ggttaggtct ggtcagctca caaatcttag taaagataat 2220
 aaacagaatc ctaaccataa gtccagtatt gccgatttag acgatataat gactagtgat 2280
 gcgacagagg taaatcatct ttggaacatc aacttactag taaatgatat aactacgtca 2340
 ataatcggag agacacccga agtgagcgaa gaattgtcca ctaaaactgt ttccaaagtt 2400
 tctaatttat caattaagct atttccagac actgagtcac ttagtagcaa tgaaagcgat 2460
 tcgaagataa ttttgcaaat aatcactcc agaggaacat cggtagtatc actgatgagt 2520
 atcttttttg ccgtctcagg aatacacaca ctgaaccaa tatttggaca ttgtatacac 2580
 caaaagatgc gacagtctaa aactaaacaa tactttcttg ccctctcaga atccaaaaaa 2640
 aaatcatgta tcaaaagtat aaaatggggc caactaaagg agttactcga aataaatttc 2700
 tcttctgaat atatcagcca aataatcgca ctcccaaag gccttagaac aaaatttgaa 2760
 ccaacttcga catttatcac agtcaaaaac tgtaatacaa tttcagtttc aggtcagtac 2820
 ttcagaatga tggtagaatc tccaacgcag ccaaactttt gggagagaat gatctgtatc 2880
 aatggattta aagtaatgat acacattgat ttattaaaac agcaaagtaa aaagttaaac 2940
 tctttacaga attgggaaaa attaccatcc gccataacct tagaaaatga ttcattggcac 3000
 ttttccatac cgcattctt cgagatgttt aaaataatag attctattcc aactatattt 3060
 aagagtatta aacaaatggt atattcggtg aaaacatcaa aagacgattt gataattttc 3120
 cccacaaaa tagagactcc tttatcactg ccaaagatta aactgaaatc taaaaggtgg 3180
 ttatttagca tttctgatga tccactagag gcagaattga atactatctt tcagatcggg 3240
 ttacaagaac aacgggagag acttgcgaaa ttacaggaat tcaataaacg catctctgaa 3300
 gatttgatta aaagtcaaaa gaacgctaaa gaaatgaagg acgacttcga ggcaattgat 3360
 aacgcaatac taaagcaccg tacaggattg tgggcaaagg atgggaaaaa aagattgcgt 3420
 aaatccgcaa cagattctga aatacctctt accccagcag ctttgaacat taatggaaa 3480
 cgtgatgaca ggctgatag aacgcagttt atttctcccg agattgaaaa tgcgtacaat 3540
 actttattag cgaacttctc cgattcatgg attaaaaggg tgaaagaata taaagttaa 3600

gatagtgaac aaattctagc tgttgttgaa aaggagcttt tattcaaaag aagcctattg 6900
 gacgacattg gaaaactcga tctatccaat attcacaacg aacgcatgca tcagttgttg 6960
 aggttgata tcttaaggaa ggttttctact tcaaattggaa acaattacat taataggact 7020
 ttagtatgga atatcaaggt taatgaaact atcttgcatt tattagacaa aattgacaaa 7080
 ccatttttag atattgccgt tgcaaagcta aactttcaaa gaatccaaca cacgatggga 7140
 ttaaggaaga aactgtaac cgtaaaaatg atgcaaatat ttgacttagg cgaaaatgtt 7200
 aattatcatt gtatttttagg gcctttgata acatcaagtg gtaatgacac agtcgggttg 7260
 gcgagtgatg ttccgttagt tcaaataact tgggatgttg ataagcctgt aggtggtatt 7320
 aaggttgtta aaaacgttga gaccactttg tcgagtttga cgataaaatt agaagaggac 7380
 agactaaata aactttttga gtggttatcg ttaaaggagt taatttacga tggaaacgga 7440
 gatgacgatg atggagcttc cagtattttt gatatggtgt catcagaatc agaggaagga 7500
 aaaattgagt tttcagaaga tattagttct gatttcaatg aaatgttaaa gagatcaagt 7560
 gattatatga tcgttgaaga tcttaaattg aacagcttca aactttgtat cagttataag 7620
 ggcaaaggaa agatgagatt ggctaacgtt actaactttg ttttcaattt cccgacttta 7680
 agattgtcca accaaaacttt gagggtcaca gatctattac ttgcccttaa aaaagtgtta 7740
 atcaagggtt taataaaaaca tactgggaga tttattggta ataaattgaa aagaaattct 7800
 aaggagaata aaattgctga cgacacttca cactgaagc aactcacaac ttataattcc 7860
 tacacggagc ctgaagaact tcgttaa 7887

<210> 564
 <211> 1596
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 564

atggcttcta cggaacttag cctaaaaaga accttaacgg atattttaga agacgagttg 60
 taccatacta atccagggtca cagtcagttt acgagtcatt atcaaaacta tcatccaaat 120
 gctagtatta ctccatataa gttggtgaat aagaacaagg aaaacaacac ttttacgtgg 180
 aatcattcat tacaacacca gaatgaatcg agtgcagctt cgataccccc acaacaaacc 240
 taccatttcc cgatattcaa caaatacgcg gatcctactt taactaccac cacctctttt 300

aaagttgcta ggtagtact tgctgccatt ccaccaacgc aacgaaacat gggcacgcag 120
attcaatcgg aaattatctc agattacaat aaagtcaagc ctcttgatga agtaacctac 180
aaggacaaaa aagaaatgga agtcgatcca tcaaactga actttcagga attagccaat 240
catttcgacc gtcactcgaa acagctggat ctcaaacata tggtggaaat gcattga 297

<210> 566
<211> 363
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 566

atgaccacca attctcggct ctgtccttcg agtccatctt cttccctaataaaaacattta 60
actacatccg ggggaccatc aacctcactt actataatgt tgtcagtcac cgctatacga 120
atcctccctg ctggcatgag aaattggata cgccaagccc tgggcagcct cctctttgca 180
tcgtttctct tgctttcatc tttccactat ccaattaccc tgactctcgt tcctgtctat 240
catgagtctc ttgtcaagcc aacaagtgtc tcctttggag gtatacgatt gtctcaactt 300
actatgatta tggagaggag agcaacgcct acgtgtcaag acccatcggt aaccgaggtc 360
tag 363

<210> 567
<211> 1908
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 567

atggcacctg ttacaattga aaagttcgta aatcaagaag aacgacacct tgtttccaac 60
cgatcagcaa caattccggt tggatgaatac atatttataaa gattgttgac catcgatacg 120
aaatcagttt tcggtgttcc tggatgactc aacttatctc tattagaata tctctattca 180
cctagtgttg aatcagctgg cctaagatgg gtcggcacgt gtaatgaact gaacgccgct 240
tatgcggccg acggatattc ccgttactct aataagattg gctgtttaat aaccacgtat 300
ggcgttggtg aattaagcgc cttgaacggt atagccggtt cgttcgctga aaatgtcaaa 360
gttttgacaa ttgttggtgt ggccaagtcc atagattcgc gttcaagtaa ctttagtgat 420
cggaacctac atcatttggg ccacagcta catgattcaa attttaaagg gccaaatcat 480

aaagtatatc atgatatggt aaaagataga gtcgcttgct cggtagccta cttggaggat 540
 attgaaactg catgtgacca agtcgataat gttatccgcg atatttacia gtattctaaa 600
 cctgggttata tttttgttcc tgcagatfff gcggatatgt ctgttacatg tgataatttg 660
 gttaatgttc cacgtatatc tcaacaagat tgtatagtat acccttctga aaaccaattg 720
 tctgacataa tcaacaagat tactagttag atatattcca gtaaaacacc tgcgatcctt 780
 ggagacgtac tgactgatag gtatggtgtg agtaactfff tgaacaagct tatctgcaaa 840
 actgggattt ggaatttttc cactgttatg ggaaaatctg taattgatga gtcaaacca 900
 acttatatgg gtcaatataa tggtaaagaa ggtttaaaac aagtctatga acattttgaa 960
 ctgtgcgact tggctcttga ttttggagtc gacatcaatg aaattaataa tgggcattat 1020
 acttttactt ataaacaaaa tgctaaaatc attcaatttc atccgaatta tattcgcctt 1080
 gtggacacta ggcagggcaa tgagcaaatg ttcaaaggaa tcaattttgc ccctatttta 1140
 aaagaactat acaagcgcac tgacgtttct aaactttctt tgcaatatga ttcaaagtga 1200
 actcaatata cgaacgaaac aatgcggtta gaagatccta ccaatggaca atcaagcatt 1260
 attacacaag ttcacttaca aaagacgatg cctaaatttt tgaaccctgg tgatgttgct 1320
 gtttgtgaaa caggctcttt tcaattctct gttcgtgatt tcgcgtttcc ttcgcaatta 1380
 aaatatatat cgcaaggatt tttcctttcc attggcatgg cccttcctgc cgccctaggt 1440
 gttggaattg ccatgcaaga ccaactcaaac gctcacatca atggtggcaa cgtaaaagag 1500
 gactataagc caagattaat tttgtttgaa ggtgacggtg cagcacagat gacaatccaa 1560
 gaactgagca ccattctgaa gtgcaatatt ccactagaag ttatcatttg gaacaataac 1620
 ggctacacta ttgaaagagc catcatgggc cctaccaggt cgtataacga cgttatgtct 1680
 tggaaatgga ccaaactatt tgaagcattc ggagacttcg acggaaagta tactaatagc 1740
 actctcattc aatgtccctc taaattagca ctgaaattgg aggagcttaa gaattcaaac 1800
 aaaagaagcg ggatagaact tttagaagtc aaattaggcg aattggattt ccccgaaacag 1860
 ctaaagtgca tgggtgaagc agcggcactt aaaagaaata aaaaatag 1908

<210> 568
 <211> 417
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 568

atgatatttc taaaatctgt catcaaggta atcgacaatt caggtgcaca attagcagaa 60
tgtattaaag taataaggaa aggggtcccc aagagtcctg caatgggttg agacagaata 120
gtctgtgtta tacagaaagc aaagcccttg actcaaaaca ttacggggac agccaacacc 180
aaccgtgtca aaaaagggtga tatttgtcac gcaattgtcg taaggctctaa acagcgtaac 240
atgtgcagaa aggatggctc caccgttgca ttccggagata ctgcttgctg tttgattaat 300
aaaaataccg gtgaacctct ggggacaaga attatggcta atgatgggtg tgtagataga 360
aactgaaaag acaagggaata caataagata tgctcttttg caagtagggg catataa 417

<210> 569

<211> 768

<212> DNA

<213> *Saccharomyces cerevisiae*

<400> 569

atgggtgaaat tacaaagggt tagcgaaaag aaaagcctca tacacgaatt cggcaagttt 60
atccttgaaa agcaagaatc ggcgttaacg ggcgacgctg atgcagtgtt caatatcgcc 120
atcagtggag gatcgatgaa ccaagcgctg tacgaaagtt tggtaaataa caaaaacatt 180
tttccacata ttaagtggcc acaatggaga atcttcttct gtgacgaaag attgggtcca 240
tttgaggatc cgcaaagtaa ctatgggtcag ttcaaaaaaa cagtttttga cccgctagt 300
catcagggca accaattgaa cttaggcccc actgtatata ctatcaacga atcattaatc 360
gggtggcgggtg aaacggccaa tagaaagatt gccgaagaat acgcttccat gctgcctgca 420
tcattcgacc taatcttact cggatgcgga gaagatggac atacatgctc gttgtttccc 480
ggggttgaat ttaattacct tgtagaagag atggaccgca aggttttatg gtgtaataat 540
tcgccaagg caccaagga caggatcacc ttacattag cagtagtagc cgaggctaaa 600
agtgtgtgct ttctcgttag gggagctgct aaaaaggcta tcatgcatga cgtgttaatc 660
gtaaaaaata gcgaactacc tagtgtgctg gttaatgaaa tggtcggaac caaagtaact 720
tggtttctcg acgacgaagc tggcgccttg attcctgaaa actgctaa 768

<210> 570

<211> 324

<212> DNA

<213> Saccharomyces cerevisiae

<400> 570

atgagtaggg ctagcaagat aacgtttgca gcttcctgtc tgataacggc agcgacggta 60
gtgggcgtgc attatgtgca agaaatggaa agggaaactt tgcatacagg tccgataaaa 120
gatgctaaac gagtcgaaga aaagaggttg agaaagacaa acggagttgc atcattagat 180
cccacaaaag aaaggaaaag gtacttcaat atgagtgaac acgaggaaca aaaagagttg 240
cgaaagaagt atgagaccat gcaaccgctt agtggagaag ttgtgaccaa agatggagag 300
gtggttaaag aatctaagaa ataa 324

<210> 571

<211> 936

<212> DNA

<213> Saccharomyces cerevisiae

<400> 571

atgttgtcaa gaattgtatc aaacaatgca acacgctccg taatgtgcca ccaagcgcaa 60
gtgggtattc ttataagac taaccagtg agaacttatg ctactttgaa agaagtggaa 120
atgcgtttga aatctatcaa aaatattgag aagatcacia aaactatgaa gattgttgca 180
tctacaagat tgagtaaagc tgaaaaggct aaaatttccg caaagaagat ggatgaagca 240
gagcagttgt ttacaagaa cgccgaaacc aaaaatttgg atgttgaggc tactgaaaca 300
gggtgctcta aagagttgat tgttgctatc acctctgata aggggttggt tggttctatc 360
cactctcaat tggctaaagc tgtgagaaga catttgaatg atcaaccaa cgccgatata 420
gtcactattg gtgataaaat taaaatgcag ctattgagaa cccatcctaa caacattaaa 480
ttgtctatta atggaattgg taaagatgcc ccaactttcc aagaatctgc tttgattgcc 540
gataagttat tgagtgtcat gaaggccggc acttacccaa agatttccat tttctacaat 600
gaccagtggt cttccctatc ttttgaacca tctgaaaaac cgatctttaa cgccaagacc 660
attgaacaat cccatcatt cggcaaattt gagatcgaca cgacgcaaa cgttccaaga 720
gatttgtttg aatatacttt ggctaaccaa atgttgacag caatggctca aggttatgct 780
gctgaaattt ccgccagaag aaacgctatg gataacgctt ccaagaatgc cggatgatag 840
atcaatcggt actctatctt gtacaacaga acaagacaag ctgtcattac taatgaactg 900

gttgatatta ttactggtgc ttcctctttg ggatga

936

<210> 572
<211> 3294
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 572

atgagtga aaagatccct tcccatgggt gatgtgaaga tcgatgacga ggatactccc 60
cagttggaaa agaaaatcaa acggcaatca atagatcatg gtgttggaag tgaacctggt 120
tcaacaatag agattattcc gagtgattct tttcgaaaat ataatagtca aggcttcaaa 180
gcaaaggata cagatttaat gggtagcga ttagagtcta cttttgaaca agacgtatcg 240
caaagtgaac atgatatggc cgaccaagaa gagcatgacc tgtcatcatt cgagcgtaag 300
aaacttccaa ccgattttga cccaagtttg tatgatattt ctttccaaca aattgatgcg 360
gaacagagcg tactgaatgg tatcaaagat gaaaatacat ctaccgtggt aagggtttttt 420
gggtgtcacta gtgaaggaca ctctgtactt tgtaatgtta cagggttcaa gaactatctt 480
tacgtcccag cgcccaattc ttccgacgct aacgatcagg agcaaataca caagtttgtg 540
cactatttaa acgaaacatt tgaccacgct attgattcga ttgaagttgt atctaaacag 600
tctatctggg gttattccgg agataccaaa ttaccattct ggaaaatata cgtcacctat 660
ccgcatatgg tcaacaaact gcgtactgcg ttgaaagag gtcattcttc attcaactcg 720
tggttttcta acggcacgac tacttatgat aacattgcct acactttaag gttaatggta 780
gattgtggaa ttgtcgggtat gtcctggata acattaccaa aaggaaagta ttcgatgatt 840
gagcctaata acagagtttc ctcttgtcag ttggaagttt caattaatta tcgtaaccta 900
atagcacatc ctgctgaggg tgattggtct catacagctc cattgcgtat catgtccttt 960
gatatcgagt gtgctggtag gattggcgct tttccggaac ctgaatacga tcccgatc 1020
caaattgcca acgttgtgag tattgctggc gctaagaaac cattcattcg taatgtgttt 1080
actctgaata catgctcacc cataacaggt tcaatgattt tttcccacgc cactgaagag 1140
gaaatgttga gcaattggcg taactttatc atcaaagttg atcctgatgt tatcattggg 1200
tataatacta caaattttga tatcccttat cttttaaac gtgcaaaggc gctaaagggt 1260
aatgatttcc catattttgg aagggtaaaa accgttaagc aagaaattaa agagtctgtg 1320

ggtatgttcg ttgtgaaatc cattaaaatt aacacaggct ctcaaaaagg aggcttgatg 3000
 agctttatta aaaaagttga ggcttgtaaa agttgtaaag gtccgttgag gaaagggtgaa 3060
 ggccctcttt gttcaaaactg tctagcaagg tctggagaat tatacataaa ggcattatac 3120
 gatgtcagag atttagagga aaaataactca agattatgga cacaatgcca aagggtgcgct 3180
 ggtaacttac atagtgaagt tttgtgttca aataagaact gtgacatttt ttatatgcgg 3240
 gttaaggtta aaaaagagct gcaggagaaa gtagaacaat taagcaaatg gtaa 3294

<210> 573
 <211> 1086
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 573

atgatttctg ctaattcatt acttatttcc actttgtgcg cttttgcgat cgcaacacct 60
 ttgtcaaaaa gagattcctg taccctaaca ggatcttctt tgtcttcact ctcaaccgtg 120
 aaaaaatgta gcagcatcgt tattaagac ttaactgtcc cagctggaca gactttagat 180
 ttaactgggt taagcagtgg tactactgtt acgtttgaag gcacaaccac atttcagtac 240
 aaggaatgga gcggcccttt aatttcaatc tcagggctta aaatcagcgt tgttggtgct 300
 tcgggacata ccattgatgg tcaaggagca aaatgggtgg atggcttagg tgatagcggg 360
 aaagtcaaac cgaagtttgt aaagttggcg ttgacgggaa catctaaggt caccggattg 420
 aatattaaaa atgctccaca ccaagtcttc agcatcaata aatgttcaga tttaaccatc 480
 agcgacataa caattgatat cagagacggg gattcggctg gtggtcataa tacggatggg 540
 tttgatgttg gtagttctag taacgtctta attcaaggat gtactgttta taatcaggat 600
 gactgtattg ctgtgaattc cggttcaact attaaattta tgaacaacta ctgctacaat 660
 ggccatggta tttctgtagg ttctgttggg ggccgttctg ataatacagt caatgggttc 720
 tgggctgaaa ataaccatgt tatcaactct gacaacgggt tgagaataaa aaccgtagaa 780
 ggtgcgacag gcacagtcac taatgtcaac tttatcagta ataaaattag cggcataaaa 840
 agttatggta ttgttatcga aggcgattat ttgaatagta agactactgg aactgctaca 900
 ggtggcgctt ccatttcgaa tttagtaatg aaggatatca ccgggagcgt gaactccaca 960
 gcgaagaggg ttaaaatttt ggtgaaaaac gctactaact ggcaatggtc tgggggtgtca 1020

attaccggtg gttcttccta ttctggatgt tctggaatcc catctggatc tggtgcaagc 1080
tggttaa 1086

<210> 574
<211> 714
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 574

atggctcgcc aaaatTTTTT aggcttggtc gtctcccaag ggaagatgca aaagacggtt 60
aaagtacgtg tagaaacaaa agtctttaat aagaaaatca acaaggagtt atttcataga 120
agagattatt tagtgcata tgaaggatga atatcaaggg agggatgatt agtaaggata 180
gaagcgacga ggccgctttc aaagaggaag ttttttgcca ttgcagaaat tattagaaac 240
aagggtcaac aatttgcatt atacgaatca gaagctcagt taagcggtgc aaaagaagaa 300
gccccaaagg caaaagaatt ttgggataaa agatcagtga gggagaataa actaaatgaa 360
aaaacaaccc ttttacgtga tattaggacc atccaagatg ctttatctag cgggtcaacg 420
ccgaaagagt tattggagat taaacaaagg tacggcattc aagatttttc acaagaaaca 480
gtgaggcaac ttttacagtt agacatctct ggattggagg ttaatttgga gaaacaaaga 540
agtctcattg atcgatttca aacgcgatta tccgaattgt tgcgaatga tctaaaatgt 600
gatcaatttt tgaaggatca tgggtgtgag gatcctttga ccttgaaaaa aaacatcaaa 660
aaaaatttgt taagaaagca cgatcatgat gatatgcaac aaccaagcca gtaa 714

<210> 575
<211> 489
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 575

atgaccacat ctttttatga tttagaatgc aaggacaaga aaggcgaatc ttttaagttt 60
gaccaactga aaggcaaagt agttctcata gttaatgttg cctccaagtg cggcttcacg 120
ccgcagtata aagaattgga agaactatac aaaaaatatc aagataaggg gtttggtatt 180
ttgggggttcc catgtaatca gttcgggaag caggaaccgg gctctgatga acaaattacg 240
gaattttgcc agttgaatta tggcggttaca ttccaatta tgaagaagat tgatgttaac 300

ggaagtaatg ctgactctgt ctataattat ttgaaaagcc aaaaagcagg ttacttaggt 360
 ttcaagggtta tcaaattggaa ttttgaaaag ttcttagttg attccaatgg taaggttgtc 420
 caaagatttt cctccttaac aaaaccatcg tccttgacc aagaaatcca aagcctgtta 480
 agtaaatga 489

<210> 576
 <211> 1473
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 576

atggaaagca aagaaatatc aattaggtca agaaccctc catcgaagct atattccatc 60
 caatcatgta ttggcagagg taactttggt gatgtgtata aagcagtgga tagagttacg 120
 caagaaattg tggcaattaa ggtggtcaac ctggagcatt ccgacgaaga cattgaactg 180
 ttagcacagg aaattttttt tctggcggaa ttgaaatctc ctcttattac aaactatatt 240
 gcaacaatgt tagaagatgt ctctatgtgg attgtcatgg aatattgcgg cgggtggatca 300
 tgttcagatt tactgaagcg aagttacgtc aacggtttgc ctgaagaaaa agtttccttc 360
 attattcatg aagtcacctt gggtttgaaa tacctgcatg agcaaaggaa aattcatcgt 420
 gatatcaaag cagctaatat ttactaaat gaagaaggta tggttaagtt ggggtgatttc 480
 ggagtaagtg gccacattcg ttccactttg aaaagggaca cttttgtagg aacgccgtat 540
 tggatggctc cggaagttgt ttgctgcgaa gttgatgggt ataatgagaa agcagatata 600
 tggtccttgg gtatcaccac ctatgagtta ctcaagggtc tacccttatt atctaaatat 660
 gatcctatga aagttatgac taacttacca aaaaggaagc ctccaaaatt acaagggtccc 720
 ttttcggatg cagcaaagga tttcgtagct ggttgtcttg ttaaaacacc tgctgatcgg 780
 ccatcggcat ataacttggt atcatttgaa ttgtttaaga atatcaccat aacgaacttg 840
 aaaagtgatg ttgatctaata taaacagaaa aagggttcagg agagatatatac aaaaggtccc 900
 aaataccctc ttcaaaatcg cttgtataaa aacagcaaca cagtgagggg aaaggaattt 960
 tggaaatttg aatcgacaag actaagcaca acacaaattt ccaaagagga attatctccc 1020
 attacacaag actctccaac atcatcttta aatatggaaa gtccttattt acttcatggg 1080
 caaactgtaa cgccgataac caaccaagt tcttcatcat ttagaaaatg tacgcaacca 1140

gttttcgagc ttgattcagg aatggatata gattcaggct gcccaaatgc tcaagcagag 1200
accgaaatag ttcctctctc taatcataat aagaagcata aaaagaacga tattcaggcg 1260
ttgaagatag aaaagtttga ctacttgaaa aacattgtat ctcatattct caacagaatg 1320
tatgatcgtg cgcgcgacga tgaaacaaga aaatacgtaa atgaaatggt aaagcaattc 1380
attaaaactg aggcaaactg tcctggattt aatgagggtt ttatagaaga gatctcacta 1440
agaattgaag caataaagaa aggattcggt taa 1473

<210> 577
<211> 2988
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 577

atggcaggcg tgcagaaaag aaaaagggat ctccaagatc aagacgacaa tggaagcgag 60
gaggacgaca tcgcctttga tattgcaaat gaaattgcct taaatgatag tgagagtgat 120
gctaacgact ccgatagtga agttgaagct gattatggtc ccaacgatgt ccaggatgtg 180
atcgagtaca gtcagatga agaagaagga gtgaacaata agaagaaggc tgaaaacaag 240
gacatcaaga aaaaaaagaa tagtaagaag gaaatagcag catttccaat gttagaatg 300
tcagatgatg aaaacaatgc atctggtaaa actcaaaccg gtgatgatga ggatgatgtc 360
aatgaatatt tctccacaaa taacttggag aaaacaaagc ataaaaagg tagttttccc 420
agctttggcc tatccaaaat tgtattgaac aatattaaaa ggaagggatt tcgccaaccc 480
actcctattc aaaggaagac tatcccatta attttgcaa gtagggatat tgttggtagt 540
gcacgtaccg gttctggtaa gactgcagca ttcattctgc caatgggtgga aaaattgaaa 600
agtcactcag gtaaaattgg cgcctgtgca gtcattctat cgccttcag agaattagcc 660
atgcagactt tcaacgtttt caaggatttt gccagaggaa cagaactaag aagcgtcctc 720
ttgactggtg gtgattcctt ggaagaacaa tttggcatga tgatgaccaa ccagacgtt 780
attattgcaa cacctggtag atttttacat ctgaaagttg aaatgaacct cgatttgaag 840
agtgttgagt acgttgtttt cgatgaagct gataggttgt tcgaaatggg ttttcaagaa 900
cagttgaatg aattacttgc atctttgcct acaacaagac agactttggt gttttctgct 960
actctaccta attcattggt tgattttggt aaggctggtt tggttaatcc agttttggtt 1020

cgtttggacg cggaaacgaa agtttcagag aacttagaaa tgctttttct atccagtaaa 1080
aacgcagata gagaggcgaa cctattatat attttgcaag aaatcataaa gattccgtta 1140
gccactagtg aacaacttca aaagctgcaa aatagtaaca atgaggcaga tagtgactca 1200
gatgatgaaa atgatcgcca aaagaagagg aggaatttca agaaggaaaa gttccgtaaa 1260
caaaaaatgc ctgcagctaa tgaacttcct tctgaaaaag caactattct gttcgttcca 1320
acaagacatc atgtggaata catttctcaa ctcttaagag actgcggata cttgatttcg 1380
tacatctacg gtactttgga ccaacatgct cgtaaacgtc aattatataa ttttagggcg 1440
ggcttaactt ccattttggt tgttacagat gttgctgcaa gaggtgtcga tattccaatg 1500
ttagccaatg ttattaatta cacattacct ggttcatcaa aaatttttgt acatcgtgta 1560
ggtagaactg caagagccgg taacaaagggt tgggcatatt ccattgtcgc tgaaaatgaa 1620
ttaccttacc tattagattt ggagctattt ttggggaaaa aaattcttct aacaccaatg 1680
tacgatagtc tagtcgacgt gatgaagaaa aggtggatag atgaaggaaa accggaatat 1740
caatttcaac ccccaaagct ttcttacaca aaaagactcg ttctaggttc atgtccaaga 1800
ctggatgttg aaggcttagg tgatctttat aagaatctga tgcctcttaa ttttgacctt 1860
cagttggcga agaaaacagc catgaaggca gaaaaacttt actacagaac acgcacttcc 1920
gcctcccctg aatcttttaa gagaagtaaa gagatcattt cttctggctg ggatgctcaa 1980
aatgcatttt ttggtaaaaa tgaagagaag gaaaaattgg attttttggc taaattgcaa 2040
aacagaagaa acaaggaaac ggtatttgag ttcaccagaa acccagacga tgaaatggca 2100
gtgtttatga aaaggagaag aaagcaatta gcgccaattc aacgaaaggc gactgaaaga 2160
agggaaactat tagaaaagga aagaatggct ggtcttcaca ttctatcgaa gatgaaattt 2220
tggaaagggtg acgatgttga gacaggttac accgtgtcag aggatgcctt aaaagaattt 2280
gaagatgcgc accaattatt agaagcacag gaaaacgaaa aaaaaagaa aaagaaaccg 2340
aagtctttta aggatccaac tttcttttta agtcactatg cgccagctgg tgacatacaa 2400
gataaacaat tacagataac caatgggttc gctaatagat ctgctcaagc ggcttacgat 2460
ttaaatagcg atgataaagt gcaagttcat aagcaaacag cgaccgtaaa atgggataaa 2520
aaaagaaaaa aatatgttaa tactcaaggt attgataaca agaaatatat tattggtgaa 2580
agtggccaaa aaatcgcggc aagcttcagg tctggtagat ttgatgattg gtcgaaggca 2640

agaaatttga aaccattgaa ggtaggttcg agagaaacaa gcataccatc taacttgctc 2700
 gaagaccctt cacaaggtcc tgctgcaa at ggtagaaccg tccgtgggaa attcaagcat 2760
 aaacaaatga aagcgcctaa aatgccagat aaacacagag acaattatta ttcgcaaaag 2820
 aagaaggtgg aaaaggctct acaaagtgga atttccgtca agggatataa taacgctccg 2880
 ggtctgcgaa gcgaattgaa gtccactgag caaattagaa aggacaggat tatagcagag 2940
 aaaaaacgtg cgaagaatgc tcgtccttcc aaaaagcgta aattttag 2988

<210> 578
 <211> 2400
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 578

atgagttata aagtgaatag ttcgtatcca gattcaattc ctcccacgga acaaccgtac 60
 atggcaagcc agtataaaca agatttgcag agtaatattg caatggcaac gaatagttaa 120
 cagcagcgac aacaacagca gcagcagcaa cagcagcaac agcagtggat aaatcaacct 180
 acggcggaaa attcggattt gaaggaaaaa atgaactgca agaatacgct caatgagtac 240
 atatttgact ttcttacgaa gtcgtctttg aaaaacactg cagcagcctt tgctcaagat 300
 gcgcacctag atagagacaa aggccaaaac ccagtcgacg gaccctaatc taaagaaaac 360
 aatggtaacc agaatacgct ctcgaaggta gtagatacac ctcaaggctt tttgtatgaa 420
 tggtagcaaa tattctggga catctttaat accagttctt ccagaggtgg ctcaagattc 480
 gctcagcaat attatcaact agttcttcaa gaacaaaggc aggaacaaat atatagaagc 540
 ttggctgttc atgcggcaag gctacaacac gatgcagaac gaagagggga atatagtaac 600
 gaggacatag acccatgca cttggctgct atgatgctag gaaatcctat ggcacctgcg 660
 gttcaaatgc gcaatgttaa tatgaacct ataccaattc ctatggttgg taacctatc 720
 gtttaataatt tttccattcc accatacaat aatgcaaacc ccacgactgg tgcaactgct 780
 gttgctccca cagcgccgcc ttccggcgat ttacaaatg tagggccaac ccagaatcgg 840
 agtcaaaacg ttactggctg gccagtctat aattatcaa tgcaaccac tacggaaaat 900
 ccagtgggaa acccgtgtaa caataatacc acaataata caactaataa caaatctcca 960
 gtgaaccaac ctaaaagttt aaaaactatg cattcaacag ataaacaaa taatgtcccg 1020

acgtcaaaat ctacaagaag tagatctgca acctcaaaag cgaagggtaa agttaagcc 1080
 ggtctagtgg ctaagagacg aagaaaaaat aataccgcta cagtttccgc gggatcgacg 1140
 aacgcttggt cgccaaatat taccacacca ggctcaacaa caagtgaacc cgctatggta 1200
 ggttcaagag taaataagac tccaagatca gatattgcta ctaacttccg caatcaagca 1260
 ataatatattg gcgaggaaga tattttattct aattccaaat ctagcccatc gttggatgga 1320
 gcatcacctt ccgcttttagc ttctaaacag cccacaaagg taaggaaaaa tacaaaaaag 1380
 gcatccacct cagcttttcc agtagagtct acgaataaac tcggtggcaa cagcgtggtg 1440
 acaggtaaaa agcgcagtc ccctaacact agagtgtcga ggaggaaatc cactccttct 1500
 gttattctga atgctgatgc cactaaggat gagaataata tgtaagaac attctcgaat 1560
 actattgctc cgaatattca ttccgctccg cccactaaaa ctgcgaattc tctccctttt 1620
 ccagggtataa atttgggaag tttcaacaag ccggctgtat ccagtccatt atcttcagtg 1680
 acagagagtt gcttcgatcc agaaagtggc aagattgccg gaaagaatgg acccaagcga 1740
 gcagtaaact caaaagtttc ggcatcatcc ccattaagca tagcaacacc tcggtctggt 1800
 gacgctcaga agcaaagaag ttctaaggta ccaggaaacg tggttataaa gccgccacat 1860
 gggttttcaa ccaccaattt gaatattact ttaaagaact ctaaaataat cacttcacag 1920
 aataatacag tatcccaaga attgccgaat gggggaaaca tactggaggc gcaagtaggc 1980
 aatgattcaa gaagtagtaa aggcaatcgt aacacattat ctactccaga ggaaaaaag 2040
 ccgagtagta ataatacagg atatgatttt gacgcctca aaaattcaag ttctttgttg 2100
 tttcctaate aagcttatgc ttctaacaat agaacaccaa acgagaattc aaatgttgct 2160
 gatgaaacct ctgcatctac aaatagtggc gataatgata acacattaat tcagccctca 2220
 tccaatgtgg gtacaacttt gggtcctcag caaaccagta ctaatgaaaa tcagaatgta 2280
 cactctcaga acttgaagtt tgggaatatt ggtatggttg aagaccaagg accggattac 2340
 gatctcaatt tactggatac aaatgaaaat gatttcaatt ttattaattg ggaaggctga 2400

<210> 579
 <211> 564
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 579

atgagtgcga aacaaggggtg ggaaaagaaa tcaacaaaca ttgacattgc aagcaggaag 60
 ggtatgaacg tgaacaatct ttcggaacat ctacagaacc tgatatcaag cgattcagag 120
 ctgggctcgc gcttgctatc attgctgctg gttagcagtg gcaacgcgga ggagctcatt 180
 agcatgataa ataatggcca ggatgtctcg cagtttaaga agctccgcga gccgagaaag 240
 gggaaggttg ccgcaacaac agcagttggt gtaaaagaag aggaagctcc cgtgagcact 300
 tctaacgaac tggataagat taagcaagag cggagaagaa agaacacaga ggcgtcgcag 360
 cggttccgca ttcgcaagaa acaaaagaat ttgagaaca tgaataagct gcagaactta 420
 aacacgcaaa tcaacaaact tcgcatcgt atagagcaat tgaacaagga aaatgagttt 480
 tggaaagcaa agctcaatga cattaacgag attaagtctt tgaaattggt gaatgacatt 540
 aagagacgga acatgggcag gtag 564

<210> 580
 <211> 303
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 580

atgccaccaa ttatgctaaa ccgtttcact ttaagaaatt tttatttaaa tctttcacta 60
 tgcaaatatg taagtacttt taaaattctc tttccaaaga aaaggaaatt atttcagact 120
 agcagtaatt tatcactttg ctattcagat attaggagaa catccttatc gagcaaactc 180
 gcctcgcttg agctgacaac gtcattcttcg tcagtactct cgccatccag taaatatgtg 240
 ttttcattca attcattgaa aaacgggggtt ttcagtaaat cttctgctga actacgcttt 300
 tga 303

<210> 581
 <211> 1908
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 581

atggctaacg acgctctaag tgctattttc agtaatcctt cgaggaaagg tgtccaaccc 60
 tccacatcta ttgtgtcata tacaacaat gaagatgata ttatagatgt ggaaaatggg 120
 aagttcaaca agaacaagaa tatcaacact aatgtgtatg tggacaactc ctcaatagag 180

tatgttgagg acttcgagca agattggaag aatgagttac gtagggatga cctctgcgat 1860
gacacagtca gtatctatga tggcaccgag gaaaagatag tttactaa 1908

<210> 582
<211> 3819
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 582

atgccgaacg aagataatga acttcaaaaa gcaattgaga accatcataa tcaactacta 60
aaccaggata aagaaaatgc tgacagaaat gggctctgtta tagaagacct cccattatac 120
gggacaagta taaaccagca gtctaccctt ggagatgttg acgatggaaa acacttactg 180
tatccagata ttgccaccaa cctaccactg aagacttctg acagactttt ggacgatata 240
ctttgcgata ctatTTTTtT caattctaca gacccgaagg tcatgcaaaa gggcctgcaa 300
tcgaggggta ttttaaaaga gtctatgctt tcttactcaa ctttcagaag tagtattcgc 360
cctaactgct tgggttcatt aactgatcaa gtggTTTTtT aaacaaaatc cgagtatgat 420
tccatttcat gcccaaaata taataaaata catgtatttc aggcggtcat ctttaatcca 480
tcaactggcag aacagcaaat ttcaactttt gatgatattg ttaaaattcc tatttatcat 540
cttaagggtta gcgtaaaagt ccgccaagaa ctggagcggg tgaagaagca tgtcgggtgtt 600
actcaattcc actcactaga tcatttgcac gaatacgatc gagtagacct ttcgactttt 660
gattcttccg atcctaattt gttggattac ggtatttacg tttctgatga tactaacaaa 720
ctgatcttga ttgaaatttt taaacccgag tttaattcac ctgaagagca tgagagtttt 780
actgccgacg caattaagaa gagatacaat gctatgtgtg taaaaaatga atcactagat 840
aaaagcgaga cgccatctca agttgactgt ttttacacac tttttaaatt ttttaaaggg 900
cctttgacga ggaaaagtaa agcgggaacct acaaagacaa ttgattctgg aaatttggcc 960
cttaacactc acctgaatcc tgaatgggtta acgtccaagt atggatttca agcaagctca 1020
gaaatcgatg aggaaactaa tgagatatTT actgaatagc tccctccaga tatggtggac 1080
tatgtaaacy atttgagac aagaaaaatt cgagaatcgt ttgtgaggaa gtgtttacaa 1140
ctgatatttt ggggtcaact atctacctca ttactggcac ctaattctcc cttgaaaaat 1200
acgaaaagcg taaagggaat gtcttcatta caaacttctt tctcaacact accttggttc 1260

tatgatgaag acaacgagca atatgacttg gttaagcaac tattttatgg tactactaaa 2940
caaagtattg ttcctttgtc cgcaacaaat aaagtccgta cgaaagttga aagattccta 3000
tcgttactga taaatattgg cgatcatcct aaagatattt atgatgcgtt tgattcttat 3060
tttaaagacg aatatctgac aatggaagag tatgggtgatg ttatacgtac cgttgctgtt 3120
acaacttttc ctactatttt gcaggtacaa atccaaagag tttattacga tcgtgaaaga 3180
ttaatgccgt ttaaattccat tgagccctta ccattcaaag aagttattta catggacaga 3240
tacgcggata cagagaacct tttattgttg gcaaaaaaga aagaaacaga agaaatgaag 3300
caaaagttga aggtaatgaa aaatagacaa agagagcttt tgagtcgtga tgattcaggg 3360
cttacaagga aggatgcatt tttggagagt atcaagctat tggaatcgga taccataaag 3420
aaaactcctt taaaaattga ggctgctaata gatgtgataa agacgctgag aaacaacgtt 3480
caaaatatcg ataatagaatt gatgaaatta tacaatgata tcaacagttt ggaagagaaa 3540
ataagccatc aatttgacga tttcaaggaa tatggttact cactgttttc ggtttttatt 3600
catcgccggc aggccagtta tggtcactat tggatatata tcaaggacag aaatcgcaat 3660
ggaatttga ggaagtacaa tgatgaaacc atcagtgagg tccaggaaga ggaggtcttc 3720
aatttcaatg agggtaacac tgcaactcca tatttcctag tatatgtcaa acaaggacaa 3780
gaaggtgata ttgagccatt gaaaagaatt ctaaagtag 3819

<210> 583
<211> 306
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 583

atggagatgc tcttgtttct gaacgaatca tacatctttc ataggtttcg tatgtggagt 60
attgttttat ggcactcatg tgtattcgta tgcgcagaat gtgggaatgc ctattatagg 120
ggtgccgggg ggtgccttga aaaacccttt tgcgcgcctg ttaagtttcc gttttcagtc 180
aaaaagaata tccgaatttt agatttggac cctcgttcag aagcttactg tctaagccat 240
catttgggtgt gtcctaaacg gtttccatgc aaagcaacat ctttgttact cattcctgaa 300
ggttga 306

<210> 584

<211> 1152
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 584

```

atgcaaaacc ctccgttgat tcgtcccgat atgtataatc agggaagcag ctcaatggct   60
acttataatg cctctgagaa gaatctaaat gagcatcctt ctccgcaaat tgcacagccc  120
agcacgtccc aaaagttacc ttatagaata aatcctacaa ccactaatgg ggacaccgac  180
atatctgtta acagcaatcc tatccagcct cctttgccaa acttgatgca tctatctggc  240
ccgtctgact atagatcgat gcatcaaagt cctatacatc catcttatat catccctccg  300
cattcaaatg aaagaaaaca atcagcttct tacaacagac ctcaaaatgc tcatgttagt  360
attcaacctt ccgtgggtatt ccccccctaaa agttattcca tatcttatgc accttatcaa  420
ataaatcccc ctttaccaaa tggacttccg aaccagagca tatctttgaa taaggagtat  480
attgcagagg agcaactatc aaccctccca tctcgcaata ccagtgttac tactgcacct  540
ccttcttttc aaaacagtgc tgataccgct aaaaattcag ctgataataa tgataataat  600
gataatgtaa ccaaacctgt tcctgataaa gacacccaac tcataagtag ttcaggcaaa  660
actttaagaa atactagaag agctgctcaa aatagaaccg ctcaaaaggc atttagacaa  720
aggaaagaaa aatacatcaa gaatctcgaa caaaaatcaa agatatttga cgatttacta  780
gcagaaaata ataacttcaa atcattaaac gattcattaa gaaatgacaa caacatttta  840
atagctcagc atgaagctat aaggaatgca attactatgt taagaagtga gtatgatgtc  900
ttatgtaacg aaaacaacat gttgaagaat gagaatagta taataaaaaa tgaacacaac  960
atgtcaagaa atgaaaatga aaacctaataa cttgagaata aacgcttcca cgctgaatat 1020
atacgaatga tcgaggatat tgaaaatact aaaagaaagg aacaagaaca acgagatgaa 1080
atagagcaac taaaaaaaaa aataagatcc ctggaggaaa tagtagggag acactcggat 1140
agtgccacgt aa                                     1152

```

<210> 585
 <211> 576
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 585

atggaggatc aggatgctgc atttatcaaa caggctacag aagcaatagt ggatgtatca 60
 ttaaataatag ataacataga tcctataata aaagagttat tagaaagggg aaggaatagg 120
 caaaacaggt tacaaaataa aaaaccagca ctcataccgg cagaaaatgg tgttgatata 180
 aatagtcaag gcggtaacat aaagggttaa aaggaaaacg cattaccaa accaccgaag 240
 tccagcaaaa gcaaacccca agatcgtaga aatagtactg gtgaaaaaag atttaaagt 300
 gcgaaatgtt cgttggaatt ttcaagatca tcagatttga gaaggcacga aaagacacac 360
 ttcgccatat tgcctaacat ttgtcctcaa tgtggcaaag gttttgcaag gaaagatgca 420
 ttgaaaagac attatgatac actgacatgt aggagaaaca ggactaaatt actaactgcg 480
 ggtggtgagg gtatcaatga attactgaaa aaagtcaagc aatccaacat cgttcacgt 540
 caagataaca accacaatgg tagcagtaat ggctga 576

<210> 586
 <211> 933
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 586
 atggtaagtg attggaaaaa tttttgcctc gagaaagcct ctaggtttcg cccaacaata 60
 gataggcctt tttttaatat ttatttgtgg gactatttca atcgtgcggt tgggtgggccc 120
 actgcaggtc gcttccagcc aaaggatttt gagtttaccg ttgggaagca gcctttgagt 180
 gaacctcgtc cggtagtctt ttttattgcc atgtattatg tggttatatt tggcgaggagg 240
 tccctggtaa agtcatgtaa acctctcaag ttgagattta tttctcaagt ccataacttg 300
 atgttgactt ctgtttcctt tttatgggtg attttgatgg tggaacagat gctacccata 360
 gtgtatcgcc atgggctgta ttttgctgtt tgtaatgttg aatcgtggac gcaaccgatg 420
 gagacattat attatctcaa ctatatgaca aagtttgtgg agttcgcaga cactgtcttg 480
 atggtgttga aacatagaaa gttgactttc ctacatacat accatcatgg tgctacagct 540
 ttactgtgct ataataaatt ggttggttac acagcagtta catgggttcc tgtcacctta 600
 aacttagctg ttcacgttct tatgtattgg tattatttcc tttctgctag cggaattcgt 660
 gtttggtgga aagcctgggt tacaagacta caaattgtgc agttcatgct tgatctcatt 720
 gtcgtttatt acgtgcttta tcagaagatt gttgctgcat atttcaaaaa tgcttgact 780

ccacagtgtg aggattgctt aggttcaatg acggctattg ctgctgggtgc agccattctt 840
acatcctact tgtttttgtt catctctttc tatattgagg tttacaaacg tggaagtgc 900
agtggtaaga agaagatcaa caaaaacaat taa 933

<210> 587
<211> 5097
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 587

atgtccttac cactaaagcc ccttacaatt gactcaaata ataaacaact agactccaaa 60
cagaagaagt ttcgtgctaa tgtcgagcga gcattagaaa gatttgactc tgtaacagaa 120
tgggcggact atattgctag tttgggaaca ctattaaagg cgttgcaaag ctggtcacct 180
aaatttcaga atgtaaggta ctatgttcct tctccatctc aagtaagtcg aagattgaca 240
tcttcattat cgccggcggt accagcaggt gttcatcaga aaactttaga agtatatacg 300
tatatctttg aacatattgg ccttgaaact ctggctacag aatgtaacat ttggatcccg 360
ggaattttac ctttgatgac ttatgcctct atgtctgtta ggtcacattt gatagagctt 420
tacgataact atatccttct gttgcctcaa acaacgtaa gactgctcat cagacctttg 480
atttctagtt tattgccagg aattgatgat gaaagcaacg attttttacc tttaacttta 540
aaactcattg agactctgca ggagaacttg gatgatgatt ccttattttg gcaaacgttg 600
tttctagtca tgactgcaaa taaaggcaga agactgggcg gactcacgtg gttgactaga 660
aagtttccgt cgttgaatgc tgtacctcat ctagtaaata aaataaaaat ggaagcggaa 720
gagaacccaa gtgaaactga aaccaacgat tctcatctag acaggaaaaa aagaaaagaa 780
gaagctttca aggtcttatt gcctgctgcc aaagatttag taaccctga accaggtcta 840
cttatccgat gccttgctcg tttgttagaa gatgaaaatg atattcttat taaaaggagc 900
gttttgacc ttttattaca gaggttgagg ctagactctc ccgttttgaa tgttcttatt 960
acttctgagg ataaaaagtt attgataatg agttgttgta gaactacttt gagcaaggat 1020
atgtctttga acagaagaat atggaactgg cttctcggtc ctactgctgg gggcatgcta 1080
aacaataacg gcgggaactc catggaatat actacctcgg ttaagtcagc aaacgaggaa 1140
agtaatgtat attttacaaa atatggatta agcgcccttt tagaaggttt aagcgacctt 1200

ctttcagaag aagaatccgt gttaactgca ttcaggataa gtatggcagt aatggataga 1260
 tgggaaattg gctcacttgt aattcctgaa ttgttcatcc cacttctcta ttcctcgga 1320
 aaatttaaac aaaacgaaca aataatgaaa acggcacgta ctttctttga caatactgaa 1380
 acaaatatta tatggggaaa gctattttcaa gaacttgaag acatcaaaaa cctaaaaatt 1440
 ttggatttcg tattaacaaa ttttaatat ggaaacgacg aagagattat cgtacgccac 1500
 cttcctttga tattattaac tttactggcc cttccatcta atgataaaga tttcgacaat 1560
 atttataagc tccaaaaatt ttctttgtac aacaaattgt taaactatat ccccgagaga 1620
 gcccttctcc ctctcagtca ctcaaaacta aagcacgatg atgaagtaag ctgcaagaa 1680
 cttttggcca aaatacgtgg gttttatacc aatgtttcta atccatctag catttttagag 1740
 aaagaaaata tagctgagcg tttgccaccc tttacaacag aagatctaac ttttttaata 1800
 gcagacctga ttcagaagaa gtttctttca agtttatggg acttggaata tatcaatgaa 1860
 agctccaat tatttatagc tattttcgaa aagatacctg agtctgaaga acttaaagga 1920
 cgatctcaca taagctggtc ggataaaaaa ataactcaga gcattttga ggctattccc 1980
 aggctttgtg aatctaataa tgatgcaaaa tcagaagaaa tcgttggaat tgtggaaatt 2040
 tttggtaact acttatattc acgcatggaa ttcattgaat cgatgaaatt attgaaagta 2100
 gtcattgatg ccgtatggaa atcttttaaaa gatccacgcc atcaaatact aggtgtcaag 2160
 aacttaaaga ctttaaacag atttattcca tccaaattta ttgaaagtgc gttagtgtat 2220
 acttttgtgg aagaggaaga tatatccgag agattaagcg tgtagatct gttatggaca 2280
 caattagact cagattcaaa cttgattagg cgccctcttg aattaatttt gggcgaactt 2340
 tttgatgacc agaatccttt ttatttaacc gtttcaaagt ggattttatc gatattaaac 2400
 tcgggatctg cttcaagatt attttacatt ttgactgata atatttttaa ggtaatcgt 2460
 ctgaaaaag aaagattaga cgaaagggat gatcttgata tgctcacata tgagttccaa 2520
 atgcttgctt atgttttgaa aacaaacaat ggacgcacta ggaaagtttt ttccactgag 2580
 cttacctcaa taaaatcttc gaccatatgg aagaatgaag acgtttccac atataaaagt 2640
 ttgctgttgg ttacattgat gagatttcta aatataaaga gcaatacaca tgcgaaaagt 2700
 atcaggagtg ctctgattct tttggatatc ttactcgatg gaactgagca aaatttcaag 2760
 gacattgtca tatttttgct gcaaagtctg tctaaatata ttgcagaaga aggaattgag 2820

cccgagttaa tagcagtttc cttgttagat attgtatcga aggttctcag actatcacac 2880
 gataatggta ttaaactaga catttttgat gacaatgctg cccatttaaa atatatcgat 2940
 ttccttgta ccagegtttc aaatatgaaa agccctctta ttgtaacggc ctatgtgaag 3000
 cttctttccg aaagcattgt ttattttgag aattctatat ttcgaatgat tttaccattg 3060
 tctgcatctc ttgtacagtg tgttcagaga ttgtttttgc tagaaaagag agaaggtggt 3120
 tattaccaac caatagcttt gcttctgggt ggtctggaag agctattaga gatttcacat 3180
 ggttaccttg tcaccgagga aagggaagga tacttttctg ggtctaactt aaagggatgat 3240
 tttattcaat ccgttggttc aaacgttttt tcgtcagatt cttccaatga agaaagtaag 3300
 attcaggggg aaagagacgt aatactacaa tctttcagac aggtgatttc atgctgttta 3360
 gatatctggt attgggccc aacatttctg tgtaaacta acgatgattc tagcctggac 3420
 gccactaatc ataactcata caagttcaaa tttaggtcga agaaactgtt ggaaacctta 3480
 tttctactag aacctttgga acttctggaa aatttgatca gcattagatc agacaatact 3540
 acagtcacac tagtacatgt gctcgacggc aataaaccgc ccattacaat accacattta 3600
 ttgtatggtg taattatcag atacaacaga acggcatctg tcaagttttc taatcgtgac 3660
 ggaagtaggt caagcacaac taaattaact aaaggggagc cttccatgtt aaaaagatta 3720
 agcggggaat cgattattgc atttttgttt aactacgtgg attctgtaga aaactctgca 3780
 atggaggagt tttatgggga tttcctgcta tttttcagag aagtagcaac caattataac 3840
 ctttattctg atgtttcgtt gtctatatta aaacttggtg cccttatttc tggaaaagta 3900
 agtaaaacgc agtttgagga acaaaaacga gttaggaggg agatatctga tgtgtttttc 3960
 aaatacctac ctaatgcatt tataaacttt acgaacttat atcgtggcca ccctgattca 4020
 tttaaagatt tagaatttgt agtatggcgt gttcaatata tcgtcaacga tcaaattgga 4080
 ggagacaagt ttaatacaac gttagcgaca attgtaaatc aatgcctaac cccttatatc 4140
 aaacccaaaa gtgaaaaaac tattccaggt tatgtcttag aattggccgc ggtcgtatcc 4200
 catttaggtt caaaagttaa aagttggagg cttttaattg cggaattgtt ccaaaatgac 4260
 aaaaaacttt cggtaatgg cagcgatcaa acttgggaaa agattattta cgaatggtcc 4320
 atttatccag aaaataagtc aaaaatcttg aacgatttac tattagaaat tggctccaag 4380
 cgttcaagtg tgactccgac tttaatcacg ttttaacttag gaagcgattc tgaagtcgag 4440

tacaagtgcc aaaacctttt gaaaatatcg tacttggtga tggatcgcc aaatgacgca 4500
tatttggtgc acttttcttc ttttaataagt tgcattttcc actatttggg gtccaaagat 4560
atcaagctca agggaagctg ctggatctta ctaagggttt tacttttaag attttcagag 4620
tcccatttca atgactattg gtctatgac agttactggt taaaaactaa tttgcaagaa 4680
ttttatgaat cacttcaaat acagtcagaa gtcgatccac aaacaatatt gcaagtatgt 4740
aaaactttgg atttgctact cttactcaac atggaaggct tcacctctac gaatgagtgg 4800
atctttgtta ttgatacaat aaattgcgta tataaaacga actcattcgt cgcgctggta 4860
gatgaaatcg cagaattcaa agattacgaa ataaccacaaa ctgatgatct tgaattaccg 4920
acaactttaa aagatggtct cccattatta cgaggcattc acaaaatcga gagacacacg 4980
caactaagaa gcttcttcca gaatttgagt tatctacatt atgagaaagt ttacggacta 5040
gggtcagttg atttatatgg ttgtggtgaa gatctcaaaa aagatattct gtcatga 5097

<210> 588
<211> 1860
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 588

atggacgata gtgtcagttt cattgccaaa gaggccagtc cagcacaata ttcgcacagt 60
ttgcatgaaa gaacacacag tgaaaaacaa aagagagact ttacaataac agaaaaacaa 120
gatgaggtat ctggacaaac agcggagcct cgaaggacgg acagcaaadc catattacag 180
aggaaatgca aagaattctt cgactctttt aaaaggcagc tgccaccaga ccgtaattcc 240
gaactagagt cccaagaaaa aaacaacctg acaaagtcga tcaaatctcg tcacttagtc 300
atgatcagtc tcggtaccgg tataggtact ggtttactgg tcggtaatgg tcaggtgctg 360
ggaacagctg gtcttgccgg gttagtcctt ggttacggaa tagcatcgat catgctttac 420
tgtatcatcc aagcggcagg cgagttaggt ctctgttatg caggactaac cggcaattac 480
accagatadc cttctatttt agtcgaccct tcggtggggt ttgcagtttc tgtgggttac 540
accattcaat ggctaactgt tctgccctta caattggtca ctgcggcaat gacagttaag 600
tactggacga gtgtaaattgc agacatcttt gttgccgtgg ttttcgtttt tgtaattatc 660
attaatctat ttgggtccag aggctatgct gaagccgagt tcattttcaa ttcctgtaag 720

ttttcttttc gttacttcgg agaggaaaga gacttatttt actgcttctt ctccgtcttt 300
 ttacttaaca ttacatatattt attggattag 330

<210> 590
 <211> 330
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 590

atgagctggt cacccaattt ttgtaaagtt tcgtttcttg ttccaaatgt atttcctgtg 60
 ctcaagtctc cagtcattgg tactcgtacc aacatatctc tgcttggtgtggt atatagcagt 120
 ttagttagtt ctttagtcgg tatgcgttcc tttcctttat atccgtcagg attaacttca 180
 aggacttcac acagtttttc tatcttacta atattctttt tcgtcaccgt gtttatagtt 240
 ctgatgggaa tatacctgcg aatcccagat attcgagcaa cagtagttgc aaacactttt 300
 gtcctcaaca tgctcgagatt cattatctga 330

<210> 591
 <211> 369
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 591

atggcgtcta cggtagccgg attatcaatg tcagcgggaat cgctccgggt accgctatta 60
 ataggagtaa gtagcgggtat gttatcagtg tctgatgcag aggtattacc atcgttcctc 120
 ttcaaactctg gtttctcagt attacaaagt gctgcattgg atacagatga cgacctcgca 180
 cgaggcttat cattgctaga cctgttacca ctctgtctat tgtctccgtt tttcgaagag 240
 gacgtagatg aagaggaggc tggcgacgta gaaggcctcg atggcttcgt atttgtcttc 300
 cgtctactct tacctttata caaccaatct acgggcacat cgaactcggg gttagttatc 360
 ataacctag 369

<210> 592
 <211> 366
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 592

atgaatgtag ttgccattat aatggcttct caggaaacct gtagcggccg ggccccgcga 60
gaaactccag agtggcgtag gccggcttgt ttagttgcta gcatacttgt tcgagctctt 120
gagttctcct ggctttttctc cacgtgtctg cttgttgccct ttgatttcgc gagagactgc 180
ggactgccac cccactccgg gaaaacctgg agtgatggta aaggccctgc ggcgctttct 240
ttcggaaaaa ctaatacgaa agaagcaaca acaaattttt acaacaggct ggacgagaaa 300
agtggggaag agcaagcaga aaaaagaaaa gagaatagtc gttcttggat aatttattta 360
ttataa 366

<210> 593
<211> 357
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 593
atgcagcaca cgcttaccgc gaccgcctct ctgccagaac gctcgagcag cgcccacagc 60
gccgctactg cgttaccgcg acttcgccgc ccgccagaca gctgcgagac tctcgtcccg 120
ctactgtgta tcttttggtt cgtcttcggt agtatgagcc cgctcccgcc ggctcgtgcc 180
aacaatcag acaacaaagg cttaatctca gcagatcgta acaacaaggc tactctactg 240
cttacaatac cccgttgtac atccaagtcg tatacaaatg atttatcccc actcaaaatg 300
acattgctat ccgccggcaa gcaccaagc cctttccgcc aagagcaccg ttgctag 357

<210> 594
<211> 387
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 594
atgttccatt tgaaggcggt ttcgcaatac tattcttttt gtaaaatgga cctcatcttc 60
aaacacaata gttttttaga taggagtga gagataagcc tgtgtatgca tattaaatgg 120
tatttttcct ctggctatct ccattgggtc ttaatcactc aaaattatat aatattcttg 180
tttttgtttc cttttaagtt ttcaatgcac tcatgttctt ctcgatttg gggtaaacct 240
ctttataagt tcgaaaatcg tcataaccgc ttcagttcct tgtttatgtc tcacatacct 300
gtcttaacgg tcatttctta ttgtgtttgc tgtctttctt gtttctttga tacttgtaaa 360

tcagtactat actgttcaac atcctga 387

<210> 595
 <211> 1044
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 595

atgaaggcta tcaaattaac aggtcatgaa cgtccattaa ctcaagtga gtacaacaaa 60
 gaagggtgatt tactattttc atgttcgaaa gatagctcgg ccagtgtttg gtattcgttg 120
 aacgggtgaaa gattaggtac tttggatggc cacaccggta ccatttggtc tatcgacgtc 180
 gactgtttca ccaagtactg tgttacagga agtgcgtgatt acagtatcaa attatgggat 240
 gtgtcaaacg ggcaatgtgt tgctacatgg aaatcgcttg tccccgttaa aagagttgaa 300
 ttttcccat gcggtaacta ctttctagct atcttggaca acgtcatgaa aaatccaggc 360
 tccattaaca tatacgaaat tgaaagagat tccgccactc acgaattaac aaaggctctc 420
 gaagagccaa tccataaaat tatcactcat gaagggttag acgctgccac cgtggctgga 480
 tggtcgacta agggcaaata catcattgca ggccataaag acggtaagat cagcaaatac 540
 gatgtgtcca acaactacga atacgtggat tccatcgatt tgcacgaaa gtccatcagt 600
 gacatgcaat tttctcctga tttaacatac tttattacat catccagaga tactaactcg 660
 ttcttggctg atgtatcgac tctacaagtt ctttaagaaat acgaaacaga ctgtcctcta 720
 aacaccgccg taatcacccc attgaaggaa ttcattatc ttgggtgggg tcaagaggcc 780
 aaggatgtca ccaccaccag tgccaacgaa ggtaagtttg aagctaggtt ctaccacaag 840
 atcttcgaag aagaaatcgg cagagtacaa ggccattttg gtcccttgaa cacagttgcc 900
 attagccac agggcacaag ttatgcctcc ggtggtgaag atgggttcat acgtctacac 960
 catttcgaaa aatcttactt tgatttcaaa tacgacgtgg agaaggccgc cgaagctaaa 1020
 gagcacatgc aagaagctaa ttaa 1044

<210> 596
 <211> 447
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 596

atgccccaaat cccgacccaaa aaggaccatt gcgtcttctc cgtcagtttt ttatggaagt 60
tcacctttcc aaaatgatgg ctacatcaaa gtaatggaac tcgtatcaca cattgtcatt 120
gaaataaatc attcacctac cgcaacaacg gatgaaacga gaaagcagaa taatccggag 180
ctgaaagtga aagaaccagt ttgtaacctc aagaagtggg aaaataacac taactttata 240
ttggaagatc atacgaagaa taaaacaaaa ctttctagca cagataggat acgtaagtgg 300
tttagaagac atatattaaa ggaagagatc gaaatccttt cccatggaaa acaattgagt 360
agtattgatg aggattattg cccttcaaat gttctttag tagtgttcaag agatctaaat 420
aaactcagat catttcaaaa ttttttag 447

<210> 597
<211> 1539
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 597
atgtccatga ctatttgctc aaatactcct ggtgcatacc ctgaaattgg agcttataat 60
gaggttgata aacagttgga atcaagcggg ttctcctctg attcctctct gatattgaat 120
aaaccagaag ttcgtaata ctggtcatcc gtttcatctc atatttcacg ctcaggtgat 180
gtgtttacaa atgataaaga aaaaatttca tcctctattg gtgaggatgc gatggatgc 240
gacgcttcgc cctcattgat tgaaaaatat aactcttttc ccacaagaaa gattcttctc 300
gagcaggacg agtttgagaa cgacgttgag gacgatgctt cttcctcact gaaggaaaaa 360
tcacaagggtt cttgtgaaat tgaaattgct tctgaaattt catccgaaat tttaaatggc 420
acatcggcag acggtaattc cgagtttcac gacttcgctg agccccctcc ctctcagaat 480
gaatctgtcg ctctgtcttt tagtcaatcg aatgatttgg actttttgaa taatccaagc 540
ggatcaggct cttcaaacga tatcaataga agtacaagtt ccatttcact tcctagacat 600
gtgtcactag attttaacgt ttacaatagt ctttgcttca caaatgaggt gactgcatca 660
gaatcacata atgtggccaa atttcacctt ggcaagaaaa acaagaagag cttgctacca 720
agatggaaaa ccattgaaat gtacggggag gtagttaaga aaactcaaga catatattct 780
aattttcagt atgcacaata cattttaagg gtaggggttg ataccgaaaa actacacgaa 840
cttgtaagg aactggagga tgaaagcaat agcttctctg tagattcttt aaaggaatat 900

ttagtgaacg atgccaaagt tattttgaag aaactaagtg ccgttggata ccctgatgca 960
 cagtaccttc taggtgacgc ctactcctct ggagttttcg gtaaaataaa gaatagaaga 1020
 gcattttctt tattctccgc tgcagccaaa agaatgcaca tcgaaagtgt ttacagaact 1080
 gccatttgct atgagtgcgg cttgggtgta accagaaatg caccgaaggc ggttaacttt 1140
 ttgacttttg ctgcaactaa gaaccatcct gcagcaatgt acaaattagg agtatattcg 1200
 tatcatgggt tgatgggtct tccagatgat attctaacca aaatggatgg ttatagatgg 1260
 ttgcgaaggg ctacatctat ggctagcagc tttgtttgtg gtgctccttt tgaattagcc 1320
 aatatttata tgacgggata taaagatctt atcatttcgg atccagatta tgctatggca 1380
 ttgtatgaga aggcggcggc tttagggcat actgaatcgg caagaatact agaagacgct 1440
 cgcagaagtg gaggggttgt ttcgcgagga catcctcctt cggcacagaa atatcataaa 1500
 acctcccatg aagctgtggc agccaaaaag ttgatttaa 1539

<210> 598
 <211> 1029
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 598

atgtcaaata gtaacggtga taataagtat ggtgtcatta caattggtga tgagaaaaag 60
 ttccaagcta ccattgcgcc acttggtgca actttggtag acctgaaggt aaacggccaa 120
 tcagtcgttc aaggttattc aaacgtacaa gactatttaa cagatggtaa catgatgggc 180
 gctacagttg gtcggttatgc caaccgtatc gccaaaggtg ttttcagcct ggatgatggg 240
 cctcacaagt taactgttaa caattgtggg aacacaaatc acagcagtat cagttcctta 300
 aatcttaagc agtacaaggc gtcccctgtt gagaatcctt ccaagggcgt ttacgttggt 360
 gaatttaa at tggtggatga tcacacacag cccaacccta acgagtttcc aggtgacttg 420
 gaagtcacag tgaagtacac tttgaatgtt gcagaaatga ctttagacat ggaataccaa 480
 gcacagttag ttcgtgggtga tgctactcca attaatatga ccaaccactc gtattttaac 540
 ttgaacaaag tcaagagtga gaagtcatt cgtggtacag aagttaaggt ctgctcgaa 600
 aaatcgcttg aagttacaga gggggcattg cttccaactg gtaagatcat tgaaaggaa 660
 attgctactt ttgattcaac taagcccacc gttttgcatg aagatactcc ggtctttgat 720

tgcactttca ttattgacgc taacaaggat ttgaagacta cagattctgt gagtgtcaac 780
 aaattggttc ctgtttttta ggcctatcat cccgaatctc acatcaaatt tgaggtttcg 840
 acgacagaac caaccgttca tttgtacacc ggtgataatt tatgtggcaa atttgtgcca 900
 aggtctggat ttgccgttca gcaaggtaga tacgttgatg ctatcaaccg tgatgagtgg 960
 agaggttggtg ttctttctgaa gcgcggcgag gtatacactt caaagactca gtacaaattc 1020
 gatatttag 1029

<210> 599
 <211> 4308
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 599

atggccaaaa aaacgaaaaa taactcaaaa agttcaactc cagtgaatga tgtaccaaca 60
 actgctggca aaaagaaagc aaaaggaaaa aagggacaag aaccagagcc agaagatgac 120
 aaaagggcc aagcaaaaag taatagagca aaagtgacat ccacagcaag ctggacaggt 180
 aaattgcctc atacaatctt acacgaaaca tgtcagaaac gaaaatggaa taaggtagag 240
 tatgatatga agaaaatcgg tgataaaggt ttcatcgcaa ttgcagtttt gtcattcact 300
 gacccaaaga caaaagaaac attgactgca agaatgaacg atccaaccta tgacaaagct 360
 tcaggaaaag gccttgtaat tcctcaagaa actccaattg aagctagaca catggcctcc 420
 actattgcgc tatatogcat tgcatacaac accaacctgc acatgatgct tccgccaaac 480
 catagaaaaa catggtatgc cctcgacgat tttcgaaaag ataactgaa aacagacgaa 540
 aagcgtataa acaaaactatt tgatcttgat cccttcaaga caatgggtgga agacagaaaag 600
 ctcaaagccc aacgtgaaaa agaacaagtg gcccagaata atcaagcaca gaaagaacaa 660
 gttgcacgaa ccattttatc tagccatggg ggaattttctt cttctggaaa ggacaggcaa 720
 gagagaaaag tagcatctca taaaaactca cataatcctt cattagtgcg gtttccaaaa 780
 aaggtttggg aaaattctat atttgttgac cttgatgaat cgtctagaca actgatagaa 840
 acttcattga aagagaaaat tgattggcaa gctaaaaaaa ttagccataa aaatgagaca 900
 attgctgaaa atcgggaaga tctcaaggca aaattattaa ctctacaatt tagaccaaaa 960
 cacgtagagg aagccatgct ttataaagat ccattgtctt tcttattggt taacttaccg 1020

[illegible]

aatttgctag ctaataaatc aaatgaagca gattttatgg ttctaccctt gcactccgct 2700
ctaactcctg aagaccaaaa aagggtgttc aaaaaatc atgggaaaag gaaagttgtt 2760
gtatccacaa atattgctga aacatctatt actatagatg actgtgttgc aactattgac 2820
acaggccgtg ccaaatcgat gttctataat ccaaaggata atactacaaa actaattgag 2880
tcgtttatctt caaaagctga agttaaacaa cgtagaggtc gtgctggttag agtacgtgaa 2940
ggtttatctt acaaattatt ttctaaaaat ttatacgaaa acgacatgat atcaatgcc 3000
attccagaaa tcaaaagaat cccgttgga tccctttatt tatctgttaa ggctatgggt 3060
ataaaggacg ttaaagcgtt tttgagcaca gctttggatg cccctccttt accagctctg 3120
caaaaggcag aaagaatatt aacaacgata ggacttggtg atgagtcga caagtcactc 3180
acacagctag gtcaatttat tagcctgatg cctgtcatgg atagtaagca tggtaaatta 3240
ctaataacg gcattctgtt tggctgtacg gacatttctg ttttacttgt ctcgatactc 3300
ggatttgag ttttgccctt catcggagggt tttgaaaata gggaaaagat aaaaaactg 3360
ctatgtaa atgaaagtcg tggggattta tttgcagtat tggaaattgt cagagattac 3420
ttcaaatca aagattcgag catcaaaagg aaatatttga gagacaattt actttcctat 3480
aataaaatta atgaaattaa gtcatcaaca gcccaatatt attctatttt gaaagatgta 3540
ggctttctac caatggacta taaagttgga agcatttctg atttgaatag gaacgagcga 3600
aattttgata tcctaagggc cattctcagc ggtgcgtttt atccacacat agccaggggtg 3660
caactaccag atgtaaagta tctatcaaca agttccgggtg ctgttgaaaa agatcctgaa 3720
gccaaaatga tcaaatactg gattcgaagc gaagagtatc aggacaaatt agaagaatat 3780
aagacgaaaa tttcgcaaga gacgcaaaag gttgatttgg aagatttacc gttacctgct 3840
actagggcat tcattcatcc aagttcagtc ttattttcaa ccaattcagt aaacttgga 3900
gacgctaagt tactctctga ggtggatggc ccaatatccc gtcaatccaa aataccaacc 3960
gttgtaaaat acccatttgt tttgtttacc acgtctcaag ttactaataa gttgtatttg 4020
agggacttaa cccaactac tacattatca ttactattat tcggaggggc aatctcttat 4080
gacattggag gtactattca ttcaccgggc atcgttgtcg acaactggct cccaattaga 4140
acctgggtgta agaatgggtt ttaatacaag gaactgagaa cacaacttga tgaggccata 4200
aggaaaaagt tagaaagtcc cgattatgct aaaaaatctc aaattgataa ttctggtgct 4260

gataaaactc taaaaattgt tgaaaaaatt atagcttccg aacaatag 4308

<210> 600
<211> 3399
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 600

atgatccaag aaagtagtcc agatgcctta gcagcagcag cagcaattgg aaatgcgctc 60
agttataatg ggaggaccgt tgacaagagt aaaataccgc aatacaatca gagttttacc 120
tctcgaacta cgtcaatcgc agggattaat aggtatacaa tgctctcgaa ttctaggact 180
aactcaagga tgctcttaat gaatggtaac gttcgccaat actctaagcg cacgtcgagt 240
ttgccaaacc aaggacataa gaatacctct aataattcgg cggggagaag gcaacacagg 300
gctcacgagg atgcagaaac cacgtttcga gaatttgagg gcaagcagtc atcgaagggt 360
ttaaacatth caagtctgac tggtcagaat agtaaatcaa ggaccacatc acttgggaac 420
tcaggcagca caataaggac gataaaaaaa tacataccag gccctagggg gttaatggct 480
gtggaagtac ccgtggaagt agagcctcct agatacagtc tgagcaaccg ctcaaaccaa 540
cgagggtgga gagcatattc tttgcctact cgaaacaaca aaactagtct aatgcatagg 600
aataaaacta ctaagaaagc aggatcacaa gagaaaaaa gtgaaagcgg cggtaaatca 660
aaaaacgatt atcatggcaa agtattatct aaaatgcata ctacatcatt aaagcaacgg 720
cataacaatg ttccattaat accaacaact atgaacgagg aaacggaaca agaactgcaa 780
gaggatcttc atgatccttt agaatttaaa cccatgatta tatccgatga cgaaaactct 840
tttattgaac ccagcgttct cgatcgtagc atacccaaaa aagataaaag tggctctcagt 900
ggacgtgaga aaaaggaaga aattgaaaca ttgcttaag aggttcatag cttggaggaa 960
aaaatatcaa atatcgaaat agcaaaattg aacgaagaag aaagggaaca aagcttaatt 1020
ttggaattgc gaaaagttaa gctagatgaa gaacggagaa tggagttatt gaaaagagag 1080
ctaaatatag ttaaggagaa tgccgacctt gaagccaag aattaaaact aattgaaagc 1140
aaaagaaaac aacactttca caaaggacag gaagtagcat ccgagggtcaa atcgatcacg 1200
attcgtcaac ctactttatc agaacctaa cctgcctatg tacctccgga agacgtggag 1260
aaagagccat caactctctc caatcaaact cagaatattg aaaatgcaga gaatatcgat 1320

tctgttgatg ccgaaggaaa tttagtagat cctattcttc tcggctcttt aaacaattct 1380
aacttccaca tgaattcaga taacgaagtg aggtgcattg cagattcaaa cagtctcact 1440
ggcagcgaat tatccgatta taattatata gaaggctcgg caactgatct tcgctgctact 1500
gcaaagacaa gtgtggagtc tgaaataggg ggaaatcagg ttggactaaa aattccgcaa 1560
gatgatgata gtgaaaaaca ggaagaacgt acaaaggga aaaagtcagg cctcgtcgat 1620
acaaattgct ttttagtcca aaaagaagat caagaagagg cgctttccga taatgaaccg 1680
gaaagtcttg aaaaattccc tagcacttct gggatcgaga acgttaaact ggaggatgag 1740
actggtagtg ttatggacaa aaataatgga cccaacaatg acaaggacga tgatgatgac 1800
aaagacaatg ataatgacga tgatgatgac aaggacgatg atgttaacga tgatgacaag 1860
gatgaaaatg ttgacgatga tgaaaatgtt gacgatgatg atgacgatga tgatgacgat 1920
gatgatgaat atcatgattc ttatgacgtg ataatgagag atccggttca aatagaacaa 1980
gatatatctg acgtgccttc attaaaacac ctttcagaat attctaccga gacagaagat 2040
aataaaaaga aggaacaaaa ttctgaaaat gcagaagtta gtcagtcagg aacaaacatg 2100
gccaagtatt tacgtggtgc taatccttac ctactaaca caagttcaga cactttcagc 2160
ctagattccg aaaacgtgaa ctccaagtcc tccacggata ccacaagagt tgcacctgac 2220
cttttgaaaa gctcactaca accacaactt agatctgatt tgaaacaatc agccgttcca 2280
tcaagtactt cctcgtccat ttattcgata gaaacgtctc caaatattga ttcctctaca 2340
gggaaaactg cttccaatac gaaaacgaac agccatggcc ctccgacgag tatttcaaaa 2400
cagaaatacg atcaatctag ttctcatcaa ataccctga tgtctccaa gcgtctcgac 2460
gataaaagaa aaatcaccaa tcgttcgtgc ctaagaactc tacgtggtag ttcaaagag 2520
gctactcttt cgcataatat agtatatcca gcttctgact catcttcac cctccatat 2580
catagcaaga agccatcaaa tctccatca tctggcaact tggcttcaca cgaggcgtcc 2640
aagtgttttc caaaagctcc tcaggcgagc acaacatcga gacgattgcc tgatcatgct 2700
cctctataca ttgataaaaa taatagtgc ctctaccca aagaaccccc cgccaggaag 2760
tctagttttg agaaggaaag acctgcgaag gataacctag gatttagaag catgtctttg 2820
agagagccac ttatcacaaa gaatgctaca gccacagcag cagagaacct ggatgtggaa 2880
gaaaagaagg aaaaaggagg tcatgtctca agaaaatcat ggacttttgg tttgccctct 2940

ccgctgaaaa ggagaacaag tcattctact cataccacga acgaaacaga gatagttaat 3000
 cccatgacga acttcaaaaa taagaccaac gaaaacgata tgccaatatt agcaaataaa 3060
 aagagctgca acaacgatga ttcttccccct tacactgcat catccatgaa cactaatgac 3120
 gtaagcgaag ctggtacaga aggccaccgg ttttcattat tcggaaataa aagccaattg 3180
 tcaaatagga acatatctgg tggaacagcc actttggagt catcaaatcc tgacctgcct 3240
 acagccttac cattaagcgt tccggtgact atcattgata aaaatggaga gatacacaag 3300
 cttcataacg atgatgcagc tataaaagat aagtcgcatg accgtcacgg tcacagtaaa 3360
 ttcggtagga aactgaaaaa aatttttggc aggaaatga 3399

<210> 601
 <211> 1431
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 601
 atgatagctt ccaaaagctc cttattagtt actaaatcgc gcataccctc tctatgcttt 60
 cctttgataa agaggctcta tgtgtcaaag actccgacac actctaacac ggctgctaatt 120
 ctgatggttg aaactccggc cgccaatgcc aacggcaata gtgtgatggc acctcctaac 180
 tcaatcaatt ttctacagac acttccaag aaggaactat tccaactggg attcatcggt 240
 attgcgacct tgaacagctt cttcctgaac acgatcatta agttgttccc ttacatcccc 300
 atcccagtaa taaaattctt cgtctcttct ttatactgtg gcggtgagaa ctttaaagag 360
 gtcacgaat goggcaaacg tctgcagaag agaggatatat cgaacatgat gctttcatta 420
 actattgaaa attccgaagg tacaaagagt ttgtccagta ctccagtaga ccaaattgtc 480
 aaggaaacaa tcagctctgt ccacaacatc ctactgccca atattattgg ccagctggaa 540
 tctaagccaa tcaatgacat tgctccaggt tatatcgctc taaaaccctc tgctttgggc 600
 gataaccctc acgaggttct gtacaatttc agtaatcccg cctacaaggc tcaaagggat 660
 cagctgatcg agaactgctc taagattaca aaagagattt ttgaactaaa tcaatctttg 720
 ttaaagaagt accctgaaag aaaggcccca tttatggttt ccactattga cgctgagaag 780
 tatgatttgc aggagaatgg tgtttacgaa ttacagagaa tcttatttca aaaattcaat 840
 cccacttcat ctaaactgat atcatgtgtc ggtacttggc agttgtacct aagggactct 900

ggtgaccata ttttgcacga attgaagctg gccaagaaa acggctataa gcttgggctg 960
 aaactgggttc gtgggtgctta tattcattct gaaaaaacc gtaaccaa at tctcttggc 1020
 gataaaacgg gcactgacga aaattacgat cgtatcatca ctcaagttgt caatgattta 1080
 atcatcaatg gcgaggattc ttatttttggg cacttgggtg tcgcctctca taattaccaa 1140
 tcccaa atgc tcgttactaa ttgctaaaa tctacccaag acaactctta tgccaa atcg 1200
 aacattgtgt tggggcaatt actaggtatg gcagataatg ttacctatga cctaattacc 1260
 aaccatggcg ctaaaaacat aatcaagtat gtcccatggg gccaccatt ggaaactaaa 1320
 gattatcttt tgagaagatt gcaagaaaac ggggatgctg tgagatctga taatggctgg 1380
 ccattaatca aggccatagc aaagtcgatt ccaaaaagag taggcctatg a 1431

<210> 602
 <211> 2373
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 602

atgaatcatt ggtagcatt tttgaataag cctgaatccc taaaggaaca aaactcggat 60
 tgcgaccagc agggggagat gagacatggt actgatggca ctttaactaa gtctccagaa 120
 agtaaacctt ttcgagagcg gcgttcacaa acttgatag actctgaagt acctacgtcc 180
 actgaaaaat ctaatgtgca ggaaagtatt tcttctgata ttatatcaaa actgtcgaat 240
 aggcgttccc gaagaaaccg ctgagagagt tgggcagggt cagaagcctc ttcaccttct 300
 ggtaacatta gtacattgga aaatgctacg gaaaaaata ctttaaaatc gcctaataaa 360
 tttctacaaa ggggtggttt accaactgta ggaataggct cgcaggctct gtcacctgca 420
 ggaaagccca gtacattagg aaatgtaagc cctggtaaat ttaccacata caaagtacac 480
 aatagtattg aagtgaatag attttcttct acacctacaa agctcctcac gaatccccac 540
 aaagtcgcag caatctcaaa tgatgagcat tatgttgtaa gcaatgagag tctggaggag 600
 aatatagagg ttgcgcatct agagaacgta tttcgctcat ctaaaactcc agatgaagaa 660
 cagtccgaat atatgaaatt aggagaaatt aggctatctt ctcatcata tggaggaagt 720
 atttctaaag aaaatagttt acccaaggta ttagatgagc tccagtccca aaatgaagag 780
 atcaaagcac taagacaaaa actagaagag aaggatgaca ggattcaaga actagaagaa 840

cttaatagca tgaatgatgc taaacttcaa agaatagaag acttgcagaa ggaattccac 900
 aacgaaagaa aagctgcatc aaaaaggctc aacattgttc aggaccggtt tcgcaaagaa 960
 attaaaaaaa ttagagaaga aaaaattaca gactttcaaa acaaaaacgc tagcaagaag 1020
 gagaagaatg aagtgactag tgccaaaact aaatgtaaag ctttttctca aagaaatatt 1080
 ttagtttcgg aactatacag gaagcaaaaa caaatcctaa acttgcagca agaaaatgat 1140
 aaattttctaa aagatattaa cgaatcgaat aactctatag taaaattaag atctgaagtt 1200
 gaaatactga aaagcaatth gcaactttct caagatgaaa ataaaaaatt acatgataat 1260
 ggttcgthtt acgagaaaag gttaaattgat gtttacagct atatgcaaaa tctttctctt 1320
 tttgagaaag accttggtta attcatacta gaagaaatga aatgtggcca ttcccccttcg 1380
 atgtttcaaa acggtthttgc caagctthtat ccggtthttc aagatatcaa aaatcttgaa 1440
 aatatggagc aatacaaaaca attaaaagga aagatagaac ttttggaana gaatgaccgt 1500
 atacgtcttg aaaaaatcat ttctgtcttt aaattgatta atgaaagatt acattttatg 1560
 caacagcagc acagtcacaa aataaaatat cttcaaaaag aggcgttaac aaaagaacaa 1620
 caatttcgtt tggaanaaag gagatggcat gatattctga acctcaagga agaaaacttt 1680
 caaaaactga agagcgagtt aaaaggaaaa ttaatactaa gtgaaaaaat tcagaaaaat 1740
 gccgaagata aattgaacga ttacatgaat gaacaccagg aaattgttga gaaacttcag 1800
 aatcaggctt tgattgcttc aagatggagc actcaaattc aagagtcaga aaacacacat 1860
 aagaaaatta ctgacgagtt agctggaaaa caaagtgaat tattaanaact cgaagaaaca 1920
 attctatcac taaaagaaga tgtattccaa gagaagctga atttaaaaaa actatatggt 1980
 gatccttcta ccgaacttaa ttttgaaact gttggaaaat cttttccaca tataacgaag 2040
 gaaaagtacg actccttggg tcttgatatt ctgacagacc ttacctatgt gcaatcgcaa 2100
 aatctaataca aaaatttatt aattgtgttg gatatcccat taaaacctt cttaaaaatt 2160
 gtaccaacaa ttgtcattca acttagatgt gagcttacac ttctcacaaa atttgctaatt 2220
 gatttgaacc ttaaggthtt tggtaaacag ttagatttca aaagtagaag aaaggtcgca 2280
 atgaatgagt ttttgaacaa tcatgatatt gctgaagtaa agcatcctct tgagtatgat 2340
 ttgcaagcgt tgtttaaata tttcttttct tag 2373

<210>

603

<211> 1542
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 603

atgactgctg gttctgcccc ccctgttgat tacacttcct taaagaagaa cttccaaccg 60
 tttctctcca gaagagtaga aaatagatct ctgaaaagct tttgggatgc ttctgatatc 120
 tcagatgacg tcattgagct agctggtgga atgccaaacg agagattttt tcctatcgaa 180
 tctatggatt tgaaaatata aaaagttcct tttaatgata acccaaatg gcataattcg 240
 tttaccacgg cgcatttgga cttgggatcc ccagtgagc taccattgc acgttctttc 300
 caatatgcag aaaccaaggg tttacccct ctcttacatt ttgttaaaga ttttgtgtcc 360
 agaattaatc gccagcctt ttccgatgag acggagtcta actgggatgt catcctttct 420
 ggcggtcca acgattcaat gtttaagggt tttgaaacaa tttgcgacga atcgaccact 480
 gtgatgattg aagagtttac tttaccccg gctatgtcca atgtggaggc tacaggagca 540
 aaagtcatcc ccatcaagat gaacctgacc ttcgacagag agtcccaggg tattgatgtc 600
 gaatatctaa cgcagttgct cgataattgg tcaactggac catacaaaga cttaaacaag 660
 ccaagggtcc tatataccat tgcaacgggc caaatccta ccgggatgtc tgtccccag 720
 tggaaaagag agaaaattta ccagttggcc caaagacacg atttcctcat tgttgaagat 780
 gatccctacg gttatctgta ctttccttc tataatccgc aagagccatt agaaaaccct 840
 taccattcta gcgacctgac tactgaacgg tatttgaatg attttttaat gaaatcattc 900
 ttgactttgg atacagatgc ccgtgtcatc cgtttgaga ctttttctaa aatttttgct 960
 cctggattaa gggtatcctt catcgttgct aataaattcc ttttgcaaaa aatcttgat 1020
 ttggccgaca ttactacaag ggccccagt ggtacctcac aagctattgt ttattctaca 1080
 ataaaggcaa tggctgagtc caacttatcg tcctctcttt ctatgaaaga agcaatgttt 1140
 gagggttgga taagatggat aatgcagatt gcttctaaat acaatcatag gaaaaatctt 1200
 actttgaaag ccttatacga aacagaatct taccaagctg gtcagtttac cgttatggaa 1260
 ccctccgcgg gtatgttcat cattattaaa atcaattggg ggaatttcga tagacctgac 1320
 gatttccgc aacagatgga tattttagat aagttcttgc tgaagaatgg tgttaaagta 1380
 gtgcttggtt ataaaatggc tgtttgcca aattattcaa agcagaattc agattttcta 1440

agactcacca tcgcctatgc aagggatgat gatcagttga ttgaagcttc caaaagaatc 1500
 ggtagtggca taaaagaatt ttttgacaac tataaaagtt ga 1542

<210> 604
 <211> 921
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 604

atgaatcaaa tctgggtctac aggtccccc aatttttact tcaactctga atggaaagaa 60
 aataagagaa atgacaggac aattgaagac tctttaagag aactagatgg gttgatccat 120
 tccttggaga gaactcatat tgaagtacaa acaaaccxaa agctaaagaa cgatgtcaca 180
 gctttaaatg atattaacaa gaaagaaaat aaagaagaga tcaactcatga aaactataca 240
 caccagatta atagtattcc attgacaagc tcaaatttaa atcggcattt ctccttttct 300
 agagactaca accaatctga taatagcaat aataattatt acagggaata tttatccaaa 360
 ccaaggtatt tgcagcagtc aactaaagaa caaactttca atgaaattaa taaaagaaaa 420
 agtgctgcaa ttattccccc ttgggttaaatt attccagaaa actcaagatt ttttgtaata 480
 aagtcctcgt ctttgaagca tgtcaaaagg tcgttttaca acggaatttg gtcgtctact 540
 catttcggca acaaaaggct atctgaggca tataaaaagc ttaattcggg agccaaagtg 600
 tttttatttt tttcaatcaa cacatcagga agattctgtg gcgttgcaga aatggatatcg 660
 gatttgaaaa tggatttggc caccagtata tgggaagatg aacaaaaata tggcaaagcc 720
 tttaaagtaa gatgggtgat cgtgcgtgat ataaataaca gatcggttaa aaggtttttg 780
 ataccatcca atgaaatgaa accgataaca cattccagag atactcaaga aattccatat 840
 tcgattggaa tttcaataat taatctattt aaaactcaag attctgatat tttctccttc 900
 ttggatgaga cgtatgaata g 921

<210> 605
 <211> 354
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 605

atgtatatat atgttgaagt gtgtacacac gtacacgcac aagctacaga cgccacgcgg 60

cccggcattc atatatgtac atacatttat gcacatatat atatatatat atatgtatat 120
 gtaaattgtat atatacagct tgtgatttcg cgcgccgaat gggctgaaaa gcacagtata 180
 gtggagaaga agagagagga gaaggggaga ggggcaatag caatggatgt ggtagaatac 240
 agggaaggcc aagctgttgt tcaatggatg cggttcgagg ccacagcgaa ggggggcgct 300
 tcgaagcata gaacattatc cgcggaacg ggtattaggg gtgagggtga ataa 354

<210> 606
 <211> 558
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 606

atgtcgtcgt atttacgtca ctgtagttct cgactccccg gaaaaacctg ttcgcgtgag 60
 cggaacaact ttccattgag gcttagtgga ggtatttccg gagagggcat tcatcccgga 120
 tttectatta gaatggtgca gtacgccgcc ctcgcgctct ctacatgctg ttttagcgcg 180
 cgtgatatgg acatagatgc accacgcggt gtttcttttc taggcatcaa gtggcttgca 240
 gccaatcaaa cacgaggaat gtgggatgga agtacaatct cctcaccgca caccacggt 300
 ttccgggaca tttctcggac agactctttt tttctttttt tttttttttt tgcttcccac 360
 gaaatcgga cttatctatc agccgaagaa agcgcggttg acagatactt gagcagattt 420
 tgtggggaga gagaatcttg ggacaaatgc aaaaaagaaa tggtcggaac aaaagggcag 480
 tatacagggc cggcagtacc ttctgttcct accacaaacc ttaacgatat cggtgaccct 540
 actaaaactg tgcaatag 558

<210> 607
 <211> 315
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 607

atgctgacga aagttgtgtt cctctttttt tggagcaggt ctgactcaac taaaaagcta 60
 gctgcatgca accacgctac attggcacac tatatcctga cgcccgcgct atactctgac 120
 gcctgcgcta tatattctga cgtctactcc ataactatta tagtagtggc cactgttggt 180
 cgtaaccggc cgcggtgttc gctccgagca cgaaaattct gtcgtttatt ctcttccttc 240

ttccagttcc attacttaaa ggagctgttt tatttcattc gaaagcccg tgcacaaattc 300
tcctctttca tataa 315

<210> 608
<211> 4779
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 608

atggcatttt ggttacctca aaatatacaa aagcggctgc ttctttacgt ccttcagcaa 60
atttcgctgt tctccaatat agatttatct aacttggacg tttctatagg gtctaagtca 120
catttctcgt tccatgatgt gaatctgtca cttgatgatc tcaacattcc aaacgtgcaa 180
ataaacgaag gcatagttga cgagcttggt ttaaaattaa cagtttctgg cgggtgtggaa 240
atcgatgggt ctggtttaag atttatcatg acacctttat attccagtgg ctcacaggaa 300
cttcactcag attttttgggt taaaagcatc caagatctta cgaattcgat gttacaattt 360
agtgatccat tgaccacata taataggtac aaagaagatg acattagctc ttcagacagt 420
agtagtgatc tcaactctaa tatagaagct tcaaaaccag ccgcaaattg ttcttatact 480
cttcaaaata tgcggaacaa ggcccttaat gtagccttag cgaaattgaa aatagcatta 540
aaggacgtta ccatacgttt catagtgaat gatagagatc cttccgataa cattgtggag 600
gttcatctag aaagcataca acttattact acagacgcaa atttacgaca tataaacatt 660
gaaaatatca ccatttctct aatacaaaaa caagctgtac ccgactctcc tgtgcaccc 720
ttcaataatg acgatctgtc acaaagcgtt tatttatcaa aaatggaggc tacttcactt 780
tatatgagcg ccatggaaga gcaatcaaat gaagacccca gtgaacccca agttacacaa 840
gaagaacaag agaatgataa gtgcaaggaa tctttaatgg aaataaataa tttgaacata 900
gcttttaagg gtttatcatc ggtcaatgat ctcagaatgt ctaatatgtt tattgatatt 960
caggatgttc atttagcgat acacaaaatt gtcgaaatca aaaactccac tttgaagaat 1020
attatagata tcattgttac acatttggat gccaatgaaa gcttttcttg ccaggattcc 1080
caaagtcctt cacctgacaa gcaggaacca tcagctcttt cttctgttga tatcaaattg 1140
atatacttaa acttaggcca agatatcaca gtaattttga agagctttaa attagagcaa 1200
aaggaaaata attcattggc attttcttta gggtcatttt attctaattc gagtccattg 1260

acaattagcc ataaaactaa gccattgctc actggagaac aaaccctca aagcatcgca 1320
 ttaaatatgg gcgacgaact agatattatt atcagtcag atggcattgc gcattttctt 1380
 aaaatctttc agtttgtttc aaaatgtatg tcctttttatc agaataagtc aaaagggatg 1440
 atgcctcaaa tagcatcgga tactaaaagg accgtacaac ttacctcaaa agcagtgaag 1500
 ttgtcgctta agtttccata ttttttatta tgtttccagg tttcaccctt catttacgac 1560
 tctaaccgtg agttgtacat tgagcttgta gacgtattta aaaaactacc ttctcggtgc 1620
 acgaaaatat tgacaatgtc gagcattacg atctcgaact tgcaatcccc tctacaactg 1680
 ggttcatatg acgatacttt gaaagaagcg ctaatttata gttctgtcca tgcaatcatc 1740
 aaagaagtga tattaacga agaattttct ggaatagtag aattagtcga agatattttct 1800
 gcgtttggaa aacttttcac ggattcaaag aacagtgaat gtacaggaaa gtctaaaagc 1860
 aagagaggct cctttttgca gagaagtgtc agagtactta attcttccag gttcgtttac 1920
 aagcagagtt tatccgctaa tttttctctc aagatagatt ccatgaagtt aaaagtatca 1980
 gaaattatag ggccgcaatt tggttctgtg gaagcattac tatcaaataa tttctttgcg 2040
 attacggatg actctcaaat tgtatatattt acaaagaact taaaggtaga aagaaagaca 2100
 ccgtcattat tagagccaca agaatcatg tcagtagttt tgaataaagc agttaacgaa 2160
 cctgtactat atgttcatag aaggggcgaat ggaaagttaa aagtcatttt taacaacatt 2220
 cgcatacatt actatgcaag gtggttagaa atactaaaga aaaacatcgg cccggataat 2280
 gccagttcaa aagatgaacc tgtttcacia aagcttagta aaaaacaacc gacttcagga 2340
 tttccctggg aactcaaagt tctggactgc tctctaattc tgcacccttt cagattaaaa 2400
 agtgtaatgg tcattgtact tgacaatcta acaactgggtg gaagttcatt tattccgcag 2460
 gcaaagcttc tttcaaaggc gaatacactc ttcctaatag atgactatca gaatttcaaa 2520
 attcaaaaag ataagaactg gcctagtttg ataaattttt atgctggtca aggtttctct 2580
 gcaatcggta aatagatac tttgaatttt ttaataaaca aatccgatgg tgccctttta 2640
 ttggattgta aatagaaca agttgggtct tcattatgag cggattcttt tcaaactttt 2700
 tgtcagcttt gtattgattt aaaaatctct cagacgtttc ctgatgagga aaaaattaga 2760
 acgcagttga aaaatcctat cgatgtatc aaagacatcg attgtgatct tttcaattct 2820
 gccttcaccc gggagaacaa tcatcaaat gattacgact cagtgcattt ggtagacagt 2880

acggggtttga aggaggcgta tagttcatta gaaaagcata tgcattattgc gtacgatgcg 4560
gtatggagggg caaagggaca gatgaaggat gataaacggg gagggccgag cgccgcagca 4620
gtttatgttg ctagagctgc acctgtggca attattcggc cgттаattgg ggccactgag 4680
gcagtgtcta agactttaca gggaatagct aatcaagtgg ataagacgca taacgagcaa 4740
atcaatgata agtacaagtc caatcggact gattcgtaa 4779

<210> 609
<211> 1383
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 609

atgcctatca atgccatcac ttccgaccat gtcattatca atggtgcaaa taaacctgcg 60
actattgtgt attcgaccga atcaggcacg attctggatg ttttagaagg ctccgtgggtt 120
atggagaaaa ctgagataac caaatatgaa atacatacgc tggagaacgt atctccatgt 180
acaattctgc ctggacttgt ggactctcat gttcacttga acgagccccg taggactagc 240
tgggaaggat tcgaaactgg aactcaagct gctattagtg gcgggggtcac aacgggtgggtt 300
gatatgccgc taaatgctat tcctcccaca acaaagtgtg agaatttccg aattaaattg 360
gaagctgctg agggccaaat gtggtgcatg gttgggtttt ggggtggact ggtaccacac 420
aacttgccag acttaattcc gcttgtcaaa gctggcggtc gcgggttcaa aggattcttg 480
cttgattctg gtgtggaaga attccctcca attggcaaag aatatataga agaagccttg 540
aaggtcttag ccgaggagga taccatgatg atgtttcatg ctgagttgcc caaggcacat 600
gaggaccaac agcaaccgga gcaaagccat cgtgaatatt cttcgttttt gtccctcgagg 660
ccggattctt tcgaaataga cgccatcaat ttgattctcg aatgcttgag agccagaaat 720
ggaccagttc ctctgtaca tatagttcat ctggcatcaa tgaaagcaat tcccttgatc 780
agaaaggcac gtgcgtcagg gctaccagtc acaacagaga cttgtttcca ctatttgtgt 840
attgctgcag agcagatccc agacggagcc acctacttta aatgttgtcc acccatccgc 900
tctgagtcta atcgccaagg cctatgggac gctttgcgtg aaggtgttat aggctcagta 960
gtgagcgacc attcgccatg caccctgag ttgaagaact tgcaaaaagg tgactttttc 1020
gattcttggg gaggaatcgc ttccgtcgga ctaggtttgc cattgatgtt tacccaaggc 1080

tgctcttttg tcgatatcgt tacatgggtgc tgtaaaaata catcccatca ggtaggacta 1140
 tctcaccaaa aaggcactat agctcccggg tacgatgctg atttggtggt atttgatact 1200
 gcaagtaaac ataaaataag taattcaagt gtctacttca aaaacaaatt gactgcctac 1260
 aacgggatga cgggtcaaggg cacagttttg aaaaccatat taagaggcca ggtggtatat 1320
 acgaatgcca acggagtctc gaaaacacca ttgggtcaaa ctttgcttga ttctagacgt 1380
 taa 1383

<210> 610
 <211> 393
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 610

atgttcaact gtcttacaaa gctcgtgata ttagtatgct tgaaatatgt agccaaagcc 60
 ttactaaacc gttccacagg cttaatcatg aaggataagc ccgaaggggt ccaccatata 120
 aagtcgtgta gcgattcgtc ctccagaatc tggatatagct tatggatgaa tatcgcatat 180
 tgtggcgggc tgggccccac tagcatcttc gacccatggt tcttaacatc ctcggcaccg 240
 tcgcgcctt cagcaccagc attagctatt ccagctgctg ctccaccact acctacatcg 300
 gttccagccg gggccggtgt agaagctgga gctggggctg agaccgtttc ctcttcactc 360
 atgatttttt cttctttttt tctatataac tga 393

<210> 611
 <211> 804
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 611

atggccttga acgataatcc tataccaag tcagttcctc tacacccaaa atcaggtaag 60
 tacttccata atttacatgc ccgagactta tcaaatatat atcaacaatg ctacaaacaa 120
 attgatgaga ccataaatca attagtggat tctacatctc cttccaccat cggcattgaa 180
 gagcaggctg cagatattac tagcacctac aaactcctct cgacatacga atcggaatcc 240
 aactcatttg acgaacatat taaagattta aaaaaaatt tcaacaatc ctcagatgcc 300
 tgtccgcaaa tcgaccttct tacctgggat aaatatcgta ccggagaact caccgctccc 360

aaattatctg aattatatct aaatatgccc acaccagagc ctgcaaccat ggttaataac 420
 acagatacac tcaagatact aaaagtgttg ccgtacatat ggaatgatcc aacttgtgta 480
 ataccggatc tgcaaaaccc cgcagacgaa gacgatctac aaatagaagg tggtaaaatt 540
 gaattgactt gtcctatcac ctgcaaacct tacgaagcac cattgatatc aagaaaatgt 600
 aatcacgtct tcgatagaga cggcattcaa aactatttac aaggatacac gacaagagat 660
 tgcccgcaag cagcgtgttc tcaagtcgtt tcaatgaggg attttgtaag agaccctatt 720
 atggaactaa ggtgtaagat cgccaagatg aaagaatctc aggaacagga taaaagaagt 780
 agtcaagcca tcgatgtttt atga 804

<210> 612
 <211> 2448
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 612

atgtctgaga ctctgcctag atctgatgat ttagaggcca cttggaactt tatagagcca 60
 ggaattaacc aaatactggg taatgagaaa aaccaagcat ccacgtctaa gcgagtttac 120
 aaaattcttt ctccaacat gtatatggaa gtctataccg caatttataa ctactgtgtg 180
 aacaaatcac gctcgtctgg acattttagt actgacagta gaactggcca atcaacaatt 240
 ttggttggca gtgagattta cgaaaagtta aagaattatt tgaagaatta cattttaaat 300
 ttttaagcagt ctaattcaga gacctttttg cagttttacg tcaagcgctg gaaaagggtt 360
 acaatagggtg ccattttttt aaaccatgca ttcgattata tgaatagata ttgggttcaa 420
 aaggaaagaa gtgacggcaa aaggcatatt tttgatgtaa acaccttgtg cttgatgaca 480
 tggaaagaag tcatgtttga tccgagtaaa gatgttttaa taaacgaatt attagaccag 540
 gtaaccttgg gaaggaggagg gcaaataatt caaagaagta atattagcac tgccataaag 600
 tcttttagttg cactaggtat cgatccacag gatttgaaaa agttgaacct aaatgtctac 660
 atccaagttt tcgaaaagcc atttttaaag aagactcagg agtactacac gcaatataca 720
 aacgattatt tagagaaaca ctcggtaact gagtatattt ttgaagcaca tgaaatcatc 780
 aaacgtgagg aaaaagcaat gacaatatat tgggatgatc atacaaaaaa accactatcc 840
 atggcattaa acaagggtctt gatcacagac catattgaaa agttggaaaa tgagtttggt 900

gtccttctgg atgccagaga tattgaaaaa attacttctt tgtacgcact aatacgcaga 960
 gactttacat taatcccaag aatgggttca gtgtttgaaa attatgttaa aaagacaggt 1020
 gagaatgaaa tttcgagtct actggcaatg cataaacaca atattatgaa aaacgaaaac 1080
 gcaaacccta aaaaactagc actaatgaca gctcactccc tttctcctaa agactatatc 1140
 aagaaattac tggaagtaca cgatatattc tctaagattt ttaatgaaag tttccccgac 1200
 gacatacctt tagctaaagc tctagataat gcgtgtggtg ctttcatcaa catcaacgag 1260
 ttcgcattac ctgctggatc tccaaaaagt gccacctcga agacttccga gatgctagct 1320
 aagtacagtg atatactatt aaagaaggcc accaaacctg aagtggcaag tgacatgtca 1380
 gatgaagata ttataacaat attcaaatat ttgaccgaca aagatgcgtt cgaaactcat 1440
 tatagaagac ttttcgcaa gcgtttaatt catggcactt caacatcagc agaagacgaa 1500
 gaaaatatta ttcaaaggct gcaagcggca aatagtatgg aatatacagg caagataact 1560
 aaaatgtttc aagatattag actttccaag atcttggaa acgattttgc tgtcgccctg 1620
 aagaatgaac cagattactc taaagcaaaa tatccagatc tacaaccatt tgtattggca 1680
 gaaaatatgt ggccattttc ataccaagaa gttgaattta agctacccaa ggaattggta 1740
 ccatctcacg aaaaattgaa ggagtcatac agccaaaagc ataatggtag aatattgaag 1800
 tggctatggc cattatgtcg tggcgaattg aaggcagata ttggaaaacc cggcaggatg 1860
 ccgttcaact ttacggtaac actgtttcaa atggcaattt tgctactata taacgatgct 1920
 gatgtattaa ccttagaaaa tattcaagag ggcacgagct taaccattca gcacatcgca 1980
 gcggcaatgg taccattcat caaattcaaa ctgattcaac aggtcccacc agggctagat 2040
 gctctcgtga aacctgaaac acaattcaag ctatcacgtc cttataaggc gcttaagacc 2100
 aatattaatt tcgctagcgg agtcaaaaac gacattctgc aatcgctatc cgggtggaggc 2160
 cacgataatc acggtaataa gttaggaaac aaacgcttga cggaagacga aagaatagaa 2220
 aaagaattga atacagaaag gcagattttc ttggaagctt gtattgtgag aataatgaaa 2280
 gcgaaaagaa atctgccaca tacaacattg gtcaacgaat gcattgcgca atcacaccaa 2340
 aggttcaatg caaagggttc tatggtcaag agagccatcg atagcttaat acaaaaggga 2400
 tacctacaga ggggagacga tggatgaatcg tatgcttacc ttgcttaa 2448

<210>

613

<211> 1395
 <212> DNA
 <213> *Saccharomyces cerevisiae*
 <400> 613

```

atgccagaag atacaagcta tagcaactcc ttcgaggatt attacaacaa ttctcacgcg 60
atttcccctt acaaggattc attttataaaa gaaatgacac catctaagcc aaatgtaagg 120
tttggatgat atgatgttaa catttttgat caaagaaaaa aagtaaatga aatcaacaag 180
aataacaccg tcaaaagggtc gatcccatca tcgataagca ccactattac cccaacaag 240
tctagcttaa agtcaccaag gggaaaaagg gcttcgaaga attcttttga taatgaaact 300
aagttagaat cgaaaaatga aactctgaaa gaggtcaatg acgcgggttaa ccgttgctat 360
gcgctttgta acattccaac taagcatgta tccataaata gtattttctga tttggcgag 420
acgttcgaaa cgcttgctgt agggataacc catgaaacga acagaaaagc tgagtgtgaa 480
cggagcaaga atgcaataga ttacttttac taccatgaac agctagaaaa aaaagaactt 540
aatgaaaaaa gccttcaaatt ggcaatcgat cacttgctga aggtcacaaa gcaaaatttg 600
agacaagctg acgatggaaa caaactgaaa gaaacagaag cactcaaaag tttcattgag 660
gaaatagagg aagttgacga taataagatt tccatcaaca gtttacaaca acagttgctt 720
gaagaaaaaa cggcaaacaa cattttgcca agggattatt ataaactcca ggaacgtgga 780
aggcgtttat gtcacgagtt tcaggagttg caagatgatt attccaaaca aatgaaacaa 840
aaggaatatg aggtgcaaaa actcaagaat gaaattaaag ttttattaaa catgaacgat 900
aacttaaagg cagagaaggc ccattactct cagaaagaga aacaatattt tcaaaaatat 960
acctatatag agaaatacat gaatcatgtc aaggaagagt ataatagaaa agaggacgaa 1020
tgcaaaaaat tgaactttat tattgacaag agcatgaaaa aaatagaaca tttggagagg 1080
tcgcttcaga ctcaatttac cgctcaaaac agcttctcaa ctgcaatgat ccaagaggaa 1140
ggcccgaag atgcccattt gaaggatcgc tatcacaag tcaaagagtt tatggaacaa 1200
aagttgcaga cttccaaaat taatgacccc tcttggttctg aggcagaggc acttgataat 1260
gtactttgct taatcgaaag cagtatgaaa aactggaca aaaatagtaa atgttatcca 1320
attgcgacaa aaaagtgcac aaagtatgtt actgactcac caagacttaa agaaaatgaa 1380
cacgttacaa attga

```

1395

<210> 614
 <211> 2013
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 614

```

atgaggatct gtcattcgag aactctctca aacttaaagg atcttccgat aacgtcaagg  60
agagcaatgc attcggccat tgtcaattac tccacccaaa aggccaatt tcccgtagag 120
acaaataatg gggaacacta ttgggcggaa aagccgaaca aattctacca gaacaaaagg 180
cccaattttc aaggcattac ctttgctaaa caacaagact taccatcatt acccgtgccc 240
gaattgaagt ctacacttga caagtatttg caaaccatcc gccatttttg caatgatgta 300
gaaacttttg aaagacagca gctgttatgt aaggacttct cggagcacat ggggcctatc 360
ttacaagacc gattgaaaga gtatgccaac gataaaagaa actggatggc caagttttgg 420
gatgaacaat cctattttaca atacaacgat cctattgttc catacgtctc ttatttttat 480
tctcatatgc cattaccgaa tcatttatcg aagatcgata atgatccttt gattaaggct 540
actgcgatta tctcaaccgt ggtaaattc atcgaagcta ttaaagatga atctttaccc 600
gtagaaatta tcaaaggat gccattttgt atgaatagtt tttcattgat gtttaacact 660
tcgagattgc ctggtaagcc agaggataac caagatacaa atatttttta ttcagtttat 720
gagaacaact ttgtaactat cgcttataaa ggaagttttt acaaactgat gacccatgac 780
gggaatgaca aaccgctttc cgaaaacgaa atctggaggc aactgtactc tgtgggtattc 840
caaggatcgc agtccgatcc caaactaggt ggcattgggt ctctcacctc tttacctcgt 900
gatcaatggc gtgaagtaca tctggagctt atgaaggatc ctattttctca ggattcacta 960
gaaacaatcc ataagtcttc ctttatgcta tgtttggatc ttgaccaatc ccctgtcact 1020
ttggaagaaa agtcaagaaa ttgctggcac ggtgatggta ttaacagatt ctacgataag 1080
tctttacagt tcctggtcac cggtaatggt tcatcagggt tcttagctga aactcgaag 1140
atggatggta cgccaacatt gtttttaaat aactacgttt gtcagcagtt gaataaacta 1200
gatgtggatg acttcatgag aaaagtaatt acgccatcat ctacggtggc aatgaaacct 1260
atggaactgc ctttcattat cacaccgaag attcataaag caatcgaatc tgcccaacta 1320
caatttaagg aaacaattgg tgagcatgac ctacgtgttt ggcactacaa caaatacgga 1380

```

aaaacgttta taaaacgcca tggcatgtca cctgatgcat ttattcaaca agttatccaa 1440
 ctggcgggttt tcaaatatct gaaacgacaa ctaccaactt acgaggctgc ttccacgaga 1500
 aaatacttca aaggccgtac tgaaactggt agatctgtgt ccaccgcctc cttagaattt 1560
 gtttctaaat ggcaaaatgg cgatgttcct attgcagaaa agattcaggc tttgaaacat 1620
 tctgcaaaag agcattctac gtacctgaaa aatgctgcaa atggtaatgg tgtcgatcgt 1680
 catttcttctg gtctaaagaa tatgctaaaa tctaatagatg accaaattcc gcccttttct 1740
 aaagatccct tatttaatta ttcttcaact tgggtgatct ccacatctca actatcttctg 1800
 gaatatcttg acggttatgg ttggtctcaa gtaaatagaca acgggttttg actggcatatc 1860
 atgttgaata acgagtggct gcatatcaat attgtcaaca aaccagccaa gagtggagcc 1920
 agtggttaaca gattacacta ttatttatct caagctgctg atgaaatttt tgacgccttg 1980
 gaaaatgaga ataaacgaaa agcaaagtta tga 2013

<210> 615
 <211> 1227
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 615

atgagtagag gcaaactgga agatatggaa caaaaggaaa catcggaagt tgactggata 60
 atctgttttg ctttaattca atccaggaat cctacgttgt ggaagagggc actttcaaga 120
 aagaaaggag atgtcgaaga ttaggtgct ctcaagagtg aaaaaattt aaaaataaat 180
 cctcgggaaa actcaaaaca tatatacaaa tgggttgctg ctttcgaaaa tggatttttg 240
 aataataaat cactgtttgc tcatctggaa cctatataca atttcctttg ccagaataag 300
 taaaaagct tcgaagatgc agttggttta aaggagctgc aatcatttag caaagatgta 360
 tcaactgctg atataaaca ctggttttta ccgagatata aaattctgct aaaaatcctg 420
 agcttaaaaa caaaagaaat tgactttaga gggttatcgc aagtgtttca aacactccaa 480
 atcttggttag tttctcatta ttcgcatcgc atagattctg attcttcttt taagaggaca 540
 ctgatagacg ttcattgttt caatttcac gccaaagttt tgtttaatag aattttattg 600
 aagaagaacc aaaacgatcc aaatggcctt caaaactttt acgaccaggg agatggcaaa 660
 catttatgtg ataaagttga ctacaagcgc ttgtgttcgt tgcattttac cttattttac 720

tctattatta acattcaact catcaaaatc aagacaaacc aaacatttga accgcagata 780
 ttaaaatacg tatctgttct gaaattaatt gaacacatac ttatcatcat cgaaagtctg 840
 atacatgtac ttattagatt tgtatcgaag cataaaactaa tatgcatcaa ccggaaaaag 900
 gcgtactgtc gagtatacct cgaaagagaa ttgagtttga agaaaaccta cttaaagaac 960
 ttttacagtg taataagcgg tgtcccagaa aaagagttag ggggtctatt gaaaatactc 1020
 aagatagtta ttctatcatt gctcgagaca tttgaaagca ttgaatggca gcacttaaaa 1080
 cctttcctgg aaaaatttcc ggctcatgaa atatcgcttc agaagaaaag gaaatatata 1140
 caggcggcct tattaattac tgccgaaaga aatttgatag cgcgctttcg attgtcaaga 1200
 tggttcaatg agacagaaaa catttaa 1227

<210> 616
 <211> 1956
 <212> DNA
 <213> *Saccharomyces cerevisiae*

<400> 616
 atgagcgaat cggaagccaa atctaggtcg gctacaccgc caagtaaagc taaacaagct 60
 actccaacaa ctacagctgc agctaattgga gaaaagaaat taacaaacaa ggagctaaaa 120
 gaactaaaga aacaagaaaa agctgcaaag agagctgcaa tgaagcaggc taatggtata 180
 tccattgaac aacagcaaca acaagcacia atgaaaaaag agaagaaaca actacaacgt 240
 gagcaacaac agaaaagaga gcaaaagcaa aaaaatgcc aaaaaaaaaa acaaaatgaa 300
 cgaaacgtga aaaagagcac actttttggt catctggaaa ctactgaaga aagaagagcg 360
 acaattttag ctttaaccag tgcagtatca tctccaaaaa cttcgcgaat caccgtgct 420
 gggttgatgg tccccgtggg ggctagtgca ttatcaggat ctaacgtatt aacggcttct 480
 tccttgatgc ccgtgggtcc aaacgcgtcg tctactgtat ctgcatcagc tccagcttca 540
 acaacaacga ctcttcctgc ctcttctgca gcaactctctg ccggtaccag ttctgcgtca 600
 acaaatactc caacagctat acaacaagag attgcttcat caaacgcttc tgatgttgcc 660
 aagacattgg catctatctc gttagaggct ggtgagttta atgtcattcc cggatatatcg 720
 tcagtgatcc ctaccgtgtt agaacaatca tttgacaact ccagcttgat atcgtctgtt 780
 aaggaacttt tattgaataa agaccttatc catccgtcga tattattatt aacttctcat 840

tcagaatatt tctccttcct ttcaaataat tgcaccaata tcttgccaat acttcacttg 300
agattgttct acaatatccg ctgtcttgga aagcaatttt ga 342

<210> 618
<211> 363
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 618

atggacatca gcattcaatg tatatcttat cacaccagtt tatccaaaga tagatgcagt 60
tttgaaattg gttacttaga atatttctac tacatttcga taacaaatat aactattttg 120
aatttaaaag ttgagtatcc aaaaatttta gaaatacata caattacttc ccaattactt 180
cccaaataatt ctccccctg gtttgatata ataaaagcac cttatggcaa caagattccc 240
gggatagtaa tgctatttaa atgtatatct atttctcgaa tacttgtatc tttactccac 300
taccctatg caagaagata cgcgatagtt tttgttcctt cctcttccta ctctgttaat 360
taa 363

<210> 619
<211> 462
<212> DNA
<213> *Saccharomyces cerevisiae*

<400> 619

atgtccctac ggccttgtct aacaccatcc agcatgcaat acagtgacat atatatacac 60
acaccacacc cacaccaca cccacaccca cacacaccca cacacacaca cccacacaca 120
cccacaccca caccacacc acaccacac acaccacacc cacacaccac acccacaccc 180
acaccacacc acaccacac accacacacc accctatcta acctgtctct taacctaccc 240
tcacattacc ctacctccc actcgttacc ctgcccact caaccatacc actcccaacc 300
accatccatc tctctactta ctactaccat ccaccgcca tcataaccgt taccctocaa 360
ttaccatata ccaactccac taccattacc ctgctattac cctaccatcc accatgtcct 420
actcaactga ctgttgttct accctccata ttgaaacgtt aa 462

<210> 620
<211> 1764
<212> DNA

<213> *Saccharomyces cerevisiae*

<400> 620

atggacaagt atttgaattc atttgttgac cacctttcag agtgggtcatc tcgtgccttt 60
aggaacaatt catcaagcgc taaccaaagt gcgtcgaaca aggaattaga acaagttttt 120
gaacagatca atgctatagt tgaaaaccac aataacaaat taaccactgc ctttgataag 180
atatcatatc gcgttgctca caagattaca cacttggtgg aaagccattc tttagtattc 240
aactacgcca ctttagttct catcgcaagt gctttggtcg ttattggctc atttacgtct 300
atctcttcta ttccatttac agctctacct cctacgagag aacactcatt gtttgatcct 360
acagattttg atgtggacca cgactgtcat gttatctacc gcgagaatga cgaagataaa 420
aagaaaaaga agaaaagcaa gaggtttttc gatatgatgg atgaaaaaca tgcgattata 480
ctgcccttaa ctagtggctg tactttactc gctctctatt ttgtgatcaa gaaactacac 540
ctaaactggc taaaatatgt ggtgaaaatt ttgaatttta atataacact gctaaatatc 600
ccagctggca catttgtcta ctctacttt ctcaactcac ttttcagaaa cctatcacat 660
ttagcttctt ggaatcccct ggttgtttta ccaaggtatc gtgtaacaat agctgatgat 720
aacgaagacc tgaacaagat aggcggggtt gttaccaatt tgaattacaa agatggattg 780
accaactcag ttgttcacaa gaaaacattg gatgagattg aaaaagatca ttggatgaag 840
catttttaca gaagagaatt agttgaaccg aaggatatta aatcgaagag gcagatcagc 900
aacatgtatt tgaatagcgc attaatgtt tcgttcgttc tgtccatcgt ttctaccgta 960
tatttctatt tatcacccaa tgattggtta atatccaatg ctgtcagtat gaatatggct 1020
at ttgggtcca ttgctcaatt aaaattgaag aattttaaatt caggggccct aatcctaatt 1080
gctctat ttttacgacat ttgctttgtc tttgggtaccg atgtaatggt tacagtagct 1140
actaaccttg atattcccgt aaaactaagc ttaccagtca agtttaatac agctcaaaac 1200
aacttcaatt tttcaatact tggctctgggt gatattgcct tgcctggtat gtttattgct 1260
atgtgctaca aatatgacat ctggaagtgg caccttgatc atgatgacac tgaattccac 1320
tttttgaact ggtcatatcgt tggaaaatat tttattactg ctatggttag ttacgttgct 1380
tctttgggtat ctgccatggc ctctctgtcc attttcaata ctgctcaacc ggctttatta 1440
tacattgttc cttccttggt gattagtact attttggtag cttgctggaa caaggatttt 1500

aagcagtttt ggaattttca gtatgatacg attgaagtgg ataaaagttt aaaaaaagcg 1560
atagaaaaaa aggagaactc tataacttat tcgaccttca tcctatcaga atactataat 1620
gatgccgaca agtatgcctt gcttggtgat gatgtaaagc aaaattttga cgatgatgaa 1680
gaattcgtgc aagaggaaga tctcagtgac agctctgagg aagagctttc tgaagaagat 1740
ctcttggtatg acgaatcttc ttga 1764

<210> 621
<211> 1929
<212> DNA
<213> *Saccharomyces cerevisiae*
<400> 621

atggacaaga agaaggatct actggagaac gaacaatttc tccgcatcca aaagctcaac 60
gctgccgatg cgggcaaaag acaatctata acagtggacg acgagggcga actatatggg 120
ttagacacct ccggcaactc accagccaat gaacacacag ctaccacaat tacacagaat 180
cacagcgtgg tggcctcaaa cggagacgtc gcattcatcc caggaactgc taccgaaggc 240
aatacagaga ttgtaactga agaagtgatt gagaccgatg ataacatgtt caagacccat 300
gtgaagactt taagctccaa agagaaggca cggatataggc aagggtcctc taactttata 360
tcgtatttcg atgatatgtc atttgaacac aggcccagta tattagatgg gtcagttaac 420
gagcccttca agaccaaatt cgtgggacct actttagaaa aggagatcag aagaagggag 480
aaagagctaa tggccatgcg caaaaattta caccaccgca agtcctcccc agatgctgtc 540
gactcagtag ggaaaaatga tggcgccgcc ccaactactg ttccaactgc cgccacctca 600
gaaacggtgg tcaccgttga aaccaccata atttcatcca atttctccgg gttgtacgtg 660
gcgtttttga tggctattgc atttggtgct gtcaaggctt taatagacta ttattaccag 720
cataatggta gcttcaagga ttcggagatc ttgaaattta tgactacgaa tttgttcact 780
gtggcatccg tagatctttt gatgtatttg agcacttatt ttgtcgttgg aatacaatac 840
ttatgcaagt ggggggtcct gaaatggggc actaccggct ggatcttcac ctcaatttac 900
gagtttttgt ttgttatctt ctacatgtat ttaacagaaa acatcctaaa actacactgg 960
ctgtccaaga tcttcctttt tttgcattct ttagttttat tgatgaaaat gcattctttc 1020
gccttctaca atggctatct atgggggtata aaggaagaac tacaattttc caaaagcgct 1080

cttgccaaat acaaggattc tataaatgat ccaaaagtta ttggtgctct tgagaaaagc 1140
 tgtgagtttt gtagttttga attgagctct cagtctttaa gcgaccaaac tcaaaaattc 1200
 cccaacaata tcagtgcaaa aagctttttt tggttcacca tgtttccaac cctaattttac 1260
 caaattgaat atccaagaac taaggaaatc agatggagct acgtattaga aaagatctgc 1320
 gccatcttcg gtaccatttt cttaatgatg atagatgctc aaatcttgat gtatcctgta 1380
 gcaatgagag cattggctgt gcgcaattct gaatggactg gtatattgga tagattattg 1440
 aaatgggttg gattgctcgt tgatatcgtc ccagggttta tcgtgatgta catcttggac 1500
 ttctatttga tttgggatgc cattttgaac tgtgtggctg aattgacaag atttggcgac 1560
 agatatttct acggtgactg gtggaattgt gttagttggg cagacttcag tagaatttgg 1620
 aacatcccag tgcataagtt tttgttaaga catgtttacc atagttcaat gagttcattc 1680
 aaattgaaca agagtcaagc aactttgatg acctttttct taagttccgt cgttcatgaa 1740
 ttagcaatgt acgttatctt caagaaattg aggttttact tgttcttctt ccaaagctg 1800
 caaatgccat tagtagcttt aacaaatact aaattcatga ggaacagaac cataatcgga 1860
 aatgttattt tctggctcgg tatctgcatg ggaccaagtg tcatgtgtac gttgtacttg 1920
 acattctaa 1929

<210> 622
 <211> 358
 <212> PRT
 <213> Glycine max
 <400> 622

Met	Thr	Met	Leu	Gln	Lys	Met	Ala	Glu	Leu	Met	Glu	Tyr	Ser	Tyr	Leu
1			5						10					15	
Leu	Asp	Met	Ala	Asp	Lys	Thr	Glu	Asp	Pro	Tyr	Met	Arg	Leu	Val	Tyr
		20						25					30		
Ala	Ser	Ser	Phe	Phe	Ile	Ser	Val	Tyr	Tyr	Ala	Tyr	Gln	Arg	Thr	Trp
		35					40					45			
Lys	Pro	Phe	Asn	Pro	Ile	Leu	Gly	Glu	Thr	Tyr	Glu	Met	Val	Asn	His
	50					55					60				
Gly	Gly	Ile	Thr	Phe	Ile	Ser	Glu	Gln	Val	Ser	His	His	Pro	Pro	Met
65					70					75					80
Ser	Ala	Gly	His	Ala	Glu	Thr	Glu	His	Phe	Thr	Tyr	Asp	Val	Thr	Ser

<210> 623
 <211> 300
 <212> PRT
 <213> Glycine max

<400> 623

Met	Cys	Asn	Asn	Gly	Gln	Ser	Pro	Leu	Asp	Arg	Phe	Ile	Ser	Val	Val
1				5					10					15	
Ala	Trp	Cys	Ile	Ser	Thr	Thr	Arg	Pro	Val	Thr	Phe	Gly	Val	Ala	Pro
			20					25					30		
Tyr	Asn	Pro	Ile	Leu	Gly	Glu	Thr	His	His	Val	Ser	Arg	Gly	Asn	Leu
		35					40					45			
Asn	Val	Leu	Leu	Glu	Gln	Ile	Ser	His	His	Pro	Pro	Val	Thr	Ala	Leu
	50					55					60				
His	Ala	Thr	Asp	Glu	Lys	Glu	Asn	Ile	Glu	Met	Leu	Trp	Cys	Gln	Arg
65					70					75					80
Pro	Asp	Pro	Lys	Phe	Asn	Gly	Thr	Ser	Val	Glu	Ala	Lys	Val	His	Gly
			85						90					95	
Ile	Arg	Gln	Leu	Lys	Leu	Leu	Asn	His	Gly	Glu	Thr	Tyr	Glu	Met	Asn
		100						105					110		
Cys	Pro	Arg	Leu	Leu	Leu	Arg	Ile	Leu	Pro	Val	Pro	Gly	Ala	Asp	Trp
		115					120					125			
Ala	Gly	Thr	Val	Asn	Ile	Arg	Cys	Leu	Glu	Thr	Gly	Leu	Val	Ala	Glu
		130				135					140				
Leu	Ser	Tyr	Arg	Ser	Ser	Ser	Phe	Leu	Gly	Ile	Gly	Gly	Asn	His	Arg
145					150					155					160
Val	Ile	Lys	Gly	Lys	Ile	Leu	Asp	Ser	Ser	Ser	Leu	Lys	Val	Leu	Tyr
			165					170						175	
Glu	Val	Asp	Gly	His	Trp	Asp	Arg	Thr	Val	Lys	Val	Lys	Asp	Thr	Asn
		180						185					190		
Asn	Gly	Lys	Val	Arg	Val	Ile	Tyr	Asp	Ala	Lys	Glu	Val	Met	Ser	Gly
		195					200					205			
Leu	Glu	Thr	Pro	Ile	Leu	Lys	Asp	Ile	Glu	Gly	Val	Trp	Gln	Thr	Glu
	210					215					220				
Ser	Ala	His	Val	Trp	Gly	Glu	Leu	Asn	Gln	Ala	Ile	Val	Ser	Lys	Asp
225					230					235					240
Trp	Glu	Lys	Ala	Arg	Glu	Ala	Lys	Leu	Lys	Val	Glu	Glu	Arg	Gln	Arg
			245						250					255	

Glu Leu Val Arg Glu Arg Glu Ser Lys Gly Glu Thr Trp Ile Ser Lys
 260 265 270

His Phe Val Val Ser Asn Asn Lys Glu Gly Trp Gln Cys Ser Pro Ile
 275 280 285

His Lys Ser Val Pro Ala Ala Pro Ile Thr Ala Leu
 290 295 300

<210> 624
 <211> 355
 <212> PRT
 <213> Glycine max

<400> 624

Met Ala Glu Leu Met Glu Tyr Ser Tyr Leu Leu Asp Met Ala Asp Lys
 1 5 10 15

Thr Glu Asp Pro Tyr Met Arg Leu Val Tyr Ala Ser Ser Phe Phe Ile
 20 25 30

Ser Val Tyr Tyr Ala Tyr Gln Arg Thr Trp Lys Pro Phe Asn Pro Ile
 35 40 45

Leu Gly Glu Thr Tyr Glu Met Val Asn His Gly Gly Ile Thr Phe Ile
 50 55 60

Ser Glu Gln Val Ser His His Pro Pro Met Ser Ala Gly His Ala Glu
 65 70 75 80

Thr Glu His Phe Thr Tyr Asp Val Thr Ser Lys Leu Lys Thr Lys Phe
 85 90 95

Leu Gly Asn Ser Val Asp Val Tyr Pro Val Gly Arg Thr Arg Val Thr
 100 105 110

Leu Lys Arg Asp Gly Val Val Leu Asp Leu Val Pro Pro Pro Thr Lys
 115 120 125

Val Ser Asn Leu Ile Phe Gly Arg Thr Trp Ile Asp Ser Pro Gly Glu
 130 135 140

Met Ile Leu Thr Asn Leu Thr Thr Gly Asp Lys Val Val Leu Tyr Phe
 145 150 155 160

Gln Pro Cys Gly Trp Phe Gly Ala Gly Arg Tyr Glu Val Asp Gly Tyr
 165 170 175

Val Tyr Asn Ser Ala Asp Glu Pro Lys Ile Leu Met Thr Gly Lys Trp
 180 185 190

Asn Glu Ala Met Asn Tyr Gln Val Cys Asp Ser Glu Gly Glu Pro Leu
195 200 205

Pro Gly Thr Glu Leu Lys Glu Ile Trp Arg Val Ala Asp Thr Pro Lys
210 215 220

Lys Asp Lys Phe Gln Tyr Thr His Phe Ala His Lys Ile Asn Ser Phe
225 230 235 240

Asp Thr Ala Pro Lys Lys Leu Leu Ala Ser Asp Ser Arg Leu Arg Pro
245 250 255

Asp Arg Met Ala Leu Glu Lys Gly Asp Leu Ser Thr Ser Gly Tyr Glu
260 265 270

Lys Ser Ser Leu Glu Glu Arg Gln Arg Ala Glu Lys Arg Asn Arg Glu
275 280 285

Ala Lys Gly His Lys Phe Thr Pro Arg Trp Phe Asp Leu Thr Asp Glu
290 295 300

Val Thr Pro Thr Pro Trp Gly Asp Leu Glu Val Tyr Gln Tyr Asn Gly
305 310 315 320

Lys Tyr Thr Gln His Cys Ala Ala Val Asp Ser Ser Glu Cys Ile Glu
325 330 335

Val Pro Asp Ile Arg Pro Glu Phe Asn Pro Trp Gln Tyr Asp Asn Leu
340 345 350

Asp Ala Glu
355

<210> 625

<211> 414

<212> PRT

<213> Zea mays

<400> 625

Met Ala Thr Lys Glu Glu Ala Ser Ala Val Pro Ala Ala Ser Lys Thr
1 5 10 15

Ser Trp Ser Ser Phe Leu Lys Ser Ile Ala Ser Phe Asn Gly Asp Leu
20 25 30

Ser Ser Leu Thr Ala Pro Pro Phe Ile Leu Ser Thr Thr Ser Leu Thr
35 40 45

Glu Tyr Ser Ala Tyr Trp Cys Glu His Pro Ala Leu Phe Val Ala Pro
50 55 60

Ala Arg Glu Pro Asp Pro Ala Lys Arg Ala Leu Leu Val Leu Lys Trp

65					70					75					80
Phe	Leu	Ser	Thr	Leu	His	Gln	Gln	Tyr	Cys	Ser	Arg	Ser	Glu	Lys	Leu
				85					90					95	
Gly	Ser	Glu	Lys	Lys	Pro	Leu	Asn	Pro	Phe	Leu	Gly	Glu	Leu	Phe	Leu
			100					105					110		
Gly	Lys	Trp	Ile	Glu	Asp	Glu	Asp	Val	Gly	Glu	Thr	Arg	Leu	Ile	Ser
		115					120					125			
Glu	Gln	Val	Ser	His	His	Pro	Pro	Ala	Thr	Ala	Tyr	Ser	Ile	Val	Asn
		130				135					140				
Glu	Lys	His	Gly	Val	Glu	Leu	Gln	Gly	Tyr	Asn	Ala	Gln	Lys	Ala	Ser
145					150					155					160
Phe	Ser	Ser	Thr	Ile	Gln	Val	Lys	Gln	Leu	Gly	His	Ala	Tyr	Leu	Ser
				165					170					175	
Leu	Thr	Pro	Pro	Gly	Lys	Asp	Ala	Asn	Asn	Glu	Asp	Asp	Arg	Glu	His
			180					185					190		
Tyr	Leu	Ile	Thr	Leu	Pro	Asn	Leu	His	Ile	Glu	Ser	Leu	Ile	Tyr	Gly
		195					200					205			
Thr	Pro	Phe	Val	Glu	Leu	Glu	Lys	Ser	Cys	Lys	Ile	Ala	Ser	Ser	Thr
						215					220				
Gly	Tyr	Ile	Ser	Lys	Ile	Asp	Phe	Ser	Gly	Lys	Gly	Trp	Leu	Ser	Gly
225					230					235					240
Lys	Lys	Asn	Thr	Phe	Ser	Ala	Val	Leu	Tyr	Lys	Glu	Ser	Asp	Gly	Glu
				245					250					255	
Lys	Asn	Pro	Leu	Tyr	Thr	Ala	Asp	Gly	Gln	Trp	Ser	Ser	Ser	Phe	Thr
			260					265					270		
Ile	Arg	Asp	Ala	Arg	Ala	Lys	Lys	Asp	Ile	Glu	Thr	Phe	Thr	Ile	Ser
		275					280					285			
Asn	Leu	Lys	Thr	Thr	Pro	Leu	Thr	Val	Ala	Pro	Leu	Asp	Glu	Gln	Asp
		290				295					300				
Glu	Trp	Glu	Thr	Arg	Arg	Ala	Trp	Arg	Asp	Val	Ala	Ala	Ala	Ile	Glu
305					310					315					320
Arg	Gly	Asp	Met	Glu	Ala	Thr	Ser	Asn	Ala	Lys	Thr	Lys	Ile	Glu	Val
				325					330					335	
Ala	Gln	Arg	Glu	Leu	Arg	Lys	Lys	Glu	Lys	Glu	Gln	Gly	Glu	Glu	Trp
			340					345					350		
Glu	Arg	Arg	Phe	Phe	Lys	Arg	Val	Asn	Glu	Lys	Asp	Glu	Pro	Thr	Phe

355	360	365
Met Arg Leu Ala Ala Met Leu Asp Leu Thr Gln Gly Ile Glu Ser Asp		
370	375	380
Arg Thr Gly Gly Val Trp Arg Phe Asp Pro Ser Arg Ala Val Asp Ala		
385	390	395 400
Asn Pro Pro Tyr His Lys Val Gly Gly Glu Gly Leu Gly Leu		
405	410	
<210>	626	
<211>	434	
<212>	PRT	
<213>	Saccharomyces cerevisiae	
<400>	626	
Met Ser Gln His Ala Ser Ser Ser Ser Trp Thr Ser Phe Leu Lys Ser		
1	5	10 15
Ile Ser Ser Phe Asn Gly Asp Leu Ser Ser Leu Ser Ala Pro Pro Phe		
20	25	30
Ile Leu Ser Pro Thr Ser Leu Thr Glu Phe Ser Gln Tyr Trp Ala Glu		
35	40	45
His Pro Ala Leu Phe Leu Glu Pro Ser Leu Ile Asp Gly Glu Asn Tyr		
50	55	60
Lys Asp His Cys Pro Phe Asp Pro Asn Val Glu Ser Lys Glu Val Ala		
65	70	75 80
Gln Met Leu Ala Val Val Arg Trp Phe Ile Ser Thr Leu Arg Ser Gln		
85	90	95
Tyr Cys Ser Arg Ser Glu Ser Met Gly Ser Glu Lys Lys Pro Leu Asn		
100	105	110
Pro Phe Leu Gly Glu Val Phe Val Gly Lys Trp Lys Asn Asp Glu His		
115	120	125
Pro Glu Phe Gly Glu Thr Val Leu Leu Ser Glu Gln Val Ser His His		
130	135	140
Pro Pro Met Thr Ala Phe Ser Ile Phe Asn Glu Lys Asn Asp Val Ser		
145	150	155 160
Val Gln Gly Tyr Asn Gln Ile Lys Thr Gly Phe Thr Lys Thr Leu Thr		
165	170	175
Leu Thr Val Lys Pro Tyr Gly His Val Ile Leu Lys Ile Lys Asp Glu		
180	185	190

